

19:361/


N.XV



1 this







Digitized by the Internet Archive in 2016

CU'LPEPER'S ENGLISH PHYSICIAN, AND COMPLETE

HERBAL.

TO WHICH ARE NOW FIRST ADDED

Upwards of One Hundred additional HERBS, with a display of their

MEDICINAL AND OCCULT PROPERTIES,

PHYSICALLY APPLIED TO

The Cure of all DISORDERS incident to MANKIND.

TO WHICH ARE ANNEXED, .

RULES for Compounding MEDICINE according to the True SYSTEM of NATURE.

FORMING A COMPLETE

FAMILY DISPENSATORY,

And Natural SYSTEM of PHYSIC.

BEAUTIFIED AND ENRICHED WITH

ENGRAVINGS of upwards of Four Hundred and Fifty different PLANTS,

And a SET of ANATOMICAL FIGURES.

ILLUSTRATED WITH NOTES AND OBSERVATIONS,
CRITICAL AND EXPLANATORY.

By E. SIBLY, M. D. Fellow of the Harmonic Philosophical Society at PARIS; and Author of the Complete ILLUSTRATION of ASTROLOGY.

HAPPY THE MAN, WHO, STUDYING NATURE'S LAWS, THROUGH KNOWN EFFECTS CAN TRACE THE SECRET CAUSE.

DRYDEN.

LONDON:

PRINTED FOR THE PROPRIETOR, BY LEWIS AND RODEN, PATERNOSTER-ROW;

AND SOLD AT THE BRITISH DIRECTORY OFFICE, AVE. MARIA-LANE; AND
BY CHAMPANTE AND WHITROW, JEWRY-STREET, ALDGATE.



To THOMAS DUNCKERLY, Efq. PROVINCIAL GRAND MASTER

OF THE ANCIENT AND HONOURABLE FRATERNITY OF FREE AND ACCEPTED MASONS OF DORSET, ESSEX, GLOUCESTER, SOMERSET, BRISTOL, SOUTH-AMPTON, AND THE ISLE OF WIGHT.

SIR,

PRESUMING on the well-known Goodness of your Heart, and that Liberality of Sentiment, which render your Actions, like your Descent, NOBLE, permit me to solicit your Protection to a Work, which, though of the first Importance in the Cause of Humanity, will acquire new Vigour under your Auspices, and dawn forth with accumulated Lustre under the Shield of your Arm; which, like that of the good Samaritan, is ever reached out to administer Comfort and Relief to your afflicted Fellow-creatures.

It has been a long-established Maxim among civilized Societies, to submit to their President whatever is thought conducive to the general Good. You are the illustrious Head of many respectable Lodges of free and accepted Masons, whose Care it has been to cherish a Contemplation of the deep Mysteries of Nature, from Time imme-

morial.

morial. And, though the Body of this invaluable Work is not of my Production, yet, should the Notes and Illustrations, and the other Improvements now made to it, be thought worthy of your Approbation, or of the Notice of my Masonic Brethren, I trust they will find in them an ample store of Precepts, whereby the Blessings of Health might be universally dispensed, and the Happiness of Mankind more permanently secured; to promote which is the leading Feature of Masonic Principles.

Should this important Object be obtained, and medical Knowledge be diffused through the Empire in its pure and pristine State, disrobed of its ambiguous Dress, and made the Friend of every Family---my Heart will rejoice, and my utmost Desires be accomplished.

Wishing you internal and external Happiness in the terrene Lodge here, and eternal Joy and Glory in the divine Sanctum Sanctorum above, permit me publicly to affure you how unseignedly I am,

SIR,

Your most humble

and devoted Servant,

No. 1, Upper Titchfield-street, Cavendish-square, London. In the Year of Masonry 5798. E. SIBLY.

THE PREFACE.

ISEASE is undoubtedly the most fatal enemy of mankind. To prevent its approaches, or to overcome its attacks, is perhaps the most important concern of our lives; and an inquisition that appears only attainable by the most natural and simple means. For this purpose, Mr. Nicholas Culpeper's English Physician seems peculiarly well adapted; since it resorts, for every mode of Cure, to that infallible source prepared by God and Nature, in the vegetable system; whence show spontaneously the genuine Virtues of Medicines, disfused universally over the face of the whole earth, where nothing grows in vain!

Indeed, had this ingenious and most invaluable Work no other recommendation than having passed through so many editions, yet would it sufficiently justify my offering it once more to the notice and consideration of an enlightened public. But, when we reflect on the discoveries since made in the botanical world—the great acquisitions derived to the Work by the addition of upwards of one hundred newly discovered aromatic and balsamic herbs—independent of the physical skill and philosophical perception displayed by its Author, we shall find innumerable instances of its utility, and perceive in it a fund of information and medical acquirements, which promise the most extensive benefits to society, by forming a Domestic Physician in every Family.

It might perhaps have been replete with the happiest consequences to our beloved King under his late infirmity, and would unquestionably have tended more quickly to dispel the painful apprehensions of his afflicted No. 1.

people, had this great Master of human nature been contemporary with us. No man, I believe, but the *professionally* envious, will presume to question his medical abilities, or prescribe limits to his physical knowledge, which eclipsed the practice of every physician of his day, and put to silence the whole tribe of empirics and quacks. I cannot give a higher proof of his professional discernment, nor any thing more applicable to the anxious feelings of my reader, than by shewing how exactly he has pointed out the disorder with which his Majesty was lately afflicted, and the simples which are applicable to its several stages, so exact and critical, that, if he had been living, and appointed one of the consulting physicians, he could not have marked the outline of it with more precision.

He distinguishes diseases which produce phrenzy into three different classes; the second he terms periphrenetio. He describes it thus: "It is preceded by a very sharp sever, which will rage for a sew days violently: when it subsides, the delirium takes place with sits of the sever at irregular intervals; the patient will be remarkably voracious; all his passions will be very strong; his lucid intervals short; his sleep seemingly of a long duration, but, in fact, this sleep is nothing but dosing; when he awakes he will seem fully occupied with some favourite subject, such as singing, hunting, dancing, &c. His recollection will sometimes serve him so as to know particular persons, but that will not last long."

After having described the effect of the diforder, he next enters minutely into an investigation of the seat of it. And here, with his usual severity against his brethren, the physicians, he says, "They, poor ignorant men, think this is a disorder in the head, whereas, in sact, it arises from an injury which is received in the diaphragm, or midriff. The use of this membrane is (besides sustaining the upper parts of the abdomen) to convey cooling moisture to the brain, in order to cool the hot humours which sly to it from the several parts of the intestines, and particularly

ticularly the liver. Now, if the diaphragm be ftrained, bruifed, or otherwise hurt, it consequently fails in performing its function, and the brain will suffer a delirium, more or less, in proportion as the disorder in the diaphragm is better or worse."

He then states the manner in which this malady may arise. "It may happen by overlifting, by fighting, by violent riding, by want of a proper quantity of nourishment, whereby the membrane loses its tone and vigour, and fails in its duty. Hence the first symptoms of approaching death, which appears in people who are starved, is a delirium, which is occasioned by a heat in the brain, for want of proper moisture from the midriff."

He next points out the remedy, which he confesses is very difficult; inasmuch as the midriff, being a membrane only, will not yield to the same remedies that the muscular part of the body will. Having a view towards "keeping the sever under, the internals should be strengthened by nourishing aliment. The chest and abdomen rubbed with aromatic and corroborating oils—the habit prevented from being too lax—and the bowels, if tending to laxitude, should be bound up, and kept in due tone."

He then gives a variety of oils and fimples, which are extremely useful in this disorder; and concludes with advising constant attention to the patient; to indulge his desires as often as it may be done with safety, but not to disturb his intestines with too much physic, and thereby weaken and injure, instead of relieving, the patient.

In a fimilar way does this learned author proceed in the treatment of all the infirmities incident to mankind, carefully pointing out, by anatomical rules, the *feat* of the diforder, and then applying fuch fimple medicines and regimen as Nature herfelf directs, without exposing the patient to the danger of violent experiments, or torturing his intestines

with irritating drugs, which instead of effecting a cure, often augment the disease, and not unfrequently occasion premature death.

Some authors have laboured to prove, that the difference of opinion betwixt Culpeper and his brother physicians originated entirely from his own furly and vindictive disposition. But whoever has taken the pains to investigate the controversy, will find this affertion most remote from the truth. He found the practice of physic directed more by terms of art than by principles of nature; and governed more by avarice than by a genuine desire of restoring health and strength to the desponding patient. He condemned this practice, by exposing the wickedness of some and the ignorance of others; and, though he had the whole medical corps to encounter, yet such was the force of his reasoning, and the superiority of his abilities, that they submitted to the sentence he had passed upon them, without the formality of a desence.

But, after a while, the allied fons of Esculapius, having discovered that Mr. Culpeper's practice was guided by astrological precepts, rallied again, and renewed the combat with accumulated fury. Every insulting reflection, calculated to impeach his understanding, was levelled at him; and the occult properties of the celestial system were ridiculed and denied. Our author, however, was not to be driven so casily from his purpose. He immediately published a tract in defence of the astral science, which he maintained against the united opposition of both the Colleges; and, by introducing it into his practice, he performed cures which astonished his competitors, and rendered his name immortal.

Experience, therefore, ought to convince us, however opposed by abstract reasoning, that there is indisputably an innate and occult virtue insused into all sublunary things, animal, vegetable, and mineral, by the action of the heavenly bodies upon the ambient and elementary matter, which, by the motions and mutations of the luminaries being constantly

varied,

varied, produce that aftonishing variety in Nature, which is infinitely beyond our knowledge or comprehension. Hence arise the sympathies and antipathies so astonishingly conspicuous in all the productions of the earth whether animate or inanimate, in men or brutes, in vegetables or minerals, and in every species of matter definable to our senses. Here also we discover the effential properties and first ground of all medicine, and are furnished with the best reasons why it is impossible to prescribe remedies at all times applicable to the stupendous varieties afflicting the body of man, without the aid of sydereal learning.

There is no doubt but the remote as well as the propinquate causes of things ought seriously to be investigated both by philosophers and physicians; or else the music of science will often fail of its harmony, and produce discord and disgust. The planetary influx, and the force of the ambient, is as necessary to be consulted, as the structure of the body, and the laws of pulsation; otherwise our practice will be impersect, and our success determined by chance. For this reason, the learned Senertus, in his Elements of Physic, highly commends those modern physicians, who unite astrological with medical knowledge: "For,"—continues this ingenious author,—" the stars act upon inferior bodies not only by heat and light, but by occult influence;—nor can it be doubted but that all plants are under the government of some particular planet, and perform their operations by virtue of the sympathy co-existent in their nature."

By the right knowledge of times and seasons, of causes and effects, the most important cures have unquestionably been performed. "No man," says Galen, "can reasonably deny, but that the natural ground of medicine and disease depends much upon astral influx and elementary impression; and hence it is, that, by the nativity or decumbiture of the patient, we are enabled to discern both the cause and conclusion of the disease; and, by considering the quality of the principal aspects in airy, watery, earthy,

or fiery, figns or conftellations, all doubts and difficulties are removed; a plain and obvious mode of treatment prefents itself to our view; and furnishes a striking proof of the wife occonomy of the Supreme Being, in governing this inferior world by the influence and energy of the superior bodies, whose very minutiee, as well as more magnificent phenomena, are invariably obedient to a regular and unerring law."

But, although the aftrologic science be thus useful in guiding our medical enquiries, and necessary in forwarding the cure of remote and latent diseases; yet were the enemies of Culpeper, like many of the present day, exultingly forward to condemn that which they do not understand, and by attempting to baffle the secret operations of nature, and the strong influences of the planetary system—of the Pleiades, Arcturus, and Orion, they expose the weakness of their own imaginations, which they insultingly oppose to the glorious host of heaven.

Perfectly indifferent, myfelf, as to the cavils of diffatisfied critics or to the censure of interested men, I shall revive that simple practice of Culpeper, which spread, through the British realms, the happy art of restoring to pristine vigour—the decaying life and health of mankind. For this purpose, I have incorporated into the present edition of his Physician and Herbal, every useful part of all his other works; and have added a selection of easy rules, for attaining an intimate acquaintance with all the British herbs and plants; for discovering the real planetary influx; and for gathering them at those particular seasons when they imbibe a double portion of efficacy and virtue.

In gathering herbs for medicinal uses, the planetary hour is certainly of importance, however modern refinement might have exploded the idea. In nature, the simplest remedies are found to produce the most salutary effects; and in earlier times, when the art of medicine was less obscured, and practifed more from motives of benevolence, the world was less afflicted

with

with difease, and the period of human life less contracted. The laboratory of nature, were it but consulted, furnishes ample remedies for every curable disorder incident to mankind; for, notwithstanding the parade of compound medicines, the art of healing consists not so much in the preparation, as in the due application, of the remedy. Hence it happens that old women, without education or abilities, by the help of a simple herb gathered in the planetary hour, in which hour it imbibes its greatest strength and esculent virtue, will sometimes perform very extraordinary cures, in cases where the regular-bred physician is absolutely at a loss how to treat them.

I would not here be understood to cast any unworthy reflections upon those exalted characters, who have made physic, and the alleviation of human infirmity, the principal study of their lives. The many invaluable discoveries lately added to the Pharmacopæia, both from the vegetable and mineral worlds, are strong arguments of the necessity of regular practice and of professional education in forming the Physician. But, were the bulk of these gentlemen to consult a little more the planetary influence, and the effects of Saturn and the Moon in each crifis and critical day, and regulate their prescriptions accordingly, I am persuaded more immediate relief would in most cases be afforded to the sick and languishing patient. Surgery too, which, like a guardian angel, steps forward to alleviate the perilous accidents of the unfortunate, would gain much improvement by the like confideration. It is not the humane and liberal professors of physic or furgery whose practice deserves censure. but that mercenary tribe of pretenders to physic, who now pervade the kingdom, and, like a fwarm of locusts from the east, prey upon the vitals of mankind. These monsters in the shape of men, with hearts callous to every fentiment of compassion, have only fees in view. Governed by this fordid principle, they fport with life, unmoved amidst the bitter anguish and piercing groans of the tortured patient, whom, when too far gone for human aid to restore, they abandon to despair and death.

To prevent, as much as possible, the growth of so enormous a traffic, it requires that the practice of physic, instead of being clothed in a mystic garb, should be put upon a level with the plainest understanding, and the choice and quality of our medicines be rendered as obvious and familiar as our food. Instinct, in the brute species, furnishes this discrimination in the most ample and furprising manner; and, in the primitive ages of the world, when men were rich in years, and bleffed with length of days, it was the custom to confult individually their own complaint, and their own cure. To restore this primitive practice, was the godlike aim of the immortal Culpeper, when he compiled this invaluable Work; for fince it was the intention of our beneficent Creator to provide a natural remedy for all our infirmities, fo it would be derogatory to his attributes, to suppose the knowledge of them limited to a few, or confined to a fmall class of his creatures. On the contrary, this knowledge lies open to the wayfaring man-it grows in every field, and meets us in all our paths; and was mercifully given to alleviate the pangs of difeafe-to irradicate the pestilential seeds of infection—to invigorate the constitution, and to strengthen Nature-eventually reducing the perils to which we are exposed, and making rosy HEALTH the Companion of our lives!

INTRODUCTION.

So much has the fashion of the times increased the use of foreign drugs and nostrums, that it has become a subject of disputation in the schools. Whether medicine be most beneficial or injurious to mankind. Many there are, who condemn the Faculty and the Profession, as the greatest enemies of society; and who would sooner part with life and fortune than place themselves in the power of either. Yet the one, when consulted with caution, is the best protector of our lives; and the other, when guided by integrity, is the securest guardian of our liberties. It is not the use but the abuse of them which draws down a curse upon posterity; whilst a seasonable and prudent resort to either is congenial to the blessings of health and freedom.

The laws of physic are agreeable to the laws of nature. Physic imitates Nature. Its design is, to preserve the body in health—to defend it from infirmity—to strengthen and invigorate the weak, and to raise the dejected. In a word, the salutary effect of natural medicine keeps the body in a progressive state of health and comfort, until the approach of death—that certain and inevitable consequence of our existence, which no art, nor invention, nor the greatest power of princes, can prevent or resist. Let it then be our wisdom, after attending to our eternal concerns, to be careful in securing the most valuable of our temporal ones, namely, that of HEALTH; for she is the most excellent companion, the richest treasure, and the best of earthly possessions; without which, nothing here can be esteemed a blessing.

Hence it becomes evident that the study of Physic ought to form a part of the education of every private gentleman, and should become the amuse-

ment of every individual whose occupation in life affords an opportunity of investigating this valuable branch of literature. No science presents to our contemplation a more extensive field of important knowledge, or affords more ample entertainment to an inquisitive or philanthropic mind. Anatomy, Botany, Chemistry, and the Materia Medica, are branches of Natural History, fraught with such amusement and utility, that he who neglects them can have no claim to taste or learning. The Vegetable World, with its occult virtues and power, is, of all others, the sublimest subject for the exertion of genius, and affords the highest gratification to a benevolent mind: since there are no infirmities incident to our fallen nature that it does not enable us to alleviate or remove.

It is a melancholy reflexion, daily confirmed by observation and experience, that one half of the human species, labouring under bodily infirmity, perish by improper treatment, or mistaken notions of their disease. What greater inducement then can be offered to mankind, to acquire a competent knowledge of the science of physic, than the preservation of their own lives, or that of their offspring? Not that it is necessary for every man to become a physician; for such an attempt would be absurd and ridiculous. All I plead for is, that men of sense, of probity, and discernment, should be so far acquainted with the theory of physic, as to guard their families against the destructive influence of ignorant or avaricious retailers of medicine. For, in the present state of things, it is much easier to cheat a man out of his life than of a shilling; at the same time that it is almost impossible either to detect or punish the iniquitious offender.

The benefits refulting from medicine as a trade are principally derived from those unfortunately fanciful and imaginarily-disordered patients, whose fortunes are ample, and whose establishments comprise an annual provision for the physician and apothecary. Others again, whose discernment

discernment is less desective, but whose circumstances are sufficient, are equally made the dupes of "the secrets of trade." Disease is prolonged, and nervous complaints brought on, by an excessive or improper use of drugs, given for the purpose of increasing sees, or multiplying the items of an apothecary's bill. Yet these infatuated patients shut their eyes against the light of reason, and swallow every thing that is administered to them, without daring to ask the necessity of the prescription, or quality of the dose. Implicit faith, which in every thing else is the object of ridicule, is here held facred, though at the expence of our constitutions. Many of the faculty are no doubt worthy of all the considence that can be reposed in them; but, as this can never be the character of every individual in any profession whatever, it would certainly be for the safety and honour of mankind, to have some check upon the conduct of those to whom we entrust so valuable a treasure as Health.

Persons who move in a middling sphere of life too often become objects of fimilar imposition. The nature of their avocations, and the attentions requifite for business, beget infirmities, which, though easily removed by change of air and simple regimen, are frequently increased by irritating drugs, until the conftitution receives a shock too violent for medicine to reftore. The lower orders of fociety, however, and particularly the poor, are not exposed to this danger. Their misfortunes arise from an unfeeling inattention and neglect on the part of those who are called to their affiftance; but by whom they are frequently left either wholly deftitute of advice and of medicines, or are obliged to put up with fuch as it would be much more prudent to avoid. How extensively advantageous then would medical knowledge prove to men in almost every occupation of life? fince it would not only teach them to know and to avoid the dangers peculiar to their respective stations, but would enable them to difcern the real enjoyments of life, and be conducive to the true happiness of mankind!

I know there are many humane and well-disposed persons of sense and discernment who possess the disposition and the ability of supplying this defect in medical attention to the poor, did not the dread of doing ill suppress their inclination to do good. Such persons are also deterred from the most noble and praise-worthy actions, by the foolish alarms sounded in their ears by a set of men who raise their own importance by magnifying the difficulties of performing cures, who find fault with what is truly commendable, and sneer at every attempt to relieve the afflicted which is not fanctioned by their precise rules. But these gentlemen must excuse me for affirming, that the practice of such charitable persons, a little affished by medical reading, and directed by the simple dictates of nature, is frequently more successful than the practice of professional men, who are so intent upon dosing the patient, that things of greater import are neglected and forgotten.

To affift the well-meant endeavours of the humane and benevolent, in relieving diffrefs, and eradicating difease, is an attempt which I trust will meet the countenance and support of every sober friend to society. I am well aware, that he, who stands forward to promote the public welfare at the expence of a particular profession, must excite enmity and draw upon him the clamour of interested individuals. But the solid comforts resulting from a sense of doing good, and the reflection of becoming instrumental in preserving the health of thousands, surpass the sleeting praises of the giddy multitude, for the smiles of self-exalted and ambitious men.

CULPEPER'S ENGLISH PHYSICIAN,

AND COMPLETE

HERBAL.

Of the NATURAL APPROPRIATION of HERBS in the CURE of all DISEASES:

HE temperature, virtues, and use, of Plants, as serving to heal or sustain the body in health; as also their dangerous qualities, and the remedies against them; are well worthy our enquiry. This speculation is divided into two parts. 1. Theraputic or curatory. 2. Threptic or alimentary. In both which, vegetables may be considered according to their substance and consistence, or else according to their incidents.

I. According to their fubstance or consistence, they are, 1. Thin or gross. 2. Lax or constrict. 3. Clammy or brittle. 4. Heavy or light. Tenuity of parts is in those things which are aerious in effence and substance; which, being substile, do easily communicate their virtue unto any liquor, and are of easy distribution in the body, easily actuated, and not long abiding; and is in matter not much compact, but easily divided by natural heat, having little of earth, and that mixed with much humidity, or elaborated by fiery heat, as in things very acid, sharp, and friable, for the most part. Crassitude of parts is in those things which are terrene; which, being more gross, do not quickly communicate their virtues unto liquids, and therefore the virtues thereof are exerted in the stomach, and seldom or ever pass unto the liver; and No. 2.

fuch have much matter, as in mixtures very terrene, or exquisite mixtures of the aqueous humidity and terrene, without much prevalency of heat, so for the most part are austere, acerb, sweet, bitter, falt, and few insipid. Rarity is in dry bodies; hardness in the dry and terrene. Clamminess in most bodies: brittleness in dry. Heaviness in thick bodies: and lightness in the rarefied. Tenuity looseneth and penetrateth; craffitude obstructs; softness lenifies and conglutinates; and hardness resistent and drieth up.

II. According to their accidents, they may be taken notice of, as medicamentous and alimentary.

1. As medicamentous, and to according to their immediate and more remote accidents.

2. According to their more immediate, i. e. the qualities, and way of finding them out.

The Pototetology, or qualities, first, second, third, and fourth. The first are, Calidity, or heat, which caufeth motion, and disposeth the parts by a right conjunction and fituation thereof. It heateth, fubtilizeth, digefteth, openeth, maturateth, and rarefieth, and caufeth agility: if exceffive, it doth afcend, inflame, attract, or diffurb, as thapfia, &c. 2. Frigidity, or coldness, doth cool, conjoin, inspissate, and hinder digeftion, by the obstruction of calidity, and by shutting the passages hindereth distribution: also if excessive, it so silleth that it expels the juice, coagulates, and congeals, as poifon, &c. 3. Humidity, or moisture, is of easy separation, lenifying and lubrifying: if exceffive, it burdeneth the fpirits and loadeth the fame: and, if aqueous, it caufeth naufeoufnefs, and fuffocates the excitation of heat, caufeth flatulencies, oppilations, flowness of action, and debility of motion, in all the parts: otherwife it lenifies, lubrifies, loofeneth, maketh the blood and fpirits more groß, and obtunds the acrimony of humours, as mallows, &c. 4. Siccity, or drynefs, doth colligate and bind, and causes a stronger disposition of the body: if excessive, it conftringeth the passages and hindereth the excretion, presses forth the juices out of the body, and caufeth tabefaction: if in the last degree, it consumeth moisture, caufeth interception, fuffocation, and death, as creffes, &c. Here the degrees are four. The 1ft fcarce fenfibly altereth the body. The 2d manifestly, yet without trouble or hurt. The 3d vehemently, but without corruption. The 4th most violently, and with great hurt unto the body. In each of which degrees there are three manfions, acting remifsly, intenfely, or in a mean; or in the beginning, middle, or end, thereof.

The chemists, instead of these four qualities or elements, substitute, 1. Their Sal, from which is all sapour or taste, which is as it were the ashes of a body; for salt is a

dry body, defending mixed bodies from putrefaction, of excellent faculty to diffolye, coagulate, cleanfe, and evacuate; from which arifeth all folidity of body, denominations, taftes, and many other virtues analogous to the earth, as being firm, fixed, and the subject of the generation of all bodies, and is therefore called by chemists, Sal, sal commune, acerbum & amare, corpus, materia, patiens, fixum, ars, scusus materiale. 2. Sulphur, whence all odour or fmell arifeth, and is like the flame; or fulphur is that fweet balfam, oily and vifcid, which preferves the natural heat of the parts; the infirument of all vegetation, accretion, and transmutation, and the original of all finells, both pleafant and unpleafant: therefore it is compared to the fire, eafily receiving the flames, as all oily and refinous bodies do: also it lenifieth and conglutinates or conjoineth contrary extremes, as Sal and Mercury, that being fixed and this volatile, it participating of both extremes, fo it tempereth the drynefs of Salt and moisture of Mercury as being viscous; the density of Salt and penetration of Mercury by its remifs fluidity, and the bitterness of Salt and acidity of Mercury by its sweetness; therefore it is called, Sal Petre, dulce, anima forma, agens, inflammabile, natura, judicium, & spirituale, by the chemists. 3. Mercurius, whence is all colour, and is represented by smoke or fume; or Mercury is that acid liquor, permeable, penetrable, ethereous, and most pure, from which ariseth all nourishment, sense, motion, firength, colour, and retardation of preproperant old age; fo it is compared to the element of air and water: to the first, as being turned into vapours by the vicinity of heat; and to this, as being hardly contained by its own term, but eafily in fome others: or it is that effential body, that by its aereal, most subtile, vivisic, and spirituous, fubstance, is the pabulum of life, and the proximate instrument of the effence or form, and is called by chemifts, Sal ammoniacum, acidum, spiritus, idea, informans aut movens, vaporosum, intelligentia, intellectus, gloriosum! Also Mercury containeth a fulphureous and faline fubftance; Sulphur a falt and mercurial; and Salt an oleaginous and material; and the phlegm and caput mortuum are not principles, but their integuments, and without all Hippocratic virtue; the first being only moist, the other dry and emplastic. Also, if mercurial acid and sharp vapours abound, there ariseth the epilepsy, apoplexy, palfy, and all kinds of catarrhs and defluxions, and epidemic and contagious difeafes if venomous. Sulphur, if abounding, caufeth inflammations and fevers, and the narcotica foporiferous difeafes. Salt exuperant caufeth corrofions, ulcers, heat of urine if diffolved, and tumours if coagulated. Thereto belongs tartar, causing the stone, gout, &c.

The fecond qualities are, 1. The malactic or mollifying, to which the ecquetic or fuppurating hath affinity; for both have an equal and fymmetric heat, and a correspondent ficcity, yet differing in mode. The suppurating doth produce heat most

most like unto that of the body, without any consumption or addition of humidity. The emollient afcends heat a little beyond the proportion of nature, and contracts a little humidity, wherefore that rather operates by quantity than by the quality of heat, but the emollient rather by quality. Therefore that which is exactly suppuratory is emplaftic; yet fometimes emollition is the confequence of humidity, if joined with moderate calidity or heat, and is useful in schirrhusses and tumours; and, though emollition may be by humectation and evacuation, yet it is properly by healing, loofening, and callignation; emollients being moderately dry and hot, 20 or 30 in schirrhusses, and proportionably in other tumours. Hereto belongs the calastic or loofening; yet this is lefs hot and more moistening than the emollient, and of a thin fubftance. 2. Scleryntic or hardening, which properly is that which doth exficcate without any excess of heat or cold; for cold also may make obdurate, as also too much heat, after another manner than only by exficcation, for, though that which is dry is hard, yet all that is hard is not dry. But ficeity doth dry and indurate two ways; i. e. by altering and making more dry the effence of the parts, which is most properly; or by confuming the humours in the pores; yet fometimes obduration may also be caused by repletion or fulness; and, some say, by cold and dryness. 3. Araiotic and rarefying, or diaphoretic and refolving, which are moderately hot, with tenuity of parts, and very little reficcant or drying, for exceffive heat doth not rarefy but burn, and by adultion doth condensate and dry. But moderate heat openeth the passages, and deeply penetrateth by the tenuity of its substance, and eafeth pain; also it openeth the pores and attenuates the substance. The proper diaphoretics are hot, dry, and of thin parts, attenuant, mollifying, and difcuffing wind; and the rarefacient moderately hot, like our own heat, moistening, and of thin parts. 4. Pycnotic or condensating, contrary to the rarefacient, contracting the pores, and incraffating what is rarefied and humid, and making it more folid, which is in those things which refrigerate, yet are not terrene, or aerious, but aqueous, and are not at all or but little aftringent; for these do weakly contract and bind, i. c. by reafon of their foftness. 5. Anafromotic or aperient, opening the mouths of the veffels, and is in those things that are of gross parts, hot beyond the first degree, fharp, and biting. 6. Stegnotic or binding, contracting, occluding, and constringing; shutting the mouths of the vessels, and restraining sensible excretion; and is, in those things which are frigid, of gross parts, and without acrimony, as many terrene bodies are: for those things, which ought strongly to conftipate and bind, must also have a more strong and renitent faculty; yet some binders are hot and dry, and of thick fubftance; and others glutinous. 7. Heletic, epispastic or drawing, attracting the humours from the centre, and is in those things which are hot and of thin parts: for that which is hot attracteth, and that

more firongly which hath a conjunct tenuity of parts; but those moderately attract which are hot and dry in the fecond degree; if in the third, more effectually; and chiefly those that are so in the fourth: for the attraction is according to the degree of heat, and is either more natural, or by putrefaction. Yet fome things attract specifically, and not by a manifest quality: as things that are cathartic or purging, and alexitery or relifting poifon. 8. Apocrouftic or repercutient, repelling the humours flowing from the centre, as in those things which are frigid and of groß parts. For that which is cold repelleth, and, if it hath a craffitude of parts alfo, it is more violent, as that which is acerbe or auftere; yet those things also repel which are aftringents, especially those which are helped by the tenuity of their parts: for the thinness of the substance doth much conduce to astriction; therefore other things that are aftrictive, by reason of the crassitude of their subftance, cannot eafily penetrate the more remote parts, precluding the paffages. Hereto may the defensive and the intercipient be reduced, being cold, aftringent, and repulfive. 9. Ryptic, abstergent or cleanfing, removing glutinous and clammy humours in the fuperficies, or adhering to the pores of the ikin, or ulcers, and is in those things which have power to exficcate with tenuity of fubitance; neither is it of any great moment whether they are hot or cold, by reason that neither quality hinders action. except excessive. Yet some count them hot chiefly, and dry, with a certain thickness of parts to vellicate the humours. 10. Eccathartic, ecphratic, and expurgatory, or removing obstructions; opening not only the pores of the skin, but the inferior ductus of the bowels; as in those things that are nitrous and bitter, although they have some small astriction, and by reason of substance do not differ from those that are abstersive, but in degree; for those things that cleanse the pores and inward paffages have a great tenuity of parts, and are moderately hot; as those things which are nitrous and bitter: but those things which, being outwardly applied to the skin, do cleanse the skin and ulcers from their excrements, are destitute of the aftrictive faculty; but being taken inwardly, although having a certain aftriction, yet nevertheless they may purge and cleanse the greater passages, and withal strengthen the fame. Also some things lenify or purge by lubrifying, as fat things; by washing and abstersion, as whey and beets; by compression, as quinces; by extinaulation, as things hot, fharp, falt, and of thin parts; and others electively and properly. And emetics cause vomit by relaxation and stimulation, the mouth of the stomach being weak; if the lower part, use dejectories. 11. Leptyntic or attenuating and making thin, as in all those things that are expurgatory, hot, and of thin parts: extenuating groß and tough humours; and are for the most part hot and dry, 2d or 3d, as things tharp and aromatical; yet fome are sold, as lemons, &c. but of thin parts. Hereto belong the temetic, or inciding against viscid humours, which are more No. 2. C

more firong. And diffolvers of grumous matter, and coagulated; as also extenuants of fat, hot and dry, 3d, and of thin parts; and the chataftic or laxants, moderately hot, moift, and thin: 12. Emplaftic, vifcid, or clammy, contrary to the abstersive; for, being applied, it doth tenaciously inhere in the pores of the skin, fill and obstruct the same, as in those things that are fat and glutinous; as also terrene, wanting acrimony and afperity, or roughner's. Hereto may be referred the epiceraftic or levigating, helping afperity, by being emplaftic or moderately moift. And the emplatics are temperate, without evident heat, cold, or acrimony; fome also have a thick terrene effence or confiftence, drying without biting; and others aqueous or aereal, fo are tenaceous. 13. Emphractic or obstructing, pachyntic or thickening, which are the fame: for, as those things which are detergent and purging do free the pores and paffages from obstruction, so these obstruct and fill the fame, and make the humours of the body tough and thick; and are cold, or temperate without any acrimony, and of a thick terrene fubftance, 14. Anodyne, paregoric or eafing pain, as in those things which have thin parts, and are moderately hot, not much exceeding the temperate, i. e. being hot in the first degree, and rarefacient; fo evacuating, digefting, rarefying, extenuating, concocting, and equalizing, whatfoever humour, either tharp, tough, or groß, is inhering in the fmaller pores, or grieved parts: and all vaporous crafs, groß or cold spirits, not finding way of evacuation; and are moiftening, aqueous, or aereal, of thin fubftance, and not aftringent. 15. Narcotic, or fupifying the parts by its coldness, and not properly mitigating the pain, nor taking away the causes of the grief; yet stupor is somewhat less than infensibility, or the privation of sense: the same also is hypnotic, or somnific, and caufeth fleep being taken, i. e. its fubject, which doth vehemently refrigerate, i. e. in the fourth degree; fo that it doth not only fupify the fense, but, being liberally taken, caufeth death, as opium, and that not only by its exuperant quality, but also by a certain propriety of substance and its concurring effence, its narcotic vehemency being but little repressed by the mixture of hot correctors, though it hath fome bitter parts. 16. Amyctic, metafyncritic, or rubefacient, caufing redness, contrary to the former, causing pain, as in those things which heat and diffolve unity; of this kind also are escharotics, causing crusts, which are hotter, caustic or burning; not only hot and dry in the fourth degree, but also of a gross confiftence; therefore, being fixed in any part, they excruciate and torment the fame by their ftiffness; like unto these, are those things that are septic or corrosive, which are vehemently hot and dry, but of thin parts and confiftence; which therefore with a little pain and biting, or elfe without any fense of pain, eliquate the part, and are called also putrefactives: hereto also belong the psilothra, extirpating the hair; and veficatories, very hot, and of thin parts.

The third qualities arise from the mixture of the first and second, and are, 1. The Ecpuetic or fuppurating, turning into matter contufed flesh, and humours remaining in fwellings, as in those things which are moderately hot, and next unto emollients, yet differing in this, that they have also an emplastic faculty, obstructing the pores, increasing the substance of heat, and not intending the quality; and are also called peptics or maturatives. 2. Sarcotic or generating flesh, as in those things which produce flesh in hollow ulcers, and fill the cavities, and are hot in the first degree, a little detersive, and that without biting and aftriction. Also moderately drying, viz. under the fecond degree. And fuch as impinguate, or make fat. are heating, nourifhing, impulfive, attractive, retentive, or specific; as the feed of hemp, kernel of the Indian nut, and powder of charcoal. 3. Colletic or conglutinating, as in those things which dry in the second degree, and are in a mean as to those which generate flesh, and cicatrize; they are not abstersive, but astringent, and prohibit the flux of humours to the lips of wounds, ulcers, and fiftulas; they are alfo called fymphytics, traumatics, and enaima; and are temperate, and of a thick fubstance, stronger or weaker according to the person or part. 4. Eupolotic or cicatrizing, as in those which greatly dry and bind without biting, drinking the humidity of the flesh, and contracting the same, and covering with a thin callus like unto the fkin, therefore do more dry than incarnatives or glutinatives, for they bind, contract, conftipate, and indurate; and are of thick fubstance, and cold; there is also a sharp and biting eupolotic that consumes dead slesh, called cathairetic; and a third drying without aftriction. 5. Porotic, or generating callus, by which broken bones are ferruminated and knit, and is neither bone nor flesh, but betwixt both, being a hard, dry, white, body; to the generation of which are required a convenient diet, and medicines applied which are emplaftic and moderately hot, drying, thickening, hardening, and binding. 6. Diuretic, or provoking urine, as, 1. In those things that are moift and liquid, and of a thin confistence, and easy penetration, increasing the quantity of urine; so operate by accident. 2. In those things which purge and attenuate and open the paffages; fome of which are cold, and of thin parts; fometimes expelling what sticks in the passages; which operate after a middle way, fometimes by accident, tempering exuperant heat which feizeth on the veins, and refolving the ferous humidity, that the humours may be more eafily attracted by the reins, and descend by the bladder. 3. In those things which purge the paffages, and open the same, extenuate gross humours and the blood, and separate what is extenuated from the more gross parts: which the reins then eafily attract and fend away by the urinary paffages; which kinds of diuretics are very hot and dry, to wit, in the third degree, sharp, and of a very thin substance, coactive

coactive and feparating. 7. Lithontriptic, or breaking the ftone, diffolving and expelling the gravel, as in those things which are diuretic, hot, dry, and of thin parts; fharp, but more remifsly, and fomewhat bitter. Also fome do it by incifion and deterfion, without much heat; fome by afperity; and others by occult property. 8. Emmenonagogic or drawing out the terms, as in those things which are hot and of thin parts, that they may concoct and digest crude humours, extenuate and incide the gross and rough, and remove obstructions by cleansing the passages: such as are all proper diuretics, which also promote the expurgation of the menfes; and, if they are also stinking or bitter, they are more effectual; ftinking things depressing the womb, and the bitter being purging. There are also accidental hysterics; as those which are analeptic, or strengthening after extenuation: or which refrigerate and hume&t the body dried by too much heat: to these also have affinity, those things which expel the secundine and dead-birth; especially those which are more strong, i. e. hot and of thin parts, ffinking and bitter with acrimony, especially if taken in a great quantity and often. The proper are hot 2° or 3°, and dry 1° or 2°, of meanly grofs fubstance, and bitter with acrimony: the contrary are the astringent. 9. Bechic, or helping the cough, as in those things which cause or stop the same: for those things which conduct to the expectoration of gross humours, do also cause coughing; but, on the contrary, those things which incrassate thin humours, ftop and eafe it: but those things are hot and of thin parts, and extenuating, which expectorate tough humours; yet there are also others which in some measure purge the breast, not much hot, nor very dry, but a little moistening, or at least lenifying what is exasperated; yet diuretics of the middle kind also are agreeable to the breaft and lungs; which if they are cold, incraffate thin humours and ftop coughing, and especially those that are narcotic, or stupisying. 10. Galactogenetic, or generating milk, as partly in meats, partly in medicines; as for meat, it is fuch as is euchymic and polytrophic, or of good juice and of much nourishment, and a little hotter and drier if the blood be cold and pituitous; but more moift and less hot, if troubled with choler. Medicaments caufing milk, are of thin parts and hot, and of affinity to those things which properly provoke urine, yet most gentle: but those things which are more ftrong and provoke the couries, hinder the generation thereof by too much eliquation of the humours. Also things too cold, thickening, digesting, or drying, hinder the fame. 11. Spermatogenetic, or generating sperm, as in those things which are hot, and not very dry, but flatulent, as also aliment of good juice, and whatfoever increaseth the quantity of blood. Also it is stimulated by things that are fkarp, and hindered by things very cold and difcutient. 12. Hydrotic, or provoking

voking fweat, as in things of thin parts, and hot; yet fome are afiringent and cold, working occultly. Also the cosmetic, for the skin, is extenuating, laxative, emollient, cleansing, and discussing; for the teeth, cleansing and binding; for the hair, healing, drying, and binding; for scurf, cleansing and discussing. Note, as for the pharmic or sternutatory quality, it is in those things that are acrimonious, causing an irruption of the expulsive faculty; as errhines, that are hot, nitrous, extersive, and sharp; as white pepper, hellebore, ginger, pellitory of Spain, castor, cloves, sneesewort and, euphorbium finely powdered. Also the apophlegmatic is in things hot and acrimonious; yet sometimes do it occultly, as in mastic, raisins, hystop, organy, morjoram, pellitory of Spain, ginger, white and black pepper, and mustard-seed. The scholerobrotic is in things bitter and sharp, &c. as wormwood, coraline, &c.

The fourth qualities are fuch as follow the fubftance or property of the effence. and are found out only by experience; and are therefore called occult; latent, and specific; as in poisons, theriac and alexipharmic remedies, roborating the expulfive faculty, and being contrary, emplaftic, aftringent, emetic, cathartic, and fudorific, with phlebotomy if need; amulets and cathartics, things antipathetic and fympathetic, as also appropriate to any part, or adverse unto the same; the greatest fign, of which, according to some of the most learned authors, is fignature. poiotichnology, or way of finding out these qualities, is by manifest reason. ofmellogy, or odour or finell, which is either fweet, familiar unto the fpirits of the brain, and a fign of heat, or ftinking and offensive, cold and moift. The first is in hot bodies, of thin parts, among which there is difference according to the degrees thereof; but those things which are without odour, are of a gross effence and humid, as those things which are falt and auftere; also such things as are of a mordicant and bitter smell are hot, but those that finell like vinegar and acerb are cold; for in some things the sense of odours is like that of sapors, yet not of so safe conjecture, by reason of the inequality of substance; for most bodies are of an unlike confiftence, of each of which parts odour sheweth not the temper, but where there are tenuous effluviums or vapours, whereof the sweet strengthen the heart, the rank excite the animal spirits, the stinking help the suffocation of the matrix. 2. By chromatology, or colour, which is either, 1. Lucid, exciting the animal fpirits and drawing them outwards, as the white. 2. Or tenebrose, calling them inwards, and caufing fleep, as the black. 3. Yellow, helping the jaundice. 4. Green, ufeful for the eyes: the white and pale shew moistness of temper and imbecility. The No. 2. vellow

vellow proceedeth from heat. The red and croceous, &c. flew exceffive ficcity, and calidity or heat. The green and porraceous are figns of much moisture. Also to the white may the candied be reduced; to the yellow, the luteous, waxcoloured, croceous, golden, honey-coloured, citron, fox-coloured, and vittelline; to the red, the light red, flaming, and fanguine, colour; to the purple, the violet, flesh-colour, and brunous; to the green, the prassive, herbaceous, enginous, and porraceous; to the sky-colour, the horn-white, grey, grifled, black, and blue, ashicolour, pale, and murry; to the black, the dark. 3. By geuthmology, or fapors, or tastes, which, according to some, are 1. more perceptible or manifest; as the simples, which are, 1. hot, first more hot, and so first of more thin parts, as the sharp; fecondly, of more thin parts, as the bitter, pitrous, and falt; fecondly, lefs hot, as the fweet, and is diverfe according to the diverfity of tenuity and humidity. Cold, first of gross terrene parts. First more gross, as the acerb; secondly, less grofs, as the auftere and aftringent. Secondly, of fubtile aqueous parts, and doubtful, as the acid. Thirdly, the mixed, as the vinous, compounded of the acid and fweet. 2. Less perceptible, and almost insipid. 1. Aqueous, first more subtile, as the acquinfipid; fecondly, more groß. First, glutinous, as the humilent; secondly, fat, as the oleous. 2. Terrene: 1. fucculent, as the odoreous; 2. more dry, as the ligniterreous. The fapors or taftes are,

I. ACTIVE. 1. Bitter, wormwood-like, gallish, faline, or aloetic, which is contrary to the nature of living creatures, the tafte whereof doth vellicate the tongue. It confisteth of terrene combust parts, of which some are more subtile: others, more groß and terrene, exficcated by exuperant heat, or coagulated by cold, as appears in opium and aloes. It is not nutritive, it openeth the mouths of the veins, caufeth hemorrhages and thirst, makes the blood fluxible: it attenuateth, incideth, biteth, exasperateth, cleanseth, melteth, attracteth, yet more moderately drieth and heateth; it confumeth and refifteth putrefaction, drinking up fupervacaneous humours, and refifting fweetness: it is hot and dry in the fecond degree, terra usta. 2. Sharp, aromatical, biting, feptic or arfenical, hot, dry, and burning, pricking the tongue, and biting the mouth; it confifteth of thin, dry, and hot, parts, as pepper, onions, &c. If it be not vehement, and hot under the third degree; taken inwardly it doth penetrate, open, and attenuate thick humours; applied outwardly, it rarefieth the Ikin, and draweth forth humours; if it be hot above the third degree, it troubleth the head with thin vapours: if it be of a more gross essence, it is causic, and causeth blifters and feabs: and, if it be of an adverse substance, it is septic and deadly: also

it is of quick operation, and ftrong; it attracteth from remote parts, it separateth. corrodeth, incideth, heateth, burneth, and inflameth; it refolveth, discusseth, excoriateth, exulcerateth, and strongly inciteth to expurgation; if of more thin parts, it is diuretical; if of thicker, caustic: it is more intense in drier bodies, and more remis where there is an aqueous humidity. It is hot and dry, ex aqua & terra attenuata. 3. Acid, or ammoniacal. It penetrateth the tongue with its tenuity, yet without any manifest heat. It consisteth of tenuous, cold, and dry, parts, as vinegar, the juice of lemons, &c. It penetrateth and incideth no less than the sharp fapor, therefore it incideth, attenuateth, biteth, detergeth, referates obstructions, repelleth, and drieth; and, by reason of its penetrating coldness, it repels all fluxions; and by its ficcity ftops all eruptions of blood. Also it helpeth nauseousness, corrodes and condensates without heat: it exasperates, and resists putrefaction. It is of doubtful qualities, fiery and aqueous, hot and cold, and of all contraries. It is cold and dry in the fecond degree, aqua ignita cum halitu terreo. 4. Nitrous, which is in a mean between falt and bitter; yet weaker than this and more intense than the other: it is biting and corroding, as nitre. It openeth the belly, and purgeth the reins, terra spiritibus compulsa. 5. Salt, or serous. It corrodeth the tongue by exficcation, yet heateth not much; it con fifteth in a mean matter with heat an driness, and is generated of that which is terrene and dry, attenuate and preassate by heat with an aqueous humidity, fo not altogether terrene, as falt: therefore it contracteth the pores, incideth, detergeth, digesteth, and drinketh up humidity, by its driness, without any manifest sense of heat, and so resists putrefaction. It openeth, biteth, exasperateth, abstergeth, cleanseth, troubleth, provoketh to expulsion, purgeth, fubverteth the ftomach, caufeth thirft, drieth, deobstructeth, aggregateth, condenfeth, roborateth, and contracteth. It is hot and dry in the fecond degree, and corrofive. 6. Sweet, fat, honey-like, or faccharine. It dilateth the tongue, and is pleafant, having no exuperant quality, and being in a mediocrity, as fugar and honey; therefore it levigates what is exasperated, lenifies, maturates, concocts, is anodyne, and only nourisheth; also it digefts, rarefies, distributes, looseth, filleth the liver, stoppeth the spleen, and is hot and moist in the first degree, and of terraqueous parts. 7. Acerb, aftrictory, pontic, or aluminous. It contracteth the tongue, and doth unequally exasperate the same by exsiccation; it is near to the auftere, but more troublefome to the tongue, aftringent, cold, and dry. The matter thereof is terrene and dry, without any manifest moisture, in which coldness is exactly predominant with ficcity, as fervices; therefore as cold it repelleth fluxions; as aftringent it stoppeth the force of humours; as dry, it doth coarctate, condense,

and

and cicatrize wounds; as terrene, it incraffates humours, and condenfates the fuperficies; it fluts, corrugates, and indurates, to the auftere. It refits poifon, and is cold and dry in the fecond degree. 8. Auftere, ftyptic, aftringent, or vitriolate. It moderately bindeth the tongue and mouth, coarctates the fame with a certain afperity, and doth in fome measure refrigerate and dry. It confifts in a mean matter, participating of that which is terrene and watery, in which frigidity is predominant, as medlars and wild pears, &c. It manifeftly refrigerateth, extinguisheth, bindeth, and contracteth, moderately ftops fluxions, and repelleth. It is subacerb, less cold and dry, and exasperating, stopping, roborating, and indurating, terraspiritu commota, as vitriol. The astringent is weaker, as quinces. Mat. Med. fice. craff.

II. MEAN. 1. Oleus; it is fat, unctuous, and temperate; generated of that which is moift, aerious, and moderately hot, by elixation of the watery part, whereby it becomes more aerial, as oil. It is flow and weak in operation, ftopping the guffic or tafting organs. It doth humect, lenify, and foften, loofen, obstruct, and cause flatulencies and nauseousness, having a certain obscure and remiss sweetness, and mean fubftance. 2. Humilent: the matter thereof is groß, tough, aqueous, in which the earth, being well mixed, caufeth corpulency; and it is humid, little affecting the tafte, more gross and crude than the fweet. It is emplaftic, ftopping the paffages, conglutinates what is disjoined, lenifies what is exasperated, and doth incrassate, as mucilages, &c. Mat. crass. frig. obscure. 3. Acquinsipid. It is fcarcely perceived by the tongue, hardly participating of any terrene ficcity, and confifting in a crude juice; it is rather a privation than a fapor: its matter is fomewhat grofs, yet not altogether terrene, dry, or aftringent, but moiftened with a certain humidity, which also is not exquisitely mixed by the activity of heat, as water. It is emplaftic, fropping and obstructing, lenifying what is exasperated, and conglutinating that which is disjoined; and, although it hath fome affinity to fweet, yet it differeth in this, that it confifteth in a matter a little more groß and crude: it refrigerateth, and doth more moisten, i. e. from the second to the third degree.

III. Passive. 1. Ligniterreous, which is more gross, altogether terrene, and inactive; yet it hath some heat, spirit, and humidity, but exceeding little, as the caput mortuum, and dry bodies without juice. Mat. crass. terra absque spiritu depressa profus terrea. 2. Adoreous, most agreeing to our nature, it recedes from sweetness in this, because its matter, being inactive, is hardly perceived, and it is more gross; yet well tempered to a terrene equally-mixed siccity, which easily be-

comes passive, and is apt for distribution and folidity, as bread-corn. Materia equalis receptibilis. 3. By aphelogy, or the tactile quality or touch: fo craffitude is a fign of the abundance of terrestrial parts, or humid and congealed, tenuity of the fiery and aerious: denfity of exficcation or congelation; rarity of driness, hardness of ficcity and earthiness, except caused by the repletion of humours: foftness of humidity; gravity is the companion of density, levity of rarity, clamminess of humidity, aridity or friability of ficcity, smoothness of an aerious or aqueous humidity, afperity of ficcity. 4. By allotofilogy, or disposition, or mutability: fo, that which the foonest receiveth heat is counted hot; and that most cold which is soonest congealed, 5. By pepeirology, or age; so, for the most part, those things that are young, more humid; the old, more dry; also, whilft they are growing and immature, they have an aufterity and acerbity; fo, cold. 6. By phyteuteriology, or the place of growth; fo plants growing by lakes are for the most part of a cold and moist temperature; the marshy, cold and fomewhat dry: the fluviatile, dry and very hot: the marine, cold and dry; those of a fat foil, are hot and moift, or temperate therein; those of an hungry ground, hot and dry: those of a mean earth, tepid and suitable to man's nature; those of a fandy ground, hot and dry, and of thin parts; those of a doubtful growth, are of a mixt temperature; the amphibious, if growing in fpringy places, cold and dry; if in littoral and marine, hot and dry; the mountain-plants are dry, hot, and of fubtile parts; the field, moderately hot and dry; they that grow in hollow places, are cold and moift; the hilly, temperate, those that grow wild, are colder and drier than the domestic; if of the same species, the domestic are milder and more weak. 7. By protergafiology, or the operations of the first four qualities, as above-faid. 8. By experience, which in certitude exceeds all the reft, and must be made with a simple body, without any external quality, and that in a temperate subject; in all which, that must be distinguished which is done per se from that which is per accidens. Thus of the way of finding out the manifest qualities, i.e. of the first; after which the second are known, as arising from the first; but especially by sapor or taste.

Now follow the occult qualities; which are discovered, I. By phytognomy or fignature, i. e. phytoptical or external, either in form, colour, or property; as representing the parts of man's body, the humours, or diseases; and so the appropriations are as follow. For the head in general: walnuts, piony, poppy, squills, larch-tree, its agaric, and turpentine, Indian nut, and flowers of the lily of the valley. For the brain: wood-betony, sage, rosemary, lavender, marjoram, primno. 2.

rofes, cowflips, bear's ears, lily of the valley, and mifletoe. For reftoring hair: quinces, mofs, and maiden-hair. For the eyes: fennel, vervain, rofes, celandine, rue, eyebright, clary, and hawkweed, herb Paris, grains, and anemony, For the ears: affarabecca, ground-ivy, ivy, poplar tree, nightfhade, fow-fennel, and fow-thiftle. For the nose: wake-robin, flower de luce, horsetail, shepherd's purfe, willow, biftort, tormentil, cinquefoil, and fow-bread. For the mouth in general: medlar, mulberries, mints, purflain, and golden rod. For the fourve: fcurvy grafs, fmall houseleek, aloes, fumitory, and creffes. For the teeth. Pine. pomegranate, maftic, mafter-wort, coral, coral wort, rest-harrow, henbane, and wild tansey. For the dryness of the mouth: fleawort. For the diseases of the throat, roughness, quinfey, king's evil, &c. throat-wort, date-tree, winter-green, horfe-tongue, figwort, archangel, fox-glove, orpine, pellitory of the wall, wheat, barley, garlic, liquorice, fig-tree, hyffop, ragwort, plantane, columbines, cudweed. and Jew's ears. For fhortness of breath, coughs, expectorations, hoarfeness, &c. elecampane, almond-tree, vines, reeds, fugar-cane, jujubes, febeftens, fcabious. coleworts, nettles, and turnips. For contracting women's breafts: lady's mantle and fanders. For-breeding milk: anifefeed, nigella, mallow's dill, rampions. periwinkle and lettuce. For fwollen breafts: fennel-giant, gourds, bafil, beans, lentiles, and lilies. For fore nipples: dock-creffes. For the lungs, ftoppings, confumptions thereof, &c. horehound, lung-wort, tobacco, fundew, hedge-mustard. colt's-foot, woodbine, mullein, cowflips of Jerufalem, fanicle, potypody, whortleberries, and fweet Cicely. For the heart, qualms, faintness, &c. angelica, faffron, borage, violets, ftrawberries, wood-forrel, balm, marigold, fwallow-wort, goat's rue, viper's grafs, pomecitrons, gentian, fcordium, burnet, avens, cloves, clove-gillyflowers, lignum aloes, cinnamon, and viper's buglofs. For fittehes, and pains in the fides: carduus benedictus, our lady's thiftle, camomile, fweet trefoil, melilot, oats, valerian, ftitch-wort, flax, and linfeed. For purging the ftomach: wormwood, myrobolans, groundfel, radifh, black alder, oily nutben, fena, daffodils, white hellebore, and purging caffia. For breaking wind: carraways, cummin, camel's hay, ginger, galanga, cardamoms, pepper, nutmeg, coriander, and orange. For cooling and firengthening the fromach: apples, pears, peaches, apricots, plums, cherries, goofeberries, currants or ribes. For the liver: rhubarb, turmeric, agrimony, liverwort, fuccory, alecoft, maudlin, docks, forrel, beets, fmallage, cleavers, and chickweed. For the dropfy; elder, foldanella, briony, mechoacan, jalap, broom, afh, ague-tree or faffaffas, palma Christi or great spurge, glasswort, spurge-laurel, toad-flax, and bastard marjoram or organy. For the ipleen: dodder, black hellebore, tamarinds, ipleen-wort or miltwafie,

miltwafte, hart's tongue, fern, capers, tamarifk, germander, calamint, poley-mountain, and lupines. For the reins, bladder, ftone, and ftranguary, &c. afparagus, parfley, marshmallows, goat's thorn, spikenard, sweet-smelling flag, cyprus or English galingale, hops, knotgrafs, parsley-pert, faxifrage, dropwort, gromel, onions, winter cherries, dog's grass, butcher's broom, chervil, brooklime, hawthorn, lemons, cyprus-tree, kidney-wort, kidney-beans, oak, buck's-horn plantane, famphire, fraxinella, and alheal. For the cholic: bay-tree, holly, Juniper, olive-tree, coloquintida, and bindweed. For the worms: centaury, lovage, tanfey, lavender-cotton, carrots and parfnips, fpignel, bishop's weed; English worm-feed, leeks, and horse-radish. For looseness, the bloody flux, &c. shumach, myrtle, ciftus, blackthorn, bramble, teafel, rice, flixweed, pilewort, and water-betony. For provoking luft: artichokes, fea-holly, potatoes, fkirrets, peafe, rocket, muftard, cotton, fiftic-nut, chefnut, chocolate, fatyrions, and dragons. For abating luft: agnus, or the chafte-tree, hemp, water-lily, hemlock, camphire, and tutian. For provoking the terms: mugwort, pennyroyal, fouthernwood, favory, thyme, alexander, and. anemony. For stopping the terms and the whites: comfrey, mousear, yarrow, mede fweet, adder's tongue, lunaria, trefoil, moneywort, darnel, flower-gentle, blites, dragon-tree, beech-tree, and hafel-nut tree. For the womb: mother-wort, feverfew, calamint, burdock, butterbur, orach, afiafœtida, and cow-parfnip. For expediting childbirth: birthwort, mercury, madder, ditany, dittander, pepperwort, holm oak, and its chermes. For expelling the dead child and after-birth: groundpine, favin, and birch-tree. For ruptures or burftness: rupturewort, thoroughwax, Solomon's feal, balfam-apple, dove's foot, or crane's bill, and elm. For the French pox: guaiacum, china, and farfaparilla. For the fwelling in the groin: starwort, and herb Paris. For green wounds and old ulcers, St. John's wort, arfefmart, bugle, felf-heal, faracen's confound, loofe-firife, daify, and fpeedwell. For drawing out fplinters: pimpernel. For fellons: woody nightshade. For furbated feet: lady's bedftraw. For excrefcences: agaric, galls, and other excrefcences of trees. For the jaundice: celandine, laffron, and centaury. For pimples, tetters, and ringworms: the bark of the birch-tree, and tree-lungwort. For fpots: garlic, wake-robin, friar's cowl, ariefmart, and ipotted lungwort. For the polypus: the root of the fmaller celandine, and of polypody. For the fcab: polypody and favin. For yellow choler: as aliment, faffron, beets, figs; as medicine; aloes, fenna, wormwood-flowers, fpurge, coloquintida, and rhubarb, &c. For praffine choler: those things which have a green and herb-like colour, as blites and orach. For pale choler: briony, having pale flowers. For melancholy: black. blite, borrage, buglofs, &c. For phlegm: gourds and lettuce. For mixed humours: things of mixed colour.

II. Aftrological or internal, of which the appropriations are, to the planets. 1. To the Sun, which is a benevolent planet, moderately hot and dry, a friend to Jupiter and Venus, and an enemy to the reft; and as it were the heart of the microcosin, and therefore it produceth the vital spirits thereof, by which the whole universe is cherished; and it is the fountain of peculiar influences, by which it particularly helpeth things familiar, and hindereth what is contrary to itself. It governeth the heart and arteries, the fight cold and moift; and eyes; the finews and the brain with the Moon, and also with Mercury. Of ficknesses, swoonings, cramps, the ophthalmy, watering eyes, and the cardiac with Jupiter: pimples, heart-burning, tremblings, faintings, tympanies, difeafes of the mouth, convultions, all difeafes of the heart, ftinking breath, catarrhs, and putrid fevers; it governs the vital faculty, and the tafte which is hot and moift; also the attractive virtue with Mars, it being hot and dry, and the digestive hot and moist: under which are, angelica, ashtree, bawm, one-blade, burnet, butter-burr, camonile, celandine, centaury, evebright, St. John's wort, lovage, marigolds, misletoe, piony, St. Peter's wort, pimperpel, rosa solis, rosemary, rue, saffron, tormentil, turnsol, viper's bugloss, and walnuttree: as also all spices, forrel, wood-forrel, mallow, borage, marjoram, dittany, gentian, ivy, elecampane, lavender, bay-tree, olive-tree, mints, date-tree, oranges, pomecitrons, thyme, vine-tree, wood of aloes, zedoary, mastic, frankincense, and myrrh, 2. To the Moon, which is a planet in a mean, between good and bad; moderately cold and moift, a friend to Jupiter, Saturn, Venus, and Mercury, and an enemy to the other two; and is correspondent to the brain, and therefore sympathetic with the nervous parts and animal spirits; or it is the generatory of humidity, by which the whole universe is moistened; and is the fountain of peculiar influences by which primarily and peculiarly it doth affect things familiar to itself, and secondarily things agreeing to Saturn, Jupiter, Venus, and Mercury, as being benevolent unto the fame, or (as fome) it is as it were the liver of the microcosm. Under it are also the ftomach, bowels, and bladder, as fome fay with Saturn. Of fickneffes, the cholic, phlegmatic imposthumes, all kinds of oppilations, and the epilepsy with Mars and Mercury, the palfy with Saturn, and the menftrual fickness with Venus; also apoplexies, palfies, belly-ach, difeafes of the tefticles, bladder, and genitals; ftopping and overflowing of the terms in women, dropfy, fluxes, all cold and rheumatic chifeafes, the gout, fciatica, worms in the belly, hurts in the eyes, furfeits, rotten coughs, convulsions, king's evil, fmall pox and measles, crude humours, lethargies, and all phlegmatic difeases: also the expulsive faculty, which is cold and moift. Under which are, adder's tongue, cabbages, coleworts, columbines, water-

water-creffes, duck's-meat, yellow water-flags, flower-de-luce, fluellin, ivy, lettuce, water-lilies, loofestrife with and without spiked heads; moonwort, mousear, orpine, poppies, purflain, privet, rattle-grafs, white roles, white faxifrage, burnet faxifrage, wall-flowers, or winter gillyflowers, and willow-tree; as also chaste tree, winter cherries, garlic, reeds; brooklime, onions, camomile, frogstools, hyslop, mastic-tree, mandrake, nutinegs, walnuts, line-tree, water-plantain, turnips, houseleek, and common leeks. 3. To Saturn, which is a malignant planet, diurnal, masculine, and very cold; a friend to Mars, and an enemy to the rest, and answereth to the spleen of the microcosm: yet some ascribe it to the head, as also Jupiter and Mars. Some fay also, that Saturn ruleth the right ear, also the bones, fundament, and the retentive faculties, cold and dry, in the whole body; and the bladder with the Moon. Of fickneffes; the leprofy, cankers, quartan ague, palfy, confumption, black jaundice, iliac passion, dropfy, catarrh, gout in the feet, and fcrophula; as also apoplexies, tooth-ach, all melancholy diseases, cold and dry, trembling, vain fears, fancies, gout, dog-like appetite, hemorrhoids, broken bones, diflocations, deafnefs, pain in the bones, ruptures, (if he be in Leo or Scorpio, or in an evil aspect to Venus,) the chin-cough, pain in the bladder, all long difeafes, melancholic madness, fear or grief; he governs the memory also, which is cold and dry; and the hearing likewife. Under it are barley, red beets, beachtree, bifoil or tway-blade, bird's-foot, biftort or fnake-weed, blue-bottles, buckfhornplantain, wild campions, pilewort, cleavers or goofegrafs, clown's woundwort. comfrey, cudweed or cotton-weed, sciatica cresses, crosswort, darnel, dodder, epithymum, elm-tree, ofmond royal, fleawort, flixweed, fumitory, ftinking gladden. goutwort, winter-green, hawkweed, hemlock, hemp, henbane, horfetail, knapweed, knotgrafs, medlar-tree, mofs, mullend, nightfhade, polypody, poplar-tree, quincetree, rupture-wort, ruthes, Solomon's feal, Saracen's confound, fervice-tree, ceterach or fpleenwort, tamarifk, melancholy thiftle, blackthorn, thorough-wax, tutfan or park (leaves and wood); as alfo aconite, chafte-tree, parfley, ftinking-tree, afphodil, starwort, orach, shepherd's purse, capers, cuinming, cyprus, fern, black hellebore, great dock, mandrake, mulberry-tree, opium, herb truelove, pine-tree, favin, fage, ferina, and fengreen. 4. To Jupiter, which is a benevolent planet, moderately hot and moift, a friend to all the reft except Mars; answering to the liver, and cherishing the faculties thereof by its influence. Some affirm also, that he rules the lungs, ribs, fides, veins, blood, and digeftive faculty; the natural virtue of man, as also the griftles and sperm with Venus; the arteries and the pulse. Of fickness; the peripneumony, apoplexy, pleurify, cramp, the cardiac with the No. 3. Sun.

Sun, quinfey, numbness of the finews, and ftinking of the mouth; all infirmities of the liver and veins, apytumes about the breaft and ribs, all difeafes proceeding from putrefaction of blood and wind, fevers, and other difeases; he governeth the blood, hot and moift: fo the judgment. Under which are, agrimony, alexander, afparagus, avens, bay-tree, white-beets, water-betony, wood-betony, bilberries, borage, buglofs, chervil, fweet cicely, cinquefoil, alecost or costmary, dandelion, docks, bloodwort, dog's or quick grafs, endive, hart's tongue, hysfop, fengreen or houseleek, liverwort, lungwort, fweet maudlin, oak-tree, red rofes, fauce alone or jack by the hedge, feurvy-grafs, fuccory, and our lady's thiftle; as also almonds, walnuts, barberries, calamint, cherries, cornel tree, hound's tongue, beans, beechtree, ftrawberries, afh-tree, fumitory, liquorice, barley, white lily, flax, darnel, mace, apple-tree, mints, mulberries, myrobolans, nuts, bafil, olive-tree, organy, raifins, pine-tree, peach-tree, roots of piony, poplar-tree, purflain, plum-tree, felf-heal, pear-tree, rhubarb, currants, madder, fervice-tree, fpike, confound, wheat, violets, vine-tree, maftic, ftorax, fugar, and all other fweet things. 5. To Mars, which is a planet exceeding hot and dry, a friend to Venus, and an enemy to all the reft; cherishing the bladder and gall of the microcosm. Some say he rules the left ear, apprehension, and causeth valour; as also the veins, genitals, testicles, and the reins, with Venus. Of ficknesses; the pestilence, hot fevers, yellow jaundice, shingles, carbuncles, fiftulas, choleric fluxes, fevers tertian and quotidian, all wounds, especially in the face; and the epilepsy with the Moon and Mercury; also megrims, burning, fcalding, ringworms, blifters, phrenzy-fury, hairbrains, fudden diftempers of the heart, the bloody flux, fiftulas, difeases in the genitals, stone in the reins and bladder, fcars, pock-holes, hurts by iron and fire, the calenture, St. Anthony's fire, and all difeases of choler and passion; he governs smelling also, which is hot and dry; fo the attractive virtue. To which belong, arlemart, affarabecca, barberrybush, sweet basil, bramble-bush, briony, brooklime, butcher's broom, broom, broomrape, crowfoot, wake-robin, crane's bill, cotton thiftle, toad-flax, furze-bush, garlic, hawthorn, hops, madder, masterwort, mustard, hedge-mustard, nettles, onions, pepperwort or dittander, carduus benedictus, radish, horse-radish, rhubarb, rhaphontic, baftard rhubarb, thiftle, ftar-thiftle, tobacco, woolly thiftle, treaclemustard, mithridate-mustard, dyer's weed, and wormwood; as also birthwort, camelion thiftle, cornel-tree, danewort, efula, euphorbium, spearwort, hellebore, fpurge-laurel, medlars, monk's-hood, plantane, leeks, plum-tree, oak-tree, tormentil, nettle, fcammony, and all poisonous things. 6. To Venus, which is a benevolent planet, nocturnal, feminine, moderately cold, a little more intenfely moift, a friend to the Sun, Mars, Mercury, and the Moon; an enemy to Saturn, and having

having an influence upon the genitals and urinary parts; as also upon the throat, women's breafts, and milk therein; the loins, the liver, and fperm with Jupiter, and the reins with Mars. Of fickneffes; all difeafes of the matrix, gonorrhea, flux of urine, priapifm, weakness of the flomach and liver, French pox, flux of the bowels, and the menftrual fickness, with the Moon; and all difeases of the genitals reins, and navel; and all difeafes by immoderate luft, weaknefs in the act of generation, all forts of ruptures, all difeases of the urine, and iliac passion; and governs the procreative virtue, and the feeling, with Mercury, which is of all qualities. Under which are, alehoof or ground-ivy, black alder-tree, apple-tree, ftinking orach, archangel or dead nettles, beans, lady's-bedftraw, birch-tree, bishops-weed, blights, bugle, burdock, cherry-tree, winter-cherries, chickweed, chick-peafe, clary. cock's-head, colt's-foot, cowflips, daifies, devil's bit, elder, dwarf-elder, eringo, featherfew, figwort, filapondula, fox-gloves, golden-rod, gromewel, groundfel, herbrobert, herb-truelove, kidney-wort, lady's mantle, mallows, mainimallows, mercury, mints, motherwort, mugwort, nep, parfnip, peach-tree, pear-tree, pennyroyal, periwinkle, plantane, plum-tree, primrofes, ragwort, rocket, winter-rocket, damaskrofes, wood-fage, fanicle, felf-heal, foapwort, forrel, wood-forrel, fow-thiftles, fpignel, ftrawberries, garden tanfy, wild tanfey or filverweed, teafels; vervain, vinetree, violets, wheat, and yarrow; as also asphodil, maidenhair, coriander, sowbread, figs, ground-ivy, flower de-luce, all kinds of lilies, melilot, pomegranates, daffodil, ftone-parfley, fweet-peafe, rofes, fanders, fatyrion, wild thyme, thyme, vervain, violet, laudanum, musk, amber, and all kinds of perfumes. 7. To Mercury, which is a mutable planet, good with the good, and bad with the bad; hot with the hot, and cold with the cold; dry with the dry, and moift with the humid; a friend to Saturn, Jupiter, Venus, and the Moon, and an enemy to Mars' and the Sun, reprefenting the lungs, which it doth fympathetically ftrengthen by its influence; yet some appropriate it to the middle of the belly; some say also that he rules the brain, especially the imagination, hot and dry, tongue, hands, feet, and irrational parts, and that alone he maketh apprehensive, desirous of knowledge, and very fickle; as also that he governeth the spirits, memory, and brain, with the Sun and Moon. Of ficknesses; madness, loss of the common senses, doting, lifping, and stammering, coughs, hoarfeness, and the epilepsy, with the Moon and Mars; almost all diseases of the brain; as vertigoes, &c. all diseases of the lungs, as afthmas, phthyfics, &c. all imperfections of the tongue and memory, gout, stoppings of the head, dumbness, epidemical diseases, and hurts of the intellect. Under it are, calamints or mountain-mint, carrots, carraways, dill, elecampane, fern, fennel, hog's fennel, germander, hafel-nut tree, hoarhound, hound's tongue,

ton zue, lavender, liquorice, wall-rue, maiden-hair, golden maiden-hair, fweet marjoram, melilot, money-wort, mulberry-tree, oats, parfley, cow-parinip, pellitory of the wall, champity or ground-pine, reft-harrow or cammock, famphire, fummer and winter favory, fcabious, finallage, fouthernwood, meadow trefoil, garden valerian, and honey-fuckles or woodbine; as also marthmallows, anisefeed, columbine, daify, camomile, cubebs, beans, fumitory, walnut-tree, juniper-tree, mercury, navew, cinquefoil, ftone-parfley, butter-bur, burnet, peony, lungwort, elder, speedwell, wild thyme, and colt's-foot. All which are faid to cure difeases by fympathy, fo each planet cures its own; or antipathy, fo the contrary. And are under the planets primarily and directly, or immediately, or fecondarily, by the respective amity of the reft. Note, that the folar plants have a good shape, yellow flower, good finell and tafte, and in open meridional places. The lunar are thickleaved, juicy, waterifh, fweet-tafted, foon grow up, in waterifh places. turning, in-mapeu, in-melling, binding tafte, lean, in filthy, woody, folitary, darke places. The jovial, of good tafte and fmell, red or fky coloured, oily substance, plain-leaved, in fat places. The martial, rough and prickly, reddiff, of burning tafte, in dry places. The venereal, white flowered, of clammy juice, of fweet tatie, pleafant finell, fmooth leaved, not laciniate. The mercurial, verticolor, flowered, codded, arenary.

II. To the figns, as followeth, amongst which there are four degrees, after the manner of the four first qualities; so they are appropriate, 1. To Aries, which is a masculine siery sign, or hot and dry, sympathetical to the head. Some say it is eastern, masculine, choleric, governeth the face; eyes, ears, &c. and whatever is above the first vertebra of the neck. Of ficknesses; the apoplexies, mania, spots and wounds in the face, abortifements, and other impetuous difeafes; ringworms and morphews; also the small-pox and measles, polypus, and all diseases in the head. Thus in the first degree, red mugwort, betony, succory, larkspur, danewort, mints, peach-kernels, butter-bur, wild thyme, colt's-foot, and fluellin; and are to be gathered in the end of dog-days, after the full of the Moon. In the fecond degree, sperage, St. John's wort, milfoil, plantane, and peony; and are to be gathered, the Sun and Moon being in Cancer. In the third degree, agaric, garden spurge, mezerion tree, wild gourds; spurge; colt's-foot, gentian; privet, nutmeg, palma Chrifti, elder, and farfaparilla; and are to be gathered betwixt St. James's and St. Lawrence's day. In the fourth degree, fouthernwood, calamint, capers, cinnamon, white hellebore, marjoram, hoarfound, wild creffes, rofemary, turbith, and spike; and are to be gathered partly in April, partly in September.

tember. 2. To Taurus, which is a terrestrial feminine sign, cold and dry, sympathetic to the neck and throat. It is fouth, feminine, and melancholic, governing the voice, feven vertebræ of the neck, and channel bone. Of ficknesses: quinsies. fcrophulas, catarrhs, and hoarfeness; and all discases incident to the throat. Thus in the first degree, betony, miltwaste, ground-ivy, the root of white lilies, mints, daffodil, polypody, rofes, rofemary, valerian, and violets; and mollify the tumours of the jaws and spleen. In the second degree, maidenhair, winter cherries, columbines, ivy, Solomon's feal, oak-tree, and mifletoe of the oak; and help wounds, In the third degree, buglofs, our lady's thiftle, hound's tongue, agrimony, the leffer dock, organy, ftone-parfley, oak-tree, cinquefoil, fanicle, figwort, tormentil, periwinkle, and filver-weed: and are traumatic. In the fourth degree, moufear, great burdock, wild betony, great celandine, ash-tree, mallows, lungwort, scabious, and ground ivy; and have antipathy with the fublunaries which are under Libra and Scorpio, but fympathetic with those that are under Cancer and Sagittarius. 3. To Gemini, which is a masculine sign, airy, but hot and moist, posfeffing the fhoulders; it is west, masculine, sanguine, governing the arms and hands, with the parts belonging thereunto. Of ficknesses; phlegmons, fellons, and others of blood there; and all fuch difeases as are incident to the hands, arms, and shoulders, really or by accident. Thus, in the first degree, aniseseed, marshmallows, buglofs, borrage, fennel, hyffop, ftone-parfley, felf-heal, and wall-rue. In the fecond degree, great burdock, buglofs, fern, white lime-tree, turnips, &c. the third degree, chickweed, wake-robin, mace, and dead nettle. In the fourth degree, forrel, germander, camomile, celandine, mugwort, and rhubarb; and they have an antipathy with the fublunaries of Capricorn, and fympathy with those of Libra and Aquaries. 4. To Cancer, which is a feminine fign, watery, cold, and moift, fympathetic to the breaft and lungs, as also to the ribs and spleen, and cureth the diseases thereof. It is north, feminine, and phlegmatic, governing the liver alfo. Of ficknesses; the alopecia, watery eyes, rheums, scabs, and the leprofy; as also all imperfections of the breaft, stomach, and liver, and incident thereto. Thus, in the first degree, chickweed, cabbage, thistle, the flowers and fruit of beans, lady's bedftraw, turnips, rampions, fage, and figwort. In the fecond degree, ftrawberry-tree, cones of the fir-tree and pine, comfrey, nightfhade, turpentine, and mifletoe. In the third, brooklime, foxgloves, cudweed, rufhes, creffes, feed of stone-parsley, purslain, willow, faxifrage, and stonecrop. In the fourth degree, water-lily, piony, houseleek, and coral; and are antipathetic to the fublunaries of Sagittarius, and fympathetic to those of Taurus and Libra. 5. To Leo, which is a masculine sign, siery, or hot and dry, governing the heart No. 3. and

and fromach. It is of the east, masculine, choleric, ruling the back, sides, and midriff, with Virgo, and the twelve vertebræ of the breaft, pericardium and appetite. Of ficknesses; the cardiac passion, the trembling of the heart, and swooning: all difeases thereof, and of the back, and all diseases of colour and adustion. Thus, in the first degree, basil, saffron, cypress-tree, carnations, hyssop, lavender, water-plantane, fundew, fea-bindweed, and thyme. In the fecond degree, wild angelica, twayblade, centaury, galingale, gentian, and devil's bit. In the third degree, ftinking mayweed, carrot, mints, garden creffes, pennyroyal, crowfoot, and nettles. In the fourth degree, birch-tree, box, broom, and bay-tree; the first are to be gathered, the Sun being in Pifces, the Moon in Cancer. The fecond fort in the beginning of May before funrifing, or in the end of August; or the Sun being in Taurus. and the Moon in Gemini. The third, the Sun being in Leo, and the Moon in Virgo; and the last quadrature, or for refrigeration, the Sun being in Taurus, and the Moonin Gemini. The fourth, the Sun being in Pifces, and the Moon in Aquaries, or both. 6. To Virgo, which is a feminine fign, earthy, cold, dry, and fympathetic to the liver, intestines, and belly. It is fouth, feminine, melancholic; governing the midriff with Leo, the navel, spleen, omentum, and all that belong to them. Of ficknesses; the choic and iliac passion, oppilations of the spleen. and black jaundice; also all diseases incident to the bowels, meseraic veins, omentum, diaphram, and fpleen. Thus, in the first degree, forrel, wood-forrel, burdock, fuccory, plantane, pear-tree, and wild fage. In the fecond degree, white beets, medlars, Solomon's feal, and briar-bush. In the third, birthwort, busle, fleabane, felf-heal, and oak-tree. In the fourth, cardius benedictus, fmall centaury, black alder-tree, adder's tongue, floe-tree with all its parts, fruit and flowers, tormentil and biftort. 7. To Libra, which is a masculine sign, airy, hot, and moift, fympathetic to the reins and bladder. It is west, masculine, sanguine; governing the navel and buttock with Scorpio. Of ficknesses; all filthy scabs and fpots in the face, lofs of fight, cankers, hemorrhoids, the leprofy, alopecia, and cholic; all difeafes of the reins, wind, and blood corrupted. Thus, in the first degree, all forts of dailies, bugle, feverfew, cowflips, goat's beard, and water parfnip. In the fecond degree, marthmallows, camomile, mifletoe, martagon, mallows, line-tree, vervain, and filver-weed. In the third degree, calves' fnout, mugwort, nut-tree, and wall-rue. In the fourth degree, chickweed, great celandine, black mints, fcabious, figwort, and houseleek. 8. To Scorpio, which is a feminine fign, watery, cold, and moift, and fympathetic to the genitals. It is north, feminine, and phlegmatic, governing the fundament and bladder with Libra. Of ficknesses; the former and French pox, and all diseases that infect the privities of both

both fexes, and bladder. Thus, in the first degree, croffwort, hawthorn, and fervice-tree; as also all simples of the first degree of Cancer gathered in October. In the fecond degree, affi-tree, all forts of apples, and plum-tree. In the third, barberry-tree, box, feverfew, and foapwort; hereto belong all herbs of the fecond degree of Cancer. In the fourth, great red beets, mercury, daffodil, and ribes. 9. To Sagittarius, which is a masculine fign, hot and dry, sympathetic to the loins. &c. It is eaft, masculine, choleric, governing the thighs and hips. Of sicknesses; hot fevers, blear eyes, falls, and all difeafes in the thighs and hips. Thus, in the first degree, comfrey, onion, radish, figwort, flowers of line-tree, fesamum, and vervain. In the fecond degree, garlic, wild angelica, henbane, lovage, and leaves of willow-tree. In the third degree, red beet, affarabecca, celandine, faffron, fern, ground ivy, madder, devil's bit, and turmeric. In the fourth degree, gum-thiftle, cresses, and white vine. 10. To Capricorn, which is a feminine sign, terrestrial or earthy, cold and dry, fympathetic to the knees and nerves. It is fouth, feminine, melancholic, governing the hams, and what belongeth to them. Of ficknesses, achs in the knees, deafness, loss of fight and speech, itch and scabs, and foulness of the skin; all diseases in the knees and hams, and all diseases of melancholy, and fcirrhufes. Thus, in the first degree, marigold, black cherries, elecampane, mulberry-tree, bramble bufh, and worts. In the fecond degree, blackberries, mullein, and garden endive. In the third degree, acorus, wake-robin, shepherd's purse, comfrey, gourds, galingale, garden-mallow, and all kinds of fow-thiftles. In the fourth degree, hellebore, henbane, mandrake, monk's hood, herb true-love, favin, nightshade, and staves-acre: 11. To Aquaries, which is a masculine sign, aerious, hot, and moift, fympathetic to the legs. It is west, masculine, sanguine, governing what belongs to the nerves. Of ficknesses, quartan fevers, the black jaundice, fwellings of the legs, and varices; also all difeases incident to the legs and ancles, all melancholy coagulated in the blood. Thus, in the first degree, angelica, wild carrot, fig-tree, flowers of the afh-tree, ground-ivy, walnut-tree, inclidet, fanicle, Solomon's feal, and periwinkle. In the fecond degree, larkfpur, cummin, dodder of thyme, crane's bill, clotbur, rofe-root, wall-rue, wild fage, and white nettle. the third degree, agrimony, moufear, clary, mercury, faxifrage, and dragon. In the fourth degree, the leaves of affarabecca, motherwort, hemlock, and medlars. 12. To Pifces, which is a feminine fign, aqueous, cold and moift, and fympathetic to the feet. It is north, feminine, phlegmatic, governing all that belongs to the feet. Of ficknesses; gouts, scabs, the leprofy and palfy, lameness, kibes, diseases incident to the feet; all difeafes of falt phlegm, mixed with humours; the finall pox, meafles, and all cold and moift diseases. Thus, in the first degree, long birthwort, cabbage,

bage, gourds, elecampane, myrobolans, navew, water-lily, purflain, and turnips. In the fecond degree, artichokes, calve's fnout, bluebottle, and golden flower-gentle. In the third degree, nigella, garden and wild poppy, and fow-thiftle. In the fourth degree, hemlock, henbane, monk's hood, horned poppy, and white nightfhade.

Here let it be remembered, that in all thefe the fympathy and antipathy of the figns and planets is to be observed; both effential by house and exaltation, temperature, or quality, or conditions; or elfe accidental, by configurations; of which fome are obnoxious and hateful, as a quartile and opposition; as also the conjunction of bad planets: others are healthful, as a fextile and trine, and the conjunction of good planets. Next confider, what difeafes every plant causes distinctly of himfelf, and what under the figns of the zodiac; what parts the planets generally rule, and what of the figns they are under, and houses of the heaven in a celeftial scheme; and what part each planet particularly rules, according to his tramit through each fign. Then may the nature and kind of the disease be found out by the figure of the decumbiture. 1. By the houses of heaven; of which, the fixth, feventh, and twelfth, fignify difeases. 2. By the nature of the figns; as fiery, earthy, airy, and watery. 3. By the planets, and their afpects. The part may be found out by confidering the government of the fign; and masculine planets fignify the right fide, and the feminine the left, and afflict where ruling. As for the length of the disease, it may be found out by the nature of the planets, as followeth: Saturn caufing long fickneffes; the Sun and Jupiter, fhort; Mars fhorter, but acute; Venus, mean; Mercury, inconftant, as afpected; the Moon gives fuch as often return. Whether it shall end by life or death, well or ill, may be conjectured from aspects. The Sun giveth vital heat to the creation, the Moon giveth radical moifture, Saturn fixeth and putrifieth this, Jupiter turneth it into nouriflument. Mars calcines it, Venus makes it fruitful, and Mercury makes it rational. elements, the fire preferves the earth, that it be not drowned or deftroyed by a continual flux of water upon it; the air preferves the fire, that it be not extinguished; the water preferves the earth, that it be not burned; and the earth is the decticon The air and fire are thin and active; water and earth, thick and paffive, with a proportional difference; or, as others fay, air hath motion, thinnefs, and darkness; fire hath the two first, and brightness; water hath motion, darkness, and thickness; the earth hath the two last, and quietness. Also the Sun is chief in chronical difeases; and the Moon in the acute with the ascendant. The occult qualities are found out by peiralogy or experience, which is more fure and fafe.

II. Next follow those things which are more remote, that concern plants and other medicinals, as commonly to be compounded therewith. As, 1. The topology, or place of gathering them; thus, 1. Herbs are to be gathered in mountains, hills, and plain places; in those that are highest especially, and exposed to the sun and winds; except fome few, as germander and ground-pine, which are more odoriferous, and frequent on hills: but those that grow only in plain places are to be gathered in more dry places, and more remote from lakes and rivers, except they delight in more moisture, as water-caltrops, water-lilies, &c. 2. Flowers are to be gathered in those places in which there are the best plants. 3. So fruits. feeds. 5. So roots also. 6. Woods are to be taken from trees where they are well grown. 7. Barks, where their plants are beft. 8. Juices are to be taken from the beft herbs, chiefly the well-grown and greater, as being lefs excrementitious, and that before they grow woody and rotten. 9. Liquors and gums, &c. are to be taken from mature stalks, which are the best in their kind, as the rest. 2. The chronology or time. Thus, 1. Herbs are to be gathered in the time of their flourishing; and beginning to go to feed; which is for the most part in July, if they are to be kept, and that at noon in a clear-day, being some confiderable time or certain days before; freed from showers and not too dewy, or scorched by too much heat of the fun, which is chiefly in the fpring or beginning of fummer. But those which grow green all the year in gardens may be gathered at any time; and those that have neither stalk, flower, nor feed, as maidenhair, spleenwort, &c. are to be gathered in the vigour of their leaves, i. e. when they are most green and greatest; yet some, because while they flower or bear feed they are woody and dry, are to be gathered before that time, as fuccory, beet, &c. 2. Flowers, in the vigour of their maturity, when opened (except the rose) at noon in fair weather, after the fun hath taken off the dew, and before they wither or fall off, which for the most part is in spring. 3. Fruits, when they are ripe, and before they wither: 4. Seeds, out of fruits thorough ripe, when they begin to be dry, and before they fall off; and out of plants when dry and no longer green, as in the fummer, i. e. June or July. 5. The juice of plants is to be pressed out whilst they are green, and their leaves yet tender, and especially out of the well-grown and greater. 6. The barks of fruits are to be taken when the fruits are full ripe, and those of roots when the herbs have loft their leaves, but those of trees when they are in their vigour. 7. Woods, when the trees are full grown. 8. Liquors, and gums, &c. are taken by opening the stalk in the vigour thereof, and gums when congealed and mature. 9. Roots, when the fruit is fallen off, and the leaves also begin, which for the most part is in autumn, and are to be dug up in fair weather; which is necessary always No. 3. to:: H

to be observed; as also (according to some) the decreasing of the moon, the day of decreasing, and the morning, that time being balfamical: as also the fortitude of the planet familiar to the thing to be gathered, and the fign of the zodiac. 3. The dropology, or manner of gathering them; as fome affirm, fome plants having diverse faculties, according to the diverse manner of gathering them, as upwards or downwards; fo hellebore, the leaves drawing the humours upwards or downwards accordingly: fo the root of elder also, and the buds, which being gathered upwards, cause vomiting, and purge if downwards; also some observe the scite of the regent planets, as whether they are oriental or occidental, &c. 4. The parafceuology, or manner of preparing them for affervation. Thus, 1. Flowers, are kept for the most part separated from the stalks and leaves. 2. Herbs or leaves, if they are greater, and have more thick ftalks, they are kept apart from them; but, if more flender, they are kept together, and fometimes with the flowers. 3. Fruits, as apples, &c. are to be placed with their stalks downwards, and last longer if laid on a heap of barley. 4. Roots, fome are kept whole, as those of birthwort, gentian, hermodactils, fatyrion, &c. others are diffected, as those of briony, elecampane, flower-de-luce, &c. also some have the woody matter taken away, as those of fennel, stone-parsley, &c. 5. The phylacology, or way and place of keeping them; which in general ought to be pure, convenient, high, dry, open, of a north or fouth fituation, where they may not be burnt by the fun, or moistened by the walls, &c. more particularly; as, 1. Flowers, are to be dried in the flade, and then they (efpecially those of good odour) are to be kept in teile caskets. 2. Herbs, are to be dried in the shade, except those that have thicker stalks, and moister leaves, and fo fubject to putrefaction, which must therefore be dried by the more intense heat of the fun, or fome other way; and, when they are well dried, they are to be kept in linen bags, or, which is better, in wooden caskets, that they may be defended from dust. 3. Seeds, are to be kept in a dry place, and in a wooden or glazed veffel, being wrapped up in papers, that they may laft the longer, and without impurity. 4. Fruits in boxes, panniers, or fcuttles. 5. Gums and dry rofins in a dry place, and in wooden veffels, but the more liquid in pitchers. 6. Barks, in wooden coffers, and a dry place. 7. Roots, in a dry air, and the smaller and more thin (whose virtues may be eafily diffipated by the heat of fire or the fun) are to be dried in the fhade and wind, and as those of parsley, fennel, &c. but the more gross by the fun or wind, as those of briony, gentian, mandrake, and rhubarb. 6. The monelogy, or duration of them. Where note, the time of keeping them must not exceed that of their duration, which is diverse, according to the greater or less folidity of the fubstance,

fubfiance, by which they are more or lefs fubject to diffipation. In particular; 1. Vegetables: as, 1. Flowers may be kept fo long as they retain their colour, finell, and tafte, which for the most part is half a year; therefore they are to be changed every year. Note also, they are best when freshest. 2. Herbs may be kept longer, yet it is better to change them yearly. 3. Seeds, by how much they are more hot, sharp, and aromatical, by so much also are they more durable, therefore may be kept two or three years; but those that are smaller and colder must be changed every year, and must be kept carefully, less they grow mouldy. 4. Fruits must be changed every year; but the exotic, that have a harder bark or shell, &c. may be kept two or three years. 5. Gums and rosins are more durable. 6. Barks last a year or more. 7. Roots, if they are little slender, and thin, are changed every year; as those of assarched as those of birthwort, briony, gentian, rhubarb, and hellebore, &c.

Thus far we have confidered the faculties of medicinals; now follow those of aliments, which are fuch vegetables, &c. as nourish and increase the bodily subftance, by reftoring that which is deperdite, the body being in a perpetual decay, and therefore wanting refection by meat and drink: and this, if it do not greatly affect the body by any other quality, is properly and simply called aliment, and is in some measure like unto the substance of the body into which it is to be converted; but, if it change the body by an exuperant quality, it is not fimply aliment, but medicamentous: fuch are those things, which with sweetness have adjoined an acid, acerb, bitter, or fharp, quality; and from hence ariseth the difference of aliments; which, 1. In respect of substance, are hard and soft; heavy, viscid, or light; firm or infirm; eafily or hardly concocted or corrupted. 2. In respect of quality, they are hot, cold, moift, or dry; fweet or bitter; four, falt, fharp, acid, acerb, or auftere; of good or bad juice; fimple or medicamentous; wholefome or unwholefome; best or worst; of which some are, 1. Euchymic, or of good juice, sweet in taste, agreeable to the palate, and not of any unpleasant smell; as also fat things, and some which are infipid, as bread of the best wheat, &c. 3. Cacochymic, or of evil juice, which, befides fweetness, have some other quality mixed therewith, as sharpness, bitterness, faltness, acerbity, and too much acidity; also all fetid things, of an unpleasant smell, and corrupted; as the oleraceous, (especially the wild,) except lettuce and fuccory, also cucumbers, corrupt corn, things growing in cenose and dirty places, as alfo thick, auftere, and acid; beer made of bad grain, &c. and fome of these ingender, 1. A cold, pituitous, and crude, juice, as the hasty fruits and cold herbs. 2. But others, a hot and bilious, as all things that have acrimony, fo garlic, onions, leeks, wake-robin, creffes, muftard, &c. 3. And fome a melancholic, as pulfes, especially lentils, and cabbage. 3. Of gross nourishment, as those things which have a ftrong and hard fubstance, as bread baked under ashes, and whatsoever is made of meal without leaven; chefnuts, acorns, frogstools, thick, fweet, and black, wine and ale; also whatsoever is viscid and glutinous, and are to be shunned by all that live at ease, and use no exercise before meat; but those are the best for diet that are in a mean between incraffating and attenuating. 4. Of thin juice, as things which are not tough or vifcid, and have not a ftrong fubftance, but thin and friable, especially if joined with acrimony; as garlic, onions, leeks, hyssop, organy, favory, bread of wheat well fermented and twice baked, bitter almonds, peaches, and thin white wines; these also open the passages, clean away what is viscous, incide and extenuate what is gross; but are to be shunned by those who are of a choleric temperature; the long use of them causing bilious and serous excrements, yet are agreeable to those whose body and veins are full of a crude, pituitous, and melancholic, juice. Here note, an attenuating diet differeth from a flender one, the last prefixing a mode in the quantity, and the other being so called by reason of the tenuity of the alimentary juice. 5. Eupeptic or of easy concoction, as things which have not a folid firm fubftance, but are either rare or eafily refoluble, concocted, or corrupted, as most fruits and things oleraceous; but these, as they are quickly and eafily concocted, fo also are they eafily altered and corrupted; for, if taken into a ftomach whose heat is sharp, biting, and febriculous, or into which fome bilious humour doth flow, they are not turned into aliment, but fome evil humour; but those things that are not easily concocted are also neither altered nor corrupted. 6. Dispeptic, or of hard concoction, as all things of a folid substance and thick juice; as unleavened bread, cabbage, dates, chefnuts, unripe fervices, acorns, and acid wines. Thefe, if taken into a hot ftomach, are fooner concocted, than if into a mean; and, in a weak and cold one, they are either concocted not at all, or very flowly.

An experiment of all these may be made by decoction in water. For the liquor, if sweet, showeth the thing to be of good juice; if thick, of gross juice; if thin, of little; if well boiled, of much nourishment; if slowly boiled, not easily altered in the stomach, and so the contrary. Also some are, 1. Flatulent, of cold unconcocted humidity; as all fruits early ripe, especially if eaten raw, ciches and lupines; also whatsoever is sweet with austerity, which, by reason they cannot be easily distributed and remain long in the stomach, cause slatulency, as must, new beer, &c. 2. Without wind, of easy elixation, as things well boiled, leavened

bread made of good wheat and well baked, and old wine. 3. Eafily defcending. acid, falt, infipid, or excrementitious; as things full of humidity, participating of a certain acrimony or faltness without acerbity; or are insipid, as mallows, orach, mercury, marigolds, &c. and things full of excrements, as brown bread, and whatfoever is full of bran, and broths, 4. Slowly, as things dry and binding, having little humidity; as dry meats, fine bread, things having a little aftriction; as pears, fervices, black wines, or red, but fooner the auftere. Thus of the definition of phytology and its parts. 1. Therapeutic, or curatory. 2. Threptic, or alimentary; in both which vegetables are confidered; 1. According to their fubstance, as of thick or thin fubftance or confiftence, loofe or clofe, glutinous or crumbling, heavy or 2. According to their accidents; and 1. as medicamentary, 1. according to their more immediate accidents. 1. The qualities; as the first, heat, coldness, moifture, and driness, with their degree, sensible, manifest, vehement, or most violent. The fecond, mollifying, hardening, rarefying condenfing, opening, binding, drawing, repelling, cleanfing, purging, attenuating, clamming, obftructing, eating pain, ftupefying, reddening, putrefying, and burning. The third, fuppurating, incarning, conglutinating, cicatrizing, generating callus, provoking urine, breaking the ftone, provoking the terms, expectorating, and generating milk and sperm, causing sweat, fneezing, beauty, killing worms, and phlegmatizing. The fourth, occult, refifting poifon, specific, and purging. 2. The way of finding out these qualities: 1. The manifest, 1, By reason, as by the smell, colour; as white, black, green, and yellow; &c. Taftes; as bitter, fharp, acid, nitrous, falt, fweet, acerb, auftere, oleous, aquinfipid or waterifh, earthy, woodifh, and corn-like. Touch; as thick, thin, close, hollow, hard, foft, heavy, light, clammy, dry, rough, fmooth; mutability, age, places, and operations of the four first qualities. 2. By experience, confidering quid in quo, quomodo. 2. The occult, 1. By fignature. 1. External, in colour, form, property. 2. Internal; as appropriated, 1. To the planets, as to the Sun, Moon, Saturn, Jupiter, Mars, Venus, Mercury. 2. To the figns, as to Aries, Taurus, Gemini, Cancer, Leo, Virgo, Libra, Scorpio, Sagittarius, Capricorn, Aquaries, and Pifces. 2. By experience, according to the more remote accidents, as the place of gathering them, the time and manner, the way of preparing them for keeping, and place thereof; their duration, difcrimination, place in receipts, with their compositions and way of making them; their doses, as ingredients and compounded; their use, and season and manner of using them, &c. II. As alimentary, and so as of good or bad juice, of thick or thin juice, of easy or hard concoction, windy or without wind, eafily or flowly defcending, &c.

No. 3.

30 CULPEPER'S ENGLISH PHYSICIAN,

Now follow the differences of Vegetables, and, in general, 1. External. 1. Of Trees, which are, 1. Rhodoflory, or rofe-flowered, as the rofe, holy-rofe, and ciffus ledon, &c. 2. Pomiferous, or apple-bearing; as the apple-tree, quince-tree, citrontree, orange-tree, pomegranate-tree, pear-tree, fig-tree, fycamore-tree, mulberry-tree. ftrawberry-tree, medlar-tree, fervice-tree, peach-tree, apricot-tree, plum-tree, myrobolans-tree, febeften-tree, jujube-tree, cornel-tree, nettle-tree, cherry-tree, pockwood-tree, and eben-tree. 3. Nuciferous, or nut-bearing; as the almond-tree, walnut-tree, filbert-tree, nut-tree, chefnut-tree, phiftic-tree, oily-acorn tree, ftorax-tree. and exotic-nut-tree. 4. Dactiliferous, as the palm-tree, bearing dates. 5. Glandiferous, or maft bearing; as the beech-tree, oak-tree, cork-oak-tree, Arabian bindweed and oak-tree, mifletoe, gall-tree, and uvaquercina. 6. Bacciferous, or berrybearing; as the faunders-tree, maftic-tree, frankincenfe-tree, turpentine-tree, balfamtree, flumach-tree, fcarlet-oak-tree, afh-tree, holly-tree, line-tree, wayfaring-tree. oftrys, cotton-tree, maple-tree, plane-tree, ague-tree, great fpurge-tree, barberrytree, gooseberry-tree, elder tree, laurel, bay-tree, mezereon-tree, mountain widowwail, rockrofe, myrtle-tree, butcher's broom, cloudberry-tree, box-tree, olive-tree, chafte-tree, privet, mock-privet, buckthorn, boxthorn, bramble, caper-tree, favin, cedar-tree, cyprefs-tree, juniper-tree, yew-tree, dragon-tree, fperage. 7. Aromatiferous, or spice-bearing, as the nutmeg and mace-tree, pudding-pipe-tree, cinnamontree, Indian leaf, clove-tree, pepper-tree, cubeb-tree, cloveberry-tree, cardamomtree, and aloe-tree. 8. Coniferous, or cone-bearing, like pine-apples; as the coniferous cedar, pine-tree, larch-tree, pitch-tree, and fir-tree. 9. Juliferous, or woolbearing, as the willow-tree, alder-tree, elm-tree, and poplar-tree. 10. Siliquate, or codded; as the fhrub-trefoil, bean-trefoil, Egyptian thorn, rofewood-tree, broom, furze, bastard senna, fenna, spindle-tree, and rosebay. 11. Scopary, as the tamarisktree, and heath, &c. 12. Succiferous, or juice-yielding; as the ammoniac-tree, metopion, acacia, manna-tree or afh, gamandra-tree, or Indian great fpurge-tree. 13. Gummiferous, or gum-bearing; as the gum-arabic-tree or Egyptian thorn, forcocoltree, ivy-tree, caucomum-tree, lacca-tree, dragon-tree, camphor-tree, juniper-tree, cherry-tree, plum-tree, goat's thorn yielding tragacanth, elm-tree, &c. 14. Refiniferous, or rofin-yielding; as the turpentine-tree, larch-tree, maftic-tree, frankincenfetree, myrrh-tree, ftorax-tree, liquid-amber-tree or ocofoti, bdellium-tree, benjamintree, tacamahaca-tree, gum-elimi-tree, colophony-tree, or fir-tree, and pitch-tree.

2. Of Herbs, which differ in refpect of, I. Roots; and fo they are, 1. Bulbous, or round-rooted; as the bulbous flower-de-luce, wallflower, faffron, meadow-faffron, onions, leeks, fquills, garlic, moly, dog-ftones, and fatyrion, &c. 2. Not bulbous,

as most other plants. II. The Leaves; and so they are, 1. Longicautifolious, or long ftalk-leaved; as grafs, rufhes, nard, galingal, horietail, reed, paper-reed, ftinkinggladden, flower-de-luce, aromatical reed, ginger, zedoary, and coftus, &c. 2. Craffifolious, or thick-leaved; as houseleek, Venus's navelwort, aloes, rofe-root, orpine, pursain, famphire, and glaffwort. 3. Hirtifolious, or rough-leaved; as borage. gromel, hound's tongue, and mullein. 4. Nervifolious, or nerve-leaved; as gentian, plantane, fleawort, biftort, pondweed, water-lilies, wake-robin, and hellebore, &c. :5. Rotundifolious, or round-leaved; as birthwort, colt's foot, butterbur, bur, and afarum. 6. Mollifolious, or foft-leaved; as marihmallows, mercury, and rhubarb, &c. 7. Trifolious, as pentaphils, &c. 8. Capillary, or hair-like; as hart's tongue, moonfern, fpleenwort, moonwort, maidenhair, fundew, fern, and polypody, &c. 9. Spinofe, or prickly; as thiftles, teafels, fea-holly, gum-thiftle. goat's thorn, &c. III. The Flowers; and fo they are, 1. Verticillate and galeate, or turned and helmet-like; as mints, calamint, organy, penny-royal, hyffop, thyme, Arabian fticadove, lavender, Tpike, ground-pine, oak of Jerufalem, fage, nettles, betony, eyebright, figwort, felf-heal, hedge-hyffop, dittany, &c. 2. Stellate, or ftar-like; as madder, lady's bedftraw, croffwort, and rue. 3. Calcariflorous, or fpur-flowered; as columbine, larkfpur, toad-flax, &c. 4. Umbelliferous, or boffed; as cummin, fennel, dill, pellitory of Spain, fennel giant, fcorching fennel, turbith, fow-fennel, bee's-neft, chervil, parfley, angelica, mafterwort, lafarwort, alheal, carraway, coriander, anifefeed, burnet, cicely, hemlock, and dropwort. 5. Corimboide, ring or hook like; as elecampane, pellitory of Spain, mugwort, fneefewort, and wormwood. 6. Capitate, or headed; as fcabious, knapweed, blue-bottle, viper's grafs, marigold, devil's bit, and thiftles, &c. IV. The Fruits; and fo they are, 1. Pomiferous, or apple-bearing; as mandrakes, cucumbers, melons, pompions, citruls, gourds, and wild-cucumbers, &c. 2. Capfuliferous, or coffee-bearing; as garden-creffes, fhepherd's pouch, feurvy-grafs, and horfe-radifh, &c. 3. Vafculiferous, or veffel-bearing; as centaury the lefs, moufe-ear, flax, St. John's wort, pimpernel, moneywort, rupture-wort, and poppy, &c. Siliquate, or codded; as the leguminose, and oleraceous, honeysuckle, bird's foot, milkwort, cock's head, goat's rue, liquorice, fumitory, celandine, columbine, and nigella. V. The Place; and fo they are, garden, wild, field, mountain, meadow, or aquatic; as moss, duck's meat, tree-lungwort, fea nettle, wrack, arfefmart, pimpernel, &c. VI. The manner of growing; and fo they are, convolvulous, or climbing; as the pomiferous and leguminous, fcammony, fea-bindweed, farfaparilla, china, briony, mechoacan, hops, vine, lily of the vale, ivy, Indian creffes, birthwort, fow-bread, parnaffus-grafs, and faxifrage, &c. VII. Succiferous, or juice-vielding; as the lactiferous, viz. fpurge

and chamefyce, &c. Galbaniferous and fagapeniferous; fennel-giant, apopanax-plant, or Hercules's alheal, black poppy yielding opium, aloes, fcammony; wild cucumber yielding elaterium, euphorbium or gum-thiftle, liquorice, fugar-reed. VIII. Gummiferous, or gum-bearing; as lafarwort bearing afafætida.

II. Internal in respect of their use and virtues, or as alimentary and medicinal. Of their use, or as dietical; and so they are, 1. Frumentary, serving as breadcorn: wheat, rye, fpelt-corn, barley, oats, rice, Turkey-corn, millet, panic, burntcorn, and phalaris. 2. Leguminary, ferving as pulse; as beans, pease, lentils, ciches, cicliling vetches, bitter vetches, lupines, kidney-beans, winged wild peafe. and fenugreek. 6. Oleraceous, ferving as pot-herbs, fallads, &c. and are, 1. Roots, as onions, garlic, leeks, raddifh, wild radifh, turnips, navew, parfnips, carrots, and red beets. 2. Leaves, as of lettuce, fuccory, cabbages, fpinage, orach, beets, afparagus, creffes, muftard-feed, blites, hops, and ftone-parfley. 3. Fruits, as artichokes, gourds, cucumbers, melons, ftrawberries, capers; and those of trees, as apples, quinces, oranges, lemous, pears, medlars, figs, peaches, apricots, plums, cherries, mulberries, grapes, olives, almonds, chefnuts, walnuts, filberts, and fungi. 4. Condimentary, ferving as fauce; as pepper, ginger, cloves, cinnamon, cardamums, nutnieg, mace, faffron, elder, capers, creffes, onions, garlic, &c. Sugar, oil, and vinegar, &c. The qualities, of which, fee in my Ifagoge Zoologice-mineralogica, they being there mentioned for fauces. 2. Of their virtues, or as pharmaceutical in respect of their several parts and qualities, first, second, third, and fourth.

I. Roots; arc, 1. Temperate, as bear's breech, eringo, garden parfnips, falop, mallows, machoacan, afparagus, cinquefoil, lady's thiftle, and tormentil. 2. Hot, and fo, in the firft degree, as bafil, burdocks, borage, buglofs, avens, aromatical reed, china, dog's grafs, liquorice, knee-holly, mallows, marfhmallows, pilewort, piony, poppy, fparling, parfley, wild parfnips, felf-heal, fatyrion, fkirrets, fcorzonera, valerian great and fmall, and white lilies. In the fecond, as afphodel male, carline thiftle, cyprefs long and round, butterbur, devil's bit, hog's fennel, lovage, fennel, mercury, reeds, fwallow-wort, fpignel, farfaparilla, fquills, waterflag, and zedoary. In the third, as angelica, avon, affarabecca, elecampane, birthwort long and round, briony white and black, celandine, doronicum, filapendula, ginger, ftinking gladden, gallingal greater and lefs, hellebore white and black, mafterwort, orris English and Florentine, reftharrow, fowbread, fnakeroot, Virginian turbith, turmeric, and white dittany. In the fourth, as garlic, leeks, onions, and pellitory of Spain. 3. Cold, and so in the first degree, as beets white and red, com-

frey great, madder, plantane, rose-root, and forrel. In the second, as alcanet, daisses, endive, hyacinth, hound's tongue, and fuccory. In the third, as biftort and mandrakes. In the fourth, as henbane. 4. Dry, and so, in the first degree, as aromatical reed, bear's breech, burdock, red beets, endive, eringo, hyacinth, knee-holly madder, pilewort, and felf-heal. In the fecond, as alkanet, male afphodil, avens, bafil, butterbur, cypress long and round, devil's bit, fennel, hound's tongue, lady's thiftle, lovage, marshmallows, mercury, reeds, parsley, plantane, smallage, forrel, fwallowwort, spatling poppy, succory, spignel, thistles, valerian, waterslag, and zedoary. In the third, as angelica, aron, affarabecca, elecampane, birthwort long and round, biffort, white and black briony, carline, thiftle, china, cinquefoil, white dittany, doronicum, filapendula, greater and less galingale, stinking gladden, ginger, white and black hellebore, hog's fennel, masterwort, orris English and Florentine, peony male and female, restharrow, sowbred, celandine, farfaparilla, and Virginian fnake-root. In the fourth, as costus, garlic, onions, leeks, and pellitory of Spain. 5. Moist, such are basil, white beets, borrage, buglofs, dog's grafs, daifies, liquorice, mallows, parfnips, spatling poppy, fatyrion, scorzonera, skirrets, valerian. 2. As for the second qualities, they are, 1. mollifying, as mallows, white lilies, and marshmallows. 2. Opening, affarabecca, bruscus, carline thistle, endive, filapendula, fennel, garlic, gentian, leeks, onions, parfley, rhaphontic, fuccory, asparagus, smallage, turmeric. 3. Binding, as alcanet, biffort, bear's breech, cypress, cinquefoil, tormentil, toothwort, and waterflag. 4. Cleanfing, as aron, asphodil, birthwort, grass, asparagus, and celandine. 5. Extenuating, as capers and orris English and Florentine. 6. Anodyne, as eringo, orris, restharrow, and waterflag. 7. Helping burnings, as afphodil, hyacinths, white lilies. 8. Burning, as garlic, onions, and pellitory of Spain. 9. Discussing, as asphodil, birthwort, briony, and capers. 10. Expelling wind, as costus galingale, fennel, hog's fennel parsley, smallage, spikenard Indian and Celtic, waterflag, and zedoary. 3. As for the third qualities, they are, 1. Suppurating, as briony, marshmallows, and white lilies. 2. Glutinating, as birth wort, comfrey, daifies, gentian, and Solomon's feal. 2. Spermatogenetic, as eringo, galingale. fatyrion, and waterflag. 4. Emmenonagogic, as affarabecca, aron, afphodil, birthwort, centaury, the lefs, long and round cyprefs, coftus, capers, calamus aromaticus, carrots, white dittany and of Crete, eringo, fennel, garlic, grass-knee-holly, peony, valerian, waterflag, parfley, fmallage. 5. Stopping the terms, as biftort, comfrey, tormentil. 6. Hydrotic, as carline thiftle, china, and farfaparilla. 4. As for the fourth qualities, they are, I. Alexipharmic, as angelica, long birth wort, biftort, buglofs, coftus, cyprefs, carline thiftle, doronicum, elecampane, garlic, gentian, swallow-wort, smallage, tormentil, viper's bugloss, and zedoary. 2. Cathartics,

K

No. 4.

as, 1. Purgers of choler, as affarabecca, fern, rhubarb, rhaphontic. 2. Of melancholy, as white and black hellebore, and polypody. 3. Of phlegmand water, as afphodil male, white and black briony, wild cucumbers, elder, hermodactils, jalap, mechoacan, squills, sowbread, spurge great and small, and turbith. 3. Appropriate; and fo, 1. They heat; 1. the head, as doronicum, fennel, jalap, mechoacan, peony male and female, and Celtic and Indian spikenard. 2. The neck and throat, as devil's bit, and pilewort. 3. Breast and lungs, as birthwort long and round, calamus aromaticus, cinquefoil, elecampane, liquorice, orris English and Florentine, and squills. 4 The heart, as angelica, borrage, bugloss, butterbur, basil, carline thistle, doronicum, scorzonera, tormentil, valerian white and red, and zedoary. 5. The stomach, as avens, fennel, galingale greater or lefs, ginger, radish, spikenard Celtic and Indian, and elecampane. 6. The bowels, as ginger, valerian great and fmall, and zedoary. 7. The liver, as carline thiftle, china, dog's grafs, fennel, gentian, knee-holly, parfley, rhubarb, rhaphontic, celandine, fmallage, cinquefoil, asparagus, and turmeric. 8. The spleen, as ash, birthwort round, carline thistle, capers, fern male and female, fennel, gentian, parfley, asparagus, and waterflag. 9. The reins and bladder, as bafil, burdock, carline thiftle, china, cyprefs long and round, dropwort, kneeholly, marshmallows, parsley, smallage, sperage, spatling poppy, spikenard Celtic and Indian, faxifrage white, and valerian. 10. The womb, as birthwort long and round, galingale greater and lefs, hog's fennel, and peony male and female. 11. The fundament, as pilewort. 12. The joints, as bear's breech, costus, ginger, hermodactils, jalap, and mechoacan. 2. They cool, 1. the head, as rofe-root; 2. the stomach, as bistort, endive, succory, and sow-thistles; 3. the liver, as endive, madder, and fuccory.

II. BARKS, are, 1. Hot, and so, in the first degree; as citrons, lemons, oranges, pockwood, and tamarisk. In the second, as capers, cinnamon common and winter, cassia lignea, and frankincese. In the third, as mace. 2. Cold, and so in the first degree, as oak and pomegranates. In the second, as mandrakes. 3. As for the third qualities, they are, 1. cathartic: as 1. purgers of choler, as barberries; 2. of phlegm and water, as elder, dwarf elder, laurel, and spurge. 2. Appropriate; and so 1. They heat, 1. the head, as winter cinnamon. 2. The heart, as cinnamon, cassia lignea, citrons, lemons, mace, and walnuts. 3. The stomach, as cassia lignea, cinnamon, citrons, lemons, oranges, and sassarias. 4. The lungs, as cassia, lignea, cinnamon, and walnuts. 5. The liver, as barberries, bays, and winter cinnamon. 6. The spleen, as ash, bays, and capers. 7. The reins and bladder, as bays and sassarias as The womb, as cassia lignea and cinnamon. 2. They cool the stomach, as pomegranate peels.

III. Woods, are, r. Hot, as aloes, box, ebony, guiacum, nephriticum, rhodium, rosemary, sassarisk. 2. Cold, as cypress, sanders (white, red, and yellow), and willow. As for the third qualities, they are appropriate, 1. To the head, as rosemary. 2. To the heart and stomach, as of aloes. 3. The bowels and bladder, as rhodium. 4. The liver, spleen, reins, and bladder, as nephriticum. 5. The breast, stomach, and bladder, as sassarisk. 6. To the spleen, as tamarisk. 7. The heart and spirits, as sanders.

IV. LEAVES, are, I. Temperate, as bugle, cinquefoil, betony, flixweed, goat'srue, hart's tongue, fluellin, maiden-hair, cammoca black and golden, Paul's betony, trefoil, wall-rue, and wood-rofe. 2. Hot, and fo in the first degree; as agrimony, avens, borrage, buglofs, bafil, cleavers, cetrach, chervil, camomile, cowflips, distaff-thistle, eyebright, marshmallows, melilot, lady's thistle, and self-heal. In the fecond; as alehoof, Alexanders, archangel, betony, bay, broom, bawm, costmary, cuckoo flowers, carduus benedictus, centaury the lefs, chamepitys, dill, double-tongue, devil's bit, hoarhound, Indian leaf, lady's mantle, maudlin, mugwort. marigold, marjoram, mercury, oak of Jerusalem, pimpernel male and female, parfley, poley-mountain, periwinkle, rosemary, smallage, scurvy grass, sage, fanicle, scabious, sena, foldanella, tansey, tobacco, vervain, and wormwood common and Roman. In the third; as angelica, arfesmart biting, brooklime, briony white and black, bank creffes, calamint, clary, dwarf-elder, dodder of thyme, featherfew, fleabane, germander, glass-wort, herb-mastic, lavender, lovage, mints, mother of thyme, nettles, organy, pilewort, pennyroyal, rue, fouthernwood male and female. celandine, fneefewort, favin, favory fummer and winter, fpike, thyme, and watercreffes. In the fourth; as crow-foot, dittander, garden-creffes, leeks, rofa folis, sciatica cresses, stone-crop, spurge. 3. Cold, and so in the first degree; as arach. arfefmart mild, burdock, burnet, colt's foot, hawkweed, mallows, pellitory, of the wall, forrel, wood-forrel, shepherd's-purse, violets, yarrow. In the second: as buckshorn, chickweed, daisses, dandelion, duck's meat, endive, knotgrafs, lettuce plantane, pursiain, fumitory, succory, strawberry, tansey wild, willow. In the third; as nightshade and sengreen. In the fourth; as hemlock, henbane, mandrakes, poppies. 4. Dry, and so in the first degree; as agrimony, arfesmant mild, burdocks, cleavers, chervil, camomile, cowflips, colt's foot, double-tongue, eyebright, flixweed, hawkweed, marshmallows, melilot, periwinkle, shepherd's purse, self-heal, and sena. In the second, as betony, alehoof, Alexanders, archangel, betony, bugle, buckshorn, broom, birch, bay, burnet, costmary, cuckoo-slowers, carduus benedictus, centaury the lefs, chicory, dill, distaff-thiftle, dandelion, devil's bit, endive, featherfew, fumitory, Indian leaf, lady's mantle, maudlin, mugwort, majoram, mercury, pimpernel, plantanes, parfley, rofemary, forrel, fmallage, filver-weed, strawberry, fage fanicle, scabious, foldanella, scurvy-grass, tobacco, vervain, wormwood common and Roman, wood-forrel, and willow. In the third; as angelica, arfefmart hot, brooklime, briony white and black, bank-creffes, calamint, chamepitys, cinquefoil, clary, dwarf-elder, epi.hymum, fleabane, germander, glass-wort, hoarhound, herb-mastic, herb of grace, lavender, lovage, mints, mother of thyme, organy, pilewort, pennyroyal, poley-mountain, fouthernwood male and female, celandine, fneefewort, favin, favory fummer and winter, filk-tanfey, thyme, and trefoil. In the fourth: as crow-foot, garden creffes, garlic, leeks, onions, rofa folis, spurge, and wild rue. 5. Moift, and fo in the first degree: as borrage, bugloss, basil, mallows, marigolds, and pellitory of the wall. In the fourth; as arach, chickweed, daifies, duck's meat, lettuce, purslain, fow-thistles, violets, and water-lilies. 2. As for the second qualities, they are, 1. mollifying; as arach bay, beets, cyprefs, fleawort, mallows, marshmallows, pellitory of the wall, and violets. 2. Hardening, as duck's meat, houseleek, herbs cold, nightshade, purslain. 3. Opening, as endive, garlic, mallows, marshmallows, onions, pellitory of the wall, succory, and wormwood. 4. Binding, as amomum, agnus castus, cypress, cinquesoil, comfrey, bawm, fleawort, horsetail, ivy, knot-grass, bay, melilot, myrtles, cak, plantane, purslain, shepherd's purse, forrel, sengreen, and willow. 5. Drawing, as birthwort, dittany, garlic, leeks, onions, pimpernel, and all hot leaves. 6. Cleanfing, as arach, beets, cetrach, chamepitys, dodder, hoarhound, liverwort, pimpernel, pellitory of the wall, fouthernwood, afparagus, willow, and wormwood. Extenuating, as camomile, hyflop, juniper, mugwort, mother of thyme, pennyroyal, stechas, and thyme. 8. Anodyne, as arach, calamint, chamepitys, camomile, dill, henbane, hops, hog's fennel, marjoram, mother of thyme, parfley, rofemary, rue, and wormwood. 9. Discussing, as arach, beets, camomile, chickweed, dill, maidenhair, marshmallows, mints, melilot, marjoram, pellitory of the wall, rue, fouthernwood male and female, and flechas; also bawm, docks, cleavers, cinquefoil, mallows, fcordium, water-creffes. 10. Expelling wind, as camomile, dill, epithymum, fennel, garlic, juniper, marjoram, organy, favory winter and fummer, smallage, and wormwood. 3. As for the third qualities, they are, 1. Suppurating, as mallows, marshmallows, and white lilies. 2. Glutinating, as agrimony, bugle, centaury, chamepitys, cinquefoil, comfrey, germander, horsetail, knotgrafe, mallows, marshmallows, maudlin, pimpernel, rupturewort, strawberries, self-heal, tobacco, tormentil, wood-chervil, and woundwort. 3. Spermatogenic, asclary, rocket, and herbs hot, moist and windy. 4. Emmenonagogic, asbishop's weed, betony broom, basil, cabbages, centaury, camomile, calamints, dodder, dittano, fennel, garlic, germander, hoarhound, hartwort,

St.

St. John's wort, maiden hair, marjoram, mugwort, nettles, organy, pimpernel poly mountain, parfley, rue, rosemary, southernwood, sage, smallage, savin, scordium, thyme, mother of thyme, wormwood, and water-creffes. 5. Stopping the terms; as comfrey, houseleek, knot-grass, myrtles, plantain, shepherd's purse. strawberries, and water-lilies. 4. As for the fourth qualities, they are, 1. Alexipharmic, as alifanders, betony, carduus benedictus, calamint, carline-thiffle, agrimony, fennel, garlic, germander, hoarhound, juniper, maiden-hair, organy, pennyroyal, poly-mountain, plantain, rue, fouthernwood, smallage, scordium, and wormwood. 2. Cathartic, as, 1. Purgers of choler, as centaury, groundfel, hops, mallows, peaches, fena, and wormwood. 2. Of melancholy, as dodder, epithymum, fumitory, ox-eye, and fena. 3. Of phlegm and water, as danewort. briony, white and black elder, hedge-hyffop, laurel, mercury, mezerion, fpurge, 3. Appropriate, and fo, 1. They heat, 1. The head: asfena, and fneefewort. betony, costmary, carduus benedictus, cowslips, eyebright, featherfew, goat's rue, herb-mastic, lavender, laurel, loyage, maudlin, melilot, mother of thyme. penny-royal, rofemary, celandine, scurvy-grass, sneesewort, sena, spike, thyme. and vervain, 2. The throat; as archangel white and red, and devil's bit. 2. The breast; as betony, bay, bawm, calamint, camomile, distaff-thistle, fennel, germander, hyffop, hoarhound, Indian leaf, maiden-hair, melilot, nettle, oak of Jerusalem, organy, periwinkle, rue, scabious, and thyme. 4. The heart; as angelica, elecampane, borrage, buglofs, bay, bawm, bafil, carduus benedictus. goat's rue, rue, rofemary, fouthernwood male and female, fena, and woodroof, 5. The stomach; as avens, bay, bawm, broom, fennel, Indian leaf, mints, mother of thyme, parsley, sage, schenanth, smallage, thyme, and wormwood common and Roman. 6. The liver; as agrimony, alecost, ash, bay, affarabecca, centaury the lefs, chamepitys, fennel, germander, fox-gloves, hops, hoarhound, hyffop, lady's thiftle, maudlin, mother of thyme, pimpernel male and female, parfley, poly-mountain, smallage, celandine, samphire, sage, scordium, sena, soldanella, spikenard, toad-slax, and water-cresses. 7. The bowels; as alehoof, Alexanders, and camomile. 8. The spleen; as agrimony, ash-tree, bay, centaury the less, cetrach, chamepitys, epithymum, fox-gloves, germander, hops, hoarhound, hart's tongue, maiden-hair, mother of thyme, parfley, poly-mountain, fmallage, famphire, fage, foordium, fena, toad-flax, tamarifk, water-creffes, and wormwood. 9. The reins and bladder; as agrimony, betony, brooklime, bay, broom, chervil, costmary, camomile, clary, germander, hops, maudlin, marshmallows, melilot, mother of thyme, nettles, organy, pimpernel male and female, pennyroyal, rupturewort, rocket, famphire, schenanth, faxifrage, scordium, spikenard, No. 4. toad.

toad-flax, vervain, and water-creffes. 10. The womb; as angelica, archangel, calamint, costmary, dittany of Crete, devil's bit, featherfew, sleabane, maudlin, mugwort, maywced, melilot, mints, nettles, organy, pennyroyal, periwinkles, schenanth, sage, savin, scordium, tansey, thyme, and vervain. 11. The joints; as agrimony, arfefmart hot, camomile, costmary, cowst ps, garden cresses, St. John's wort, melilot, rolemary, rue, sciatica cresses, fage, slechas, and water-crefles. 2. They cool, 1. The head; as fumitory, houseleek, lettuce, plantain, strawberry, teasels, violets, water-lily, willow, and wood-forrel, 2. The throat; as bramble, orpine, privet, and ftrawberries. breaft; as bramble, colt's foot, moneywort, orpine, plantain, poppy, mulberry, forrel, strawberry, violet, and wood-forrel. 4. The heart; as burnet, viper's bugloss, lettuce, forrel, strawberry, violet, water-lily, and wood-forrel. 5. The stomach, as dandelion, endive, hawkweed, lettuce, orpine, purflain, forrel, fuccory, strawberry, fow-thistles, and violet. 6. The liver; as dandelion, endive, fumitory, lettuce, liver-wort, nightshade, purslain, sorrel strawberry, fuccory, water-lily, and wood-forrel. 7. The bowels; as buckthorn, burnet, fumitory, mallows, orpine, and plantane. 8. The spleen; as endive, fumitory, lettuce, and succory. 9. The reins and bladder; as houseleek, knot-grass, lettuce, mallows, moneywort, plantain, pursiain, water-lily, and yarrow. 10. The womb; as arach, burdocks, endive, lilies, myrtles, moneywort, purflain, fengreen, succosy, fow-thistles, water-lily, and wild tansey. 11. The joints; as henbane, houseleek, lettuce, nightshade, vine, and willow-leaves.

V. Flowers, are, r. Hot, and so in the first degree; as betony, borrage, buglos, camomile, melilot, ox-eye, and stechas. In the second; as amomus, bawm,
clove-gillsslowers, hops, jestamine, lavender, rocket, sastron, spikenard, schenanth,
and rosemary. In the third; as agnus castus, epithymum, honey-suckles,
wall-flowers, or winter gillissowers. 2. Cold, and so, in the first degree; as mallows, red, white, and damask, roses, and violets. In the second; as anemony,
endive, succory, and water-lilies white and yellow. In the third; as balaustines.
In the fourth; as henbane and poppies. 3. Moss, and so in the first degree;
as borrage, bugloss, endive, mallows, and succory. In the second; as violets and
water lilies. 4. Dry, and so in the first degree; as camomile, melilot, ox-eye,
saffron, and roses. In the second; as anemony, clove-gillissowers, hops, lavender,
peony, rocket, rosemary, and spikenard. In the third; as balaustines, chamepitys, epithymum, germander, and woodbine. 2. As for the second qualities,
they are, 1. Mollisying, as mallow, saffron, and white lilies. 2. Binding, as agnus

nus castus, balaustines, bawm, clove-gillistowers, melilot, endive, fastron, succorv. and red rofes. 2. Cleanfing, as beans, damask roses, and elders. 4. Extenuaring, as camomile, flower-de-luce, melilot, and stechas. 5. Anodyne, as camomile, centaury, dill, melilot, and rofemary. 6. Helping, burnings, as mallows, marshmallows, and white lilies. 7. Discussing, as camomile, dill, mallows, marshmallows, melilot, and stechas, &c. 8. Expelling wind, as camomile, dill, schenanth, and spikenard. As for the third qualities, they are, 1. Suppurating, as faffron and white lilies. 2. Glutinating, as centaury and balaustins. 3. Emmenonagogic, as betony, camomile, centaury, bawm, rosemary, peony, fage, schenanth, and wall-flowers. 4. Stopping the terms, as balaustins and water-lilies. 4. As for the fourth qualities, they are, 1. Alexipharmic, as betony and centaury. 2. Cathartic, as, 1. Purgers of choler, as damask roses, peaches, and violets. 2. Of phlegm, as broom and elder. 3. Appropriate, and fo, 1. They heat, 1. The head, as betony, camomile, cowflips, lavender, melilot, peony, rofemary, fage, felf-heal, and ftechas. 2. The breast, as betony, burn, feabious, and schenanth. 3. The heart, as bawm, borrage, bugloss, rosemary, faffron, and spikenard. 4. The liver, as camomile, centaury, betony, elder, schenanth, and spikenard. 5. The spleen, as betony and wall-flowers. 6. The reins and bladder, as betony, marfhmallows, melilot, schenanth, and spikenard. 7. The womb, as betony, flower-de-luce, fage, and schenanth. 8. The joints, as camomile, cowflips, melilot, and rofemary. 2. They cool, 1. The head, as poppies, rofes, violets, and water-lilies. 2. The breast and heart, as roses, violets, and water-lilies. 3. The flomach, as roses and violets. 4. The liver and spleen, as endive and fuccory. 3. They moisten the heart, as borrage, bugloss, and violets. 4. They dry it, as bawm, betony, and rosemary-flowers.

VI. FRUITS, are, 1. Temperate, as currants, dates, figs, pine-nuts, raifins, and febestens. 2. Hot, and so in the first degree; as sweet almonds, cypress-nuts, hasel-nuts, jujubes, and green-walnuts. In the second, as ben-nuts, capers, fistic-nuts, hasel-nuts dry, nutmegs, and dry walnuts. In the third, as anacardium, bitter-almonds, carpobalsamium, cloves, cubebs, and juniper berries. In the fourth, as pepper, guinea pepper, and the rest. 3. Cold, and so in the first degree; as citrons, pears, prunes, and quinces. In the second, as apples, cucumbers, galls, gourds, lemons, melons, oranges, pompions, pomegranates, peaches, and prunes. In the third, as mandrakes. In the sourth, as stramonium. 4. Moss, and so in the first degree; as citrons, lemons, oranges inner rind. In the second, as gourds, melons, peaches, and prunes. 5. Dry, and so in the first degree; as juniper-

40

juniper-berries. In the fecond, as bay-berries, ben-nuts, capers, fiftic nuts, nutmegs, pears, pine-nuts, and quinces. In the third, as cloves, and galls. In the fourth, as all peppers. 2. As for the fecond qualities, they are, 1. Binding, as barberries, chefnuts, cherries, cornels, fervices, acorns and their cups, galls, medlars, myrtle-berries, nutmegs, olives, pears, peaches, and pomegranates. 2. Extenuating, as sweet and bitter almonds, bay-berries, and juniper-berries. 25 Anodyne, as bay-berries, figs, ivy-berries, juniper-berries, currants, all peppers, raisins, and walnuts. 4. Discussives, as capers and all peppers, 5. Expelling wind, as bay-berries, juniper berries, nutmegs, and all peppers. 3. As for the third qualities, they are, 1. Glutinating, as acorns, acorn-cups, currants, dates, and raifins. 2. Spermatogenetic, as fweet-almonds, figs, pine-nuts, and raifins of the fun. 2. Emmenonagogic, as capers, and ivy-berries. 4. Stopping the terms, as barberries. 5. Diuretic, as winter cherries. 4. As for the fourth qualities, they are, 1. Alexipharmic, as bay-berries, citrons, juniper-berries, pepper, pomecitrons, and walnuts. 2. Cathartic, as, 1. Purgers of choler, as cassia fistula, citrine myrobolans, prunes, raisins, and tamarinds. 2. Of melancholy, as Indians myrobolans. 3. Of phlegm, as colocynthis, wild cucumbers, and myrobolans. 3. Ap. propriate, and so, I. They heat, I. The head, as anacardium, cubebs, and nutmegs, 2. The breast, as almonds bitter, cubebs, dates, figs, hasel-nuts, jujubes, raisins of the fun, and pine-nuts. 3. The heart, as juniper-berries, nutmegs, and walnuts. 4. The stomach, as almonds sweet, ben, cloves, juniper-berries, nutmegs, olives, . and pine-nuts. 5. The spleen, as capers. 6. The reins and bladder, as almonds bitter, cubebs, juniper-berries, raifins of the fun, and pine-nuts. 7. The womb, as juniper-berries, bay-berries, nutmegs, and walnuts. 2. They cool, 1. The breast, as oranges, lemons, prunes, and sebestens. 2. The heart, as citrons, lemons, oranges, pears, pomegranates, and quinces. 3. The stomach, as apples, citrons, cucumbers, cherries, cornels, currants, fervices, goofeberries, gourds, lemons, medlars, musk-melons, oranges, pears, pompions, and quinces. 4. The liver, as barberries, and coolers of the stomach. 5. The reins and womb, as strawberries, and the same.

VII. SEEDS, are, T. Hot, and foin the first degree; as coriander, senugreek, gromel, linseed, lupines, and rice. In the second, as basil, dill, nettles, orobus, rocket, and smallage. In the third, as amomus, anniseed, bishop's weed, carraway, cardamoms, carrots, cummin, sennel, hartwort, navew, nigella, and staves acre. In the fourth, as mustard-seed and water-creffes. 2. Cold, and so in the first degree; as barley. In the second, as citruls, cucumbers, endive, gourds, lettuce, melons, night-

nightshade, pompions, pursiain, forrel, and succory. In the third, as hemlock, henbane, and poppies white and black. 3. Moist, and so in the first degree; as mallows. 4. Dry, and so in the first degree; as barley, beans, sennel, senugreek. and wheat. In the fecond, as lentils, nightshade, orobus, poppies, and rice. In the third, as anifeed, carraway, coriander, cummin, bishop's weed, dill, gromel, nigella, parsley, and smallage. 2. As for the second qualities, they are, 1. Mollifying; as fenugreek, linfeed, mallows, and nigella. 2. Hardening; as purflainfeed. 3. Binding; as barberries, pursain, rose-seeds, and shopherd's purse. 4. Cleansing; as barley, beans, lupines, nettles, and orobus. 5. Anodyne, as amomus, carrots, cardamom, cummin, dill, fenugreek, gromel, linfeed, orobus, panic, and parfley. 5. Difcuffing; as carrots, dill, fenugreek, nigella, and linfeed; also barley, coriander, darnel, lupines, mallows, and marshmallows, helping swellings. 7. Expelling wind; as anifeed, carraway, carrots, cummin, dill, fennel, hartwort. nigella, parfley, smallage, and wormwood. 3. As for the third qualities, they are, I. Suppurating; as darnel, fenugreek, French barley, and linfeed. 2. Glutinating: as darnel, lupines, and orobus, 3. Spermatogenetic; as ashtree-keys, beans, cicers. and rocket. 4. Emmenonagogic; as amomus, anife, bishop's weed, carrots, cicers, fennel, hartwort, parfley, lovage, sperage, and smallage. 5. Stopping the terms; as burdock, cummin, and role-feeds. 6. Lithontriptic; as gromel, mallows. and marshmallows. 4. As for the fourth qualities, they are, 1. Alexipharmic; as anife, bishop's weed, cardamoms, citrons, fennel, lemons, oranges, and smallage, 2. Appropriate; and fo, 1. They heat, 1. the head; as fennel, majoram, and piony. 2. The breast; as nettles, 3. The heart, as basil rue, and mustard seed. 4. The ftomach; as amomus, anise, bishop's weed, cardamoms, cubebs, cummin, grains, of paradife, and smallage. 5. The liver; as amomus, anife, bishop's weed, carraway, carrots, cummin, fennel, fmallage, and sperage. 6. The spleen; as anife, carraway, and water-creffes. 7. the reins and bladder; as cicers, gromel, nettles, rocket, and faxifrage. 8. The womb; as piony and rue. 2. The joints; as mustard feed, rue, and water-creffes. 12. They cool, 1. The head; as lettuce, white poppies, and pursain. 2. The breast; as white poppies and violets. 3. The heart; ascitrons, lemons, oranges, and forrel feed; alfothe four greater and fmaller cold feeds, viz. of citruls, cucumbers, gourds, and melons; endive, lettuce, purflaint and fuccory, cool the liver, spleen, reins, bladder, womb, and joints; and the white and black poppy-feed do the fame. re common being daug das a son har his

No. 4. to has med bree manus market should it where the VIII.

42. CULPEPER'S ENGLISH PHYSICIAN,

VIII. Gums, are, 1. Temperate; as elemi, lacca, and tragacanth. 2. Hot, and so in the first degree; as bdellium and ivy-gum. In the second, as frankincense, galbanum, mastic, myrrh, olibanum, pitch, rosin, and styrax. In the third, as ammoniacum. In the sourth, as euphorbium. 3. Cold, as gum arabic. 2. As for the second qualities, they are, 1. Mollisying, as ammoniacum, bdellium, colophonia, galbanum, opopanax, turpentine, rosin, pitch, and styrax. 2. Binding; as gum arabic, sandarac or Jupiter-gum, and tragacanth. 3. As for the third qualities, they are, 1. Emmenonagogic, as styrax. 2. Lithontriptic, as cherry-gum. 4. As for the sourth qualities, they are eathartic, as opopanax, purging phlegm.

IX. Juices, are, 1. Temperate; as liquorice, and white starch. 2. Hot, and so in the first degree; as sugar. In the second, as labdanum. In the third, as assaciated, and benjamin. 3. Cold, and so in the second degree; as acacia, and sanguis draconis. In the third, as hypocystis. In the sourth, as opium. As for the sourth qualities, they are cathartic; as aloes, manna, and scammony, purging choler.

X. WATERS, are, 1. Hot; and fo, 1. Concocking phlegm: 1. In the head; as betony, calamint, camomile, eyebright, fennel, majoram, primrofes, rofemary, and fage. 2. In the breast and lungs, as bawm, betony, carduus benedictus, flower-de-luce. hoarhound, hyffop, maiden-hair, scabious, and self-heal. 3. In the heart, as bawm and rofemary. 4. In the stomach, as chervil, fennel, marigolds, mints, mother of thyme, thyme, and wormwood. 5. In the liver, as agrimony, centaury, costmary, marioram, maudlin, organy, fennel, and wormwood. In the spleen, as calamint, water-creffes, and wormwood. In the reins and bladder, as burnet, elecampane, nettles, pellitory of the wall, rocket, and faxifrage. In the womb, as calamint. lovage, mother of thyme, mugwort, pennyroyal, and favin. 2. Concocting melancholy; 1. In the head, as fumitory and hops. 2. In the breast, as bawm and carduus benedictus. 2. In the heart, as bawm, borrage, bugloss, and rosemary. 4. In the liver, as chichory, endive and hops. 5. In the spleen, as dodder, hart's tongue, tamarisk, and thyme. 2. Cold; and so, 1. Cooling the blood; as endive, fumitory. lettuce, purslain, forrel, succory, violets, and water-lilies. 2. Cooling choler: 1. In the head; as black cherries, lettuce, nightshade, plantain, poppies, and water-lilies. 2. In the breast and lungs, as colt's foot, poppies, and violets. 3. In the heart, as roses, forrel, quinces, violets, walnuts green, and water-lilies. 4. In the stomach. as houseleek, lettuce, nightshade, purssain, quinces, roses, sengreen, and violets. 5. In the liver, as endive, nightshade, purslain, succory, and water-lilies, 6. In the

reins and bladder; as black cherries, endive, houseleek, plantain, strawberries, succory, water-lilies, and winter-cherries. 7. In the womb; as endive, lettuce, pursuant, roses, succory, and water-lilies. Thus of the vegetable simples; now follow their compositions, which are,

I. Wines, which are, t. Hot; heating, t. The head; as betony, fennel, cycloright, rosemary, sage, and stechas. 2. The heart: as borrage and buglos 3. The breast; as elecampane, hyssop, and raisins. 4. The stomach; as black cherries, sorrel, and wormwood. 5. The liver; as germander. 6. The spleen; as tamarisk. 7. The reins and bladder; as sage and winter-cherries. 2. Binding, as myrtles, roses, and quinces. 3. Provoking sweat, as pockwood. 4. Purging; 1. Phlegm, as squills. 2. Choler yellow, as scammony. 3. Melancholy, as black hellebore. 4. Water; as danewort, thymelæ, and chamelæ.

II. Decoetions; which are, 1. Raficient, as barley, cicers, and ptisan. Temperate, as the common, and of flowers and fruits. 3. Heating the breast; as the pectoral. 4. Aromatic, as the two for wounded men. 5. Sudorific, as guaiacum 6. Purgers, of, 1. The blood; as maiden-hair and fumitory. 2. Choler yellow, as of fruits. 3. Of phlegm, as stechas and thyme. 4. Melancholy, as of epithymum, and sena of Gereon. 5. Mixed humours, as sumitory and myrobolans.

III. Syrups; which are, 1. Altering, and so concocting, 1. Choler: 1. In the head; as poppies and water-lilies. 2. In the breast; as jujubes, pomegranates, and violets. 3. In the stomach; as agressa, accross, myrtles, oxysaccharate, quinces, and roses. 4. In the heart, as accross, lemons, and oranges. 5. In the liver; as endive and succory. 2. Phlegm; 1. In the head; as betony, stechas, and anardine honey. 2. In the breast; as hyssop, hoarhound, calamint, liquorice, maidenhair, and scabious. 3. In the heart; as the byzantine. 4. In the stomach; as mints, oxymel of squills, and common honey of roses and wormwood. 5. In the liver; eupatorium, and two and five roots. 6. In the matrix, as mugwort. 3. Melancholy; 1. In the heart; as borrage, bugloss, and apples. 2. In the liver and spleen, as hops, epithymum, spleenwort, and sumitory. 2. Purging; 1. Choler, as of chichory with rhubarb, peach-flowers, rhubarb, roses, violets, and mercurial honey. 2. Phlegm, as of briony roots, hermodactils, oxymel helleborated, and julianizans. 3. Mixed humours, as diasercos.

IV. Lohochs; which are, 1. Aftringent, as of diafcordium, fleawort, and poppies. 2. Abstersive, as of colt's-foot, colewort, pine-kernels, hoarhound, bastard-fastron, forrel, squills, raisins, sanum, and expertum.

V. Preserves; which are, 1. Hot, heating and corroborating, 1. The heart; as apples, citron-peels, myrobolans, chebs, nutmegs, Indian nuts, and orange-peels.

2. The stomach; as acorus, aromatical reed, galingale, ginger, citron-peels, Indian nuts, pears, quinces, and walnuts.

3. The reins; as cringo-roots.

2. Cold, cooling, and strengthening.

1. The stomach; as myrobolans, emblics, cherries, medlars, peaches, prunes, and services.

2. The liver; as chicory roots.

VI. Conserves; which are, 1. Hot, heating, 1. The head; as of acorus, betony, cycbright, lavender flowers, majoram, peony, rofes, rofemary, fage, and stechas-flowers. 2. The breast; as bawm, hyssop, and maiden-hair. 3. The heart; as borrage, bugloss, clove-gilislowers, orange, and rosemary-flowers. 4. The stomach; as elecampane, mints, and wormwood. 5. The liver; as elder-flowers, sumitory, and wormwood. 6. The spleen; as sumitory and spleenwort. 7. The womb; as bawm, majoram, and rosemary-flowers. 2. Cold, cooling, 1. The head; as roses, violets, and water-lily flowers. 2. The breast; as violets. 3. The heart; as roses, forrel, and violets. 4. The stomach; as roses and violets. 5. The liver; as chicory, roses, and violet-flowers. 6. The spleen; as roses and violets. 7. The reins; as roses. 8. The womb; as roses and violets. 9. The joints; as roses and violets.

VII. Powders; which are, 1. Hot; heating, 1. The head; as diacorum, diapeonias, and pleres arconticon. 2. The breast; as diapenidion, diatragacanth hot, diacalamint, diahysfopum, diaprasium, and diathamaron. 3. The heart; as aromaticum rosatum and caryophyllatum, dianthos and diaxylo aloes. 4. The stomach; as the rosat aromatic, diagalanga, dianisum, diaxylo-aloes, diacyminum, diacinnamomum, diazinziber, diaspoliticum, and diatrion-piperion. 5. The liver; as dialacca, diacurcuma, diacinnamomum, and diacalaminth. 6. The spleen; as diacapparis. 7. The womb; as diacalaminth. 2. Cold; cooling, 1. The head; as diapapaver and diatragacanth. 2. The heart as diarrhodon abbatis and diatrion santalon. 3. The stomach; as diarrhodon abbatis and diatrion santalon. 4. The liver; as diarrhodon abbatis and diatrion santalon and diarrhodon abbatis. 7. The joints, as diarrhodon abbatis and diatrion santalon.

VIII. ELECTUARIES; which are, 1. Hot, heating, 1. The head, as confectio anacardina and theriaca diatessarian. 2. The breast, as diaireos. 3. The heart, as confectio alkermes. 4. The stomach, as excitro of bay-berries, and rosata novella. 5. The liver, as diacinnamomum. 6. The spleen, as diacapparis. 2. Cold; cooling, 1. The head, as the resumptivum. 2. As for the second qualities, they are astringent, as diacydonium, miclera, and triphera minor. 3. As for the third qualities, they are, 1. Lithontriptic, as lithontribon. 2. Venereal, as diasatyrion, diacaryon, and triphera far. 4. As for the fourth qualities, they are cathartic; purging, 1. Choler, as diaprunum sol de psyllio, and of roses. 2. Phlegm, as benedicta laxativa, diaphenicon, diaturbith, hiera picra with agaric, pachy, hermetis, and diacolocynth. 3. Melancholy, as diasena, confectio hamech, diapolypodium, and hieralogadium. 4. Mixed humours, as diacarthamum, diaturbith with rhubarb, and hiera russi.

IX. PILLS; which are, 1. Anodyne, as laudanum ex cynoglosso, and of styrax. 2. Cathartic; purging, 1. Choler; 1. In the head, as the golden pills, and arabic. 2. In the liver as of eupatorium, and rhubarb. 2. Phlegm; 1. In the head, as the cochie of hiera, with agaric, coloquintida, alhandal, and of six and eight things. 2. In the breast, as of agaric, and hiera with agaric. 3. In the stomach, as the aloephangine, mastic, and of turbith, common and pestilential. 4. In the joints, as the arthritic, fetid, of hermodactils, opopanax, sagapen, and sarcocol. 3. Melancholy, in the liver and spleen, as of sumitory, and indie. 4. Water, as of euphorbium and mezereon. 5. Mixed humours; 1. In the head, as the cochie lucis greater and smaller, and sine quibus. 2. In the stomach, as the golden affaireth, aloes, hiera simple, imperial, turbith, massic, and pestilential. 3. In the liver, as of three things, and halicacabum. 4. In the whole body, as the aggregative.

X. TROCHES; which are, 1. Hot, as of xylaloes, faffron, and crocomagna damoe. 2. Cold, as of camphire and fanders. 2. As for the fecond qualities, they are, 1. Aftringent, as of barberries and diafpermaton. 2. Emollient; as of capers. 3. Opening, as of bitter almonds, benjamin, anifeed, lacca, eupatorium, myrrh, roses, rhubarb, winter-cherries, and wormwood. 4. Abstersive, as cypheos. 5. Anodyne, as camphire, diarrhodon, diaspermaton. 4. As for the fourth qualities, they are cathartic; purging, 1. Choler, as of rhubarb. 2. Phlegm, as of agaric, alhandal, and hamech. 3. Mixed humours, as of violets.

46 CULPEPER'S ENGLISH PHYSICIAN,

XI. Olls; which are, I. Hot; heating, I. The stomach; as of mastic, mints, nard, and wormwood. 2. The liver; as of bitter almonds, mastic, nard. peaches, and wormwood. 3. The spleen; as of capers, behen, lilies, and spike. 4. The womb; as the cherine, dill, flower-de-luce, saffron, and nard. 5. The joints; as of nard, nutmegs, and Indian nuts. 6. The nerves; as of costus, euphorbium, mastic, pepper, sweet marjoram, and elecampane. 2. Cold, cooling, 1. The head; as of mandrakes and poppies. 2. The flomach: as the lentifk, myrtine, myrtle, omphacine, quinces, and rofes. 3. The breaft; as of violets, and water-lilies. 4. The liver; as the stomachical. 5. The reins: as water-lilies. 6. The nerves; as lentifk. 7. The womb; as of gourds, lentifk, myrtles, quinces, and water-lilies. 3. Dry, as of nard, nuts, and ricinus. 4. Moift, as of fweet almonds, fresh olives, cucumbers, gourds, melons, oily-pulse, and violets. 2. As for the second qualities, they are, 1. Mollifying, as daffodil, linfeed, ftyrax, camomile, and lilies. 2. Refolving, as dill, camomile, and euphorbium. 3. Loofening, as of fweet-almonds, jeffamine, and olives. Binding, as of maftic, mints, myrtles, myrtine, lentifk, and cenanthe. 5. Drawing, as of bays, dill, St. John's wort, and rue. 6. Cleanfing, as of myrrh, elder, radiff, and ricinus. 7. Digefting, as of bitter almonds, nuts. olives, and rue. 8. Anodyne, as of camomile, dill, bays, elder, St. John's wort, poplars, lilies, wall-flowers, almonds-fweet, linfeed, olives, omphacine, fleawort, poppies, and rofes. 3. As for the third qualities, they are, 1. Suppurating, as of lilies. 2. Glutinating, as of liquid amber, balfam. myrrh, and tobacco. 3. Incarning, as fallad-oil. 4. Cicatrizing, as of oil of fuch fimples. 5. Venereal, as of fiftic-nuts. 6. Lithontriptic, as of cherries and citron-kernels. 7. Hypnotic, as of henbane, nightshade, lilies of the water, mandrakes, and poppies. 4. As for the fourth qualities, they are cathartic, as the enicine and of thymelæa.

XII. OINTMENTS; which are, I. Hot, as of bdellium, dialthea arregon, martiatum, agrippa, and for the stomach. 2. Cold, as the white and red camphorate, Galen's refrigerant, poplars, rosate, and violets. 2. As for the second qualities, they are, I. Mollifying, as of briony, dialthea, refumptivum, tetrapharmacon, and artanite. 2. Binding, as comitiss, defensivum, Galen's refrigerant, citrinum, populeon, and the pectoral. 3. Drawing, as the sufficient, arregon, agrippæ, martiatum. 4. Cleansing, as citron and egyptiacum. 5. Anodyne, as the anodyne pectoral dialthea, arregon, martiatum, resumptivum, populeon, and Galen's refrigerant. 6. Hypnotic, as populeon. 7. Resolving,

Refolving, as of bays, agrippæ, arregon, and martiatum. 3. As for the third qualities, they are, 1. Suppurating, as basilicon. 2. Incarning, as aurem, and comitissæ. 3. Glutinating, as aurem and the citron, and potable. 4. Cicatrizing, as album and rubrum. 4. As for the fourth qualities, they are cathartic, as agrippæ, and of fow-bread.

XIII. CERATES; which are, I. Hot, as of euphorbium, and that for the stomach. 2. Cold, as fantaline.

XIV. PLASTERS; which are, t, Hot, as that for the stomach. 2. Cold, as that of hemlock. 2. As for the second qualities, they are, t. Mollifying as diachylon, gratia Dei, melilot, and oxycroceum. 2. Binding, as of the crust of bread, and diaphenicon. 3. Drawing, as of betony, diachylon magnum, with gums of melilot and oxyocroceum. 4. Cleansing, as is gal. de janua divinum. 5. Anodyne, as of bay-berries, melilot, oxycroceum. 6. Resolving, as great diachylon, with gums of cummin, bay-berries, melilot, and oxycroceum. 3. As for the third qualities, they, are; 1. Suppurating, as diachylon simple, the great with gums, and of mucilages. 2. Incarning, as of betony, diapalma, de janua, and nigrum. 3. Glutinating, as diapalma, and nigrum. 4. Cicatrizing, as diapalma.

XV. EXTRACTS; which are, I. Glutinating, as of comfrey. 2. Spermatogenetic, as of fatyrion. 3. Cathartic; purging, I. Choler, as of rhubarb. 2. Phlegm, as of agaric and aloes. 3. Melancholy, as of black hellebore.

XVI. SALTS; which are, I. Cathartic; purging, I. By coughing, as of St. John's wort, and polypody. 2. By urine, as of camomile, bean-stalks, broom, gentian, juniper, hedge hystop, rest-harrow, and wormwood. 3. By the womb, as of bawm, celandine, and mugwort. 4. By sweat, as of pockwood.

Thusfar of vegetables, confidered as medicinal and alimentary, with their principal differences, in respect of the whole or parts; as trees or herbs, by their roots, barks, woods, leaves, flowers, fruits, buds, seeds or grains, tears, liquors, gums, rosins, juices, things bred thereof, and waters, &c. with their temperature and qualities; first, second, and third; and as appropriate and medicinal in general. As also their compounds, viz. spirits, waters, tincures, wines, vine-

48 CULPEPER'S ENGLISH PHYSICIAN.

gars, decoctions, fyrups, robs, lohochs, preferves, conferves, fugars, powders, electuaries, pills, troches, oils, ointments, cerecloths, plasters, and chemicals: and of roots, barks, leaves, flowers, fruits, buds, grains or pulses, juices, and oils. As alimentory in general, we have fully spoken; there now remains the more particular enquiry thereinto, from the plants and herbs themselves, which are the basis of the whole.

The differences of vegetables, as to their parts and qualities, the fynonymous names of plants and herbs, and the feveral difeases they are sound to cure, according to the experience of all botanical authors, now follow in alphabetical order, and form a complete arrangement of samily and physical herbs, which grow spontaneously in the different parts of this island, for the natural cure or nourishment of its diseased inhabitants.

END OF THE TREATISE.

CULPEPER's

CULPEPER'S ENGLISH PHYSICIAN,

CONTAINING THE

HERBAL.

AMARA-DULCIS.

ONSIDERING that divers shires in this nation give divers names to one and the same herb, and that the common name which it bears in one county is not known in another; I shall take the pains to set down all the names that I know of each herb. Pardon me for setting that name first which is most common to myself; besides amara-dulcis, some call it morral, others bitter-sweet, some wood-nightshade, and others selon-wort.

Description. It grows up with woody stalks even to a man's height, and sometimes higher; the leaves stall off at the approach of winter, and spring out of the same stalk again at spring-time; the branch is encompassed about with a whitish bark, and hath a pith in the middle of it; the main branch spreadeth itself out into many small ones, with classers, laying hold on what is next to them, as vines do; it bears many leaves; they grow in no order at all, or at least in no vulgar order; the leaves are longish, though somewhat broad and pointed at the ends; many of them have two little leaves growing at the end of their footstalk, some of them have but one, and some none; the leaves are of a pale green colour; the slowers are of a purple colour, or of a perfect blue, like to violets, and they stand many of them together in knots; the berries are green at the first, but, when they are ripe, they are very red; if you taste them, you shall find them just as the crabs which we in Suffex call bitter-sweet, viz. sweet at first, and bitter afterwards.

No. 5. O PLACE.

PLACE. They grow commonly almost throughout England, especially in moist and shady places.

TIME. The leaves shoot out about the latter end of March; if the temperature of the air be ordinary, it slowereth in July, and the seeds are ripe soon after, usually in the next month.

GOVERNMENT AND VIRTUES. It is under the planet Mercury, and a notable herb of his alfo, if it be rightly gathered under his influence. It is excellent good to remove witchcraft, both in men and beafts; as alfo all fudden difeafes whatfoever. Being tied about the neck, it is one of the most admirable remedies for the vertigo, or dizziness in the head, and that is the reason (as Tragus saith) the people in Germany commonly hang it about their cattle's neck when they sear any such evil hath betided them. Country people commonly use to take the berries of it, and, having bruised them, they apply them to selons, and thereby soon rid their singers of such troublesome guests.

Now we have shewn you the external use of the herb, we shall speak a word or two of the internal, and so conclude. Take notice that it is a mercurial herb, and therefore of very subtle parts, as indeed all mercurial plants are; therefore take a pound of the wood and leaves together, bruise the wood, (which you may easily do, for it is not so hard as oak;) then put it in a pot, and put to it three pints of white wine; put on the pot-lid, and shut it close; then let it insuse hot over a gentle fire twelve hours; then strain it out; so you have a most excellent drink to open obstructions of the liver and spleen, to help difficulty of breath, bruises, and falls, and congealed blood in any part of the body, to help the yellow jaundice, the dropsy, and black jaundice, and to cleanse women newly brought to bed. You may drink a quarter of a pint of the insusion every morning; it purgeth the body very gently, and not churlishly as some hold. And, when you find good by this, remember me.

ALHEAL.

It is called alheal, Hercules's alheal, and Hercules's woundwort; because it is supposed that Hercules learned the virtues of this herb from Chiron, when he learned physic of him: some call it panay, and others opopanawort.'

Description. Its root is long, thick, and exceedingly full of juice, of a hot and biting tafte; the leaves are great and large, and winged almost like ash-tree leaves, but that they are somewhat hairy, each leaf confisting of five or fix pair of such wings set one against the other, upon footstalks broad below, but narrow toward the end; one of the leaves is a little deeper at the bottom than the other, of a fair,

yellowish, fresh, green colour; they are of a bitterish taste, being chewed in the mouth. From among these riseth up a stalk, green in colour, round in form, great and strong in magnitude, sive or six seet in altitude, with many joints and some leaves thereat; towards the top come forth umbels of small yellow slowers, and after they are passed away you may find whitish yellow short slat seeds, bitter also in taste.

PLACE. Having given you the description of the herb from the bottom to the top, give me leave to tell you that there are other herbs called by this name; but, because they are strangers in England, I gave only the description of this, which is easy to be had in the gardens of divers persons.

TIME. Although Gerrard faith that they flower from the beginning of May to the end of December, experience teacheth those that keep it in their gardens, that it does not flower till the latter end of the summer, and sheds its seeds presently after.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars; hot, biting, and choleric; and remedies what evils Mars afflicts the body of man with by fympathy, as viper's flesh attracts poison and the loadstone iron. It kills worms; helps the gout, cramp, and convulsions; provokes urine, and helps all joint achs; it helps all cold griefs of the head, the vertigo, falling fickness, and lethargy; the wind-cholic, obstructions of the liver and spleen, stone in the kidneys and bladder. It provokes the terms, expels the dead birth; it is excellent good for the grief of the sinews, itch, fores, and tooth-ach; also the biting of mad dogs and venomous beasts; and purgeth choler very gently.

ALKANET.

BESIDES the common name, it is called orchanet and Spanish bugloss, and by apothecaries anchusa.

DESCRIPTION. Of the many forts of this herb there is but one grows commonly in this nation, of which one take this description. It hath a great and thick root of a reddish colour; long, narrow, and hairy, leaves, green like the leaves of bugloss, which lie very thick upon the ground, and the stalks rise up compassed about thick with leaves, which are less and narrower than the former; they are tender and slender; the flowers are hollow, small, and of a reddish purple colour; the feed is greyish.

PLACE. It grows in Kent near Rochefter, and in many places in the west country, both in Devonshire and Cornwall.

TIME.

Time. They flower in July and the beginning of August, and the seed is ripe foon after; but the root is in its prime, as carrots and parsnips are, before the herb runs up to stalk.

Government and Virtues. It is an herb under the dominion of Venus, and indeed one of her darlings, though fomething hard to come by. It helps old ulcers, hot inflammations, burnings by common fire and St. Anthony's fire, by antipathy to Mars; for these uses, your best way is to make it into an ointment. Also if you make a vinegar of it, as you make vinegar of roses, it helps the morphew and leprofy; if you apply the herb to the privities, it draws forth the dead child; it helps the yellow jaundice, spleen, and gravel in the kidneys. Dioscorides saith it helps such as are bitten by venomous beasts, whether it be taken inwardly or applied to the wound; nay, he saith further, if any one who hath newly eaten it do but spit in the mouth of a serpent, the serpent instantly dies. It stays the flux of the belly, kills worms, helps the fits of the mother; its decoction, made in wine and drunk, strengthens the back, and easeth the pains thereof; it helps bruises and falls, and is a good remedy to drive out the small pox and measles. An ointment made of it is excellent for green wounds, pricks, or thrusts.

ADDER'S TONGUE, OR SERPENT'S TONGUE.

Description. THIS small herb hath but one leaf, which grows with the stalk a singer's length above the ground, being fat, and of a fresh green colour, broad like the water plantane, but less, without any middle rib in it; from the bottom of which leaf, on the inside, riseth up ordinarily one, sometimes two or three, small slender stalks, the upper half whereof is somewhat bigger, and dented with small round dents of a yellowish green colour, like the tongue of an adder or serpent. Only this is as useful as they are formidable. The root continues all the year.


PLACE. It groweth in moist meadows and such like places.

Time. And is to be found in April and May, for it quickly perisheth with a little heat.

GOVERNMENT AND VIRTUES. It is an herb under the dominion of the Moon in Cancer; and therefore if the weakness of the retentive faculty be caused by an evil influence of Saturn in any part of the body governed by the Moon, or under the dominion of Cancer, this herb cures it by sympathy; it cures those diseases after specified in any part of the body under the influence of Saturn by antipathy.

It is temperate in respect of heat, but dry in the second degree. The juice of the leaves drunk with the distilled water of horse-tail is a singular remedy for all manner of wounds in the breast, bowels, or other parts of the body, and is given with good

fuccess





fuccess unto those who are troubled with casting, vomiting, or bleeding at the mouth or nose, or otherwise downwards. The said juice, given in the distilled water of oaken buds, is very good for women who have their usual courses, or the whites, flowing down too abundantly. It helps fore eyes. The leaves infused or boiled in oil omphacine, or unripe olives fet in the sun for certain days, or the green leaves fufficiently boiled in the faid oil, make an excellent green balfam, not only for green and fresh wounds, but also for old and inveterate ulcers; especially if a little fine clear turpentine be diffolyed therein. It also flayeth and represseth all inflammations that arife upon pains by hurts or wounds, either taken inwardly, or outwardly applied. For ruptures or bursten bellies, take as much of the powder of the dried leaves as will lie on a fixpence, or less, according to the age of the party, in two ounces of horse-tail or oak-bud water, sweetened with syrup of quinces. Use it every morning for the space of fifteen days. But, before you enter upon the use of this, or any other medicine, the gut, if it fall into the scrotum, must be reduced by a furgeon, and a truss must be worn to keep it up, and the party must avoid all violent motions, and lie as much as may be in bed, or on a couch. Fabritius Hildanus fays, that some have been cured of great ruptures by lying in bed, when they could be cured no other way.

AGRIMON'Y.

DESCRIPTION. THIS hath divers long leaves, fome greater, fome smaller, fet upon a stalk, all of them dented about the edges, green above, and greyish underneath, and a little hairy withal. Among which riseth up usually but one strong, round, hairy, brown stalk, two or three feet high, with smaller leaves set here and there upon it, at the top whereof grow many yellow slowers one above another in long spikes, after which come rough heads of seeds hanging downwards, which will cleave to and stick upon garments, or any thing that shall rub against them. The root is black, long, and somewhat woody, abiding many years, and shooting afresh every spring; which root, though small, hath a pleasant smell.

PLACE. It grows upon banks, near the fides of hedges or rails.

TIME. It flowereth in July and August, the feed being ripe shortly after.

GOVERNMENT AND VIRTUES. It is moderately hot and moist, according to the nature of Jupiter. It is under Jupiter and the fign Cancer, and strengthens those parts under that planet or fign, and removes diseases in them by sympathy, and those under Saturn, Mars, and Mercury, by antipathy, if they happen in any part of the body, governed by Jupiter, or under the figns Cancer, Sagittarius, or Pisces;

No. 5. P and

and therefore must needs be good for the gout, either used outwardly in an oil or ointment, or inwardly in an electuary or fyrup, or concreted juice; for which see the latter end of the book. It has moreover been recommended in dropsies and the jaundice. Externally, it has indeed its use; I have seen very bad fore legs cured by bathing and somenting them with a decoction of this plant.

It is of a cleanfing and cutting faculty, without any manifest heat, moderately drying and binding. It openeth and cleanfeth the liver, helpeth the jaundice, and is very beneficial to the bowels, healing all inward wounds, bruises, hurts, and other distempers. The decoction of the herb made with wine, and drunk, is good against the biting and stinging of serpents, and helps them that have foul, troubled, or bloody, water, and causes them to make water clear and speedily. It also helpeth the cholic, cleanseth the breast, and relieves the cough. A draught of the decoction, taken warm before the fit, first relieves, and in time removes, the tertian or quartan ague. The leaves and feed, taken in wine, stay the bloody slux; outwardly applied, being stamped with old swine's grease, it helpeth old sores, cancers, and inveterate ulcers; and draweth forth thorns, splinters of wood, nails, or any other such thing, gotten into the slesh. It helpeth to strengthen members that be out of joint; and, being bruised and, applied or the juice dropped in, it helpeth soul and imposshumed ears.

The diffilled water of the herb is good to all the faid purpofes, either inward or outward, but is a great deal weaker.

I cannot stand to give you a reason in every herb why it cureth such diseases; but, if you please to peruse my judgment in the herd wormwood, you shall find it there; and it will be well worth your while to consider it in every herb; you shall find them true throughout the book.

WATER-AGRIMONY.

IT is called in some countries water hemp, bastard hemp, and bastard agrimony; also eupatorium and hepatorium, because it strengthens the liver.

DESCRIPTION. The root continues a long time, having many long flender strings; the stalks grow up about two feet high, sometimes higher; they are of a dark purple colour; the branches are many, growing at distances the one from the other, the one from the one side of the stalk, the other from the opposite point; the leaves are winged, and much indented at the edges; the slowers grow at the tops of the branches, of a brown yellew colour, spotted with black spots, having a substance within the midst of them like that of a daisy; if you rub them between your singers

they

they fmell like rofin, or cedar when it is burnt; the feeds are long, and eafily flick to any woollen thing they touch.

PLACE. They delight not in heat, and therefore they are not fo frequently found in the fouthern parts of England as in the north, where they grow frequently; you may look for them in cold grounds, by ponds and ditch-fides, as also by running waters; fometimes you shall find them grow in the midst of the waters.

TIME. They all flower in July and August, and the seed is ripe presently after.

GOVERNMENT AND VIRTUES. It is a plant of Jupiter, as well as the other agrimony; only this belongs to the celeftial fign Cancer. It healeth and drieth, cutteth and cleanfeth, thick and tough tumours of the breast; and for this I hold it inferior to but sew herbs that grow. It helps the cachexia, or evil disposition of the body; also the dropfy and yellow jaundice. It opens obstructions of the liver, and mollifies the hardness of the spleen; being applied outwardly, it breaks imposshumes; taken inwardly, it is an excellent remedy for the third-day ague; it provokes urine and the terms; it kills worms, and cleanseth the body of sharp humours, which are the cause of itch, scabs, &c. The smoke of the herb, being burnt, drives away slies, wasps, &c. and it strengthens the lungs exceedingly. Country people give it to their cattle when they are troubled with the cough, or broken winded.

ALE-HOOF, OR GROUND-IVY.

SEVERAL countries give it feveral names, so that there is scarcely an herb growing of that bigness that hath so many: it is called cat's-foot, ground-ivy, gill go by ground and gill creep by-ground, tun hoof, hay-maids, and ale-hoof.

DESCRIPTION. This well-known herb lieth, spreadeth, and creepeth, upon the ground, shooting forth roots at the corners of the tender-jointed stalks, set all along with two round leaves at every joint, somewhat hairy, crumpled, and unevenly dented about the edges, with round dents: at the joints likewise with the leaves, toward the ends of the branches, come forth hollow long slowers, of a bluish purple colour, with small white spots upon the lips that hang down. The root is small, with strings.

PLACE. It is commonly found under the hedges, and on the fides of ditches, under houses, or in shadowed lanes, and other waste grounds, in almost every part of the land.

Time. They flower fomewhat early, and abide fo a great while; the leaves continue green until winter, and fometimes abide, except the winter be very fharp and cold.

GOVERNMENT

GOVERNMENT AND VIRTUES. It is an herb of Venus, and therefore cures the diseases she causes by sympathy, and those of Mars by antipathy. You may usually find it all the year long, except the weather be extreme frosty. It is quick, sharp, and bitter, in taste, and is thereby found to be hot and dry; a singular herb for all inward wounds, ulcerated lungs or other parts, either by itself or boiled with other the like herbs; and, being drunk, it in a short time easeth all griping pains, windy and choleric humours in the stomach, spleen, or belly; helps the yellow jaundice by opening the stoppings of the gall and liver, and melancholy by opening the stoppings of the spleen, expelleth venom or poison, and also the plague; it provoketh urine and women's courses. The decoction of it in wine, drunk for some time together, procureth eafe unto them that are troubled with the fciatica, or hip-gout, as also the gout in the hands, knees, or feet; and, if you put to the decoction some honey, and a little burnt alum, it is excellent good to gargle any fore mouth or throat. and to wash the fores and ulcers in the privy parts of man or woman; it speedily helpeth green wounds, being bruifed and bound thereto. The juice of it, boiled with a little honey and verdigrease, doth wonderfully cleanse fistulas, ulcers, and flayeth the spreading or eating of cancers and ulcers; it helpeth the itch, scabs, wheals, and other breakings out in any part of the body. The juice of celandine, field-daifies, and ground-ivy, clarified, and a little fine fugar diffolved therein, and dropped into the eyes, is a fovereign remedy for all the pains, rednefs, and watering, of them; as also for the pin and web, skins and films growing over the fight. helpeth beafts as well as men. The juice dropped into the ears doth wonderfully help the noise and finging of them, and helpeth the hearing which is decayed. It is good to tun up with new drink, for it will fo clarify it in a night, that it will be fit to be drunk the next morning; or if any drink be thick with removing, or any other accident, it will do the like in a few hours.

ALEXANDER.

IT is also called alisander, horse-parsley, and wild parsley, and the black potherb; the seed of it is that which is usually sold in the apothecaries shops for Macedonian parsley-seed.

DESCRIPTION. It is usually sown in all the gardens in Europe, and so well known that it needs no further description.

TIME. They flower in June or July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. It is an herb of Jupiter, and therefore friendly to nature, for it warmeth a cold stomach, and openeth stoppings of the liver, and wonderfully

wonderfully helpeth the spleen; it is good to remove women's courses, to expel the after birth, to break wind, to provoke urine, and help the stranguary, and these things the seeds will do likewise. If either of them be boiled in wine, or be bruised and taken in wine, it is also effectual against the biting of serpents. And now you know what alexander pottage is good for, that you may no longer eat it out of ignorance, but out of knowledge.

BLACK ALDER TREE.

Description and Names. THIS groweth up like a small shrub, or bush, and spreads in many branches; the wood is white, and red at the core, the bark blackish with white spots, the inner bark yellow, the leaves somewhat like the common alder; the slowers are white, and come forth at the joints with the leaves, the berries are round, first green, then red, and black when they are ripe. The Latins call it frangula, and alnus nigra baccifera; in Hampshire it is usually known by the name of dog-wood.

PLACE. This tree or shrub may be found plentifully in St. John's wood by Hornsey, and in the woods upon Hampstead-heath, as also at a wood called the Old Park at Barcomb in Sussex, near the brook's side.

TIME. It flowereth in May, and the berries are ripe in September.

GOVERNMENT AND VIRTUES. It is a tree of Saturn. The inner bark thereof purgeth downwards both choler and phlegm, and the watery humours of fuch as have the dropfy, and strengtheneth the inward parts again by binding. The green leaves of this tree, applied to tumours, discusses them, and takes off inflammations. Being put into travellers shoes, they ease pain, and remove weariness. A black colour like ink is made with the bark of alder rubbed off with a rufty iron, and infused in water for some days. Some use it to dye. If the bark hereof be boiled with agrimony, wormwood, dodder, hops, and some fennel, with smallage, endive, and fuccory roots, and a reasonable draught taken every morning for some time together, it is very effectual against the jaundice, dropfy, and the evil disposition of the body: especially if some suitable purging medicine have been taken before to avoid the groffer excrements; it purgeth and strengtheneth the liver and spleen, cleansing them from fuch evil humours and hardness as they are afflicted with. It is to be understood, that these things are performed by the dried bark; for the sresh green bark, taken inwardly, provoketh strong vomitings, pains in the stomach, and gripings in the belly: yet, if the decoction stand and settle two or three days, until the yellow colour be changed black, it will not work fo ftrongly as before, No. 5. but but will strengthen the stomach, and procure an appetite to meat. The outer bark contrarywise doth bind the body, and is helpful for all lasks and sluxes thereof; but this must also be dried first, whereby it will work the better. The inner bark thereof boiled in vinegar, is an approved remedy to kill lice, to cure the itch, and take away scabs by drying them up in a short time; it is singularly good to wash the teeth, to take away the pains, to fasten those that are loose, to cleanse them and keep them sound. The leaves are good fodder for kine, to make them give more milk.

If in the fpring-time you use the herbs before-mentioned, and will but take a handful of each of them, and to them add a handful of elder-buds, and, having bruised them all, boil them in a gallon of ordinary beer when it is new, and, having boiled them half an hour, add to this three gallons more, and let them work together, and drink a draught of it every morning, half a pint, or thereabouts,—it is an excellent purge for the spring, to consume the phlegmatic quality the winter hath lest behind it, and withal keep your body in health, and consume those evil humours which the heat of summer will readily stir up.

COMMON ALDER TREE.

DESCRIPTION. IT groweth to a reasonable height, and spreads much if it likes the place. It is generally so well known unto the country people, that I conceive it needless to tell them that which is no news.

PLACE AND TIME. It delighteth to grow in moist woods and watery places; flowering in April or May, and yielding the feed in September.

GOVERNMENT AND USE. It is a tree under the dominion of Venus, and of fome watery fign or other, I suppose Pisces; and therefore the decoction or distilled water of the leaves is excellent against burnings and instammation, either with wounds or without, to bathe the place grieved with, and especially for that inflammation in the breast which the vulgar call an ague. If you cannot get the seaves (as in winter it is impossible,) make use of the bark in the same manner. The leaves and bark of the alder-tree are cooling, drying, and binding. The fresh leaves laid upon swellings dissolveth them, and stayeth the inflammations; the leaves, put under the bare feet galled with travelling, are a great restreshing to them; the said leaves gathered while the morning dew is on them, and brought into a chamber troubled with fleas, will gather them thereinto, which, being suddenly cast out, will rid the chamber of those troublesome bed-sellows.

ANGELICA.

THAT is, the angelical or angel like herb. On what occasion this excellent name was first given unto it, I know not; unless it were for the excellent virtues thereof, or for that God made it known to man by the ministry of an angel. I suppose the former case rather to be true: however, as I am not able to prove the other, so I think no man can give any good reason to the contrary. For this we know, that God hath made his angels ministering spirits, to serve us for the safeguard of our souls, and also of our bodies. But upon what occasion soever the name was given, it is excellent, and so are its properties.

Angelica is hot and dry at least in the third degree. All the later writers agree upon this, and experience proveth the same, that it is good against possion, pestilent airs, and the pestilence itself. The practitioners of Germany write thus of it:—If any man be suddenly taken either with the pestilence, or with any pestilent ague, with too much sweating, let him drink of the powder of the root half a drachm, mingled with a drachm of treacle, in three or four spoonfuls of the water of angelica, distilled from the roots, and, after his going to bed, covering himself well, let him sast, at least, three hours after; which if he do, he will begin to sweat, and, by the help of God, he will be cured of his disease. For want of treacle, one may take a whole drachm of the root of angelica in powder with so much of the distilled water as aforesaid, and it will have the same effect.

The root of angelica well steeped in vinegar, and smelt to in time of pestilence, and the fame liquor being sometimes drunk fasting, preserveth from infection. But, in my judgment, it is better to take an orange or a lemon, cut off the top, pick out the meat, prick it full of small holes, put into it a piece of sponge, or fine linen cloth dipped in the aforefaid vinegar, and fmell to it. The water diffilled out of the roots of angelica, or the powder of the same, is good against gnawing and pains of the belly occasioned by cold, if the body be not bound. It is good against all inward diseases, as pleurify, in the beginning before the heat of the inflammation be come into the body; for that it diffolveth and scattereth abroad such humours as use to cause the pleurify. Moreover it is good for the diseases of the lungs, if they come of a cold " cause; and for the strangurian, if from a cold cause, or of a stopping. for a woman that is in travail. It expelleth wind that is in the body, and eafeth the pain that cometh from the same. The root may be sod in wine or water, as the nature of the fick requireth. The root or the juice put into an hollow tooth, taketh away the ach; the same effect hath the distilled water, being put into the ear. juice or water of angelica quickens the eye-fight, and breaks the little films

films that cover the eyes, caufing darkness of fight. Of the roots of angelica and pitch may be made a good plaster against bitings of mad beasts. The water, the juice, or the powder, of this root, sprinkled upon the diseased place, is a very good remedy against old and deep fores, for they scour and cleanse them, and cover the bones with flesh. The water of the same, in a cold cause, is good to be laid on places diseased with the gout and sciatica; for it easeth the pain, and melteth away the tough humours that are gathered together. The feed is of like virtue with the root. The wild angelica, that groweth here in the low woods, and by the water-fide, is not of fuch virtues as the other; howbeit the fargeons feethe the root of it in wine to heal green wounds. These properties I have gathered out of German writers. I have not as yet proved them all myself; but divers of them I have proved and have found them to be true. I have fet down the peel of an orange, or lemon; the meat whereof is also commended by physicians to be a good preservative both against poison and the insection of peltilence.—Late writers affirm, that the roots of angelica are opposite to all poison and infection. If any be infected with the plague, or poisoned, they give him immediately to drink a drachm of the powder of this root with wine in the winter, and in fummer with distilled water of carduus benedictus; then get him to bed, and cover him until he sweat freely. The same root being taken fasting in the morning, or but held in the mouth, doth keep and preserve the body from the evil of the air. The leaves of angelica pounded with the leaves of rue and honey are very good to be laid to the bitings of mad dogs prefently after the hurt, the wine being drunk wherein the roots or leaves of angelica have been hoiled.

There is both garden and wild angelica; fome also reckon up a water kind: it groweth up with great hollow stalks, four or five feet high, having broad divided leaves, of a pale green colour, at the top cometh forth large umbels of white flowers after which succeed slat feeds, somewhat whitish; the root perisheth every year if it be suffered to seed.

PLACE AND TIME. Angelica is Latin and English; it grows commonly in our gardens, and wild also in many places; flowers about July and the feed is ripe soon after.

GOVERNMENT AND VIRTUES. It is an herb of the Sun in Leo; let it be gathered when he is there, the Moon applying to his good afpect; let it be gathered either in his hour, or in the hour of Jupiter; let Sol be angular. Observe the like in gathering the herbs of other planets, and you may happen to do wonders. In all epidemical diseases caused by Saturn, this is as good a preservative as grows; it resists poison by defending and comforting the heart, blood, and spirits; it doth the like against

aginft the plague and all epidemical diseases, if the root be taken in powder to the weight of half a drachm at a time with some good treacle in carduus water, and the party thereupon laid to fweet in his bed; if treacle be not to be had, take it alone in carduus or angelica water. The stalks or roots, candied and eaten fasting, are good preservatives in time of infection, and at other times to warm and comfort a cold flomach. The root also fleeped in vinegar, and a little of that vinegar taken fometimes falling, and the root smelled unto, is good for the same purpose. A waterdistilled from the root simply, or steeped in wine, and distilled in glass, is much more effectual than the water of the leaves; and this water, drunk two or three spoonfuls at a time, easeth all pains and torments coming of cold and wind, so as the body be not bound; and taken with some of the root in powder at the beginning, helpeth the pleurify, as also all other diseases of the lungs and breast, as coughs, phthysic, and shortness of breath; and a syrup of the stalks doth the like. It helps pains of the cholic, the firanguary, and stopping of the urine; procureth women's courses, and expelleth the after-birth; openeth the stoppings of the liver and spleen, and briefly eafeth and discusseth all windiness and inward swellings. The decoction drunk before the fit of an ague, that they may fweat, if possible, before the fit comes on, will in two or three times taking rid it quite away. It helps digeftion, and is a remedy for a furfeit. The juice, or the water, being dropped into eyes or ears, helps dimness of fight and deafness; the juice, being put into hollow teeth, easeth' their pains. The roots in powder, made up into a plaster with a little pitch, and laid on the biting of a mad dog, or any other venomous creature, doth wonderfully help. The juice, or water, dropped, or tents wet therein, and put into old filthy deep ulcers, or the powder of the root, in want of either, doth cleanse and cause them to heal quickly, by covering the naked bones with flesh. The distilled water, applied to places pained with the gout or sciatica, doth give a great deal of ease.

The wild angelica is not fo effectual as the garden, although it may be fafely used

to all the purposes aforesaid.

AMARANTHUS.

BESIDES this common name, by which it is best know by the slorists of our days, it is also called flower-gentle, flower-velure, floramor, and velvet-flower.

DESCRIPTION. It being a garden flower, and well known to every one that keeps it, I might forbear the description; yet notwithstanding, because some desire it, I shall give it.—It runneth up with a stalk a cubit high, streaked, and somewhat reddish towards the root, but very smooth, divided towards the top with small branches, among which stand long broad leaves of a reddish green colour, and slippery. The

No. 5. R flowers

flowers are not properly flowers, but tufts, very beautiful to behold, but of no fmell, of a reddish colour; if you bruife them, they yield juice of the same colour; being gathered, they keep their beauty a long time; the feed is of a shining black colour.

TIME. They continue in flower from August till the frosts nip them.

GOVERNMENT AND VIRTUES. It is under the dominion of Saturn, and is an excellent qualifier of the unruly actions and passions of Venus, though Mars also should join with her. The flowers, dried, and beaten into powder, stop the terms in women, and so do almost all other red things. And by the icon or image of every herb the ancients at first sound out their virtues. Modern writers laugh at them for it; but I wonder in my heart how the virtue of herbs came at first to be known, if not by their signatures; the moderns have them from the writings of the ancients, the ancients had no writings to have them from. But to proceed: the flowers stop all fluxes of blood whether in man or woman, bleeding either by the nose or wound. There is also a fort of amaranthus which bears a white flower, which stops the whites in women, and the running of the reins in men, and is a most singular remedy for the venereal disease.

ANEMONE.

CALLED also wind-flower, because they say the flowers never open but when the wind bloweth: Pliny is my author; if it be not so, blame him. The seed also, if it bears any at all, slies away with the wind.

PLACE AND TIME. They are fown usually in the gardens of the curious, and flower in the spring-time. As for the description, I shall pass it, they being well known to all those that sow them.

Government and Virtues. It is under the dominion of Mars, being supposed to be a kind of crow-foot. The leaves provoke the terms mightily, being boiled and the decoction drunk. The body being bathed with the decoction of them cures the leprofy. The leaves being stamped, and the juice snuffed up the nose, purgeth the head greatly: so doth the root being chewed in the mouth, for it causeth much spitting; and bringeth away many watery and phlegmatic humours, and is therefore excellent for the lethargy. And, when all is done, let physicians say what they please, all the pills in the dispensatory purge not the head like to hot things held in the mouth: being made into an ointment, and the eyelids anointed therewith, it helps inflammations of the eyes, whereby it is palpable that every stronger draweth its weaker light; the same ointment is exceeding good to cleanse malignant and corroding ulcers.

GARDEN

GARDEN ARRACH.

CALLED also orach, and orage.

DESCRIPTION. It is so commonly known to every housewise, it were but labour lost to describe it.

TIME. It flowereth and feedeth from June to the end of August.

GOVERNMENT AND VIRTUES. It is under the government of the Moon; in quality cold and moift like unto her. It fosteneth and looseneth the body of man being eaten, and fortisieth the expulsive faculty in him. The herb, whether it be bruised and applied to the throat, or boiled and in like manner applied, it matters not much, it is excellent good for swellings in the throat; the best way I suppose is to boil it, and, having drunk the decostion inwardly, apply the herb outwardly: the decostion of it besides is an excellent remedy for the yellow jaundice.

ARRACH WILD AND STINKING.

CALLED also vulvaria, from that part of the body upon which its operation is most: also dog's arrach, goat's arrach, and stinking motherwort.

DESCRIPTION. This hath small and almost round leaves, yet a little pointed, and without dent or cut, of a dusky mealy colour, growing on the slender stalks and branches that spread on the ground, with small slowers in clusters set with the leaves, and small feeds succeeding like the rest, perishing yearly, and rising again with its own sowing. It smells like old rotten fish, or something worse.

PLACE. It grows usually upon dunghills.

TIME. They flower in June and July, and the feed is ripe quickly after.

Government and Virtues. Stinking arrach is useful as a remedy to help women pained and almost strangled with the mother, by smelling to it; but inwardly taken there is not a better remedy under the moon for that disease. I would be large in commendation of this herb, were I but eloquent. It is an herb under the dominion of Venus, and under the fign Scorpio. The works of God are given freely to man; his medicines are common and cheap, and easy to be found: the medicines of the college of physicians are dear, and scarce to find. I commend this for an universal medicine for the womb, and such a medicine as will easily, safely, and speedily, cure any disease thereof, as the fits of the mother, dislocation, or falling out thereof; it cools the womb being over-heated; and let me tell you this, and I will tell you but the truth, heat of the womb is one of the greatest causes of hard labour in child-birth. It makes barren women fruitful, it cleanseth the womb if it be soul,

and strengthens it exceedingly; it provokes the terms if they be stopped, and stops them if they slow immoderately: you can desire no good to your womb but this herb will effect it; therefore, if you love children, if you love health, if you love ease, keep a syrup always by you made of the juice of this herb and sugar, or honey if it be to cleanse the womb; and let such as be rich keep it for their poor neighbours, and bestow it as freely as I bestow my studies upon them, or else let them look to answer for it another day when the Lord shall come to make inquisition of blood.

ARCHANGEL.

TO put a gloss upon their practice, the physicians call an herb, which country people vulgarly know by the name of dead nettles, archangel, wherein whether they favour more of superstition or folly I leave to the judicious reader. There is more curiosity than courtesy to my countrymen used by others in the explanation as well of the names as description of this well-known herb: which, that I may not also be guilty of, take this short description; first, of the red archangel.

DESCRIPTION. This hath divers fquare stalks, somewhat hairy, at the joints whereof grow two sad green leaves dented about the edges, opposite each other, the lowermost upon long footstalks, but without any towards the tops, which are somewhat round, yet pointed, and a little crumpled and hairy: round about the upper joints, where the leaves grow thick, are fundry gaping slowers of a pale reddish colour; after which come the seeds three or four in a husk. The root is small and thready, perishing every year; the whole plant hath a strong scent, but not stinking.

White archangel hath divers square stalks, none standing upright, but bending downward, whereon stand two leaves at a joint, larger and more pointed than the other, dented about the edges, and greener also, more like unto nettle-leaves, but not stinging, yet hairy: at the joints, with the leaves, stand larger and more open gaping white slowers, in husks round about the stalks, (but not with such a bush of leaves and slowers, set in the top as is on the other,) wherein stand small roundish black seeds. The root is white, with many strings at it, not growing downward, but lying under the up er crust of the earth, and abideth many years increasing. This hath not so strong a scent as the former.

Yellow archangel is like the white in the stalks and leaves, but that the stalks are more straight and upright, and the joints with leaves are farther asunder, having longer leaves than the former, and the flowers a little larger and more gaping, of a sair yellow colour in most, in some paler. The roots are like the white, only they creep not so much on the ground.

PLACE.

U 80 -

PLACE. They grow almost every-where, unless it be in the middle of the fireet; the yellow most usually in the wet grounds of woods, and sometimes in the dryer, in divers counties.

TIME. They flower from the beginning of the fpring all the fummer long.

VIRTUES AND USE. The archang els are fomewhat hot, and dryer than ftinging nettles, and used with better success, for the stopping and hardness of the spleen, than they, by using the decoction of the herb in wine, and afterwards applying the herb hot to the region of the spleen as a plaster, or the decoction with sponges. The slowers of the white archangel are preserved, or conserved, to be used to stay the whites, and slowers of the red to stay the reds, in women.

ARSESMART.

THE hot arfefmart is called also water-pepper, and culrage; the mild arfefmart is called dead arfefmart, porcicaria, or peachwort, because the leaves are so like the leaves of a peach-tree; it is also called plumbago.

DESCRIPTION OF THE MILD. This hath broad leaves fet at the great red joints of the stalks, with semicircular blackish marks on them usually, yet sometimes without. The flowers grow in long spikes usually, either bluish or whitish, with such-like feed following. The root is long, with many strings thereat, perishing yearly; this hath no sharp taste, as another fort hath, which is quick and biting, but rather sour like forrel, or else a little drying or without taste.

PLACE. It grows in watery places, ditches, and the like; which for the most part are dry in summer.

TIME. It flowereth in June, and the feed is ripe in August.

Government: for that which is hot and biting is under the dominion of Mars; but Saturn challengeth the other, as appears by the lead-coloured fpot he hath placed upon the leaf. The water artefmart is of great use in the fione of the kidneys or bladder, a draught of it being taken every morning for two or three months together. A country gentleman used a load of this herb in the year to make the water, wherewith he cured many of the stone. The root or feed, put into an aching hollow tooth, takes off the pain. There is scarcely any thing more effectual to drive away slies; for, whatever wounds or ulcers cattle have, if they are anointed with the juice of artefmart, the slies will not come near, though it be the heat of summer. It is of a cooling and drying quality, and very effectual for putrified ulcers in man or heaft; to kill worms, and cleanse the putrified places. The juice thereof dropped in; or otherwise applied, consumeth all cold swellings, and dissolveth the congealed blood No. 6.

of bruifes by ftrokes, falls, &c. The leaves bruifed, and laid to the joint that hath a fellon thereon, taketh it away. The juice deftroyeth worms in the ears, being dropped into them: if the hot arfefinart be firewed in a chamber, it will foon kill all the fleas, and drive away the flies, in the hotteft time of fummer; a good handful of the hot biting arfefinart, put under a horfe's faddle, will make him travel the better, although he were half tired before. The mild arfefinart is good againft hot imposthumes and imflammations at the beginning, and to heal green wounds.

All authors chop the virtues of both forts of arfefmart together, as men chop herbs for the pot, when both of them are of quite contrary qualities. The hot arfefmart groweth not fo high, or tall, as the mild doth, but hath many leaves of the colour of peach-leaves, very feldom or never fpotted; in other particulars it is like the former, but may eafily be known from it, if you will be but pleafed to break a leaf of it across your tongue, for the hot will make your tongue to smart, but the cold will not. If you see them both together, you may easily distinguish them, because the mild hath far broader leaves: and our college of physicians, out of their learned care for the public good, Anglice, their own gain, mistake the one for the other in their New Masterpiece, whereby they discover, 1. Their ignorance; 2. Their carelessies; and he that hath but half an eye may see their pride without a pair of spectacles. I have done what I could to distinguish them in their virtues; and, when you find not the contrary named, use the cold.

А S A R A B A C C A.

Description. ASARABACCA hath many heads rifing from the roots, from whence come many fmooth leaves, thicker alfo, and of a dark green flining colour on the upper-fide, and of a paler yellow green underneath, little or nothing dented about the edges, from among which rife fmall, round, hollow, brown-green, hufks, upon fhort fialks about an inch long, divided at the brims into five divifions, very like the cups or heads of henbane-feed, but that they are finaller; and thefe are all the flowers it carrieth, which are fomewhat fweet, being finelled unto, and wherein when they are ripe is contained fmall cornered rough feeds, very like the kernels or flones of grapes or raifins. The roots are fmall and whitifh, fpreading divers ways in the ground, and increafing into divers heads, but not running or creeping under the ground as fome other creeping herbs do. They are fomewhat fweet in fmell, refembling nardus, but more when they are dry than green; and of a fharp, but not unpleafant, tafte.

PLACE. It growth frequently in gardens.

TIME. They keep their leaves green all the winter, but shoot forth new in the foring, and with them come forth those heads or flowers which give ripe feed about midsummer, or somewhat after.

GOVERNMENT AND VIRTUES. It is a plant under the dominion of Mars, and therefore inimical to nature. This herb, being drunk, not only provoketh vomiting, but worketh downward, and by urine also, purging both choler and phlegm: if you add to it fome spikenard, with the whey of goat's milk, or honeyed water, it is made more ftrong; but it purgeth phlegm more manifestly than choler, and therefore doth much help pains in the hips and other parts. Being boiled in whey, it wonderfully helpeth the obstructions of the liver and spleen, and is therefore profitable for the dropfy and jaundice, being freeped in wine and drunk. It helps those continual agues that come by the plenty of stubborn humours: an oil made thereof by fetting it in the fun, with fome laudanum added to it, provoketh fweating, the ridge of the back being anointed therewith, and thereby driveth away the shaking fits of the ague. It will not abide any long boiling, for it loseth its chief ftrength thereby; nor much beating, for the finer powder doth provoke vomits and urine, and the coarfer purgeth downwards. The common use hereof, is to take the juice of five or feven leaves in a little drink to caufe vomiting; the roots have also the same virtue, though they do not operate so forcibly, yet they are very effectual against the biting of serpents, and therefore are put as an ingredient both into mithridate and Venice treacle. The leaves and roots being boiled in lye, and the head often washed therewith while it is warm, comforteth the head and brain that is illaffected by taking cold, and helpeth the memory.

I shall defire ignorant people to forbear the use of the leaves; the roots purge more gently, and may prove beneficial to such as have cancers, or old putrified ulcers, or fiftulas, upon their bodies, to take a drachm of them in powder in a quarter of a pint of white wine in the morning. The truth is, I fancy purging and vomiting medicines as little as any man breathing, for they weaken nature, nor shall ever advise them to be used unless upon urgent necessity. If a physician be nature's fervant, it is his duty to strengthen his mistress as much as he can, and weaken her as little as may be.

ASPARAGUS, SPARAGUS, OR SPERAGE.

DESCRIPTION. IT rifeth up at first with divers white-green scaly heads, very brittle or easy to break while they are young, which afterwards rise up in very long and slender green stalks, of the bigness of an ordinary riding-wand at the bottom

of most, bigger or less as the roots are of growth; on which are set divers branches of green leaves, shorter and smaller than sennel, to the top; at the joints whereof come forth small mostly yellowish slowers, which turn into round berries, green at the first, and of an excellent red colour when they are ripe, shewing like beads of coral, wherein are contained exceeding hard black seeds. The roots are dispersed from a spongeous head into many long, thick, and round, strings, whereby it sucketh much nourishment out of the ground, and increaseth plentifully thereby.

PRICKLY ASPARAGUS, SPARAGUS, OR SPERAGE.

Description. It groweth usually in gardens, and some of it grows wild in Appleton-meadow, in Gloucestershire, where the poor people do gather the buds or young shoots, and sell them cheaper than our garden asparagus is sold in London.

TIME. They do for the most part flower, and bear their berries, late in the year, or not at all, although they are housed in winter.

GOVERNMENT AND VIRTUES. They are both under the dominion of Jupiter. The young buds or branches, boiled in ordinary broth, make the belly foluble and open, and boiled in white wine, provoke urine, being ftopped, and are good againft the ftranguary, or difficulty of making water. It expelleth the gravel and stone out of the kidneys, and helpeth pains in the reins: if boiled in white wine or vinegar, it is prevalent for them that have their arteries loofened, or are troubled with the hip-gout, or fciatica. The decoction of the roots, boiled in wine and taken, is good to clear the fight, and, being held in the mouth, eafeth the tooth-ach; and, being taken fafting feveral mornings together, ftirreth up bodily luft in man or woman, whatfoever fome have written to the contrary. The garden afparagus nourisheth more than the wild, yet it hath the same effect in all the aforementioned dis-The decoction of the root in white wine, and the back and belly bathed therewith, or kneeling or lying down in the fame, or fitting therein as a bath, hath been found, effectual against pains in the reins and bladder, pains of the mother and cholic, and generally against all pains that happen to the lower parts of the body; and is no less effectual against stiff and benumbed sinews, or those that are shrunk by cramps and convulfions; it also helpeth the sciatica.

ASH-TREE.

THIS is fo well known, that time would be mif-fpent in writing a description of it; and therefore I shall only insist upon the virtues of it,

GOVERN-

Government and Virtues. It is governed by the Sun, and the young tender tops with the leaves taken inwardly, and fome of them outwardly applied, are fingular good against the biting of the viper, adder, or any other venomous beast, and the water distilled therefrom, being taken in a small quantity every morning sating, is a singular medicine for those that are subject to the dropsy, or to abate the bulk of those who are too gross or fat. The decoction of the leaves, in white wine, helpeth to break the stone and expel it, and cureth the jaundice. The assess of the bark of the ass made into lye, those heads bathed therewith, which are leprous, scabby, or scald, are thereby cured. The kernels within the husks, commonly called assess prevail against stitches and pains in the side, proceeding from wind, and void the stone by provoking urine.

AVENS, called also CLOVE-WORT, and HERB BENET.

Description. THE ordinary avens hathmany long, rough, dark-green, winged, leaves, rifing from the root, every one made of many leaves, fet on each fide of the, middle rib, the largeft three whereof grow at the end, and are fnipped or dented round about the edges; the other being fmall pieces, fometimes two, and fometimes four, ftand on each fide of the middle rib underneath them: among which do rife up divers rough or hairy ftalks, about two feet high, branching forth with leaves at every joint, and not folong as those below, but almost as much cut in on the edges, some into three parts, some into more. On the tops of the branches stand small pale yellow flowers, consisting of five leaves, like the flowers of cinquesoil, but larger, in the middle whereof standeth a large green head, which, when the flower is fallen, groweth rough and round, being made of many long greenish purple seeds, like grains, which will stick upon your clothes. The root consists of many brownish strings or fibres, smelling somewhat like unto cloves, especially those which grow in the higher, hotter, and dryer, grounds, and in the free and clear air.

PLACE. They grow wild in many places under hedge-fides, and by the pathways in fields; yet they rather delight to grow in fladowy than funny places.

TIME. They flower in May and June for the most part, and their seed is ripe in July at the latest.

GOVERNMENT AND VIRTUES. It is governed by Jupiter, and that gives hopes of a wholefome heathful herb. It is good for the difeases of the cheft or breaft, for pains and stitches in the sides, and to expel crude and raw humours from the belly and stomach, by the sweet savour and warming quality; it dissolve the inward con-

No. 6. T gealed

gealed blood, occasioned by falls or bruises, and the spitting of blood, if the roots, either green or dried, be boiled in wine and drunk; as also all manner of inward or outward wounds, if they be washed or bathed therewith. The decoction also being drunk, comforteth the heart, and strengtheneth the stomach and a cold brain, and therefore is good in the spring-time to open obstructions of the liver, and helpeth the wind cholic; it also helps those that have sluxes, or are bursten, or have a rupture; it taketh away spots and marks in the face, being washed therewith. The juice of the fresh root, or powder of the dried root, hath the same effect with the decoction. The root in the spring-time steeped in wine doth give it a delicate savour and taste, and, being drunk safting every morning, comforteth the heart, and is a good preservative against the plague, or any other poison; it helpeth digestion, and warmeth a cold stomach, and openeth obstructions of the liver and spleen. It is very safe, (you need have no dose prescribed,) and it is very fit to be kept in every body's house.

ALMOND-TREE.

Description and Names. Of this tree there are two kinds, the one bears fweet fruit, the other bitter; they grow bigger than any peach-tree. I have feen a bitter-almond-tree in Hampfhire as big as a great plum-tree. It hath leaves much like peach-leaves, and is called in Latin *amigdalum*; they grow plentifully in Turkey and Barbary.

Nature and Virtues. The fweet almonds are hot and moift in the first degree, the bitter dry in the second. It is a plant of Jupiter. The sweet almonds nourish the body, and increase the feed; they strengthen the breath, cleanse the kidneys, and open the passages of urine. There is a fine pleasant oil drawn out of the sweet almonds, which, being taken with sugar-candy, is excellent against dry coughs and hoarseness; it is good for those that have any inward fore, and for such as are troubled with the stone, because it makes slippery the passages of the urine. Bitter almonds also open obstructions of the liver and spleen, cleanse the lungs from phlegm, provoke urine; they expel wind, and provoke women's courses; the oil of them kills worms, and helps pains of the womb. Some write that bitter almonds preserve from drunkenness, five or six being eaten safting; the oil of both cleanse the skin; it easeth pains of the head, the temples being anointed therewith; and the oil, with honey, powder of liquorice, oil of roses, and white wax, makes a good ointment for dimness of sight. Also almond butter is very good for a stuffed breast; this kind of butter is made of almonds with sugar and rose-water, which being eaten with violets

is very wholesome and commodious for students, for it rejoiceth the heart, and comforteth the brain, and qualifieth the heat of the liver.

ACONITUM.

OF this there are two forts, the one bearing blue flowers, the other yellow; it is also called wolf's-bane, and the blue is generally known by the name of monk's-hood.

DESCRIPTION. The wolf's-bane which beareth the blue flower is fmall but groweth up a cubit high, the leaves are fplit and jagged, the flowers in long rows toward the tops of the ftalks, gaping like hoods; on the hoary root groweth as it were a little knob, wherewith it fpreadeth itfelf abroad, and multiplieth.

Place. The monk's-hood, or blue wolf's-bane, is very common in many gardens; the other rarely found but in the gardens of some curious herbarists; but groweth in forests and dark low woods and valleys in some parts of Germany and France.

TIME. They flower in April, May, and June.

GOVERNMENT AND DANGER. The plants are hot and dry in the fourth degree, of a martial venomous quality; if they be inwardly taken, they inflame the heart, burn the inward parts, and deftroy life itself. Dodonæus reporteth of some men at Antwerp, who unawares did eat some of the monk's-hood in a sallad, instead of some other herb, and died forthwith: this I write, that people who have it in their gardens might beware of it.

ALOE, OR ALOES.

NAMES. BY the same name of aloe or aloes is the condensed juice of this plant called in all parts of Europe; the plant is also called sea-housleek, and sea-ay-green.

DESCRIPTION. This plant hath very long leaves, thick and fet round about with thort points or crefts, ftanding wide one from another; the root is thick and long; all the herb is of a ftrong favour, and bitter tafte; out of this herb is drawn a juice, which is dried, and called aloes in different parts of the world.

Place. Aloe groweth very plenteously in India, and from thence cometh the best juice; it groweth also in many places of Asia and Arabia, near the sea-side, but the juice thereof is not so good as that of India.

GOVERNMENT AND VIRTUES. It is a martial plant, hot in the fecond degree, and dry in the third, of a very bitter tafte; the juice, being refined and clarified from its drofs, is of a clear and blackifh clean brown colour; it openeth the belly, and purgeth cold phlegmatic and choleric humours, which overburthen and hurt the ftomach:


ftomach: it is the basis in almost all pills; it comforteth, cleanseth, and drieth up fuperfluous humours. It may be taken with cinnamon, ginger, mace, galingal, or anifefeed, to affuage and drive away pains of the ftomach, and to comfort and warm the fame, and expel phlegm; the fame is also good against the jaundice and fpitting of blood. Aloe made into powder, and strewed upon new bloody wounds, ftoppeth the blood and healeth the wound; likewife, being applied upon old ulcers, it closeth them up, and is a fovereign medicine for ulcers about the secret parts and fundament. The fame, boiled with wine and honey, healeth rifts and outgrowings of the fundament, and ftoppeth the flux of the hemorrhoids; and, being applied with honey, it taketh away black fpots that come by ftripes or bruifes; it is alfo good against inflammations, hurts, and scabs of the eyes, and against running and dimness of the same. Aloes mixed with oil of roses and vinegar, and laid to the forehead and temples, affuageth the head-ach; the head being often rubbed with aloes mixed with wine, keepeth the hair from falling off. The fame applied with wine cureth forcs of the mouth and gums, the throat and kernels under the tongue; and outwardly applied is a good confolidative medicine; ftoppeth bleeding, and doth modify and cleanse all corruption.

BAWM.


THIS herb is fo well known to be an inhabitant in almost every garden, that I shall not need to write any description thereof, although the virtues of it, which are many, may not be omitted.

Government and Virtues. It is an herbunder Jupiter, and under Cancer, and firengthens nature much in all its actions*. Let a fyrup made with the juice of it and fugar, (as you shall be taught at the latter end of the book,) be kept in every gentlewoman's house, to relieve the weak stomachs and fick bodies of their poor and fickly neighbours; as also the herb kept dry in the house, that so, with other convenient simples, you may make it into an electuary with honey, according as the disease is, and you shall be taught at the latter end of the book. The Arabian physicians have highly extolled the virtues hereof, although the Greeks thought it not worth mentioning. Scrapio saith, it causeth the mind in the heart to become merry, and reviveth the heart sainting into swoonings, especially all such as are overtaken in their sleep, and driveth away all troublesome cares and thoughts out of the mind arising from melancholy, or black choler; which Avicen also confirmeth. It is very good to help digestion and open obstructions of the brain; and hath such a

^{*} Pliny, when writing on bawm, informeth us, that, if it be tied to a fword which gave the wound, it inflantly floppeth the blood.



Julishit as the Act Directs.



purging quality, faith Avicen, as to expel those melancholy vapours from the spirits and blood which are in the heart and arteries, although it cannot do fo in other parts of the body. Diofcorides faith, that the leaves steeped in wine, and the wine drunk, and the leaves externally applied, is a remedy against the fting of scorpions and the bitings of mad dogs; and commendeth the decoction thereof for women to bathe or fit in, to procure their courses; it is good to wash aching teeth therewith, and profitable for those that have the bloody flux. The leaves also with a little nitre taken in drink, are good against a surfeit of mushrooms, help the griping pains of the belly, and, being made into an electuary, are good for them that cannot fetch their breath with eate. Ufed with falt, it takes away wens, kernels, or hard fwellings, in the flesh or throat; it cleanseth foul fores, and easeth pains of the gout. It is also good for the liver and spleen. A tansy or caudle made with eggs, and the juice thereof while it is young, putting to it some sugar and rose-water, is good for women in child-bed when the afterbirth is not thoroughly voided, and for their faintings upon or after their fore travail. The herb bruifed and boiled in a little wine and oil, and laid warm on a boil, will ripen and break it.

BARBERRY WITH MALE TO ST

THE firm is fo well known to every boy and girl that hath but attained to the age of feven years, that it needs no description.

GOVERNMENT AND VIRTUES. Mars owns the flirub, and prefents it to the use of my countrymen, to purge their bodies of choler. The inner rind of the barberry tree boiled in white wine, and a quarter of a pint drunk each morning, is an excellent remedy to cleanse the body of choleric humours, and free it from such diseases as choler causeth, such as scabs, itch, tetters, ringworms, yellow jaundice, boils, &c. It is excellent for hot agues, burnings, scaldings, heat of blood, heat of the liver, and bloody-flux; the berries are as good as the bark, and more pleasing; they get a man a good stomach to his victuals, by strengthening, the attractive faculty, which is under Mars. The hair washed with the lye made of the ashes of the tree, and water, will make it turn yellow, viz. Mars's own colour. The fruit and rind of this shrub, the flowers of broom and of heath, or sure, cleanse the body of choler by sympathy, as the flowers, leaves, and bark, of the peach-tree, do by antipathy; because these are under Mars, that under Venus

BARLEY.

d in the late of

THE continual usefulness hereof hath made all in general so acquainted with it, that it is altogether needless to describe its several kinds hereof plentifully growing; being yearly sown in this land; the virtues whereof take as followeth.

No. 6. U GOVERN-

74 CULPEPER'S ENGLISH PHYSICIAN,

GOVERNMENT AND VIRTUES. It is a notable plant of Saturn: if you view diligently its effects by fympathy and antipathy, you may eafily perceive a reason of them, as also why barley-bread is so unwholesome for melancholy people. Barley in all the parts and compositions thereof, except malt, is more cooling than wheat, and a little cleanfing; and all the preparations thereof, as barley-water, and other things made thereof, do give great nourifhment to perfons troubled with fevers, agues, and heats in the flomach. A poultice made of barley-meal or flour, boiled in vinegar and honey, and a few dry figs put into them, diffolveth all hard imposthumes, and affuageth inflammations, being thereto applied; and being boiled with melilot and camomile flowers, and fome linfeed, fenugreek, and rue in powder and applied warm, it eafeth pains in the fide and ftomach, and windiness of the fpleen. The meal of barley and fleawort boiled in water, and made into a poultice with honey and oil of lilies, applied warm, cureth fwellings under the ears, throat, neck, and fuch like; and a plafter made thereof with tar, wax, and oil, helpeth the king's evil in the throat: boiled with fharp vinegar into a poultice, and laid on hot, helpeth the leprofy: being boiled in red wine, with pomegranate rinds and myrtle, ftayeth the lask or other flux of the belly: boiled with vinegar and a quince, it eafeth the pains of the gout. Barley flower, white falt, honey, and vinegar, mingled together, take away the itch freedily and certainly; the water diffilled from the green barley in the end of May, is very good for those that have defluxions of humours fallen into their eyes, and eafeth the pains, being dropped into them: or white bread steeped therein and bound on to the eyes, doth the same,

GARDEN OR SWEET BASIL

DESCRIPTION. THE greater ordinary bafil rifeth up usually with one upright stalk, diversely branching forth on all fides, with two leaves at every joint, which are somewhat broad and round, yet pointed, of a pale green colour, but fresh, a little shipt about the edges, and of a firong heady scent. The slowers are small and white, standing at the tops of the branches, with two small leaves at the joints, in some places green, in others brown, after which come black feed. The root perisheth at the approach of winter, and therefore must be new sown every year.

PLACE. It groweth in gardens only.

TIME. It must be fowed late, and flowers in the heat of the summer, being a very tender plant.

GOVERNMENT AND VIRTUES. With respect to the qualities of this herb, most authors differ; Galen and Dioscorides hold it not fitting to be taken inwardly; as

beoby yearly found a mistind; the virtues whereaf take as it aprelled

does also Crysppus; but Pliny and the Arabian physicians defend it. For mine own part I presently found that speech true; Non nostrum inter nos tantas componeré lites, "It is not for me to adjust such grave disputes;" and away to Dr. Reason went I, who told me it was an herb of Mars, and under the Scorpion, and perhaps therefore called basilicon, and then no marvel if it carries a kind of virusent quality with it. Being applied to the place bitten by a venomous beast, or stung by a wasp or hornet, it speedily draws the posson to it. Every like draws its like. Mizaldus affirms, that if it be laid to rot in horse-dung, it will breed venomous beasts, and Hollerius, a French physician, affirms upon his own knowledge, that an acquainance of his, by common smelling to it, had a scorpion bred in his brain. Something is the matter, this herb and rue will not grow together, no, nor near each other: and we know that rue is as great an enemy to posson as any that grows. To conclude, it expelleth both birth and afterbirth; and as it helps the desiciency of Venus in one kind, so it spoils all her actions in another.

BAY-TREE.

THIS is fo well known, that it needs no description: I shall therefore only write the virtues thereof, which are many.

GOVERNMENT AND VIRTUES: I shall but only add a word or two to what my friend hath written, viz. That it is a tree of the Sun, and under the celeftial fign Leo, and refifteth witchcraft very potently, as also all the evils old Saturn can do to the body of man, and they are not a few; for it is the speech of one, and I am miftaken if it were not Mizaldus, that neither witch nor devil, thunder nor lightning, will hurt a man in the place where a bay-tree is. Galen faith, that the leaves or bark do dry and heal very much, and the berries more than the leaves. bark of the root is less tharp and hot, but more bitter, and hath some astriction withal, whereby it is effectual to break the ftone, and good to open obstructions of the liver, fpleen, and other inward parts, which bring the dropfy, jaundice, &c. The berries are very effectual against the poison of venomous creatures, and the ftings of warps and bees, as also against the pestilence, or rather infectious diseases, and therefore is put in fundry treacles for that purpose: they likewise procure women's courses; and seven of them given to a woman in fore travail of childbirth do cause a speedy delivery, and expel the afterbirth, and therefore not to be taken but by fuch as have gone out their time, left they procure abortion, or cause labour too foon: they wonderfully help all cold and rheumatic diffillations from the brain to the eyes, lungs, or other parts; and being made into an electuary with honey, do help the confumption, old coughs, fhortness of breath, and thin rheums; as also.

the megrim; they mightily expel wind, and provoke urine, help the womb, and kill worms: the leaves also work the like effects. A bath of the decoction of the leaves and berries, is fingularly good for women to fit in, that are troubled with difeafes of the womb, or the ftoppings of their courfes, or for the difeafes of the bladder, pains in the bowels by wind, and stopping of urine. A decoction likewife of equal parts of bay-berries, cummin-feed, hyflop, origanum, and euphorbium, with fome honey, and the head bathed therewith, doth wonderfully help diffillations and rheums, and fettleth the palate of the mouth into its place. The oil made of the berries is very comfortable in all cold griefs of the joints. nerves, arteries, fromach, belly, or womb; and helpeth palfies, convulfions, cramps. aches, trembling and numbness in every part; also weariness, and pains that come by fore travellings; all grief and pains likewife proceeding from wind, either in the head, ftomach, back, belly, or womb, by anointing the parts affected therewith; and pains in the ears are also cured by dropping in some of the oil, or by receiving into the ears the warm fume of the decoction of the berries through a funnel. The gil takes away marks of the fkin and flesh by bruiles, falls, &c. and dissolveth the congealed blood in them: it helpeth also the itch, scabs, and wheals in the skin.

BEANS.

BOTH the garden and field beans are fo well known, that it faveth me labour of writing any description of them.

GOVERNMENT AND VIRTUES. They are plants of Venus: and the diffilled water of the flowers of garden-beans is good to cleanfe the face and fkin from foots and wrinkles, and the meal or flower of them, or the fmall bean, doth the fame. water diffilled from the green hufks, is held to be very effectual against the stone, and to provoke urine. Bean-flour is used in poultices, to affuage inflammations rifing upon wounds, and the fwelling of women's breafts caufed by the curdling of their milk, and represent their milk. The flour of beans and senugreek mixed with honey, and applied to felons, boils, bruifes, or blue marks by blows, or the imposthumes in the kernels of the ears, helpeth them all; and with rose-leaves, frankincense, and the white of an egg, being applied to the eyes, helpeth them that are fwoln, or do water, or have received any blow upon them, if used with wine. If a bean be parted in two, the skin being taken away, and laid on the place where a leech hath been fet that bleedeth too much, it ftayeth the bleeding. Bean-flour boiled to a poultice with wine and vinegar, and fome oil put thereto, eafeth both pain and fwelling of the fcrotum: the hufks boiled in water to a confumption of a third third part thereof, ftayeth a lask; and the ashes of the husks, made up with old hog's-greafe, helpeth the old pains, contusions, and wounds, of the sinews, the sciatica, and gout. The field-beans have all the aforementioned virtues as the garden beans. Beans eaten are extreme windy meat; but if, after the Dutch fashion, when they are half-boiled, you husk them and stew them, they are wholesomer food.

F.RENCH-BEANS.

Description. The French or kidney bean ariseth up at first but with one stalk, which afterward divideth itself into many arms or branches, but all so weak, that, if they be not sustained with sticks or poles, they will lie fruitless upon the ground; at several places of these branches grow forth long foot-stalks, with every one of them three broad, round, and pointed, green leaves at the end of them, towards the top whereof come forth divers flowers made like unto pease-blossoms, of the same colour for the most part that the fruit will be of, that is to say, white yellow, red, blackish, or of a deep purple, but white is the most usual; after which come long and slender stat kids, some crooked, some straight, with a string as it were running down the back thereof, wherein are contained statish round fruit, made to the sashion of a kidney; the root is long, spreadeth with many strings annexed to it, and perisheth every year.

There is also another fort of French-bean commonly growing with us in this land, which is called the scarlet-flowered bean. This rifeth up with fundry branches as the other, but runs up higher to the length of hop-poles, about which they grow twining, but turning contrary to the fun; they have foot-stalks with three leaves on each, as on the other: the flowers also are in fashion like the other, but many more set together, and of a most orient scarlet colour. The beans are larger than the ordinary kind, of a deep purple colour, turning black when it is ripe and dry: the root perisheth also in winter.

Government and Virtues. These also belong to Venus, and, being dried and beaten to powder, are great strengtheners of the kidneys: neither is there a better remedy than it, if taken a drachm at a time in white wine to prevent the stone, or to cleanse the kidneys of gravel or stoppage. The ordinary French-beans are of an easy digestion; they move the belly, provoke urine, enlarge the breast that is straitened with shortness of breath, engender sperm, and incite to venery. And the scarlet-coloured beans, on account of the beauty of their colour, being set near a quickset hedge, will greatly adorn the same by climbing up thereon, so that they may be discerned a great way, not without admiration of the beholder at a distance. But they will go near to kill the quicksets by clothing them in scarlet.

No. 6. X LADY's

LADY'S BED-STRAW.

BESIDES the common name above written, it is called cheefe-rennet, because it performs the same office; as also gallion, pertinugget, and maid's hair, and by some wild referrary.

Description. This rifeth up with divers fmall, brown, and fquare, upright ftalks a yard high or more, fometimes branched forth into divers parts, full of joints, and with divers very fine fmall leaves at every one of them, little or nothing rough at all: at the tops of the branches grow many long tufts or branches of yellow flowers, very thick fet together, from the feveral joints, which confift of four leaves each, which finell fomewhat ftrong, but not unpleafant: the feed is fmall and black like poppy-feed, two for the most part joined together; the root is reddish with many small threads fastened unto it, which take strong hold of the ground, and creepeth a little; and the branches, leaning a little down to the ground, take root at the joints thereof, whereby it is easily increased.

There is also another fort of lady's bed-straw growing frequently in England. which beareth white flowers as the other doth yellow; but the branches of this are so weak, that unless it be sufficiently by the hedges, or other things near which it groweth, it will lie down on the ground; the leaves are a little bigger than the former, and the slowers are not so plentiful as those; and the root hereof is also thready and abiding.

PLACE. They grow in meadows and paftures, both wet and dry, and by the fides of hedges.

TIME. They flower in May for the most part, and the feed is ripe in July and August.

GOVERNMENT AND VIRTUES. They are both herbs of Venus, and therefore ftrengthen the parts, both internal and external, which she rules. The decoction of the former of these, being drunk, is good to fret and break the stone, provoke urine, stay inward bleedings, and to heal inward wounds: the herb or flower bruised, and put up into the nostrils, stayeth their bleeding likewise: the showers and the herb being made into an oil by being set in the sun, and changed after it hath stood ten or twelve days; or into an ointment, being boiled in axungia, or sallad oil with some wax melted therein after it is strained; either the oil made thereof, or the ointment, do help burnings with sire or scalding with water: the same also, or the decoction of the herb and shower, is good to bathe the sect of travellers and lacquais, whose long running causest weariness and stiffness in their sinews and joints: if the decoction be used warm, and the joints afterwards anointed with the

cintment, it helpeth the dry fcab, and the itch in children: and the herb with the white flower is also very good for the finews, arteries, and joints, to comfort and ftrengthen them after travel, cold, and pains.

BEETS.

DESCRIPTION. OF beets there are two forts which are best known generally, and whereof I shall principally treat at this time, viz. the white and red beets, and their virtues.

The common white beet hath many leaves next the ground, fomewhat large, and of a whitifh green colour; the stalk is great, strong and ribbed, bearing great store of leaves almost to the very top of it: the flowers grow in very long tusts, small at the ends, and turning down their heads, which are small, pale, greenish, yellow, burs, giving cornered prickly seed. The root is great, long, and hard, and, when it hath given seed, is of no use at all.

The common red beet different not from the white, but only it is lefs, and the leaves and roots are fomewhat red: the leaves are differently red, in fome only with red firakes or veins, fome of a fresh red, and others of a dark red. The root is spongy, and not used to be eaten.

GOVERNMENT AND VIRTUES. The government of these two forts of beet are far different; the red beet being under Saturn, and the white under Jupiter; therefore take the virtues of them apart, each by itself.

The white beet doth much loosen the belly, and is of a cleanfing, digesting quality, and provoketh urine: the juice of it openeth obstructions both of the liver and spleen, and is good for the head-ach, and swimmings therein, and turnings of the brain; and is effectual also against all venomous creatures; and applied to the temples, stayeth inflammations in the eyes, it helpeth burnings, being used without oil, and with a little alum put to it, is good for St. Anthony's fire. Beet is not and dry, and loosens the belly by reason of its nitrosity. It is an errhine, especially the root; for the juice of it received into the nostrils occasions sneezing; the young plants, with their roots, gently hoiled and eaten with vinegar, procure an appetite, extinguish thirst, and suppress choler in the stomach. Beet among the ancients was much noticed for its inspid taste, Martial reproaches it in the following distich:

Ut support support of the support of

The juice of this herb drawn up into the noftrils powerfully evacuates phlegmatic humours

humours from the brain, and cures inveterate head-achs. This is counted a great fecret by fome. It is also good for all wheals, pushes, blifters, and blains, in the skin; the herb boiled, and laid upon chilblains or kibes, helpeth them: the decoction thereof in water and some vinegar, healeth the itch, if bathed therewith, and cleanfeth the head of dandriff, scurf, and dry scabs, and doth much good for fretting and running sores, ulcers, and cankers, in the head, legs, or other parts, and is much commended against baldness and shedding of hair.

The red beet is good to ftay the bloody flux, women's courses, and the whites, and to help the yellow jaundice. The juice of the root put into the nostrils, purgeth the head, helpeth the noise in the ears, and the tooth-ach; the juice snuffed up the nose helps a stinking breath, if the cause lies in the nose, as many times it doth, if any bruise have been there; as also want of smell coming that way.

WATER-BETONY.

CALLED also broomwort, and in Yorkshire bishop's leaves.

DESCRIPTION. Winter-betony rifeth up with fquare, hard, greenifh, ftalks, fometimes brown, fet with broad dark-green leaves, dented about the edges with notches, fomewhat refembling the leaves of the wood-betony, but much larger, two for the most part set at a joint; the flowers are many, set at the tops of the stalks and branches, being round-bellied, open at the brims, and divided into two parts, the uppermost being like a hood, and the lowest like a lip hanging down, of a dark red colour, which passing away, there come in their places small round heads, with small points in the ends, wherein lie small and brownish seeds: the root is a a thick bush of strings and threads growing from the head.

Place. It groweth by ditch-fides, brooks, and other water-courses, generally through this land, and is seldom found far from the water-fide.

TIME. It flowereth about July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. Water-betony is an herb of Jupiter in Cancer, and is appropriated more to wounds and 'hurts in the breaft than wood-betony, which follows. It is an excellent remedy for fick hogs. It is of a cleanfing quality; the leaves bruifed and applied, are effectual for all cold and filthy ulcers; and especially if the juice of the leaves be boiled with a little honey, and then dipped therein, and the fores dressed therewith: as also for bruises or hurts, whether inward or outward. The distilled water of the leaves is used for the same purposes; as also to bathe the face or hands spotted or blemished, or discoloured by sunburning. Pliny saith, that serpents, if they are inclosed or surrounded with this herb, will immediately begin sighting, and kill each other presently.

Ionc-

I confeis I do not much fancy diffilled waters, I mean fuch waters as are diffilled cold; some virtue of the herb they may happen to have, it were a strange thing else, but this I am confident of, that being distilled in a pewter still, as the vulgar fashion is, both chemical oil and salt are left behind, unless you burn then them, then all is spoiled, even the water, which was good for as little as can be by such a distillation.

WOOD BETONY.

Description. THE common or wood betony hath many leaves rifing from the root, which are fomewhat broad and round at the ends, roundly dented about the edges, ftanding upon long footftalks, from among which rife up fmall, fquare, flender but yet upright, hairy ftalks, with fome leaves thereon, two apiece at the joints, fmaller than the lower, whereon are fet feveral spiked heads of flowers like lavender, but thicker and shorter for the most part, and of a reddish or purple colour, spotted with white spots both in the upper and lower part: the feeds being contained within the husks that hold the flowers, are blackish, somewhat long and uneven. The roots are many white thready strings; the stalk perisheth, but the root with some leaves thereon, abides all the winter. The whole plant is somewhat small.

PLACE. It groweth frequently in woods, and delighteth in shady places.

TIME. And it flowereth in July, after which the feed is quickly ripe, yet is in its prime in May.

GOVERNMENT AND VIRTUES. This herb is appropriated to the planet Jupiter, and under the fign Aries. Antonius Musa, physician to the emperor Augustus Cæfar, wrote a peculiar book on the virtues of this herb; and amongst other virtues, faith of it, that it preserveth the lives and bodies of men from the danger of epidemical difeases, and from witchcrafts also. It is found by daily experience to be good for many difeases, it helpeth those that loath or cannot digest their meat, those that have weak stomachs, or four belchings, or a continual rising in their ftomach, using it familiarly either green or dry; either the herb or root, or the flowers drunk in broth, or meat, or made into conferve, fyrup, water, electuary, or powder, as every one may best frame themselves unto, or as the time or season requireth: taken any of the aforesaid ways, it helpeth the jaundice, falling ficknefs, the palfy, convulfions, or fhrinking of the finews; the gout, and those that are inclined to dropfies; and those that have continual pains in their head, although it turns to phrenfy. The powder mixed with pure honey, is no less available for all forts of coughs or colds, wheefing or fhortness of breath, distillations of thin No. 7. rheum

rheum upon the lungs, which causeth confumptions. The decoction made with mead and a little pennyroyal, is good for those that are troubled with putrid agues. whether quotidian, tertian, or quartan, and to draw down and evacuate the blood and humours that by falling into the eyes doth hinder the fight: the decoction thereof made in wine and taken, killeth the worms in the belly, openeth obstructions both of the liver and spleen, cureth stitches and pains in the back or side, the torments and griping pains of the bowels, and the wind cholic: and mixed with honey purgeth the belly, helpeth to bring down women's courfes, and is of special use for those that are troubled with the falling down of the womb and pains thereof, and caufeth an eafy and fpeedy delivery of women in child-birth; it helpeth alfo to break and expel the ftone either in the bladder or kidneys. The decoction with wine, gargled in the mouth, eafeth the tooth-ach; it is commended against the ftinging or biting of venomous ferpents or mad dogs, being used inwardly and applied outwardly to the place. A dram of the powder of betony taken with a little honey in some vinegar, doth wonderfully refresh those that are over wearied by travel; it ftayeth bleeding at the mouth or nofe, and helpeth those that pifs or fpit blood, and those that are bursten or have a rupture, and is good for such as are bruifed by any fall or otherwife. The green herb bruifed, or the juice applied to any inward hurt, or outward green wound in the head or body, will quickly heal and close it up; as also any veins or finews that are cut; and will draw forth any broken bone or fplinter, thorn, or other thing gotten into the flesh; it is no less profitable for old fores, or filthy ulcers, yea, though they be fiftulous and hollow, but some do advise to put a little falt to this purpose: being applied with a little bog's lard, it helpeth a plague fore, and other boils and pushes; the fume of tho decoction while it is warm, received by a funnel into the ears, eafeth the pains of them, deftroyeth the worms and cureth the running fores in them; the juice dropped into them, doth the fame. The root of betony is displeasing both to the tafte and fromach, whereas the leaves and flowers, by their fweet and fpicy tafte, are comfortable both in meat and medicine.

There are fome of the many virtues Antonius Musa appropriates to betony. It is a very precious herb, that is certain, and very proper to be kept in a man's house, bothin fyrup, conferve, oil, ointment, and plaster. The flowers are usually conferved.

BEECH-TREE.

IN treating of this tree, you must understand that I mean the great mast-beech, which is by way of distinction from that other small rough fort, called in Sussex the small

fmall beech, but in Effex hornbeam. I suppose it needless to describe it, being already so well known to my countrymen.

PLACE. It groweth in woods among oak and other trees, and in parks, forests, and chases, to feed deer, and in other places to fatten swine.

TIME. It bloometh in the end of April, or beginning of May, for the most part, and the fruit is ripe in September.

Government and Virtues. It is a plant of Saturn, and therefore performs his qualities and properties in these operations, the leaves of the beech-tree are cooling and binding, and therefore good to be applied to hot swellings to discuss them; the nuts do much nourish such beasts as feed thereon. The water that is found in the hollow places of decaying beeches, will cure both man and beast of any scurf, scab, or running tetters, if they be washed therewith. You may boil the leaves into a poultice, or make an ointment of them, when the time of year serves.

BILBERRIES

THIS herb is also called by some, whorts, and whortle-berries.

DESCRIPTION. Of these, I shall only speak of two forts, which are commonly known in England, viz. the black, and red bilberries: and first of the black.

This fmall bufli creepeth along upon the ground, fearcely rifing half a yard high, with divers fmall dark-green leaves fet on the green branches, not always one against another, and a little dented about the edges; at the foot of the leaves come forth small hollow, pale, blush-coloured flowers, the brims ending in five points, with a reddiffit thread in the middle, which pass into small round berries, of the bigness and colour of Juniper berries, but of a purple sweetish sharp taste; the juice of them giveth a purplish colour to their hands and lips that eat and handle them, especially if they break them. The root groweth associated ground, shooting forth instandry places as it creepeth; it sofeth its leaves in winter.

The red bilberry or whortle-bush riseth up like the former, having sundry harder leaves, like box-tree leaves, green and round pointed, standing on the several branches; at the tops whereof only, and not from the sides as in the former, come forth divers round flowers, of a pale red colour, after which succeed round reddish sappy berries, which when ripe are of a sharp taste: the root runneth in the ground, as in the former, but the leaves of this abide all the winter.

PLACE. The first groweth in forests, as well as on heaths, and such like barren places; the red grows in the northern parts of this land, as Lancashire, Yorkshire, &c.

TIME. They flower in March and April, and the fruit of the black is ripe in June and July.

GOVERN-

GOVERNMENT AND VIRTUES. They are under the dominion of Jupiter. It is a pity they are used no more in physic than they are. The black bilberries are good in hot agues, and to cool the heat of the liver and stomach; they do somewhat bind the belly, and stay vomitings and loathings: the juice of the berries made into a syrup, or the pulp made into a conserve with sugar, is good for the purposes aforesaid: as also for an old cough, or an ulcer in the lungs, or other diseases therein. The red whorts are more binding, and stop women's courses, spitting of blood, or any other flux of blood or humours, being used as well outwardly as inwardly.

BYFOIL, ORTWAYBLADE.

Description. THIS fmall herb from a root fomewhat fweet, shooting downwards many long strings, sendeth up a round green stalk, bare or naked next the ground for an inch, two, or three, to the middle thereof, as it is in age or growth, as also from the middle upwards to the flowers, having only two broad plantane-like leaves, but whiter, set at the middle of the stalk one against another, and compasseth it round at the bottom of them.

PLACE. It is an ufual inhabitant in woods, coppices, and in many other places in this land.

There is another fort grows in wet grounds and marstes, which is somewhat different from the former: it is a smaller plant, and greener, having sometimes three leaves; the spike of the slowers is less than the former, and the roots of this do run or creep in the ground.

They are much and often used by many to good purposes, for wounds both green and old, and to confolidate or knit ruptures, being a plant of Saturn.

BIRCH-TREE.

Description. THIS groweth a goodly tall ftraight tree, fraught with many boughs, and branches, bending downward, the old ones being covered with a difcoloured chapped bark, and the younger being much browner: the leaves at first breaking out are crumpled, and afterward like beech-leaves, but finaller and greener, and dented about the edges: it beareth finall fhort catkins, fomewhat like those of the hazel-nut tree, which abideth on the branches a long time, until, grown ripe, they fall on the ground, and their feed with them.

PLACE. It usually grows in woods.

GOVERNMENT AND VIRTUES. It is a tree of Venus; the juice of the leaves while young, or the diffilled water of them, or the water that comes out of the tree, be-

and

ng bored with an augur, and diftilled afterwards; any of thefe, being drunk for fome time together, is available to break the frone in the kidneys or bladder, and is good also to wash fore mouths. The leaves of the birch-tree are hot and dry, cleanfing, refolving, opening, and bitter; for which reason they are of no small ufe in a dropfy, the itch, and the like. The bark is bituminous, and is therefore mixed with perfumes that are to correct the air. The fungus of it has an aftringent quality, upon which account it ftops blood miraculoufly. This tree, in the beginning of fpring, before the leaves come forth, being pierced, yields plentifully a fweet and potulent juice, which shepherds, when they are thirsty, often drink in the woods. Tragus, Helmont, Charleton, and others, commend the virtues and the efficacy of this liquor, and not undefervedly, for the ftone in the kidneys and bladder, for bloody urine, and the ftranguary. This tree begins to yield its juice about the middle of February, and fometimes not till the beginning of March. Tragus also commends it for the jaundice. Some wash their faces with it, to take off fpots and beautify the fkin. Dr. Needham cured fcorbutic confumptions with it; he used to mix with it good wine and honey. Rennet insused in the juice, preferves cheefe from worms. The juice of birch cures warts and pimples in the face, if it be washed with it in the day-time, morning and evening, and permitted to dry on.

Uses. The wood of our birch is very white: women's shoe-heels and pattens, and packing-cases, are made of it. It is planted along with hazel, to make charcoal for forges. In the northern parts of Lancashire they make a great quantity of besoms with the twigs for exportation. The bark is of great use in dying wood yellow, and particularly in fixing fugacious colours. For this purpose it is best to use it dry, and to difbark trees of eighteen or twenty years growth, at the time when the fap is flowing. The trees should stand, and be cut down the following winter. The black American birch may be applied equally well to the fame purpofe. The highlanders of Scotland use the bark for tanning leather, and for making ropes; and sometimes they burn the outer rind inftead of candles. With the fragments dexteroufly braided, the Laplanders make themselves shoes and baskets; they use large thick pieces set out, with a hole in the middle to fit the neck, for a furtout to keep off the rain. The Ruffians, Poles, and Norwegians, cover their houses with it, laying turf three or four inches thick over. In Kamschatka they make hats and drinking-cups of it. The wood was formerly used by the Scotch highlanders for their arrows; but now, by the wheelwright, and for most ruftic implements; by the turner, for trenchers, bowls, ladles, &c. and when of a proper fize it will make tolerable gates, rails, &c. In France it is generally used for wooden shoes. It affords good fuel; fome of the best charcoal; and the soot is a good lamp-black for printer's ink. The fmall branches ferve the highlanders for hurdles,

Z

No. 7.

and fide fences to their houses. The leaves afford good fodder to horses, kine, sheep, and goats. The seeds are the savourite food of the siskin, or aberdevine: and this tree furnishes food to a variety of insects.

BIRD's-FOOT.

THIS fmall herb groweth not above a fpan high, with many branches fpread upon the ground, fet with many wings of finall leaves; the flowers grow upon the branches, many fmall ones of a pale yellow colour being fet at a head together, which afterwards run into fmall jointed cods, well refembling the claws of fmall birds, whence it took its name.

There is another fort of bird's-foot in all things like the former, but a little larger, the flowers of a pale whitifh red colour, and the cods diffinct, by joints like the other, but a little more crooked, and the roots do carry many finall white knots or kernels amongft the ftrings.

PLACE. Their grow on heaths, and in many open uncultivated places, in this land. TIME. They flower and feed in the end of fummer.

GOVERNMENT AND VIRTUES. They belong to Saturn, and are of a drying binding quality, and thereby very good to be used in wound-drinks, as also to apply outwardly for the same purpose. But the latter bird's-foot is found by experience to break the stones in the back or kidneys, and drive them forth, if the decoction thereof be taken; it also wonderfully helpeth the rupture, being taken inwardly, and outwardly applied to the place.

All falts have best operation upon the stone, as ointments and plasters have upon wounds; and therefore you may make a falt of this for the stone: the way to prepare it will be given in plainer terms in the Dispensatory at the latter end of this book.

BISHOP'S WEED.

BESIDES the common name bishop's weed, it is usually known by the Greek name ammi and amios; some call it Æthiopian cummin-seed, and other cummin royal; as also herb William, and bulwort.

DESCRIPTION. Common bishop's weed riseth up with a round stalk, sometimes as high as a man, but usually no more than three or four feet, beset with divers small, long, and sometimes broad, leaves, cut in some places and dented about the edges, growing one against another, of a dark green colour, having sundry branches on them, and at the top small umbels of white slowers, which turn into small round brown seed, little bigger than parsley-seed, of a quick hot scent and taste. The root is white and stringy, perishing yearly after it hath seeded, and usually riseth again of its own sowing.

PLACE.

PLACE. It groweth wild in many places in England and Wales, as between Greenhythe and Gravefend.

GOVERNMENT AND VIRTUES. It is hot and dry in the third degree, of a bitter tafte, and fomewhat fharp withal; it provokes luft, (I fuppose Venus owns it,) it digesteth humours, provoketh urine and women's courses, expelleth wind, and, being taken in wine, easeth pains and gripings in the bowels, and is good against the bitings of serpents; it is used to good effect in those medicines which are given to hinder the possonous operation of cantharides upon the passage of the urine; being mixed with honey, and applied to black or blue marks coming of blows or bruises, it takes them away: and, being drunk or outwardly applied, it abateth the high colour of urine, and makes it pale; and the sumes thereof, taken with rofin or raisins, cleanse the womb.

BISTORT.

IT is also called makeweed, English ferpentary, dragon-wort, offerich, and paffions.

DESCRIPTION. This hath a thick, fhort, knobbed, root, blackish without, and fomewhat reddish within, a little crooked or turned together, of an harsh astringent taste, with divers black threads hanging thereto, from whence spring up every year divers leaves, standing upon long footstalks, being somewhat broad and long like a dock leaf, and a little pointed at the ends, but that it is of a bluish green colour on the upper side, and of an ash-colour grey somewhat tinged with purple underneath, with divers veins therein; from among which rise up divers small and slender stalks, two feet high, and almost naked and without leaves, or with very sew, and marrow, bearing a spiky bush of pale stella-coloured slowers, which being past, there abideth small seed, somewhat like forrel-seed, but larger.

There are other forts of biftort growing in this land, but smaller in height, root, and stalks, and especially in the leaves. The root is blackish without and somewhat whitish within, of an austere binding taste, as the former.

PLACE. They grow in shadowy moist woods, and at the foot of hills, but are chiefly nourished up in gardens. The narrow-leaved bistort groweth in the north; in Lancashire, Yorkshire, and Cumberland.

TIME. they flower about the end of May, and the feed is ripe about the beginning of July.

GOVERNMENT AND VIRTUES. It belongs to Saturn, and is in operation cold and dry. Both the leaves and the roots have a powerful faculty to refift all poison: the root in powder taken in drink, expelleth the venom of the plague, the small-pox, measles, purples, or any other infectious disease, driving it out by sweating; the

decoctions

decoction of the root, being drunk in wine, ftayeth all manner of inward blee ding or spittings of blood, and any fluxes in the body of either man or woman, or vomiting. It is also very available against ruptures, or burstings, or bruises, or falls, diffolving the congealed blood, and eafing the pains that happen thereupon; it alfo helpeth the jaundice. The water, diftilled from both leaves and root, is a fingular remedy to wash any place bitten or stung by any venomous creature; as also for any of the purposes before spoken of; and is very good to wash any running fores or The decoction of the root in wine, being drunk, hindereth abortion or mifcarriage in child-bearing. The leaves also kill the worms in children, and are a great help for them that cannot keep their water; if the juice of plantane be added thereto, and outwardly applied, it much helpeth the gonorrhea, or running of the reins. A drachm of the powder of the root taken in the water thereof, wherein fome red-hot iron or feel hath been quenched, is also an admirable help thereto, so as the body be first prepared and purged from the offensive humours. The leaves, feed, and roots, are all very good in decoctions, drinks, or lotions, for inward or outward wounds or other fores; and the powder, firewed upon any cut or wound in a vein, ftayeth the immoderate bleeding thereof; the decoction of the roots in water, whereto fome pomegranate-peels and flowers are added, injected into the matrix, ftayeth the access of humours to the ulcers thereof, and bringeth it to its right place being fallen down, and frayeth the immoderate flux of the courses. The root thereof with pellitory of Spain and burnt alum, of each a little quantity, beaten small and made into a paste with some honey, and a little piece thereof put into a hollow tooth, or held between the teeth if there be no hollowness in them, stayeth the defluxion of rheum upon them, which caufeth pain, and helps to cleanfe the head, and void much offensive water. The distilled water is very effectual to wash fores or cancers in the nofe, or any other part, if the powder of the root be applied thereunto afterwards. It is good also to fasten the gums, and to take away the heat and inflammations that happen in the jaws, almonds of the throat, or mouth, if the decoction of the leaves, roots, or feeds bruifed, or the juice of them, be applied; but the roots are most effectual to the purposes aforefaid.

BRAMBLE.

IT is also called blackberry-bush, and is so well known that it needs no description; its virtues are as follow:

GOVERNMENT AND VIRTUES. It is a plant of Venus in Aries. You have directions at the latter end of the book for the gathering of all herbs, plants, &c.

The reason why Venus is so prickly is because the is in the house of Mars. The



buds, leaves, and branches, while they are green, are of good use in the ulcers and putrid fores of the mouth and throat, and for the quinfey; and likewife to heal other fresh wounds and fores: but the flowers and fruit unripe are very binding; they are also profitable for the bloody flux and lasks, and a fit remedy for spitting of blood. Either the decoction or powder of the root, being taken, is good to break or drive forth gravel and the ftone in the reins and kidneys. The leaves and brambles, as well green as dry, are excellent good lotions for fores in the mouth or fecret parts: the decoction of them and of the dried branches doth much bind the belly, and is good for too much flowing of women's courfes; the berries or the flowers are a powerful remedy against the poison of the most venomous serpents, as well drunk as outwardly applied, and help the fores of the fundament, and the piles; the juice of the berries, mixed with juice of mulberries, doth bind more effectually, and help fretting and eating fores and ulcers wherefoever. The diftilled water of the branches, leaves, flowers, or fruit, is very pleafant in tafte, and very effectual in fevers and hot diftempers of the body, head, eyes, and other parts, and for all the purpofes The leaves boiled in lye, and the head washed therewith, heal the itch. and the running fores thereof, and make the hair black. The powder of the leaves ftrewed on cancers and running ulcers, doth wonderfully help to heal them. condenfate the juice of the leaves, and some the juice of the berries, to keep for their use all the year, for the purposes aforesaid.

BLIGHTS.

DESCRIPTION. OF these there are two forts commonly known, viz. white and red. The white hath leaves somewhat like unto beets, but smaller, rounder, and of a whitish green colour, every one standing upon a small long stootstalk; the stalk riseth up two or three feet high, with such like leaves thereon; the slowers grow at the top in long round tusts or clusters, wherein are contained small and round seed; the root is very full of threads or strings.

The red blight is in all things like the white, but that its leaves and tufted heads are exceeding red at the first, and afterwards turn more purple.

There are other kinds of blights which grow wild, differing from the two former forts but little, only the wild are smaller in every part.

PLACE. They grow in gardens, and wild in many places of this land.

TIME. They feed in August and September.

GOVERNMENT AND VIRTUES. They are all of them cooling, drying, and binding, ferving to reftrain the fluxes of blood in either man or woman, especially the red: which also stayeth the overflowing of women's reds, as the white blight stayeth the

No. 7. QA whites,

whites, in women. It is an excellent fecret, you cannot well fail in the ufe: they are all under the dominion of Venus.

There is another fort of wild blight, fomewhat like the other wild kinds, but have long fpiked heads of greenith feed, feeming by the thick fetting together to be all feed. This fort the fifthes are delighted with, and it is a good and ufeful bait.

BORAGE AND BUGLOSS.

THESE are fo well known to be inhabitants of every garden, that I hold it needless to describe them.

To these I may add a third fort, which is not so common, nor yet so well known, and therefore I shall give you its name and description.

NAME. It is called *langue de bœuf*: but why they should call one herb by the name of *buglos*, and another by the name of *langue de bœuf*, is to me a question, seeing one signifies ox-tongue in Greek, and the other signifies the same in French.

Description. The leaves thereof are smaller than those of buglos, but much rougher, the stalk rising up about a foot and a half high, and is most commonly of a red colour: the flowers stand in scaly rough heads, being composed of many small yellow flowers, not much unlike to those of dandelion, and the seed slieth away in down as that doth: you may easily know the flowers by the taste, for they are very bitter.

PLACE. It groweth wild in many places of the land, and may be plentifully found near London, as between Rotherhithe and Deptford, by the ditch fides; its virtues are held to be the fame with borage and buglofs, only this is fomething hotter.

TIME. They flower in June and July, and the feed is ripe fhortly after.

Government and Virtues. They are all three herbs of Jupiter, and under Leo, all great cordials and ftrengtheners of nature. The leaves or roots are to very good purpose used in putrid and pestilential severs, to defend the heart, and help to resist and expel the position or the venom of other creatures: the feed is of like effect; and the seed and leaves are good to increase milk in women's breasts: the leaves, slowers, and seed, all or any of them, are good to expel pensiveness and melancholy; to clarify the blood, and to mitigate heat in severs. The juice made into a syrup prevaileth much to all the purposes aforesaid, and is put with other cooling, opening, cleansing, herbs, to open obstructions, and help the yellow jaundice, and, mixed with sumitory, to cool, cleanse, and temper, the blood, whereby it helpeth the itch, ringworms, and tetters, or other spreading scabs or fores. The slowers candied, or made into a conserve, are helpful in the former cases, but are chiefly used as a cordial, and are good for those that are weak with long sickness,

and to comfort the heart and spirits of those that are in a consumption, or troubled with often fwooning, or passions of the heart; the distilled water is no less effectual to all the purposes aforefaid, and helpeth the redness and inflammations of the eyes, being washed therewith: the dried herb is never used, but the green; yet the ashes thereof boiled in mead, or honey water, are available against inflammations and ulcers in the mouth or throat, to wash and gargle it therewith. The roots of bugloss are effectual, being made into a licking electuary, for the cough, and to condenfate thin phlegm, and rheumatic diftillations upon the lungs.

BLUE-BOTTLE

IT is called fyanus, I suppose from the colour of it; hurt-fickle, because it turns the edge of the fickles that reap the corn; blue-blow, corn-flower, and blue-bottle.

DESCRIPTION. I shall only describe that which is most common, and in my opinion. most useful: its leaves spread upon the ground, being of a whitish-green colour, fomewhat cut on the edges like those of corn-scabious, among which rifeth up a stalk divided into divers branches, beset with long leaves of a greenish colour, eitherbut very little indented or not at all; the flowers are of a blue colour, from whence it took its name, confifting of an innumerable company of fmall flowers, fet in a fealy head, not much unlike those of knapweed; the feed is smooth, bright, and fhining, wrapped up in a woolly mantle: the root periffieth every year.

PLACE. They grow in corn-fields, amongst all forts of corn, pease, and beans, but not in tares; if you pleafe to take them up from thence, and transplant them in your garden, especially toward the full of the moon, they will grow more double than they are, and many times change their colour.

TIME. They flower from the beginning of May to the end of harvest.

GOVERNMENT AND VIRTUES. As they are naturally cold, dry, and binding, foare they under the dominion of Saturn. The powder or dried leaves of the bluebottle or corn-flower is given with good fuccefs to those that are bruised by a fall, or have broken a vein inwardly, and void much blood at the mouth; being taken in the water of plantane, horfetail, or the greater comfrey, it is a remedy against the poison of the scorpion, and refisteth all venoms and poisons: the feed or leaves taken in wine is very good against the plague, and all infectious diseases, and is very good in pestilential fevers. The juice put into fresh or green wounds doth quickly close the lips of them together, and is very effectual to heal all ulcers, and fores in the mouth; the juice dropped in the eyes taketh away the heat and inflammation in them: the diffilled water of the herb hath the same properties, and may be used for the effect aforesaid. .Clar and at _ little.

BRANK-

BRANK-URSINE.

BESIDES the common name brank-urfine, it is also called bear's breech, and acanthus; though I think our English names more proper, for the Greek word acanthus fignifies any thistle whatsoever.

Description. This thiftle fhoots forth very many large, thick, fad-green, fmooth leaves upon the ground, with a very thick and juicy middle rib; the leaves are parted with fundry deep gashes on the edge; the leaves remain a long time before any stalk appears; afterwards riseth up a reasonably-big stalk three or four feet high, and finely decked with flowers from the middle of the stalk upwards, for on the lower part of the stalk there is neither branch nor leaf; the flowers are hooded and gaping, being white in colour, and standing in brownish husks, with a small, long, undivided, leaf under each leaf; they seldom seed in our country; its roots are many, great, and thick, blackish without and whitish within, sull of a clammy sap; if you set a piece of them in a garden, desending it from the first winter's cold, it will grow and flourish.

PLACE. They are only nurfed up in gardens in England, where they will grow very well.

TIME. It flowereth in June and July.

Government and Virtues. It is an excellent plant under the dominion of the Moon: I could wish such as are studious would labour to keep it in their gardens. Its leaves being boiled, and used in clysters, are exceeding good to mollify the belly, and make the passage slippery; the decoction, drunk, is excellent good for the bloody flux; the leaves being bruised, or rather boiled and applied like a poultice, are exceeding good to unite broken bones, and strengthen joints that have been put out; the decoction of either the leaves or roots being drunk, and the decocted leaves applied to the place, is excellent good for the king's evil that is broken and runneth, for by the influence of the Moon it reviveth the ends of the veins which are relaxed; there is scarcely a better remedy to be applied to such places as are burnt with fire than this is; for it setcheth out the fire, and heals it without a scar; it is also an excellent remedy for such as are bursten, being either taken inwardly or applied to the place; in like manner used, it helps the cramp and the gout; it is excellent good in hectic severs, and restores radical moisture to such as are in consumptions.

BRIONY.

IT is called wild-vine, wood-vine, tamus, and our lady's feal; the white is called white-vine by fome, and the black black-vine.

DESCRIPTION.

DESCRIPTION. The common white briony groweth creeping upon the hedges, fendeth forth many long, rough, very tender, branches at the beginning, with many very rough broad leaves thereon, cut for the most part into five partitions, in form very like a vine-leaf, but fmaller, rougher, and of a whitish or hoary-green colour, fpreading very far, and twining with its small claspers, that come forth at the joints with the leaves, very fast on whatsoever standeth next to it; at the several joints alfo, especially towards the tops of branches, cometh forth a long stalk bearing many whitish flowers, together in a long tust, consisting of small-branches each laid open like a ftar; after which come the berries, feparated one from another more than a clufter of grapes, green at the first, and very red when they are thoroughly ripe; of no good fcent, and of a most loathsome taste, provoking vomit. The root groweth to be exceeding great, with many long twines or branches growing from it, of a pale whitish colour on the outside, and more white within, and of a sharp, bitter, loathfome, tafte.

PLACE. It groweth on banks, or under hedges, through this land, and the roots lie very deep. -

TIME. It flowereth in July and August, some earlier and some later than others. GOVERNMENT AND VIRTUES. They are furious martial plants: the roots of briony purge the belly with great violence, troubling the ftomach, and burning the liver, and therefore not rashly to be taken, but, being corrected, are very profitable for the difeases of the head, as falling fickness, giddiness, and swimmings, by drawing away much phlegin and rheumatic humours that opprefs the head, as also the joints and finews; and therefore good for palfies, convultions, cramps and fittches in the fide, and the dropfy; and, in provoking urine, they cleanse the reins and kidneys from the gravel and stone, by opening the obstructions of the spleen, and con fuming the hardness and swellings thereof. If the juice be tempered with the meal of vetches or fenugreek, or boiled in oil till it be confumed, it will take away black or blue spots; and Galen affirmeth it is a plant profitable for tanners to thicken their leather hides with. The root spread upon a piece of sheep's leather, in the manner of a plaster, while it is fresh and green, takes away black or blue marks, and all scars and deformities of the skin; it breaks hard imposthumes, draws forth splinters and broken bones, diffolves congealed blood, and being laid on and ufed upon the hip or huckle bone, fhoulders, arms, or any other part where there is great pain, it takes it away in a fhort space, and works very effectually. The decoction of the root in wine, drunk once a-week at going to bed, cleanfeth the mother, and helpeth the rifing thereof, expelleth the dead child for fear of abortion; a dram of the root in powder taken in white wine bringeth down the courses; an electuary, made of the roots No. 7.

2 B

and honey, doth mightily cleanse the chest of rotten phlegm; and wonderfully helpeth an old strong cough, those that are troubled with shortness of breath, and is very good for them that are bruised inwardly, to help to expel the clotted or congealed blood; the leaves, fruit, and root, do cleanse old and filthy fores, are good against all running and fretting cankers, gangrenes, and tetters, and therefore the berries are by some country-people called tetter-berries. The root cleanseth the skin wonderfully from all black and blue spots, freckles, morphew, leprosy, foul scars, or other deformity whatsoever; as also all running scabs and manginess are healed by the powder of the dried root or the juice thereof, but especially by the sine white hardened juice; the distilled water of the roots worketh the same effects, but more weakly: the root bruised, and applied of itself to any place where the bones are broken, helpeth to draw them forth, as also splinters and thorns in the sless; and, being applied with a little wine mixed therewith, it breaketh boils, and helpeth whitlows on the joints.

For all these latter complaints, that is to say, fores, cankers, &c. apply it outwardly, and take my advice along with you; you shall find in the Dispensatory, among the preparations at the latter end, a medicine called facula brionia; take that and use it, (you have the way there how to make it,) and mix it with a little hog's grease, or other convenient ointment, and use it at your need.

As for the former difeases, where it must be taken inwardly, it purgeth very violently, and needs an abler hand to correct it than most country-people have; therefore it is a better way for them, in my opinion, to let the simple alone; and take the compound water of it, mentioned in my Dispensatory; and that is far more safe, being wisely corrected.

BROOKLIME.

IT is also called water-pimpernel.

Description. It rifeth from a creeping root, that shooteth forth strings at every joint as it runneth; it hath divers and fundry green stalks, round and sappy, with some branches on them, somewhat broad, round, deep, green, and thick, leaves set by couples thereon; from the bosom whereof shoot forth long sootstalks, with sundry small blue slowers on them, that consist of sive small round-pointed leaves each.

There is another fort, nothing differing from the former, but that it is larger, and the flowers of a paler-blue colour.

PLACE. They fometimes grow in finall ftanding waters, but generally near water-creffes, and are fometimes fold for them in the markets.

TIME. They flower in June and July, giving feed the month after.

GOVERN-

GOVERNMENT AND VIRTUES. It is a hot and biting martial plant: brooklime and water-creffes are generally used together in diet-drinks, with other things ferving to purge the blood and body from ill humours that would defroy health; and are helpful for the fourcy: they do also provoke urine, and help to break the stone and pass it away; they provoke women's courses, and expel the dead child. Being fried with butter and vinegar, and applied warm, it helpeth all manner of tumours, swellings, and inflammations.

Such drinks ought to be made of fundry herbs according to the malady offending. I shall give a plain and easy rule for that purpose at the latter end of this book.

BUTCHER'S BROOM.

IT is called rufcus and brufcus, knee-holm, knee-holly, knee-hulver, and pettigree.

Description. The first shoots that sprout from the root of butcher's broom are thick, whitish, and short, somewhat like those of asparagus, but greater; they, rifing up to be a foot and half high, are spread into divers branches, green, and somewhat crested with the roundness, tough and slexible, whereon are set somewhat broad and almost round hard leaves, and prickly pointed at the ends, of a darkgreen colour, two for the most part at a place, very close or near together; about the middle of the leaf, on the back and lower side from the middle rib, breaketh forth a small whitish-green slower, consisting of four small round pointed leaves, standing upon little or no footstalk, and in the place whereof cometh a small round berry, green at the first, and red when it is ripe, wherein are two or three white hard round seeds contained; the root is thick, white and great at the head, and from thence sendeth forth divers thick, white, long, tough, strings.

PLACE. It groweth in coppies, and on heaths and wafte-grounds, and often-times under or near holly-bushes.

TIME. It shooteth forth its young buds in the spring, and the berries are ripe in or about September: the branches or leaves abiding green all the winter.

GOVERNMENT AND VIRTUES. It is a plant of Mars, being of a gallant cleanfing and opening quality; the decoction of the roots, made with wine, openeth obfiructions, provoketh urine, helpeth to expel gravel and the ftone, easeth the ftranguary and women's courses, as also the yellow jaundice and the head-ach; and, with some honey or sugar put therein, cleanseth the breast of phlegm, and the chest of much clammy humours gathered therein; the decoction of the root drunk, and a poultice made of the berries and leaves being applied, are effectual in knitting and consolidating broken bones, or parts out of joint. The common

way of ufing it, is to boil the roots of it and parfley, and fennel, and fmallage, in white wine, and drink the decoction, adding the like quantity of grafs roots to them: the more of the roots you boil, the firenger will the decoction be; it works no ill effects, yet I hope you have wit enough to give the firengeft decoction to the firengeft bodies.

BROOM AND BROOM-RAPE.

TO fpend time in writing a description hereof is altogether needless, it being so generally used by all the good housewives almost through this land to sweep their houses with, and therefore very well known to all forts of people.

The broom-rape fpringeth up on many places from the roots of the broom, but more often in fields, or by hedge-fides, and on heaths. The ftalk thereof is of the bigness of a finger or thumb, above two feet high, having a flow of leaves on them, and many flowers at the top, of a deadish yellow colour, as also the ftalks and leaves are,

PLACE. They grow in many places of this land commonly, and as commonly fpoil all the land they grow in.

TIME. They flower in the fummer months, and give their feed before winter.

GOVERNMENT AND VIRTUES. The juice or decoction of the young branches or feed, or the powder of the feed taken in drink, purgeth downwards, and draweth phlegmatic and watery humours from the joints, whereby it helpeth the dropfy, gout, sciatica, and pains in the hips and joints; it also provoketh ftrong vomits, and helpeth the pains of the fides, and fwellings of the fpleen; cleanfeth also the reins or kidneys and bladder of the ftone, provoketh urine abundantly, and hindereth the growing again of the ftone in the body. The continual use of the powder of the leaves and feed doth cure the black-jaundice: the diffilled water of the flowers is profitable for all the fame purposes; it also helpeth surfeits, and altereth the fits of agues, if three or four ounces thereof, with as much of the water of the smaller centaury, and a little fugar put therein, be taken a little before the fit cometh, and the party be laid down to fweat in bed. The oil or water, that is drawn from the ends of the green flicks heated in the fire, helps the tooth-ach. The juice of the young branches made into an ointment of old hog's-greafe and anointed, or the young branches bruifed and heated in oil or hog's-greafe, and laid to the fides pained by wind, as in ftitches, or the fpleen, eafeth them in once or twice using; the same boiled in oil, is the safest and surest medicine to kill lice in the head or body; and is an especial remedy for joint-achs and swollen knees that come by the falling down of humours.

The

The broom-rape also is not without its virtues. The decoction thereof in wine is thought to be as effectual to avoid the stone in the kidneys and bladder, and to provoke urine, as the broom itself. The juice thereof is a singular good help to cure as well green wounds as old and filthy fores and malignant ulcers; the insolate oil, wherein there has been three or sour repetitions of insuson of the top stalks with the slowers, strained and cleared, cleanseth the skin from all manner of spots, marks, and freckles, that arise either by the heat of the sun or the malignity of humours. As for the broom and broom-rape, Mars owns them; and it is exceeding prejudicial to the liver, I suppose by reason of the antipathy between Jupiter and Mars: therefore, if the liver be disaffected, administer none of it.

BUCKSHORN PLANTANE.

Description. THIS, being fown of feed, rifeth up at the first with small, long, narrow, hairy, dark-green, leaves, like grass, without any division or gash in them; but those that follow are gashed in on both sides the leaves into three or four gashes, and pointed at the ends, resembling the knags of a buck's horn, whereof it took its name; and being well grown round about the root upon the ground, in order one by another, thereby resembling the form of a star, from among which rife up divers hairy stalks, about a hand-breadth high, bearing every one a small, long, spiky, head, like to those of the common plantane, having such-like bloomings and seed after them: the root is single, long, small, and stringy.

PLACE. They grow in dry fandy ground, as in Tothill-fields, Westminster, and many other places in this kingdom.

Time. They flower and feed in May, June, and July; and their leaves, in a manner, abide green all the winter.

Government and Virtues. It is under the dominion of Saturn, and is of a drying and binding quality: this boiled in wine and drunk, and fome of the leaves applied to the hurt place, is an excellent remedy for the biting of the viper or adder, which I take to be one and the fame; and, being also drunk, it helpeth those that are troubled with the stone in the reins or kidneys, by cooling the heat of the parts afflicted, and strengthening them; as also weak stomachs that cannot retain, but cast up, their meat; it stayeth bleedings at the mouth and nose, bloody urine, or the bloody flux, and stoppeth the lask of the belly and bowels; the leaves hereof bruised, and laid to their sides that have an ague, suddenly ease the fit, and the leaves and roots beaten with some bay-salt, and applied to the wrists, work the same effects; the herb boiled in ale or wine, and given for some mornings and evenings together, stayeth the distillations of hot and sharp rheum falling into the eyes from the head, and helpeth all forts of sore eyes.

No. 8. 2 C BUCKS-

BUCKSHORN.

IT is also called hartfhorn, herbaftella and herbaftellaria, fanguinaria, herb-eve, herb-ivy, wort-creffes, and fivine-creffes.

Description. It has many small and weak firaggling branches trailing here and there upon the ground; the leaves are many, small, and jagged, not much unlike to those of buckshorn plantane, but much smaller, and not so hairy: the flowers grow among the leaves in small, rough, whitish, clusters; the seeds are smaller and brownish, and of a bitter taste.

PLACE. They grow in dry, barren, and fandy, grounds.

TIME. They flower and feed with the other plantanes.

GOVERNMENT AND VIRTUES. This is also under the dominion of Saturn; the virtues are held to be the fame as buckshorn plantane, and therefore by all authors it is joined with it: the leaves, being bruifed, and applied to warts; will make them consume and waste away in a short time.

BUGLE.

BESIDES the name bugle, it is called middle-confound, and middle-comfrey, brown bugle, and by fome ficklewort, and herb-carpenter, though in Suffex they call another herb by that name.

Description. This hath larger leaves than those of the self-heal, but else of the same fashion, or rather a little longer; in some green on the upper side and in others rather brownish, dented about the edges, somewhat hairy, as the square stalk is also, which riseth up to be half a yard high sometimes, with the leaves set by couples; from the middle almost whereof upwards stand the slowers together, with many smaller and browner leaves than the rest on the stalk below, set at distances, and the stalk bare between them; among which slowers are also small ones, of a bluish, and sometimes of an ash, colour, sashioned like the slowers of ground-ivy, after which come small, round, blackish, seed: the root is composed of many strings, and spreadeth upon the ground.

The white bugle differeth not in form or greatness from the former, faving that the leaves and stalks are always green, and the flowers are white.

PLACE. It grows in woods, coppices, and fields, generally throughout England, but the white-flowered bugle is not so plentiful as the other.

TIME. They flower from May till July, and in the mean time perfect their feed; the root, and the leaves next the ground, abiding all the winter.

GOVERNMENT AND VIRTUES. This herb is belonging to Venus: if the virtues of it make you in love with it, (as they will if you are wife,) keep a fyrup of it to take

take inwardly, and an ointment and plaster of it to use outwardly, always by you. The decoction of the leaves and flowers, made in wine, and taken, diffolyeth the congealed blood in those that are bruifed inwardly by a fall or otherwise, and is very effectual for any inward wounds, thrufts, or stabs in the body or bowels, and is a special help in all wound-drinks, and for those that are liver-grown as they call it. It is wonderful in curing all manner of ulcers and fores, whether new and fresh or old and inveterate, and even gangrenes and fiftulas, if the leaves are bruifed and applied. or the juice used to wash and bathe the places; and the same, made into a lotion with honey and alum, cureth all fores of the mouth or gums, be they ever so foul, or of long continuance; and worketh no lefs powerfully and effectually for fuch ulcers and fores as happen in the fecret parts of men or women. Being also taken inwardly, or outwardly applied, it helpeth those that have broken any bone, or have any member out of joint. An ointment, made with the leaves of bugle, scabious, and fanicle, bruifed, and boiled in hog's greafe until the herbs be dry, and then ftrained forth into a pot, for fuch occasions as shall require it, is so singularly good for all forts of hurts in the body, that none who know its usefulness will be without it. The truth is, I have known this herb cure fome difeases of Saturn, of which I have thought good to quote one. Many times fuch as give themselves much to drinking are troubled with ftrange fancies and fights in the night-time, and fome with voices, as also with the disease ephialtes, or the mare: I take the reason of this to be, according to Fernelius, a melancholy vapour, made thin by excessive drinking ftrong liquor, which flies up and difturbs the fancy, and breeds imaginations like itself, i. e. fearful and troublefome. Thefe I have known cured by taking only two fpoonfuls of the fyrup of this herb about two hours after fupper, when you go to bed: but whether this is done by fympathy or antipathy is rather doubtful; all that know any thing in aftrology know that there is great antipathy between Saturn and Venus in matters of procreation, yea, such a one, that the barrenness of Saturn can be removed by none but Venus, nor the luft of Venus be repelled by any but Saturn; but I am not yet of opinion it is done this way; my reason is, because these vapours, though in quality melancholy, yet by their flying upward feem to be fomething aerial; therefore I rather think it is done by fympathy, Saturn being exalted in Libra, the house of Venus.

BURNET.

IT is also called fanguisorba, pimpinella, bipenula, solbegrella, &c. Common garden burnet is so well known that it needeth no description; but there is another fort which is wild, the description whereof take as followeth.

DESCRIP-

Description. The great wild burnet hath winged leaves rifing from the roots like the garden burnet, but not fo many; yet each of these leaves is at least twice as large as the other, and nicked in the same manner about the edges, of a greyish colour on the under side; the stalks are larger, and rise higher, with many such-like leaves set thereon, and greater heads at the tops, of a brownish-green colour: and out of them come small, dark, purple, slowers, like the former, but larger: the root is black and long like the other, but also greater; it hath almost neither scent nor taste therein like the garden kind.

PLACE. The first grows frequently in gardens; the wild kind groweth in divers counties of this kingdom, especially in Huntingdon and Northamptonshires in the meadows there; as also near London by Pancras church, and by a causeway-fide in the middle of a field by Paddington.

Time. They flower about the end of June and beginning of July, and their feed is ripe in August.

GOVERNMENT AND VIRTUES. It is an herb the Sun challengeth dominion over, and is a most precious herb, little inferior to betony; the continual use of it preserves the body in health, and the spirits in vigour; for, if the Sun be the preferver of life under God, his herbs are the best in the world to do it by. They are accounted to be both of one property, but the smaller is the most effectual, because quicker and more aromatical; it is a friend to the heart, liver, and other principal parts of a man's body: two or three of the stalks with leaves put into a cup of wine, especially claret, are known to quicken the spirits, refresh and cheer the heart, and drive away melancholy; it is a special help to defend the heart from noisome vapours, and from infection of the peftilence, the juice thereof being taken in some drink, and the party laid to fweat immediately. They have, also a drying and an aftringent quality, whereby they are available in all manner of fluxes of blood, or humours, to ftaunch bleedings inward or outward; lasks, fcourings, the bloody flux, women's too-abundant courses, the whites, and the choleric belchings and castings of the ftomach; and is a fingularly good herb for all forts of wounds both of the head and body, either inward or outward; for all old ulcers, or running cankers, and moift fores; to be used either by the juice or the decoction of the herb, or by the powder of the herb or root, or the water of the diffilled herb, or ointment by itfelf, or with other things to be kept. The feed is also no less effectual both to stop fluxes and dry up moift fores, being taken in powder inwardly in wine or fteeled water, that is, wherein hot gads of fteel have been quenched; or the powder of the feed mixed with the ointments.

BUTTER-BUR.

THIS herb is called also petasitis.

Description. It rifes up in February, with a thick stalk about a foot high, whereon are set a sew small leaves, or rather pieces, and at the tops a long spiked head of flowers, of a bluish or deep-red colour, according to the soil wherein it groweth; and, before the stalk with the slowers have been a month above ground, they will be withered and gone, and blown away with the wind, and the leaves will begin to spring, which being sull blown are very large and broad, being somewhat thin and almost round, whose thick red sootstalks, about a foot long, stand towards the middle of the leaves; the lower part being divided into two round parts, close almost one to another, of a pale green colour, and hoary underneath; the root is long, and spreadeth under the ground, being in some places no bigger than one's singer, in others larger, rather blackish on the outside, and white within, and of a very bitter and unpleasant taste.

PLACE AND TIME. They grow in low and wet grounds by rivers and waterfides; their flowers (as is faid) rifing and decaying in February and March, before the leaves, which appear in April.

Government and Virtues. It is under the dominion of the Sun, and therefore is a great firengthener of the heart, and cheers the vital spirits. The excellent Fuschius, in his account of this herb, is most express, and records its virtue as wonderful in pestilential severs; and this he speaks not from tradition, but his own experience. Were it needful to prove the sun gives light, it is scarcely less certain or less obvious, than that this root, beyond all things else, cures pestilential severs, and is by long experience found to be very available against the plague, by provoking sweat; if the powder thereof be taken in wine, it also resistent the force of any other positon; the root taken with the zedoary and angelica, or without them, helps the rising of the mother; the decoction of the root in wine is singularly good for those that wheeze much, or are short-winded; it provoketh urine also and women's courses, and killeth flat and broad worms in the belly; the powder of the root doth wonderfully help to dry up the moisture of fores that are hard to be cured, and taketh away all spots and blemishes of the skin.

BURDOCK.

THEY are also called personata, bardona, lappa major, great burdock, and clotbur. It is so well known, even to the little boys who pull off the burs to throw and stick on each other, that I shall omit writing any description of it. PLACE. It grows plentifully by ditches and water-fides, and by the highways, almost everywhere throughout this land.

GOVERNMENT AND VIRTUES. Venus challengeth this herb for her own; and by its feed or leaf, you may draw the womb which way you pleafe, either upward by applying it to the crown of the head, in case it falls out, or downward in fits of the mother, by applying it to the foles of the feet; or, if you would ftay it in its place, apply it to the navel, and that is likewife a good way to ftay the child in it. leaves are cooling, moderately drying, and difcuffing withal, whereby they are good for old ulcers and fores. A dram of the roots, taken with pine-kernels, helpeth them that fpit foul, mattery, and bloody, phlegm; the leaves, applied to the places troubled with the shrinking of the finews or arteries, give much ease: the juice of the leaves, or rather the roots themselves, given to drink with old wine, doth wonderfully help the bitings of ferpents: and the root beaten with a little falt, and laid on the place, fuddenly eafeth the pain thereof, and helpeth those that are bit by a mad dog: the juice of the leaves, taken with honey, provoketh urine, and remedieth the pain of the bladder: the feed being drunk in wine forty days together, doth wonderfully help the fciatica: the leaves bruifed with the white of an egg, and applied to any place burnt with fire, take out the fire, give fudden eafe, and heal it up afterwards. The decoction of them, fomented on any fretting fore or canker, ftayeth the corroding quality, which must be afterwards anointed with an ointment made of the fame liquor, hog's greafe, nitre, and vinegar, boiled together. Its roots may be preferved with fugar, and taken fasting, or at other times, for the faid purpose, and for consumptions, the stone, and the lask: the seed is much commended to break the ftone, and caufeth it to be expelled by urine, and is often ufed with other feeds, and things to that purpofe.

BUCK-WHEAT.

NAMES. IN most counties of England this grain goeth by the general name of French wheat, as in Hampshire, Surry, Berkshire, Wiltshire, and Buckinghamshire, and especially in those barren parts of the counties where it is most usually fown and delightest to grow; it is also in many parts of England called buckwheat; some take it to be the erysinum of Theophrastus, and the ireo of Pliny, and it is called by Mathiolas frumentum surascenicum; the Dutch names are bockweyedt and buckenweydt.

Description. It rifeth up with round hollow reddish stalks, set with many leaves, each by itself on a stalk, which is broad and round, and lies forked at the bottom, small and pointed at the end, somewhat resembling an ivy-leaf, but that it is

fofter

fofter in handling; at the top of the stalks come forth clusters of small white slowers, which turn into small three-cornered blackish feed, with a white pulp therein; the root is small and thready.

PLACE AND TIME. It is faid to have its original birth-place in Arabia, whereby it had the Latin name frumentum furafenicum, and was transplanted from thence into Italy, but now is very commonly sown in most of our northern counties, where, for the use and profit made of it, many fields are sown therewith; it is not usually sown before April, and sometimes in May, for at its first springing up a frosty night kills it all, and so it will do the flowers when it blossoms; it is ripe at the latter end of August, or the beginning of September, and will grow in a dry hungry ground, for which it is held as good as a dunging.

Government and Virtues. This grain is attributed to Venus: it doth nourifh lefs than wheat, rye, or barley, but more than inillet or panic, and the bread or cakes made of the meal thereof doth eafily digeft, and foon pafs out of the fromach, though fome hold to the contrary; it giveth small nourifhment, though not bad; but is withal a little flatulent or windy; yet country-people in divers parts of Germany and Italy do feed hereon as almost their only bread-corn, and are strong and lusty persons, following hard labour; the bread or cakes made thereof are pleafant, but do somewhat press or lie heavy on the stomach. I never knew any bread or cakes made of it for people to eat in this country, but it is generally used to fatten hogs and poultry of all forts, which it doth very exceedingly and quickly. The physical uses of it are these: it provoketh urine, increaseth milk, looseneth the belly, and, being taken in wine, is good for melancholy persons; the juice of the leaves dropped into the eyes cleareth the fight.

BLACK BIND-WEED.

NAME. IT is also called with-wind.

DESCRIPTION. Black bind-weed hath fmooth red branches, very fmall, like threads, wherewith it wrappeth and windeth itfelf about trees, hedges, ftakes, and every thing it can lay hold upon; the leaves are like ivy, but fmaller and more tender; the flowers are white, and very fmall; the feed is black, triangular or three-fquare, growing thick together; every feed is closed and covered with a thin fkin; the root is fmall and tender as a thread.

PLACE. It groweth in borders of fields and gardens, about hedges and ditches, and amongst herbs.

TIME. It delivereth its feed in August and September, and afterwards perisheth.

GOVERNMENT

104 CULPEPER'S ENGLISH PHYSICIAN,

GOVERNMENT AND VIRTUES. Bind-weed is a plant of Mercury, of a hot nature, and of fubtil parts, having power to diffolve; the juice of the leaves, being drunk, doth loofen and open the belly; the leaves pounded, and laid to the grieved place, diffolve, wafte, and confume, hard fwellings.

BALSAM-TREE.

THE Arabians call it baleffan, the Greeks βαλουμον, and the Latins balfamum; the liquor they call opobalfamum, the berries or fruit of the tree carpobalfamum, and the fprigs or young branches thereof zylobalfamum.

DESCRIPTION. The balfam or balm-tree, in the most natural places where it groweth, is never very large, feldom more than eight or nine feet high, and in fome places much lower, with divers small and straight slender branches issuing from them, of a brownish-red colour, especially the younger twigs, covered with a double bark, the red first and a green one under it, which are of a very fragrant smell, and of an aromatical quick tafte, fomewhat aftringent and gummy, cleaving to the fingers; the wood under the bark is white, and as infipid as any other wood; on there branches come forth, fparfedly and without order, many ftalks of winged leaves, fomewhat like unto those of the mastic-tree, the lowest and those that first come forth confifting but of three leaves, others of five or feven leaves, but feldom more; which are fet by couples, the lowest smallest, and the next bigger, and the uppermost largest of all; of a pale-green colour, smelling and tasting somewhat like the bark of the branches, fomewhat clammy alfo, and abide on the bushes all the year; the flowers are many and finall, ftanding by three together on finall stalks at the ends of the branches, made of fix fmall white leaves a-piece, after which follow finall brownish hard berries, little bigger than juniper berries, small at both ends, crested on the fides, and very like unto the berries of the turpentine-tree, of a very fharp fcent, having a yellow honey-like fubftance in them, fomewhat bitter, but aromatical in tafte, and biting on the tongue like the opobalfamum; from the body hereof, being cut, there iffueth forth a liquor (which fometimes floweth without fcarifying) of a thick whitish colour at the first, but which afterwards groweth oily, and is somewhat thicker than oil in fummer, and of fo fharp a fcent that it will pierce the noftrils of those that smell thereto; it is almost like unto oil of spike, but as it groweth older fo it groweth thicker, and not fo quick in the fmell, and in colour becoming yellow like honey or brown thick turpentine as it groweth old.

PLACE AND TIME. The most reputed natural places where this tree hath been known to grow, both in these and former days, are Arabia Felix, about Mecca and Medina, and a small village near them called Bedrumia, and the hills, valleys,

and





and fandy grounds, about them, and the country of the Sabeans adjoining next thereunto; and from thence transplanted into India and Egypt: it likewise grew on the hills of Gilead. It is reported, that the Queen of Sheba brought of the balfam-trees to Solomon, as the richest of her presents, who caused them to be planted in orchards, in the valley of Jericho, where they flourished, and were tended and yearly pruned, until they, together with the vineyards, in that country, were destroyed by that monster of mankind, the savage bestial Turk. It slowereth in the spring, and the fruit is ripe in autumn.

GOVERNMENT AND VIRTUES. This balfam-tree is a folar plant, of temperature hot and dry in the fecond degree, and is fweet in fmell, being of thin parts, but the liquor or opobalfamum is of more thin parts than the plant itself; the fruit or berries is very like it in quality, but far inferior thereunto in the fubrility; the liquor or opobalfanum is of good use against the poisons or infections of vipers, serpents, and fcorpions, the peftilence and fpotted fever, and other putrid and intermiffive agues that arise from obstructions and crude cold humours, to take a scruple or two in drink, for fome days together, and to fweat thereon; for this openeth the obftructions of the liver and spleen, and digesteth raw humours, cherishing the vital fpirits, radical moisture, and natural heat; and is very effectual in cold griefs and difeases of the head or stomach, helping the swimmings and turning of the brain, weak memories, and falling fickness. It cleareth the eyes of films or skins, and easeth pains in the ears. It helpeth a cough, shortness of breath, and consumption of the lungs, warming and drying up the diftillations of rheums upon them, and all other difeases of the stomach proceeding of cold or wind; the cold or windy diffempers of the bowels, womb, or mother, which cause torments or pains, or the cold moiftures procuring barrenness. It provoketh the courses, expelleth the dead and after births, cures the flux of the whites and ftopping of urine; it cleanfeth the reins and kidneys, and expelleth the ftone and gravel; it is very good against the palfy, cramp, tremblings, convulsions, shrinking of the sinews, and green wounds.

CABBAGES AND COLEWORTS.

I SHALL spare a labour in writing a description of these, since almost every one that can but write at all may describe them from his own knowledge, they being generally so well known that descriptions are altogether needless.

PLACE. These are generally planted in gardens.

TIME. Their flowering time is towards the middle or end of July, and the feed is ripe in August.

No. 8.

GOVERNMENT AND VIRTUES. The cabbages or coleworts boiled gently in broth, and eaten, do open the body, but the fecond decoction doth bind the body: the juice thereof drunk in wine, helpeth those that are bitten by an adder; and the decoction of the flowers bringeth down women's courses. Being taken with honey, it recovereth hoarfeness or loss of voice; the often eating of them, well boiled, helpeth those that are entered into a consumption: the pulp of the middle ribs of colewort, boiled in almond milk, and made up into an electuary with honey, being taken often, is very profitable for those that are purfy or short-winded; being boiled twice, and an old cock boiled in the broth, and drunk, helpeth the pains and obftructions of the liver and fpleen, and the ftone in the kidneys; the juice boiled with honey, and dropped into the corner of the eyes, cleareth the fight, by confuming any film or cloud beginning to dim it; it also confumeth the canker growing therein. They are much commended, being eaten before meat, to keep one from furfeiting, as also from being drunk with too much wine, and quickly make a drunken man fober; for as they fay, there is fuch an antipathy or enmity between the vine and the colewort, that the one will die where the other groweth. The decoction of coleworts taketh away the pains and achs, and allayeth the fwellings of fwoln or gouty legs and knees, wherein many groß and watery humours are fallen, the place being bathed therewith warm: it helpeth also old and filthy fores, being bathed therewith, and healeth all finall feabs, pushes, and wheals, that break out in the skin: the ashes of colewort-stalk, mixed with old hog's grease, are very effectual to anoint the fide of those that have had long pains therein, or any other place pained with melancholy and windy humours. Cabbages are extreme windy, whether you take them as meat or as medicine; but colewort-flowers are fomething more tolerable, and the wholefomer food of the two. The Moon challengeth the dominion of the herb.

SEA-COLEWORT.

DESCRIPTION. THIS hath divers fomewhat long, broad, large, thick, wrinkled, leaves, crumpled upon the edges, growing each upon a feveral thick footftalk, very brittle, of a greyish green colour; from among which rifeth up a strong thick stalk, two feet high, or more, with fome leaves thereon to the top, where it brancheth forth much, and on every branch ftandeth a large bush of pale whitish flowers, confifting of four leaves each: the root is fomewhat large, and fhooteth forth many branches under ground, keeping green leaves all the winter.

PLACE. They grow in many places upon the fea-coafts, as well on the Kentish as Effex shores; as, at Lid in Kent, Colchester in Effex, and divers other places, and in other counties, of this land.

TIME.

TIME. They flower and feed about the time the other kinds do.

GOVERNMENT AND VIRTUES. The Moon claims the dominion of these also. The broth, or first decoction, of the sea-colewort, doth, by the sharp, nitrous, and bitter, qualities therein, open the belly, and purge the body; it cleanseth and digesteth more powerfully than the other kind; the seed hereof, bruised and drunk, killeth worms: the leaves, or the juice of them, applied to fores or ulcers, cleanse and heal them, dissolve swellings, and take away inflammations.

CALAMINT.

IT is called also mountain mint.

Description. It is a fmall herb, feldom rifing above a foot high, with fquare hairy and woody stalks, and two small hoary leaves set at a joint, about the bigness of marjoram, or not much bigger, a little dented about the edges, and of a very sierce or quick scent, as the whole herb is; the flowers stand at several spaces of the stalks, from the middle almost upwards, which are small and gaping like the common mint, and of a pale blush colour; after which follow small, round, blackish, seeds; the root is small and woody, with divers small sprigs spreading within the ground: abideth many years.

PLACE. It groweth on heaths, and upland dry grounds, in many counties of this kingdom.

TIME. They flower in July, and their feed is ripe quickly after.

GOVERNMENT AND VIRTUES. It is an herb of Mercury, and a ftrong one too, therefore excellent good in all afflictions of the brain; the decoction of the herb, being drunk, bringeth down women's courses, and provoketh urine; it is profitable for those that are bursten, or troubled with convulsions or cramps, with shortness of breath, or choleric torments or pains in the belly or ftomach; it also helpeth the yellow jaundice, and, being taken in wine, ftayeth vomiting; taken with falt and honey, it killeth all manner of worms in the body, it helpeth fuch as have the leprofy, either taken inwardly, drinking whey after it, or the green herb outwardly applied; it hindereth conception in women, being either burned or ftrewed in the chamber; it driveth away venomous ferpents. It takes away black and blue marks in the face, and maketh black fcars become well-coloured, if the green herb be boiled in wine, and laid to the place, or the place washed therewith: being applied to the huckle-bone, by continuance of time it fpendeth the humours which cause the pains of the sciatica; the juice, dropped into the ears, killeth the worms in them; the leaves, boiled in wine, and drunk, provoke sweat, and open obstructions of the liver and spleen. It helpeth them that have a tertian ague, the body being first

purged, by taking away the cold fits; the decoction hereof, with fome fugar put thereto, is very profitable for those that are troubled with the overflowing of the gall, and also for those that have an old cough, and that are scarcely able to breathe by shortness of their wind; that have any cold diffemper in their bowels, and are troubled with the hardness of the spleen; for all which purposes both the powder called diacaluminthes, and the compound syrup of calamint, (which are to be had at the apothecaries,) are most effectual. Let not women be too busy with it, for it works very violently upon the semale subject.

CAMOMILE.

IT is fo well known every where, that it is but loft time and labour to describe it. The virtues thereof are as follow:

A decoction made of camomile, and drunk, taketh away all pains and ftitches in the fides; the flowers of camomile, beaten and made up into balls with oil, drive away all forts of agues, if the party grieved be anointed with that oil, taken from the flowers, from the crown of the head to the fole of the foot, and afterwards laid to fweat in his bed; this is Nicheffor an Egyptian's medicine. It is profitable for all forts of agues that come either from phlegm of melancholy, or from an inflammation of the bowels, being applied when the humours caufing them shall be concocted; and there is nothing more profitable to the fides and region of the liver and spleen than this; the bathing with a decoction of camomile taketh away wearinefs, eafeth pains to what part of the body foever it be applied; it comforteth the finews that are overftrained: mollifieth all fwellings; it moderately comforteth all parts that have need of warmth; digesteth and dissolveth whatsoever have need thereof by a wonderful and speedy property. It easeth all the pains of the cholic and ftone, and all pains and torments of the belly, and gently provoketh urine: the flowers boiled in poffet-drink, provoke fweat, and help to expel colds, achs, and pains wherefoever, and are an excellent help to bring down women's courfes; a fyrup made of the juice of camomile with the flowers and white wine, is a remedy against the jaundice and dropsy; the flowers, boiled in lye, are good to wash the head, and comfort both it and the brain; the oil, made of the flowers of camomile is much ufed against all hard swellings, pains or achs, shrinking of the sinews, or cramps or pains in the joints, or any other part of the body; being used in clysters, it helpeth to diffolve wind and pains in the belly; anointed alfo, it helpeth fitches and pains in the fides.

Nicheffor faith, the Egyptians dedicated it to the Sun because it cured agues; and they were like enough to do it, for they were the most superfittious people in their religion

religion I ever read of. Bacchinus, Pena, and Lobel, commend the fyrup made of the juice of it and fugar, taken inwardly, to be excellent for the fpleen. Also this is certain, that it most wonderfully breaks the stone; some take it in fyrup or decoction, others inject the juice of it into the bladder with a fyringe: my opinion is, that the falt of it, taken half a dram in the morning in a little white or rhenish wine, is better than either; that it is excellent for the stone, appears in this which I have seen tried, viz. That a stone that hath been taken out of the body of a man, being wrapped in camomile, will in a short time dissolve.

WATER-CALTROPS.

THEY are called also, tribulus aquaticus, tribulus lacustris, tribulus marinus, caltrops, faligot, water-nuts, and water-chesnuts.

Description. As for the greater fort, or water-caltrop, it is but very rarely found here: two other forts there are, which I shall here describe.—The first hath a long, creeping, and jointed root, sending forth tusts at each joint, from which joints arise, long, stat, slender, knotted, stalks, even to the top of the water, divided towards the top into many branches, each carrying two leaves on both sides, being about two inches long and half an inch broad, thin and almost transparent; they look as though they were torn; the flowers are long, thick, and whitish, set together almost like a bunch of grapes, which being gone, there succeed, for the most part, four sharp-pointed grains all together, containing a small white kernel in them.

The fecond differs not much from this, except that it delights in more clear water; its stalks are not flat, but round; its leaves are not so long, but more pointed. As for the place, we need not determine, for their name shows they grow in the water.

GOVERNMENT AND VIRTUES. It is under the dominion of the Moon, and, being made into a poultice, is excellent good for hot inflammations and fwellings, cankers, fore throats and mouths, being washed with the decoction; it cleanseth and strengtheneth the neck and throat much, and helpeth those swellings, which when people have, they say the almonds of the ears are fallen down. It is excellent good for the stone and gravel, especially the nuts, being dried; they also resist poison, and the bitings of venomous beasts.

WILD CAMPIONS.

DESCRIPTION. THE wild white campion hath many long and fomewhat broad dark green leaves lying upon the ground, with divers roots therein, fomewhat like plantane, but rather hairy, broader, and not folong; the hairy stalks rife up in the middle of them three or four feet high, and fometimes more, with divers great white joints at several places thereon, and two such-like leaves thereat up to the top,

No. 8. 2 F fending

fending forth branches at feveral joints alfo, all which bear, on feveral footfalks, white flowers at the tops of them, confifting of five broad pointed leaves, every one cut in on the end unto the middle, making them feem to be two apiece, finelling fomewhat fweet, and each of them franding in large, green, friped, hairy, hufks, large and round below next to the fialk; the feed is finall and greyish in the hard heads that come up afterwards; the root is white, long, and spreading.

The red wild campion groweth in the fame manner as the white, but its leaves are not fo plainly ribbed, fomewhat fhorter, rounder, and more woolly in handling; the flowers are of the fame fize and form, but fome are of a pale and others of a bright red colour, cut in at the ends more finely, which makes the leaves feem more in number than the other: the feed and the roots are alike, the roots of both forts abiding many years.

There are forty-five forts of campions more: those of them which are of physical uses have the like virtues with these above described, which are the two chief kinds.

PLACE. They grow commonly throughout this kingdom in fields, and by hedge-fides and ditches.

Time. They flower in fummer, fome earlier than others, and fome abiding longer than others.

Government and Virtues. They belong to Saturn; and it is found by experience that the decoction of the herb, either of the white or red, being drunk, doth fray inward bleedings, and applied outwardly it doth the like; also, being drunk, it helpeth to expel urine, being stopped, and gravel or stone in the reins or kidneys; two drams of the feed, drunk in wine, will purge the belly of choleric humours, and help those that are stung by scorpions, or other venomous beasts, and may be as effectual for the plague: it is of very good use in old sores, ulcers, cankers, fistulas, and the like, to cleanse and heal them, by consuming the moist humours falling into them, and correcting the putrefaction of humours offending them.

CARDUUS BENEDICTUS.

IT is called *carduus benedictus*, or bleffed thiftle, or holy thiftle; which name was doubtlefs given to it on account of its excellent qualities.

I shall spare a labour in writing a description of this, since almost every one may describe it from his own knowledge.

PLACE. It groweth plentifully in gardens.

TIME. It flowers in August, and seeds soon after.

GOVERNMENT AND VIRTUES. It is an herb of Mars, and under the fign Aries. Now, in treating on this herb, I shall give you a rational conception of all the reft,

reft, and, if you pleafe to view them throughout the book, you shall to your content find them true. It helps swimmings and giddiness of the head, or the disease called vertigo, because Aries is in the house of Mars. It is an excellent remedy against the yellow jaundice, and other infirmities of the gall, because Mars governs choler. It strengthens the attractive faculty in man, and clarifies the blood, because it is ruled by Mars. The continual drinking the decoction of it helps red faces, tetters, and ringworms, because Mars causeth them. It helps plague-fores, boils, the itch, and bitings of mad dogs and venomous beasts; all which infirmities are under Mars. Thus you see what it doth by sympathy.

By antipathy to other planets, it cures the venereal difease; this by antipathy to Venus, who governs it. It firengthens the memory, and cures deafness, by antipathy to Saturn, who hath his fall in Aries, which rules the head. It cures quartan agues, and other difeases of melancholy and adust choler, by sympathy to Saturn, Mars being exalted in Capricorn; also it provokes urine, the stopping of which is usually caused by Mars or the Moon. It is excellent for the head and the parts thereof; this herb being eaten, or the powder or juice drunk, keepeth a perfon from the headach and megrim, and also driveth it away. Being taken in meat or drink, it is good against dizziness and swimming of the head. It comforteth the brain, sharpeneth the wit, and strengtheneth the memory: it is a singular remedy against deafness, for it amendeth the thickness of the hearing, and provokes sleep. The juice of it laid to the eyes quickeneth the fight; also, the water in which the powder or herb dried is freeped, hath the fame effect if the eyes be washed therewith; the herb eaten is good for the same purpose. The water or juice dropped into the eyes, cureth the redness, bloodshot, and itching, of them. Some write that it strengthens the teeth, they being washed and rubbed with a cloth dipped in the water or juice thereof. The powder stauncheth the blood that floweth out of the nose, being applied to the place. It comforteth the ftomach; the broth of the herb, otherwise called the decoction, drunk in wine, is good for an evil ftomach; it helpeth the weak ftomach, and caufeth appetite to meat; also the wine, wherein it hath been boiled, doth cleanse and mundify the infected fromach. The powder thereof, eaten with honey, or drunk. in wine, doth ripen and digest cold phlegm, purgeth and bringeth up that which is in the breaft, fcouring the fame of groß humours, and caufeth to breathe more eafily. The herb, chewed in the mouth, healeth the ftench of the breath. It helpeth the heart; the powder, being taken before a man is infected, preferveth him from peftilence; and a dram of it, or a walnut-shell full, taken immediately after he feeleth himself infected, expelleth the venom of the pestilent infection from the heart, fo that, if a man fweat afterwards, he may be preferved: the same effect hath the herb boiled in wine, or in the urine of a healthy man-child, and drunk; I mean the decoction or liquor from which the herb is ftrained, after it hath been boiled there-

in; the same preparation is also good for the dropfy, the falling sickness, and to break aposthumes. The leaves, powder, juice, or water, of the herb, being drunk, and the patient well covered with clothes, fweating three hours, expelleth all poifons that have been taken in at the mouth, and other corruption or infection that may hurt and annoy the heart. It helpeth the liver, lungs, and other parts of the body; the herb boiled in wine, and drunk hot about a quarter of an hour before the fit, and the patient afterwards well covered in bed, driveth away the ague. The powder and water of this herb, drunk with wine, have the same effect. The juice, drunk with wine, is good against shortness of breath, and the diseases of the lungs: it ftrengtheneth the members, and is good against the achs of the body. The powder, eaten or drunk, is good against stitches in the side; it is also good for those that begin to have the confumption, called the phthysic: the herb, eaten. doth ftrengthen trembling and paralytic members: the powder, ministered in a clyfter, helpeth the cholic, and other difeafes of the guts; and the water drunk hath the fame effect. The juice taken with wine, or the herb boiled in wine and drunk hot, breaketh the ftone, and driveth out gravel; being fodden in water, and the patient fitting over it, fo that the hot vapour may come unto the difeafed place, it helpeth against the same infirmity; after the like manner being used, it is good against the green-fickness; also, it easeth the griping pains of the belly, openeth the ftoppings of the members, and pierceth and caufeth urine. The leaves boiled in wine, and drunk as aforefaid, provoke fweats, confume evil blood, and ingender good; also, the wine or water, in which this herb has boiled, being drunk, confumeth evil humours, and preferveth good. It is excellent for one that is bruifed with a fall or otherwise. The leaves, juice, broth, powder, and water, of the herb, are very good to heal the canker, and old rotten, feftered, fores: the leaves bruifed or pounded, and laid to, are good against burnings, hot swellings, carbuncles, and fores that are hard to be cured, especially for those of the pestilence: they are likewife good to heal the bitings of venomous worms and ferpents, or creeping beafts. Finally, the down coming off the flowers thereof, when the feed is ripe, doth heal cuts and new wounds without pain.*

CARROTS.

GARDEN carrots are fo well known that they need no description; but, because they are of less physical use than the wild kind, (as indeed, almost in all herbs, the wild are most effectual in physic, as being more powerful in their operations than the garden kind,) I shall therefore briefly describe the wild carrot.

DESCRIPTION.

^{*} Thus much of carduus benedictus, gathered out of the Herbals of divers learned men, which although it may be fufficient, yet I have thought good here to fet down that which two studious

Description. It groweth in a manner altogether like the tame, but that the leaves and stalks are somewhat whiter and rougher; the stalks bear large tusts of white slowers, with a deep purple spot in the middle, which are contrasted together when

and skilful physicians, Mathiolus and Fuschius, have written hereof in Latin; whose words, as perhaps they may bring some credit to that which is already written, so in them something more may be learned, or at the least fomething is uttered for the better understanding of that aforesaid. Their words are in Engish as followeth: Carduus benedictus is a plant of great virtue, especially against the pestilence, and also against deadly poisons, as well taken inwardly as outwardly applied to the flingings and bitings of venomous beafts; they also are healed with this herb that are troubled with a quartan or other agues, that come by a cold, and that by drinking of the decoction or diffilled water, or a drachm of the powder: in like manner being drunk, it helpeth infants that are troubled with the falling fickness. The decoction taken in wine doth mitigate the pains of the guts and reins, and other griefs of the belly; it provoketh fweat, it killeth worms, and is good against other diseases of the womb: the herb itself as well green as dried, both drunk and laid outwardly to the grief, doth heal ulcers; on fuch extraordinary occasions it is mingled with the drink made of guaiacum, wine, and water, for the French difease. Learned writers affirm that it taketh away the floppings of the inward bowels; it provoketh urine, breaketh the stone, and helpeth those that are stung of venomous beasts. They say also that those cannot be infected who take it in their meat and drink, before they come into the evil air, and that it helpeth them much that are already infected; moreover, most agree, that it is a remedy against the bitings of ferpents. Finally, to conclude, late writers fay, that it cureth the pains of the head, taketh away giddiness, recovereth the memory, being taken in meat or drink. Also it helpeth festering fores, especially of the paps and teats, if the powder thereof be laid on them. By this we may in part understand, with how great virtue God hath indued, and I may say blessed, this herb. To fum up all, it helpeth inwardly and outwardly; it strengthens almost all the principal members of the body, as the brain, the heart, the ftomach, the liver, the lungs, and kidneys. It is also a prefervative against all diseases, for it provoketh sweat, by which the body is purged of much corruption which breedeth difeafes. It expelleth the venom of infection, it confumes ill blood, and all naughty humours, whereof difeases are engendered. Therefore, giving God thanks for his goodness which hath given this herb, and all other things, for the benefit of our health; it will in the next place be convenient to confider how to make use of it in the application.

It is to be observed, that we may use this herb, and enjoy the virtues thereos, four ways: First, in the green leaf. Secondly, in the powder. Thirdly, in the juice. And fourthly, in the distillation. The green leaf may be taken with bread and butter, as we use to take sage and parsley in a morning for breaksast: and, if it be too bitter, it may be taken with honey instead of butter. It may be taken in pottage boiled among other herbs; or, being shred small, it may be drunk with ale, beer, or wine. It is sometimes given in beer with aqua composite, and that without harm, when the stomach of the patient is weak, and he not troubled with any hot disease. The juice of it is outwardly applied; the leaf, powder, and water, of it, is received into the mouth. It may be No. 9,

when the feed begins to ripen; fo that the middle part being hollow and low, and the outward stalks rising high, maketh the whole number to shew like a bird's nest: the root is very small, long, and hard, and quite unsit for meat, being somewhat sharp and strong.

PLACE. The wild kind groweth in divers parts of this land, plentifully by the field fides, and in untilled places.

TIME. They flower and feed in the end of fummer.

GOVERNMENT AND VIRTUES. Wild carrots belong to Mercury, and therefore expel wind, and remove slitches in the sides, provoke urine, and women's courses, and help to expel and break the stone; the seed also of the same worketh the like effect, and is good for the dropfy, and those whose bellies are swollen with wind; it helpeth the choic, the stone in the kidneys, and the rising of the mother, being taken in wine; boiled in wine and taken, it helpeth conception: the leaves, being applied with honey to running fores or ulcers, do cleanse them. I

taken in pottage also in the green leaf, or with wine, which if it be burned and drunk hot, it is the better. If you pleafe, you may boil it with wine, and honey or fugar to make it fweet, and then drink it very warm. The powder may be taken with honey upon the point of a knife, or with bread and honey if you prefer it; or else it may be drunk with ale, beer, or wine. The diffilled water may be drunk by itself alone, or else with white wine before meat, especially if the stomach be weak and cold. The liquor or broth in which this herb is boiled may be made thus: Take a quart of running water, feethe it and fcum it, then put into it a good handful of the herb, and let it boil until the better part be confumed; then drink it with wine, or if you think fit with honey or fugar, to make it the more palatable. Or you may make a portion thus: Take a good handful of the leaves, with a handful of raifins of the fun, washed and stoned, and some surgarcandy and liquorice fliced small; boil them all together in a quart of water, ale, or wine: if it be bitter, it may be made fweet as aforesaid. It is also to be observed, that the powder and water of the herb are most to be regarded, and especially the water: for they may be long preserved, so that you may have them always in readiness for use, when neither the green leaf nor juice can be had. The water, which only is free from bitterness, may be drunk by itself alone, for the stomach and taste will bear it, being equally as palatable as rofe-water. If the feed be fown as foon as it is ripe, you may have the herb both winter and fummer, from the time that it beginneth to grow until the feed grow ripe again. Therefore I counsel all those who have gardens, to nourish it, that they may have it always for their own use, and the use of their neighbours that stand in need of it. But perhaps fome may afk a question of the time and quantity, which things are to be considered in taking of m. dicines. As touching the time, if it be taken for a preservative, it is good to take it in the morning, or in the evening before going to bed, because that is a convenient time to sweat for one that feeleth himself not greatly diseased. But, if a man take it to expel any ill humours, it is good to take it whenever the grief is felt in the body, and immediately to go to bed and fweat.

fuppofe

fuppose the seed of them performs this better than the root; and, though Galen commended garden-carrots highly to break wind, yet experience teacheth that they breed it first; and we may thank nature for expelling it, not they. The seeds of them expel wind, and so mend what the root marreth.

CARRAWAY.

Description. IT beareth divers stalks of fine cut leaves lying upon the ground, somewhat like the leaves of carrots, but not bushing so thick, of a little quick taste, from among which riseth up a square stalk not so high as the carrot, at whose joints are set the like leaves, but smaller and siner, and at the top small open tusts or umbels of white slowers which turn into small blackish seed, smaller than aniseseed, and of a quicker and hotter taste: the root is whitish, small, and long, somewhat like unto a parsnip, but with more wrinkled bark, and much less, of a little hot and quick taste, and stronger than the parsnip; it abideth after seed-time.

PLACE. It is usually fown with us in gardens.

TIME. They flower in June and July, and feed quickly after.

GOVERNMENT AND VIRTUES. This is also a mercurial plant. Carraway-seed hath a moderate sharp quality, whereby it expelleth wind, and provoketh urine, which also the herb doth: the root is better food than the parsnip, and is pleasant and comfortable to the stomach, helping digestion: the seed is a remedy for all the cold griefs of the head and stomach, the bowels or mother, as also the wind in them, and helpeth to sharpen the eye-sight. The powder of the seed put into a poultice, taketh away black and blue spots of blows or bruises; the herb itself, or with some of the seed, bruised and fried, laid hot in a bag or double cloth to the lower parts of the belly, easeth the pains of the wind cholic: the roots of carraways, eaten as men eat parsnips, strengthen the stomach of aged people exceedingly, and they need not make a whole meal of them neither; it is fit to be planted in every man's garden. Carraway-comsits, once only dipped in sugar, and half a spoonful of them eaten in a morning salting, and as many after each meal, is a most admirable remedy for such as are troubled with wind.

CELANDINE.


DESCRIPTION. THIS hath divers tender, round, whitish-green, stalks, with greater joints than ordinary in other herbs, as it were knees, very brittle and easy to break, from whence grow branches, with large, tender, long, leaves, divided into many parts, each of them cut in on the edges, set at the joints on both sides of

the

the branches, of a dark bluish green colour on the upper fide, like columbines, and of a more pale bluish green underneath, full of yellow sap, when any part is broken, of a bitter tafte, and strong scent; at the tops of the branches, which are much divided, grow gold yellow flowers of four leaves each, after which come small long pods, with blackish feed therein. Its root is somewhat great at the head, shooting forth divers long roots, and small strings, reddish on the outside, and yellow within, and is full of a yellow fap.

PLACE. It groweth in many places, by old walls, by the hedges and way-fides in untilled places; and being once planted in a garden, especially in a shady place, it will remain there.

TIME. They flower all the fummer long, and the feed ripeneth in the mean time. GOVERNMENT AND VIRTUES. This is an herb of the Sun, and under the celeftial Lion, and is one of the best cures for the eyes that is. All that know any thing of Astrology, know, as well as I can tell them, that the eyes are subject to the luminaries; let it then be gathered when the Sun is in Leo, and the Moon in Aries applying to his trine. Let Leo arife, then you may make it into an oil or ointment. which you pleafe, to anoint fore eyes with; I can prove it both from my own experience, and the experience of those whom I have taught it, that the most defperate fore eyes have been cured by this medicine only; then, I pray, is not this better than endangering the eyes by the art of the needle? for, if this do not abfolutely take away the film, it will fo facilitate the work that it may be done without danger. The herb or root being boiled in white wine with a few aniseseeds therein, and drunk, openeth obstructions of the liver and gall, helpeth the yellow jaundice, and often using it helps the dropfy, the itch, and those who have old fores in their legs, or other parts of their body. The juice thereof taken falling, is held to be of fingular good use against the pestilence; the distilled water with a little sugar, and a little good treacle mixed therewith, (the party upon taking it being laid down to fweat a little,) hath the same effect: the juice dropped into the eyes cleanseth them from films and cloudiness, which darken the fight, but it is best to allay the fharpness of the juice with a little breast-milk; it is good in old filthy, corroding, creeping, ulcers wherefoever, to stay the malignity of fretting and running, and to cause them to heal more speedily; the juice often applied to tetters, ringworms, or other fuch-like spreading cankers, will quickly heal them, and, rubbed often upon warts, will take them away. The herb with the roots bruifed, and bathed with oil of camomile, and applied to the navel, taketh away the griping pains in the belly and bowels, and all the pains of the mother, and applied to women's breafts, stayeth the over-much flowing of their courses; the juice or decoction





of the herb, gargled between the teeth that ach, eafeth the pain, and the powder of the dried root laid upon an aching, hollow, or loofe, tooth, will cause it to fall out. The juice mixed with some powder of brimstone, is not only good against the itch, but taketh away all discolouring of the skin whatsoever, and, if it chance that in a tender body it causeth any itching or inslammation, it is helped.

Another bad method have physicians in administering relief to the eye, which is worse than the needle: that is, to eat away the film by corroding or gnawing medicines: this I absolutely protest against, r. Because the tunicles of the eyes are very thin, and therefore soon eaten as funder. The callus or film that they would eat away is feldom of an equal thickness in every place, and by that means the tunicle may be eaten as funder in one place before the film be consumed in the other, and so prove a readier way to extinguish the sight than to restore it. It is called chelidonium, from the Greek word xedden, which signifies a swallow, because they say, that, if you prick out the eyes of young swallows when they are in the nest, the old ones will recover their eyes again with this herb. This I am consident, for I have tried it, that, if you mar the very apple of their eyes with a needle, they will recover them again; but whether with this herb or not, I do not know.

Also I have read, and it seems to me somewhat probable, that the herb being gathered, as I shewed before, and the elements separated from it by the art of the alchymist, and, after they have drawn apart, rectified, the earthy quality still in rectifying them added to the terra damnata, as alchymists call it, or, as some philosophers term it, terra facratissima; the elements so rectified are sufficient for the cure of all-diseases, the humour offending being known, and the contrary element given. It is an experiment worth the trying, and can do no harm.

SMALLER CELADINE.

IT is usually known by the name of pilewort, and fogwort, and I wonder much on what account the name of celandine was given it, which resembles it neither in nature or form. It required the name of pilewort from its virtues; and it being no matter where I set it down, so I do not quite omit it, I shall proceed to the description.

Description. This celandine, or pilewort, doth spread many round pale-green leaves, set on weak and trailing branches, which lie upon the ground, and are flat, smooth, and somewhat shining, and in some places, though seldom, marked with black spots, each standing on a long sootstalk, among which rise small yellow slowers, consisting of nine or ten small narrow leaves, upon slender sootstalks very like a crowsoot, whereunto the seed is not unlike, being many small ones set No. 9.

together upon a head: the root is composed of many small kernels like grains of corn, some twice as long others, of a whitish colour, with some sibres at the end of them.

TIME. It groweth for the most part in the most corners of fields, and places near water-fides; yet will abide in drier grounds, if they are but a little shadowed.

PLACE. It flowereth about March or April, and is quite gone in May, fo that it cannot be found until it fprings again.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars; and behold here another verification of that learning of the ancients, viz. that the virtue of an herb may be known by its fignature, as plainly appears in this; for, if you dig up the root of it, you shall see the perfect image of that disease which is commoly called the piles. It is certain from good experience, that the decoction of the leaves and roots doth wonderfully help the piles and hæmorrhoids, as also kernels by the ears and throat, called the king's evil, or any other hard wens or tumours. Pilewort made into an oil ointment, or plaster, readily cures both the piles, hæmorrhoids, and the king's-evil; the very herb borne about one's body, next to the skin, helps in such diseases, though it does not touch the place grieved. Let poor people make much of this for these uses, for with this I cured my own daughter of the king's-evil, broke the fore, drew out a quarter of a pint of corrupt matter, and in one week made a complete cure without a scar.

ORDINARY SMALLER CENTAURY.

Description. THIS groweth up most usually with but one round and somewhat crested stalk, about a foot high, or better, branching forth at the top into many sprigs, and some also from the joints of the stalks below; the slowers, that stand at the tops as it were in an umbel or tust, are of a pale red, tending to a carnation colour, consisting of sive, sometimes six, small leaves, very like those of St. John's wort, opening themselves in the day-time, and closing at night; after which cometh the seed in little short husks, in form like wheat corns: the leaves are small and somewhat round: the root is small and hard, perishing every year. The whole plant is of an exceeding bitter taste.

There is another fort of centaury in all things like the former, fave only that it beareth white flowers.

PLACE. They grow generally in fields, pastures, and woods; but that with the white flowers not so frequently as the other.

TIME. They flower in July, or thereabouts, and feed within a month after.
GOVERNMENT AND VIRTUES. They are all under the dominion of the Sun,

as appears in that their flowers open and shut as the Sun either sheweth or hideth his This herb, boiled and drunk, purgeth choleric and gross humours, and helpeth the sciatica; it openeth obstructions of the liver, gall, and spleen, helping the jaundice, and eafing the pains in the fides, and hardness of the spleen, if used out. wardly; it is given with good effect in agues, it helpeth those that have the dropfy, or the green-fickness, being much used in powder by the Italians for that purpose: and it killeth the worms in the belly, as found by experience. The decoction thereof, viz. the tops of the stalks with the leaves and flowers, is good against the cholic, and to bring down women's courses; it helpeth to expel the dead birth, and easeth pains of the mother, and is very effectual in all old pains of the joints, as the gout, cramps, or convultions. A drachm of the powder thereof taken in wine, is a wonderful good help against the biting and poison of an adder; the juice of the herb with a little honey put to it, is good to clear the eyes from dimness, mists, and clouds, that offend and hinder the fight. It is very good both for green and fresh wounds, as also for old ulcers and fores, to close up the one and cleanse the other, and to perfectly cure them both, although they are hollow or fiftulous; especially if the green herb be bruifed, and laid thereon: the decoction thereof, dropped into the ears, frees them from worms, cleanfeth the foul ulcers and foreading fcabs of the head, and taketh away all freckles, spots, and marks, of the skin, being washed therewith; the herb is fo fafe, you cannot fail in the using of it. Take it inwardly only for inward diseases, and apply it outwardly for outward complaints: it is very wholesome, but not pleasant to the tafte.

There is besides these another small centaury, which beareth a yellow slower; in all other respects it is like the former, save that the leaves are bigger, and of a darker green, and the stalk passet through the midst of them, as it does in the herb thoroughwax. They are all of them, as I said before, under the dominion of the Sun; yet this, if you observe it, you shall find an excellent truth:—In diseases of the blood, use the red centaury; if of choler, use the yellow; but, if of phlegm or water, you will find the white best.

CHERRY-TREE.

I SUPPOSE there are few but know this tree, if only for its fruit's fake, and therefore I shall decline writing a description.

PLACE. For the place of its growth, it is afforded room in every orchard.

GOVERNMENT AND VIRTUES. It is a tree of Venus. Cherries, as they are of different taftes, fo they are of divers qualities; the fweet pass through the stomach and belly more speedily, but are of little nourishments the tart or sour are more pleasing

pleafing to a hot stomach, procuring appetite to meat, and help to cut tough phlegm and gross humours; but, when these are dried, they are more binding than when they are fresh, being cooling in hot diseases, and welcome to the stomach; it also provokes urine. The gum of the cherry-tree, dissolved in wine, is good for a cough, and hoarseness of the throat; it mendeth the colour in the sace, sharpeneth the eye-sight, provoketh the appetite, and helpeth to break and expel the stone. Black cherries bruised with the stones, and distilled, the water thereof is much used to break the stone, expel gravel, and break wind.

WINTER CHERRIES.

DESCRIPTION. THE winter cherry hath a running or creeping root in the ground, generally of the fize of one's little finger, shooting forth at several joints, in several places, whereby it quickly spreadeth over a great compass of ground; the stalk riseth not above a yard high, whereon are set many broad and long green leaves, somewhat like nightshade, but larger; at the joints whereof come forth whitish slowers made of five leaves each, which after turneth into green berries, enclosed with a thin skin, which change to reddish when they grow ripe, the berry likewise being reddish and as large as a cherry, wherein are contained many slat yellowish seeds, lying within the pulp, which, being gathered and strung up, are kept all the year, to be used upon occasion.

PLACE. They do not grow naturally in this land, but are cherished in gardens for their virtues.

TIME. They flower not until the middle or latter end of July, and the fruit is ripe about the end of August, or beginning of September.

GOVERNMENT AND VIRTUES. This is also a plant of Venus. They are of great use in physic; the leaves, being cooling, may be used in inflammations; but are not opening as the berries and fruit are, which, by drawing down the urine, provoke it to be voided plentifully when it is stopped, or grown hot, sharp, or painful, in the passage; it is good also to expel the stone and gravel out of the reins, kidneys, and bladder, helping to dissolve the stone, and voiding it by grit or gravel sent forth in the urine; it also helpeth much to cleanse inward imposshumes or ulcers in the reins or bladder, or in those that void a bloody or soul urine: the distilled water of the fruit, or the leaves together with them, or the berries green or dry, distilled with a little milk, and drunk morning and evening with a little sugar, is effectual to all the purposes before specified, and especially against the heat and sharpness of the urine. I shall only mention one way, amongst many others, which might be used for ordering the berries to be helpful for the urine and stone, which is thus:

Take three or four good handfuls of the berries, either green or fresh, or dried, and, having bruised them, put them into so many gallons of beer or ale, when it is newly tunned up; this drink, taken daily, hath been sound to do much good to many, both to ease the pains, expel urine and the stone, and to cause the stone not to ingender. The decostion of the berries in wine and water is the most usual way, but the powder of them taken in drink is the most effectual.

CHERVIL.

IT is called cerefolium, mirrhis, and mirtha, chervil, fweet chervil, and fweet cicely.

DESCRIPTION. The garden chervil doth at first refemble parsley; but, after it is more grown, the leaves are much cut and jagged, resembling hemlock, being a little hairy, and of a whitish-green colour, sometimes turning reddish in the summer, as do the stalks also; it riseth a little more than half a foot high, bearing white slowers in spiked tusts, which turn into long and round seeds, pointed at the ends, and blackish when they are ripe, of a sweet taste, but no smell, though the herb itself smelleth reasonably well: the root is small and long, and perisheth every year, and must be sown in the spring for seed, and after July for autumn sallad.

The wild chervil groweth two or three feet high, with yellow stalks and joints fet with broader and more hairy leaves, divided into sundry parts, nicked about the edges, and of a dark-green colour, which likewise groweth reddish with the stalks; at the tops whereof stand small white tusts of slowers, and afterwards smaller and longer seed: the root is white, hard, and endureth long. This bath little or no scent.

PLACE. The first is fown in gardens for a sallad-herb; the second groweth wild in the meadows of this land, and by hedge-sides, and on heaths.

TIME. They flower and feed early, and thereupon are fown again at the end of the fummer.

GOVERNMENT AND VIRTUES. The garden chervil, being eaten, doth moderately warm the stomach, and is a certain remedy to dissolve congealed or clotted blood in the body, or that which is clotted by bruises, falls, &c. The juice or distilled water thereof being drunk, and the bruised leaves laid to the place; being taken either in meat or drink, it is held good to provoke urine, and expel the stone in the kidneys, to bring down women's courses, and to help the pleurify and prickings of the sides. The wild chervil, bruised and applied, dissolveth swellings in any part of the body, and taketh away spots and marks of congealed blood by bruises or blows, in a short time.

SWEET CHERVIL.

CALLED by fome fweet cicely.

Description. It groweth very much like the greater hemlock, having large fpread leaves, cut into divers parts, but of a fresher green colour than hemlock, tashing as sweet as aniseed; the stalk riseth up a yard high, or more, being crested or hollow, having the leaves at the joints, but less, and at the tops of the branched stalks umbels or tusts of white slowers; after which come large and long crested, black, shining, seed, pointed at both ends, tashing quick, yet sweet and pleasant: the root is great and white, growing deep in the ground, and spreading sundry long branches therein, in taste and smell stronger than the leaves or feed, and continuing many years.

PLACE. It groweth in gardens.

GOVERNMENT AND VIRTUES. These are all three of them of the nature of Jupiter, and under his dominion. This whole plant, besides its pleasantness in fallads, hath also its physical virtues; the root boiled and eaten with oil and vinegar, or without oil, doth much please and warm an old and cold stomach, oppressed with wind or phlegm, or those that have the phthysic or consumption of the lungs. The same, drunk with wine, is a preservative from the plague; it provoketh women's courses, and expelleth the after-birth, procureth an appetite to meat, and expelleth wind; the juice is good to heal ulcers of the head and face; the candied roots hereof are held as effectual as angelica to preserve from insection in the time of plague, and to warm and comfort a cold weak stomach. It is so harmless, that you cannot make use of it amiss.

CHESNUT-TREE.

TO describe a tree so commonly known, were as needless as to tell a man he has a mouth; therefore take the government and virtues of it thus:

The tree is abfolutely under the dominion of Jupiter, and therefore the fruit must needs breed good blood, and yield commendable nourishment to the body; yet, if eaten overmuch, they make the blood thick, procure the head-ach, and bind the body; the inner skin that covereth the nut, is of so binding a quality, that a scruple of it being taken by a man, or ten grains by a child, soon stops any slux whatsoever: the whole nut being dried and beaten into powder, and a drachm taken at a time, is a good remedy to stop the terms in women. If you dry chesnuts, and beat the kernels into powder, both the barks being taken away, and make it up into an electuary with honey, you have an admirable remedy for the cough and spitting blood.

EARTH

EARTH CHESNUTS.

THEY are called also earth-nuts, ground-nuts, cipper-nuts, and in Suffex they are called pig-nuts. A description of them were needless, for every child knows them.

GOVERNMENT AND VIRTUES. They are fomething hot and dry in quality; under the dominion of Venus; they provoke lust exceedingly, and stir up to those sports she is mistress of; the seed is excellent good to provoke urine, and so also is the root, but doth not perform it so forcibly as the seed. The root being dried and beaten into powder, and the powder made into an electuary, is as singular a remedy for spitting and pissing blood as the former chesnuts are for coughs.

CHICKWEED.

IT is generally known to most people; I shall not therefore trouble you with the description thereof, nor myself with setting forth the several kinds, since there are but two or three worth notice for their usefulness.

PLACE. These are usually found in moist and watery places, by wood-sides, and elsewhere.

TIME. They flower about June, and their feed is ripe in July.

GOVERNMENT AND VIRTUES. It is a fine, foft, pleafing, herb, under the dominion of the Moon. It is found to be as effectual as purslain to all the purposes whereunto it ferveth, except for meat only. The herb bruifed, or the juice applied, with cloths or fponges dipped therein, to the region of the liver, and as they dry to have fresh applied, doth wonderfully temper the heat of the liver, and is effectual for all imposthumes and fwellings whatsoever; for all redness in the face, wheals, pushes, itch, and scabs, the juice being either simply used, or boiled in hog's greafe; the same helpeth cramps, convulsions, and palsies: the juice or distilled water is of good use for all heat and redness in the eyes, to drop some of it into them; as also into the ears to ease the pains in them, and is of good effect to ease the pains and heat and sharpness of blood in the piles, and all pains of the body in general that proceed from heat; it is used also in hot and virulent ulcers and fores in the privy parts of men and women, or on the legs, or elfewhere. The leaves boiled with marshmallows, and made into a poultice with fenugreek and linseed, applied to swellings or imposthumes, ripeneth and breaketh them, or assuageth the swellings and eafeth the pains; it helpeth the finews when they are shrunk by cramps or otherwife, and extend and make them pliable again, by using the following method: viz. Boil an handful of chickweed, and a handful of dried red-rose leaves,

but not distilled, in a quart of muscadine, until a fourth part be confumed; then put to them a pint of oil of trotters, or sheep's feet; let them boil a good while, still stirring them well, which being strained anoint the grieved part therewith warm against the fire, rubbing it well with your hand, and bind also some of the herb, if you choose, to the place, and with God's bleffing it will help in three times drefsing.

CHICH PEASE.

IT is also called by some cicers.

Description. The garden forts, whether red, black, or white, bring forth stalks a yard long, whereon grow many small and almost round leaves, dented about the edges, set on both sides of a middle rib; at the joints come forth one or two slowers upon sharp footstalks, pease-fashion, either whitish or purplish red, lighter or deeper, according as the pease that follow will be, that are contained in small, thick, and short, pods, wherein lie one or two pease, though usually more, a little pointed at the lower end, and almost round at the head, yet a little cornered or sharp. The root is small, and perisheth yearly.

PLACE AND TIME. They are fown in gardens, or in fields, as peafe, being fown later than peafe, and gathered at the fame time with them, or prefently after.


Government and Virtues. They are both under the dominion of Venus. They are no lefs windy than beans, but nourifh more, they provoke urine, and are thought to increase sperm; they have a cleansing faculty, whereby they break the stone in the kidneys. To drink the cream of them being boiled in water, is the best way. It moveth the belly downward, provoketh women's courses, and urine, increaseth both milk and seed. One ounce of cicers, two ounces of French barley, and a small handful of marsh-mallow roots, clean washed and cut, being boiled in the broth of a chicken, and sour ounces taken in the morning, fasting two hours after, is a good medicine for a pain in the sides. The white cicers are used more for meat than medicine, yet have they the same effect, and are thought more powerful to increase milk and seed.

The wild cicers are fo much more powerful than the garden kinds, by how much they exceed them in heat and drynefs, whereby they are more effectual in opening obstructions, breaking the stone, and having all the properties of cutting, opening, digesting, and dissolving, more speedily and certainly than the former.

CINQUEFOIL.

IT is called in some countries, five fingered grafs, or five-leaved grafs.

Description. This spreadeth and creepeth far upon the ground, with long flender





cure

flender strings like strawberries, which take root again and shoot forth many leaves made of five parts, and fometimes of feven, dented about the edges and fomewhat hard. The stalks are slender, leaning downwards, and bear many small yellow flowers thereon, with fome yellow threads in the middle, flanding about a smooth green head; which when it is ripe is a little rough, and containeth small brownish feed. The root is of a blackish brown colour, seldom so big as one's little finger, but growing long with fome threads thereat; and by the finall strings it quickly spreadeth over the ground.

PLACE. It groweth by wood-fides, hedge-fides, the pathways in fields, and in the borders and corners of them, almost in every part of this kingdom.

TIME. It flowereth in fummer, fome fooner, fome later.

GOVERNMENT AND VIRTUES. This is an herb of Jupiter, and therefore strengthens the parts of the body that he rules; let Jupiter be angular and strong when it is gathered, and if you give but a scruple, which is only twenty grains, of it at a time, either in white wine, or white-wine vinegar, you shall feldom miss the cure of an ague, be it what ague foever, in three fits, as I have often proved to the admiration both of myself and others. It is an especial herb used in all inflammations and fevers, whether infectious or pestilential; or among other herbs to cool and temper the blood and humours in the body: as also for all lotions, gargles, injections, and the like, for fore mouths, ulcers, cankers, fiftulas, and other corrupt, foul, or running, fores. The juice hereof drunk about four ounces at a time, for certain days together, cureth the quinfey and the yellow jaundice; and, taken for thirty days together, cureth the falling fickness. The roots boiled in milk, and drunk, is a most effectual remedy for all fluxes in man or woman, whether the whites or reds, also the bloody flux. The roots boiled in vinegar, and the decoction thereof held in the mouth, eafeth the pains of the tooth-ach. The juice or decoction taken with a little honey, helpeth the hoarfeness of the throat, and is very good for the cough of the lungs. The distilled water both of the root and leaves is also effectual to all the purposes aforesaid; and if the hands are often washed therein, and fuffered at every time to dry in of itself without wiping, it will in a fhort time help the palfy or shaking in them. The root boiled in vinegar, helpeth all knots, kernels, hard fwellings, and lumps, growing in any part of the flesh, being thereto applied; as also all inflammations, St. Anthony's fire, likewise all imposthumes, and painful fores, with heat and purrefaction, the shingles, and all other forts of running and foul fcabs, fores, and the itch. The fame also boiled in wine, and applied to any painful or aching joints, or the gout in the hands or feet, or the hipgout, called the sciatica, and the decoction thereof drunk at the same time, doth No. 9. 2 K

cure them, and easeth violent pains in the bowels. The roots are likewise effectual to help ruptures or burstings, being used with other things available to that purpose, taken either inwardly or outwardly, or both; as also for bruises, or hurts, by blows, falls, or the like, and to stay the bleeding of wounds in any part either inward or outward.

Some hold that one leaf cures a quotidian, three a tertian, and four a quartan, ague; but, with respect to the number of leaves, it is a matter of no consequence, or whether it is given in powder or decoction: if Jupiter were strong, and the Moon applying to him, or his good aspect at the gathering of it, I never knew it miss the desired effects.

CIVES.

THEY are also called rush-leeks, chives, civet, and sweth.

TEMPERATURE AND VIRTUES. I confess I had not added these had it not been for a letter I received of a country gentleman, who certified me that amongst other herbs I had left these out; they are indeed a kind of leeks, hot and dry in the fourth degree as they are, and also under the dominion of Mars; if they are eaten raw, (I do not mean raw opposite to roasted or boiled, but raw opposite to a chemical preparation,) they fend up very hurtful vapours to the brain, causing troublesome sleep, and spoiling the eye-sight; yet of them prepared by the art of the alchemist may be made an excellent remedy for stoppage of urine.

C L A R Y,

OR, more properly, clear-eye.

Description. Our ordinary garden clary hath four-square stalks, with broad, rough, wrinkled, whitish, or hairy green, leaves, somewhat evenly cut on the edges, and of a strong sweet scent, growing some near the ground, and some by couples upon stalks: the slowers grow at certain distances with two small leaves at the joints under them, somewhat like the slowers of sage, but smaller, and of a whitish blue colour; the seed is brownish and somewhat stat, or not so round as the wild: the roots are backish, and do not spread far; it perisheth after the seeding time. It is usually sown, for it seldom riseth of its own sowing.

PLACE. This groweth in gardens.

Time. It groweth in June and July, fome a little later than others, and their feed is ripe in August, or thereabout.

GOVERNMENT

GOVERNMENT AND VIRTUES. It is under the dominion of the Moon. The feed is used to be put into the eyes to clear them from moats, or other such-like things gotten within the lids to offend them, as also to cleanse them from white or red fpots in them. The mucilage of the feed made with water, and applied to tumours or swellings, disperseth and taketh them away; as also draweth forth splinters, thorns, or other things, gotten into the flesh. The leaves used with vinegar, either by itself or with honey, do help hot inflammations, as also biles, fellons, and the hot inflammations that are gathered by their pains, if it be applied before they are grown too great. The powder of the dried root put into the nose provoketh facezing, and thereby purgeth the head and brain of much rheum and corruption. The feed or leaves, taken in wine, provoketh to venery. It is of much use both for men and women that have weak backs, to help to strengthen the reins, used either by itself or with other herbs conducing to the same effect, and in tansies, often. The fresh leaves dipped in a batter of flour, eggs, and a little milk, and fried in butter, and ferved to the table, are not unpleafant to any, but exceeding profitable for those that are troubled with weak backs, and the effects thereof. The juice of the herb put into ale or beer, and drunk, bringeth down women's courses, expelleth the after-birth.

It is an usual course with many men when they have gotten the running of the reins, or women the whites, they have immediate recourse to the clary bush, which having fried in butter they eagerly eat in expectation of instant relief, but to their great disappointment often find themselves worse than before they had tried this expedient. We will grant that clary strengthens the back; but this we deny, that the cause of the running of the reins in men, or the whites in women, lies in the back, (though the back may be sometimes weakened by them;) consequently the application of this medicine is frequently improper.

WILD CLARY.

WILD CLARY is often, though I think imprudently, called Christ's eye, because it cureth the diseases of the eyes.

DESCRIPTION. It is like the other clary, but less, with many stalks about a foot and a half high; the stalks are square and somewhat hairy; the slowers of a bluish colour. He that knows the common clary cannot be ignorant of this.

PLACE. It grows commonly in this kingdom, in barren places; you may find it plentifully if you look in the fields near Gray's Inn, and the fields near Chelsea.

TIME. They flower from the beginning of June to the latter end of August.

GOVERNMENT

GOVERNMENT AND VIRTUES. It is fomething hotter and drier than the garden clary, yet nevertheless under the dominion of the Moon, as well as that; the feeds of it being beaten to powder and drunk in wine is an admirable help to provoke lust; a decoction of the leaves being drunk warms the stomach, and it is a wonder if it should not, the stomach being under Cancer the house of the Moon. It helps digestion, scatters congealed blood in any part of the body, and helps dimness of fight; the distilled water thereof cleanseth the eyes of redness, waterishness, and heat; it is a gallant remedy for dimness of sight, to take one of the seeds of it and put into the eye, and there let it remain till it drops out of itself, the pain will be nothing to speak of: it will cleanse the eyes of all filthy and putrid matters, and, in often repeating of it, will take off a film which covereth the sight; a handsomer, safer, and easier, remedy a great deal than to tear it off with a needle.

CLEAVERS.

IT is also called aparine, goose-share, and goose-grass.

Description. The common cleavers hath divers very rough fquare stalks, not so big as the tag of a point, but rising up to be two or three yards high sometimes, if it meets with any tall bushes or trees whereon it may climb, yet without any classers; or else much lower, and lying upon the ground full of joints, and at every one of them shooteth forth a branch, besides the leaves thereat, which are usually six, set in a round compass like a star, or the rowel of a spur: from between the leaves of the joints towards the tops of the branches, come forth very small white slowers at every end upon small thready sootslaks, which after they are fallen, there do shew two small, round, rough, seeds; and these, when they are ripe, grow hard and whitish, having a little hole on the side somewhat like unto a navel. Both stalks, leaves, and seeds, are so rough, that they will cleave unto any thing that shall touch them. Its root is small and thready, spreading much in the ground, but dieth every year.

PLACE. It groweth by hedge and ditch fides, in many places of this land, and is fo troublesome an inhabitant in gardens, that it climbeth upon, and is ready to choak, whatever grows near it.

TIME. It flowereth in June and July, and the feed is ripe, and falleth again, about the end of July or August, from whence it springeth up again, and not from the old roots.

GOVERNMENT AND VIRTUES. It is under the dominion of the Moon. The juice of the herb, and the feed taken in wine, helpeth those that are bitten with an adder, by preserving the heart from the venom. It is familiarly taken in broth to keep

keep those lean and lank that are apt to grow fat. The distilled water drunk twice a-day helpeth the yellow jaundice, and the decoction of the herb by experience is found to do the same, and stayeth the lask and bloody fluxes. The juice of the leaves, or the leaves a little bruised, and applied to any bleeding wound, stayeth the bleeding; the juice is also very good to close up the lips of green wounds: and the powder of the dried herb strewed thereupon doth the same, and likewise helpeth old ulcers. Being boiled with hog's grease, it healeth all forts of hard swellings or kernels in the throat, being anointed therewith. The juice dropped into the ears taketh away the pains from them. It is a good remedy in the spring, eaten, being first chopped small and boiled well in water-gruel, to cleanse the blood and strengthen the liver, thereby keeping the body in health, and fitting it for that change of season that is coming.

CLOWN'S WOUNDWORT.

Description. IT groweth up fometimes to three or four feet high, but usually about two feet, with square, green, rough, stalks, but slender, jointed somewhat far asunder, and two very long, and somewhat narrow, dark-green leaves, bluntly dented about the edges, and ending in a long point. The flowers stand toward the tops, compassing the stalks at the joints with the leaves, and end likewise in a spiked top, having long and much-open gaping hoods, of a purplish red colour with whitish spots in them, standing in somewhat rough husks, wherein afterwards stand blackish round feeds. The root is composed of many long strings, with some tuberous long knobs growing among them, of a pale yellowish or whitish colour, yet at some times of the year these knobby roots, in many places, are not seen in the plant: the whole plant smelleth somewhat strongly.

PLACE. It groweth in fundry counties of this land, both north and west, and frequently by path-fides in the fields near about London, and within three or four miles distance about it; yet usually grows in or near disches.

TIME. It flowereth in June and July, and the feed is ripe foon after.

GOVERNMENT AND VIRTUES. It is under the dominion of the planet Saturn. It is fingularly effectual in all fresh and green wounds, and therefore beareth not this name for nought. And is very available in staunching of blood, and to dry up the fluxes of humours in old fretting ulcers, cancers, &c. that hinder the healing of them. A syrup made of the juice of it is inferior to none for inward wounds, ruptures of veins, bloody flux, vessels broken, spitting, pissing, or vomiting, blood; ruptures are excellently and speedily, even to admiration, cured by taking now and No. 10.

CULPEPER'S ENGLISH PHYSICIAN, 130

then a little of the fyrup, and applying an ointment or plaster of the herb to the place; and also if any vein be swelled, or muscle cut, apply a plaster of this herb to it, and, if you add a little comfrey to it, it will not do amifs. I affure you this herb deferves commendation, though it have gotten but a clownish name; and whoever reads this, if he try it as I have done, will commend it as well as I.-It is of an earthy nature.

COCK'S HEAD.

OTHERWISE called red fitchling, or medic fetch.

DESCRIPTION. This hath divers weak but rough fialks, half a yard long, leaning downwards, befet with winged leaves, longer and more pointed than those of lentils, and whitish underneath; from the tops of those stalks arise up other slender ftalks, naked without leaves unto the tops, where there grow many fmall flowers in manner of a spike, of a pale-reddish colour, with some blueness among them; after which rife up in their places, round, rough, and fomewhat flat, heads. The root is tough and fomewhat woody, yet liveth and shooteth afresh every year.

PLACE. It groweth under hedges, and fometimes in the open fields, in divers places of this land.

TIME. They flower all the months of July and August, and the feed ripeneth in the mean while.

GOVERNMENT AND VIRTUES. It is under the dominion of Venus. It hath power to ratify and digeft, and therefore the green leaves bruifed and laid as a plafter, difperfe knots, nodes, or kernels, in the flesh; and, if when it is dry it be taken in wine, it helpeth the ftranguary; and, being anointed with oil, it provoketh fweat. It is a fingular food for cattle, to cause them to give store of milk; and why then may it not do the like being boiled in the ordinary drink of nurses?

COLUMBINES.

THESE are fo well known, growing in almost every garden, that I think I may fave the expence of time in writing a description of them.

TIME. They flower in May, and abide not for the most part when June is past, perfecting their feed in the mean time.

GOVERNMENT AND VIRTUES. It is also anherb of Venus. The leaves of columbines are commonly used in lotions with good success for fore mouths and throats; Tragus faith, that a dram of the feed taken in wine, with a little faffron, openeth obstruc-

obstructions of the liver, and is good for the yellow jaundice, if the party after the taking thereof be laid to sweat well in his bed; the feed also taken in wine causeth a speedily delivery of women in child-birth; if one draught suffice not, let her drink a second, and it will be effectual. The Spaniards use to eat a piece of the root hereof fasting, many days together, to help them when troubled with the stone in the reins or kidneys.

COLTSFOOT.

CALLED also cough-wort, foal's foot, horse hoof, and bull's foot.

Description. This shooteth up a slender stalk, with small yellowish slowers, fomewhat early, which fall away quickly; after they are past, come up somewhat round leaves, sometimes dented a little about the edges, much less, thicker, and greener, than those of butter-bur, with a little down or freeze over the green leaf on the upper side, which may be rubbed away, and whitish or mealy underneath. The root is small and white, spreading much under ground, so that where it taketh it will hardly be driven away again, if any little piece be abiding therein; and from thence spring fresh leaves.

PLACE. It groweth as well in wet grounds as in drier places.

TIME. It flowereth in the end of February, the leaves beginning to appear in March.

GOVERNMENT AND VIRTUES. The plant is under Venus. The fresh leaves, or juice, or a syrup made thereof, is good for a hot dry cough, for wheezings and shortness of breath: the dry leaves are best for those that have thin rheums, and distillations upon their lungs, causing a cough, for which also the dried leaves taken as tobacco, or the root, is very good. The distilled water hereof simply, or with elderslowers and nightshade, is a singular remedy against all hot agues, to drink two ounces at a time, and apply cloths wet therein to the head and stomach; which also doth much good being applied to any hot swellings or inslammations; it helpeth St. Anthony's fire and burnings, and is singular good to take away wheals and small pushes that arise through heat; as also the burning heat of the piles, or privy parts, cloths wet therein being thereunto applied.

COMFREY.

DESCRIPTION. THE common great comfrey hath divers very large and hairy, green leaves, lying on the ground, so hairy or prickly, that if they touch any tender part of the hands, face, or body, it will cause it to itch; the stalk that riseth up from among

among them, being two or three feet high, hollowed, and cornered; as alfo very hairy, having many fuch like leaves as grow below, but lefs and lefs up to the op. At the joints of the ftalks it is divided into many branches, with fome leaves thereon; and at the ends ftand many flowers in order one above another, which are fomewhat long and hollow, like the finger of a glove, of a pale whitifh colour, after which come finall black feed. The roots are great and long, spreading great thick branches under ground, black on the outfide and whitish within, short or easy to break, and full of a glutinous or clanning juice, of little or no taste.

There is another fort, in all things like this, fave only it is somewhat less, and beareth flowers of a pale purple colour.

PLACE. They grow by ditches and water fides, and in divers fields that are moift, for therein they chiefly delight to grow: the first generally through all the land, and the other not quite so common.

TIME. They flower in June and July, and give their feed in August.

GOVERNMENT AND VERTUES. This is also an herb of Saturn, and I suppose under the fign Capricorn, cold, dry, and earthy, in quality. What was spoken of clown's woundwort may be faid of this; the great comfrey helpeth those that spit blood, or make a bloody urine: the root boiled in water or wine, and the decoction drunk. helpeth all inward hurts, bruifes, and wounds, and the ulcers of the lungs, caufing the phlegm that oppresseth them to be easily spit forth; it stayeth the defluxions of rheum from the head upon the lungs, the fluxes of blood or humours by the belly, women's immoderate couries, as well the reds as the whites; and the running of the reins, happening by what cause soever. A syrup made thereof is very effectual for all those inward griefs and hurts; and the distilled water for the same purpose also, and for outward wounds and fores in the fleshy or finewy part of the body wheresoever; as also to take away the fits of agues, and to allay the sharpness of humours. A decoction of the leaves hereof is available to all the purpofes, though not fo effectual as of the roots. The root, being outwardly applied, helpeth fresh wounds or cuts immediately, being bruifed and laid thercunto; and is especial good for ruptures and broken bones; yea, it is faid to be so powerful to consolidate and knit together, that, if they are boiled with differered pieces of flesh in a pot, it will join them together again. It is good to be applied to women's breafts that grow fore by the abundance of milk coming into them; as also to repress the overmuch bleeding of the hemorrhoids, to cool the inflammation of the parts thereabout, and to give ease of pains. The roots of comfrey taken fresh, beaten small, and spread upon leather, and laid upon any place troubled with the gout, do prefently give eafe of the pains; and, applied

plied in the fame manner, give ease to pained joints, and profit very much for running and moist ulcers, gangrenes, mortifications, and the like, for which it hath by often experience been found helpful.

CORAL-WORT.

IT is also called by fome, tooth-wort, toothed violet, dog-teeth-violet, and dentaris.

DESCRIPTION. Of the many forts of this herb, two of them may be found growing in this kingdom; the first of which shooteth forth one or two winged leaves upon long brownish footstalks, which are doubled down at their first coming out of the ground: when they are fully opened they confift of feven leaves, most commonly of a fad-green colour, dented about the edges, fet on both fides the middle rib one against another, like the leaves of the ash-tree. The stalk bearcth no leaves on the lower half of it; the upper half beareth fometimes three or four, each confifting of five leaves, fometimes but of three; on the top ftand four or five flowers upon fhort foot-ftalks, with long hufks; the flowers are very like those of the ftock gilliflower, of a pale purplish colour, confifting of four leaves apicce, after which come finall cods which contain the feed: the root is very fmooth, white, and flining; it doth not grow downwards, but creeping along under the upper crust of the ground, and confifteth of divers fmall round knobs, fet together. 'Towards the top of the ftalk, there grow finall fingle leaves, by each of which cometh a fmall round cloven bulb, which when it is ripe, if it be fet in the ground, it will grow to be a root, and is efteemed a good way of cultivating the herb.

As for the other coralwort which groweth in this nation, it is more fcarce than this, being a very fmall plant, not much unlike crowfoot, therefore fome think it to be one of the forts of crowfoot. I know not where to direct you to it, and therefore fhall forbear the description.

PLACE. The first growth near Mayfield in Suffex, in a wood called High-reed, and in another wood there also, called Fox-holes.

TIME. They flower from the latter end of April to the middle of May, and before the middle of July they are gone and not to be found.

GOVERNMENT AND VIRTUES. It is under the dominion of the Moon. It cleanfeth the bladder and provoketh urine, expels gravel and the fione, it eafeth pains in the fides and bowels; it is excellent good for inward wounds, especially such as are made in the breast or lungs, by taking a dram of the powder of the root every No. 10.

morning in wine; the fame is excellent good for rnptures, as also to stop fluxes: an ointment made of it is exceeding good for wounds and ulcers, for it soon drieth up the watery humour which hinders the cure.

COSTMARY.

CALLED also alecost, or balfam-herb.

This is fo frequently known to be an inhabitant in almost every garden, that I suppose it needless to write a description thereof.

TIME. It flowereth in June and July.

GOVERNMENT AND VIRTUES. It is under the dominion of Jupiter. The ordinary coftmary, as well as maudlin, provoketh urine abundantly, and moifteneth the hardness of the mother; it gently purgeth choler and phlegm, extenuating that which is grofs, and cutting that which is tough and glutinous, cleanfeth that which is foul, and hindereth putrefaction and corruption; it diffolveth without attraction, openeth obstructions, and healeth their evil effects, and is a wonderful help to all forts of dry agues. It is aftringent to the ftomach, and ftrengtheneth the liver, and all the other inward parts, and if taken in whey worketh the more effectually. Taken fafting in the morning, it is very profitable for the pains of the head that are continual; and to ftay, dry up, and confume, all thin rheums, or diffillations from the head into the ftomach, and helpeth much to digeft raw humours that are gathered therein. It is very profitable for those that are fallen into a continual evil disposition of the whole body called cachexia, being taken, especially in the beginning of the difeafe. It is a good friend and help to evil, weak, and cold, livers. The feed is familiarly given to children for the worms, and fo is the infusion of the flowers in white wine, given them to the quantity of two ounces at a time: it maketh an excellent falve to cleanfe and heal old ulcers, being boiled with olive-oil, and adder's tongue with it; and, after it is ftrained, to put in a little wax, rofin, and turpentine, to bring it to a proper confiftence.

CUDWEED.

BESIDES cudweed, it is also called cottonweed, chassweed, dwarf cotton, and petty cotton.

Description. The common cudweed rifeth up with one stalk, though sometimes two or three, thick set on all sides with small, long, and narrow, whitish or woody, leaves, from the middle of the stalk almost up to the top; with every leaf standeth

ftandeth a finall flower, of a dun or brownish yellow colour, or not so yellow as others; in which herbs, after the flowers are taken, come small feed wrapped up with the down therein, and is carried away with the wind. The root is small and thready.

There are other forts hereof, which are somewhat less than the former, not much different, save only that the stalk and leaves are shorter, and the slowers are paler, and more open.

PLACE. They grow in dry, barren, fandy, and gravelly, grounds, in most places of this land.

Time. They flower about July, some earlier and some later, and their seed is ripe in August.

GOVERNMENT AND VIRTUES. Venus is lady of it. The plants are all aftringent, or binding and drying, and therefore profitable for defluxions of rheum from the head, and to ftay fluxes of blood wherefoever. The decoction being made into red wine and drunk, or the powder taken therein, also helpeth the bloody flux, and eafeth the torments that come thereby, ftayeth the immoderate courses of women, and is also good for inward or outward wounds, hurts, and bruises, and helpeth children both of burftings and the worms, and the difease called tenesmus, which is an often provocation to the ftool, and doing nothing, being either drunk or injected. The green leaves bruifed and laid to any green wound, ftayeth the bleeding and healeth it up quickly; the decoction or juice thereof doth the fame, and helpeth old and filthy ulcers quickly. The juice of the herb taken in wine and milk, is (as Pliny faith) a fovereign remedy against the mumps and quinsey; and further saith, that whofoever shall so take it shall never be troubled with that disease again. tops of this plant, before it has reached its full growth, have the fame virtue. have feen it used only in one place. It is frequent in Charlton Forest, in Suffex, and was given with fuccefs for that almost incurable difease the chin-cough. Beat it up into a conferve, very fine, with a deal of fugar, and let the bigness of a pea be eaten at a time.

COWSLIPS.

KNOWN also by the name of peagles.

Both the wild and garden cowflips are fo well known, that I will neither trouble myfelf nor the reader with any description of them.

TIME. They flower in April and May.

GOVERNMENT AND VIRTUES. Venus lays claim to the herb as her own, and it is under the fign Aries, and our city dames know well enough the ointment or diftilled water of it adds beauty, or at leaft reftores it when it is loft. The flowers are

held

held to be more effectual than the leaves, and the roots of little use. An ointment being made with them, taketh away spots and wrinkles of the skin, fun-burning, and freckles, and adds beauty exceedingly; they remedy all infirmities of the head coming of heat and wind, as vertigo, ephialtes, false apparitions, phrenzies, falling sickness, palsies, convulsions, cramps, and pains in the nerves; the roots ease pains in the back and bladder, and open the passages of urine. The leaves are good in wounds, and the flowers take away trembling. If the flowers be not well dried and kept in a warm place, they will soon putrefy and look green; have a special eye over them. If you let them see the sun once a month, it will do them no harm.

Because they firengthen the brain and nerves, and remedy the palfy, the Greeks gave them the name of *paralysis*. The flowers preserved or conserved, and the quantity of a nutmeg eaten every morning, is a sufficient dose for inward diseases; but for wounds, spots, wrinkles, and sun-burning, an ointment is made of the leaves and hog's grease.

CRAB's CLAWS.

CALLED also water sengreen, knight's pond-water, water-housleek, pond-weed, and fresh-water soldier.

Description. It hath fundry long narrow leaves, with sharp prickles on the edges of them, also very sharp pointed; the stalks which bear slowers seldom grow so high as the leaves, bearing a forked head like a crab's claw, out of which comes a white slower, consisting of three leaves, with divers yellowish hairy threads in the middle: it taketh root in the mud, in the bottom of the water.


PLACE. It groweth plentifully in the fens of Lincolnshire.

TIME. It flowereth in June, and usually from thence till August.

GOVERNMENT AND VIRTUES. It is a plant under the dominion of Venus, and therefore a great firengthener of the reins; it is excellent good in that inflammation which is commonly called St. Anthony's fire; it afluageth all inflammations and fwellings in wounds; and an ointment made of it is excellent good to heal them: there is fearce a better remedy growing than this for fuch as have bruifed their kidneys, and upon that account piffing blood. A dram of the powder of the herb taken every morning is a very good remedy to ftop the terms.

BLACK CRESSES.

Description. IT hath long leaves deeply cut and jagged on both fides, not much unlike wild muftard; the ftalks are fmall, very limber though very tough; you may





may twift them round as you may a willow before they break. The flowers are very fmall and yellow, after which come fmall cods which contain the feed.

PLACE. It is a common herb, grows usually by the way-fides, and sometimes upon mud-walls about London, but it delights most to grow among stones and rubbish.

Time. It flowers in June and July, and the feed is ripe in August and September.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars, and is a plant of a hot and biting nature: the truth is, the feed of black creffes firengthens the brain exceedingly, for in performing that office it is little inferior to muftard-feed, if at all: they are excellent good to ftay those rheums which fall down from the head upon the lungs. You may beat the feed into powder if you please, and make it up into an electuary with honey, so have you an excellent remedy by you, not only for the premises, but also for the cough, yellow jaundice, and sciatica. The herb boiled into a poultice, is an excellent remedy for inflammations both in women's breasts and in men's testicles.

SCIATICA CRESSES.

DESCRIPTION. THESE are of two kinds; the first riseth up with a round stalk, about two feet high, spread into divers branches, whose lower leaves are somewhat larger than the upper, yet all of them cut or torn on the edges, somewhat like garden cresses, but smaller: the flowers are small and white, growing on the tops of the branches, where afterwards grow husks, with smallish brown feed therein, very strong and sharp in taste, more than the cresses of the garden. The root is long, white, and woody.

The other fort hath the lower leaves whole, fomewhat long and broad, not torn at all, but only fomewhat deeply dented about the edges toward the ends, but those that grow higher up are less. The flowers and feed are like the former, and so is the root likewise: and both root and seed as sharp as it.

PLACE. These grow by the way-fides in untilled places, and by the fides of old walls.

TIME. They flower in the end of June, and their feed is ripe in July.

GOVERNMENT AND VIRTUES. It is a Saturnine plant: the leaves, but especially the roots, taken fresh in the summer-time, beaten and made into a poultice or salve with old hog's grease, and applied to the places pained with the sciatica, to continue thereon four hours if it be on a man, and two hours on a woman, the place after-No. 10.

wards bathed with wine and oil mixed together, and then wrapped with wool or tkine after they have five at a little, will affuredly cure not only the fame difeafe in the hips, huckle-bone, or other of the joints, as gout in the hands or feet, but all other old griefs of the head, (as inveterate rheums,) and other parts of the body that are hard to be cured. And, if of the former griefs any parts remain, the fame medicine after twenty days is to be applied again. The fame is also effectual in the difeafe of the fpleen; and, applied to the fkin, it taketh away the blemishes thereof, whether they be fears, leprofy, feabs, or feurf, which, if it ulcerate the part, is to be helped afterwards with a falve made of oil and wax. Either boiled or caten in fallads, they are very wholesome. For children's seabs or fealded heads, nothing is so effectual and quick a remedy as garden cresses beat up with lard, for it makes the scales fall in twenty-four hours, and perfectly cures them if they continue the use of it. Esteem this as a valuable fecret.

WATER-CRESSES.

Description. OUR ordinary water-creffes fpread forth with many weak, hollow, fappy, stalks, shooting out fibres at the joints, and upwards long-winged leaves, made of fundry broad, sappy, and almost round, leaves, of a brownish green colour: the flowers are many and white, standing on long footstalks, after which come small yellow feed, contained in small long pods like horns; the whole plant abideth green in the winter, and tasteth somewhat hot and sharp.

PLACE. They grow for the most part in small standing waters, yet sometimes in small rivulets of running water.

TIME. They flower and feed in the beginning of fummer.

GOVERNMENT AND VIRTUES. It is an herb under the dominion of the Moon. It is more powerful against the scurvy, and to cleanse the blood and humours, than brooklime, and serves to all the other uses in which brooklime is available; as to break the stone, and provoke urine and women's courses. It is also good for them when troubled with the green-sickness, and it is a certain restorative of their lost colour if they use it in the following manner: chop and boil them in the broth of meat, and eat them for a month together, morning, noon, and night. The decoction thereof cleanseth ulcers by washing therewith: the leaves bruised, or the juice, is good to be applied to the face or other parts troubled with freekles, pimples, spots, or the like, at night, and washed away in the morning. The juice mixed with vinegar, and the fore part of the head bathed therewith, is very good for those that are dull and drowfy, or have the lethargy.

Water

. Water-crefs pottage is a good remedy to cleanfe the blood in the fpring, and help head-achs, and confume the grofs humours winter has left behind; those who would live in health may make use of this; if any fancy not pottage, they may eat the herb as a fallad.

CROSS-WORT.

DESCRIPTION. COMMON crofs-wort groweth with fquare hairy brown stalks-little above a foot high, having four small, broad, and pointed, hairy, yet smooth, green leaves, growing at every joint, each against other crossways, which has caused the name. Toward the tops of the stalks at the joints, with the leaves, in three or four rows downward, stand small pale-yellow slowers, after which come small, blackish, round, seeds, four for the most part in every husk; the root is very small, and full of fibres or threads, taking good hold of the ground, and spreading with the branches a great deal of ground, which perish not in winter, although the leaves die every year, and spring again a-new.

PLACE. It groweth in many moift grounds, as well meadows as untilled places about London, in Hampftead church-yard, at Wye in Kent, and fundry other places.

TIME. It flowereth from May all the fummer long, in one place or another, as they are more open to the fun; the feed ripeneth foon after.

Government and Virtues. It is under the dominion of Saturn. This is a fingular good wound-herb, and is used inwardly, not only to stay bleeding of wounds, but to confolidate them, as it doth outwardly any green wound, which it quickly drieth up and healeth. The decoction of the herb in wine helpeth to expectorate phlegm out of the chest, and is good for obstructions in the breast, stomach, or bowels, and helpeth a decayed appetite. It is also good to wash any wound or fore with, to cleanse and heal it. The herb bruised and then boiled, and applied outwardly for certain days together, renewing it often, and in the mean time the decoction of the herb in wine taken inwardly every day, doth certainly cure the rupture in any, so as it be not too inveterate; but very speedily, if it be fresh and lately taken.

CROWFOOT.

MANY are the names this furious biting herb hath obtained; it is called frog's foot, from the Greek name barrakion, crowfoot, gold-knobs, gold-cups, king's-knob, baffiners, troil-flowers, polts, locket-goulions, and butter-flowers.

Abundant:

140 CULPEPER'S ENGLISH PHYSICIAN,

Abundant are the forts of this herb, and to describe them all would tire the patience of Socrates himself; therefore I shall only mention the most usual.

Description. The most common erowsoot hath many dark-green leaves, cut into divers parts, in taste biting and sharp, and blistering the tongue; it bears many flowers, and those of a bright resplendent yellow colour. I do not remember that I ever saw any thing yellower. Virgins in ancient times used to make powder of them to surrow bride-beds. After the flowers come small heads, somewhat spiked and rugged like a pine-apple.

PLACE. They grow very common every where; unless you turn your head into a hedge, you cannot but see them as you walk.

TIME. They flower in May and June, even till September.

Government and Virtues. This fiery and hot-spirited herb of Mars is no way fit to be given inwardly, but an ointment of the leaves of flowers will draw a blifter, and may be so fitly applied to the nape of the neck, to draw back rheum from the eyes. The herb being bruised, and mixed with a little mustard, draws a blifter as well and as perfectly as cautharides, and with far less danger to the vessels of urine, which cantharides naturally delight to wrong. I knew the herb once applied to a pestilential rising that was fallen down, and it saved life even beyond hope; it were good keeping an ointment and plaster of it, if it were but for that.

CUCKOW-PINT.

IT is called alron, janus, and barba-aron, ealves-foot, ramp, ftarch-wort, euc-kow-pintle, prieft's pintle, and wake-robin. *Arum* is the fyftematic name.

Description. This flooteth forth three, four, or five, leaves at the most, from one root, every one whereof is somewhat large and long, broad at the bottom next the stalk, and forked, but ending in a point, without a cut on the edges, of a still green colour, each standing upon a thick round stalk, of a handful breadth long, or more, among which, after two or three months that they begin to wither, rifeth up a bare, round, whitish-green, stalk, spotted and streaked with purple, somewhat higher than the leaves; at the top whereof standeth a long hollow house or husk, close at the bottom, but open from the middle upwards, ending in a point; in the middle whereof stands the small long pessel or clapper, smaller at the bottom than at the top, of a dark purple colour, as the husk is on the inside, though green without; which after it so abideth for some time, the husk with the clapper decayeth, and the foot or bottom thereof groweth to be a small long bunch of berries, green at the first,

and

and of a yellowish red colour when they are ripe, of the fize of a hazel-nut kernel. which abideth thereon almost until winter; the root is round, and somewhat long. for the most part lying along, the leaves shooting forth at the bigger end, which, when it beareth its berries, are fomewhat wrinkled and loofe, another growing under it, which is folid and firm, with many fmall threads hanging thereat. The whole plant is of a very flarp biting tafte, pricking the tongue as nettles do the hands, and so abideth for a great while without alteration. The root hereof was anciently used instead of starch to starch linen.

There is another fort of cuckow-pint, with fmaller leaves than the former, and fometimes harder, having blackifli fpots upon them, which for the most part abide longer green in fummer than the former, and both leaves and roots are more fharp and fierce than it; in all things elfe it is like the former.

PLACE. These two forts grow frequently almost under every hedge-fide in many places of this land.

TIME. They shoot forth leaves in the spring, and continue only until the middle of fummer, or fomewhat later; their hufks appearing before they fall away, and their fruit showing in April.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars. Tragus reporteth, that a dram weight, or more if need be, of the spotted wake-robin, either freth and green or dried, being eaten or taken, is a most present and fure remedy for poison and the plague. The juice of the herb taken to the quantity of a spoonful hath the fame effect; but if there be a little vinegar added thereunto, as well as unto the root aforefaid, it somewhat allayeth the sharp biting taste thereof upon the tongue. The green leaves bruifed, and laid upon any boil or plague-fore, do very wonderfully help to draw forth the poison. A dram of the powder of the dried root taken with twice as much fugar, in the form of a licking electuary, or the green root, doth wonderfully help those that are purfy or short-winded, as also those that have a cough; it breaketh, digefteth, and riddeth away, phlegm from the ftomach, cheft, and lungs; the milk, wherein the root hath been boiled, is effectual also for the same purpose. The said powder, taken in wine or other drink, or the juice of the berries, or the powder of them, or the wine wherein they have been boiled, provoketh urine, and bringeth down women's couries, and purgeth them effectually after childbearing, to bring away the after-birth: taken with fheep's milk, it healeth the inward ulcers of the bowels. The diffilled water hereof is effectual to all the purposes aforefaid. A fpoonful taken at a time healeth the itch; and an ounce or more, taken at a time for some days together, doth help the rupture; the leaves, either green or dry, or the juice of them, do cleanse all manner of rotten and filthy ulcers, in what part of the body foever, and healeth the ftinking fores in the nofe, called polypus No. 10. The

20

142 CULPEPER'S ENGLISH PHYSICIAN,

The water wherein the root hath been boiled, dropped into the eyes, cleanfeth them from any film or fkin, cloud or mift, which begins to hinder the fight, and helpeth the watering and redness of them; or when by accident they become black and blue. The root mixed with bean-flour, and applied to the throat or jaws that are inflamed, helpeth them; the juice of the berries boiled in oil of roses, or beaten into powder mixed with the oil, and dropped into the ears, easeth pains in them: the berries or the roots, beaten with hot ox-dung and applied, ease the pains of the gout: the leaves and roots boiled in wine with a little oil, and applied to the piles, or the falling down of the fundament, ease them, and so doth sitting over the hot sumes thereof: the fresh roots bruised, and distilled with a little milk, yield a most sovereign water to cleanse the skin from scurf, freckles, spots, or blemishes whatsoever. The country people about Maidstone in Kent use the herb and root instead of soap.

CUCUMBERS.

ACCORDING to the pronunciation of the vulgar, cowcumbers.

GOVERNMENT AND VIRTUES. There is no dispute to be made, but that they are under the dominion of the Moon, though they are fo much rejected for their coldness; it is by some affirmed, that if they were but one degree colder they would be poifon. The best of Galenists hold them to be cold and moift but in the second degree, and then not fo hot as lettuce or purflain: they are excellent good for hot ftomachs and livers; the immeasureable use of them fills the body full of raw humours, and fo indeed does any thing elfe when used to an excess. The juice of cucumbers, the face being washed with it, cleanfeth the skin, and is excellent good for hot rheums in the eyes; the feed is excellent to provoke urine, and cleanfe the paffages thereof when they are ftopped; neither do I think there is a better remedy for ulcers in the bladder than cucumbers; the usual course is to use the seeds in emulsions, as they make almond-milk, but a better way by far (in my opinion) is this: when the feafon of the year is, take the cucumbers and bruife them well, and diftil the water from them, and let fuch as are troubled with ulcers in their bladders drink no other drink. The face being washed with the same water, be it never fo red, will be benefited by it, and the complexion very much improved. It is also excellent good for fun-burning, freckles, and morphew.

CUBEBS.

CUBEBS are finall berries, fomewhat fweet, about the bigness of pepper-corns, yet not so black nor folid, but more rugged or crefted, being either hollow, or having a kernel within it, of a hot taste, but not so fiery as pepper; and having each a short stalk on them like a tail: these grow on trees less than apple trees, with leaves narrower

narrower than those of pepper; the flower is fweet, and the fruit growth clustering together. The Arabians call them quabebe, and quabebe chini: they grow plentifully in Java; they are used to fir up venery, and to warm and strengthen the stomach, being overcome with phlegm or wind; they cleanse the breast of thick tough humours, help the spleen, and are very profitable for the cold griefs of the womb. Being chewed in the mouth with mastic, they draw rheum from the head, and strengthen the brain and memory.

RED, WHITE, AND BLACK, CURRANTS.

NAMES. THE Latin names for currants are ribes; ribes and fructu rubrothe red currant, albo white, and nigro black.

Description. The red-currant bush hath a stalk covered with a thin brownish bark outwards, and greenish underneath; the leaves are of a blackish green, cut on the edges into five parts, much like a vine-leaf, but smaller; the flowers come forth at the joints of the leaves, many together on a long stalk, hanging down about a finger's length; of an herby colour, after which come round berries, green at the first, but red when they are ripe: of a pleasant tart taste, wherein is small seed: the root is woody and spreading.

There is another fort thereof, whose berries are twice as large as the former, and of a better relish:

The white-currant tree hath a taller and ftraighter ftem than the red, a whiter bark, and fmaller leaves, but hath fuch-like berries upon long ftalks, of the fame bigness as the first, but of a shining transparent whiteness, and of a more pleasant taste than the former.

The black current rifeth higher than the laft, and is thicker fet with branches round about, and more pliant, the younger covered with a pale, and the elder with a browner, bark; the leaves are finaller than those of the former, and often with fewer cuts therein: the flowers are alike, but of a greenish purple colour, which produce small black berries; the leaves and fruit have an unpleasant smell, but yet are wholesome, though not pleasant.

PLACE. All these forts of currants grow plentifully in England, in gardens where they are planted; they have been found growing naturally wild in Savoy in Switzerland, as Gesner saith; and some in Austria, saith Clusius; they grow in great abundance in Candia, and other places in the Streights, from whence in great quantities they are brought dried unto us.

TIME. They flower and bear fruit in June, July, and August.

GOVERNMENT AND VIRTUES. Currants are under the influence of the benevolent planet Venus; they are of a moift, temperate, refreshing, nature; the red and white

currants

144

currants are good to cool and refresh faintings of the stomach, to quench thirst, and stir up an appetite, and therefore are profitable in hot and sharp agues. They temper the heat of the liver and blood, and the sharpness of choler, and resist putresaction; they also take away the loathing of meat, and weakness of the stomach by much vomiting, and are good for those that have any looseness of the belly. Gesner saith that the Switzers use them for the cough, and so well they may; for, take dry curants a quarter of a pound, of brandy half a pint, set the brandy on five, then bruise the currants and put them into the brandy while it is burning, stirring them until the brandy is almost consumed, that it become like unto an electuary, and it is an excellent remedy to be taken hot for any violent cough, cold or rhoum. The black currants and the leaves are used in sauces by those who like the taste and scent of them; which I believe very few do of either.

COCOANUT TREE.

DESCRIPTION AND NAMES. THIS groweth to be a large timber-tree, the body covered with a fmooth bark, bare or naked, without any branch, to a great height, (for which cause the Indians do either bore holes therein, at certain distances, and knock ftrong pegs into them, which ftick out fo far as may ferve for footing to get up into the tree, to gather the juice or liquor, and the fruit; or faften ropes with nails round about the tree, with fpaces which ferve as fteps to go up into it;) and towards the top it fpreadeth out into fundry great arms, which bow themtelves almost round; with large leaves on them like the date-tree leaf, but larger, whose middle rib is very great, and abiding always green, and with fruit alfo, continually one fucceeding another. From between the lower boughs come forth finaller stalks, hanging down, and bearing fundry flowers on them, like those of the chefinut-tree; after which come large three-fquare fruit or nuts, ten or twelve, and fometimes twenty, thereon together, as big as one's head, or as a finall pompion, almost round, but a little finaller at the end, covered with a hard, tough, afh-coloured, thick, bark, an inch thick in some places, and within it a hard, woody, brownish, shell, but black when polified; having at the head or top thereof three holes, fomewhat refembling the nofe and eyes of a monkey; between which outer bark and this shell grow many grofs threads or hairs; within the wooden shell there is a white kernel cleaving close to the fide thereof, as fweet as an almond, with a fine fweet water in the middle thereof, as pleafant as milk, which will grow less pleafant, or confume, either by over ripeness or long keeping. This tree is called by the Indians maro, in Malacca trican, and in other places by feveral other appellations. The timber of this tree is folid and firm, black and fhining, like the walnut-tree, and fit for any building; and Garcias faith,

it is of two forts, (I fuppose he meaneth for two uses,) the one to bear fruit, the other to attract the liquor which iffues therefrom, when the branches are cut, or when it is bored, and received into something tied thereunto for that purpose, which liquor they call in their language fura; and it showeth like unto troubled wine, but in taste like new sweet wine, which being boiled, they call orraque; and being distilled, it yieldeth a spirit like unto our aqua vitæ, and it is used for the same purpose as we do ours, and will burn like it: they call it fula, and being set in the sun it will become good vinegar, and that which runneth last being set in the sun to grow hard, or boiled to hardness, will become sugar, which they call jagra. Of the inner kernel, while it is fresh, they make bread; the fresher the nuts are, the sweeter is the meat thereof.

GOVERNMENT AND VIRTUES. This is a folar plant; the fruit or kernel of the cocoa-nut doth nourish very much, and is good for lean bodies; they increase the natural feed, and stir up the appetite to venery, and are good to mollify the hoarseness of the throat and voice.

COFFEE. COFFEA.

THIS is reported to be the berries of certain shrubs or bushes growing in Arabia, and from thence into Turkey, and other parts. It is faid of itself to be infipid, having neither fcent nor tafte; but being pounded and baked, as they do prepare it to make the coffee-liquor with, it then ftinks most loathfomely, which is an argument of some Saturnine quality in it: the propugners for this filthy drink affirm that it caufeth watchfulness; (so doth the stinking hemlock and henbane in their first operation if unhappily taken into the body, but their worse effects foon follow;) they also say it makes them sober when they are drunk; yet they would be always accounted fober perfons, or at leaft think themselves fo, when they can but once fit down in a coffee-house. If there had been any worth in it, fome of the ancient Arabian phylicians, or others near those parts, would have recorded it; but there is no mention made of any medicinal use thereof, by any author, either ancient or modern; neither can it be indued with any fuch properties as the indulgers of it feed their fancy with; but this I may truly fay of it, Quod Anglorum corpora, quæ huic liquori tantopere indulgent, in barbarorum naturam degeneraffe videntur.

CYPRESS-TREE. CUPRESSUS.

NAMES. It has no other name in English, but this tree is called cupreffus in Latin; and the nuts or fruit thereof, nuces cuprefi; in English, cyprefs-nuts.

No. 11. Pp Descrip-

The cyprefs-tree hath a thick, firaight, long, fiem; upon which grow many flender branches; which do not fpread abroad, but grow up in length towards the top, fo that the cyprefs-tree is not broad, but narrow, growing to a great height; the bark of the cyprefs-tree is brown, the timber yellowifh, hard, thick, and close, and when it is dry of a pleafant fmell, especially if it be set near the fire. The cyprefs-tree hath no particular leaves, but the branches, instead of leaves, bring forth short twigs, cut and snipped in many places, as if they were set about with many small leaves; the fruit is round, almost as big as a prune or plum, which being ripe doth open in divers places, and hath in it a flat greyish seed.

PLACE. The cypress-tree delights in dry, hilly, and mountainous, places, in hot countries.

Time. The cyprefs-tree is always green; the fruit is ripe in September, at the beginning of winter.

GOVERNMENT AND VIRTUES. Saturn rules this plant; the leaves and fruit are dry in the third degree, without any manifest heat, and very astringent; the fruit of cyprefs, taken into the body, ftoppeth loofeness and the bloody-flux, and is good against spitting of blood, and all other issues of blood; the decoction of the fame, made with water, hath the fame virtue. The oil, in which the fruit or leaves of cypress have been boiled, doth ftrengthen the ftomach, stayeth vomiting, stoppeth the belly, and all fluxes of the fame, and cureth the excoriation or going off of the fkin from the fecret members. Cyprefs-nuts cure those who are burften and that have their bowels fallen into the fcrotum, being outwardly applied in cataplasms thereto; the leaves have the same virtue, but not so strong; the fruit of cyprefs is also good to cure the polypus, which is corrupt flesh growing in the nose. The fame, bruifed with dry figs, doth cure the blafting and fwelling of the yard and ftones; and, if leavens be added thereto, it diffolveth and wafteth blotches and boils, being laid upon the grieved place. The leaves of cyprefs, boiled in fweet wine or mead, help the ftranguary, and iffue of the bladder; the fame beaten very fmall and applied, close up green wounds, and ftop the bleeding thereof; and being applied with parched barley-meal, they are profitable againft St. Anthony's fire, carbuncles, and other ulcers, and fretting fores; the leaves and fruit of cyprefs, being infused in vinegar, and the hair washed therewith, make it black.

C E D A R-T R E E. JUNIPERUS.

NAMES. There are two kinds hereof, the great and the finall. Out of the great tree iffueth a white rofin, called in Latin cedria, and liquor cedrinus, or liquor of cedar.

DESCRIP-

Description. The greater cedar groweth very tall, high, great, and thick; the bark from the foot of the frem unto the first branches is rough, and from thence up to the top it is smooth and plain, of a dark blue colour, out of which there droppeth white rotin of its own kind, which is most odoriferous, or of a sweet smell, and by the heat of the sun it becomes dry and hard; the limbs and branches of this tree are long, and parted into many other small branches, standing directly one against another, like those of the fir-tree; the said branches are garnished with many small leaves, thick and short, having a sweet savour; the fruit is like that of the fir-tree.

Of the finalle reedar there are two kinds. The first kind of small cedar is much like to juniper, but somewhat smaller; the stem is crooked or writhed, and covered with a rough bark; the fruit is round berries, like juniper berries, but somewhat greater; of colour at the first green, then yellow, and at last reddish; and of an indifferent good taste.

The fecond kind of fmall cedar groweth not high; but remaineth fmall and low, like the other; the leaves of this are not prickly, but fomewhat round and moffy at the ends, almost like the leaves of tamarisk and savin; the fruit of this kind beareth also round berries, which at first are green, afterwards yellow, and, when they are ripe, they become reddish, and are bitter in taste.

PLACE. The great cedar groweth in Africa and Syria, and upon the mountains of Libanus, Amanus, and Taurus.

The fecond kind groweth in Phœnicia, and in certain places of Italy, in Calabria, and also in Languedoc.

The third kind groweth in Lycia; and is found in certain parts of France, as in Provence and Languedoc.

TIME. The great cedar perfecteth its fruit in two years: and it is never without fruit, which is ripe at the beginning of winter. The small cedar-trees are always green, and loaded with fruit, having at all times upon them fruit both ripe and unripe, as hath juniper.

GOVERNMENT AND VIRTUES. The great cedar is under the dominion of the Sun, the smaller of Mars; the cedar is hot and dry in the third degree; the rosin, or liquor cedria, which runneth forth of the great cedar-tree, is hot and dry almost in the fourth degree, and of subtle parts.

The fruit of the finall cedar is also hot and dry, but more moderately; cedria, that is, the liquor or gum of cedar, assuageth the tooth-ach, being put into the hollowness of the same; also, it cleareth the fight, and taketh away spots and scars of the eyes, being laid thereon; the same dropped into the ears, with vinegar, killeth the

worms

worms of the fame; and, with the wine of the decoction of hyflop, it cureth the noise and ringing in the ears, and makes the hearing good.

The ancient Egyptians did use, in times past, to preserve their dead bodies with this cedria, for it keepeth the same whole, and preserveth them from corruption, but it consumeth and corrupteth living slesh; it killeth lice, moths, worms, and all such vermin, so that they will not come near it.

The fruit of the cedar is good to be eaten against the stranguary; it provokes urine, and brings down women's courses.

CISTUS. CISTUS. LEDUM

KINDS AND NAMES. OF this there are two forts, the first called rock-rose, and *ciftus non ladanifera*, because it beareth no ladanum; the other is called marsh-ciftus, a plant of a woody substance, upon which is found that fat liquor or gum, called ladanum.

The first kind, which yieldeth no ladanum, is also of two forts, viz. male and female. The male beareth red flowers, the semale white; in all things else the one is like the other; out of the root of the semale cissus is drawn forth a sap or liquor called hypocistis.

The fecond kind of ciftus is called also ledum and ladum; the fat liquor which is gathered from it is called ladanum, and in shops lapdanum.

Description. The first kind of ciftus, which beareth no ladanum, hath round hairy stalks, and stems with knotted joints, and full of branches; the leaves are roundish, and covered with a cotton of softhair, not much unlike the leaves of fage, but shorter and rounder; the slowers grow at the tops of the stalks, of the fashion of a single rose, whereof the male kind is of colour red, and the semale white; at the last they change into knops or husks wherein the seed is contained.

There is found a certain excrefecuce or out-growing, about the root of this plant, which is of colour fometimes yellow, fometimes white, and fometimes green; out of which is artificially drawn a certain juice, which in fhops is called hypociftis, and is ufed in medicine.

The fecond kind of ciftus, which is also called *ledum*, is a plant of a woody fubfrance, growing like a little tree or flirub, with fost leaves, in figure not much unlike the others, but longer and browner; upon the leaves of this plant is found that fat fubfrance called ladanum, which is generally about midfummer and the hottest days.

PLACE. The first kind of ciftus groweth in Italy, Sicily, Candia, Cyprus, Languedoc, and other hot countries, in rough and untilled places. The second kind groweth also in Crete, Cyprus, and Languedoc.

TIME. The first kind of ciftus flowereth in June, and sometimes sooner.

The

The fecond kind of ciftus flowereth and bringeth forth feed in the fpring time, and immediately after the leaves fall off, and about midfummer new leaves rife up; upon which leaves, in the hotteft days, is found a certain fatnefs which is diligently gathered and dried, and makes that gum which is called lapdanum.

GOVERNMENT AND VIRTUES. These plants are governed by Jupiter; the flowers and leaves of ciftus are dry in the fecond degree, and fomewhat aftringent; that which groweth about the roots is of like temperature, but more aftringent; lapdanum is hot in the fecond degree almost, and is somewhat dry and astringent. The flowers of ciftus, boiled in wine and drunk, ftop the lask, and all iffues of blood: and dry up fuperfluous moifture, as well of the ftomach as other parts of the belly; the leaves do cure and heal green wounds, being laid thereupon. Hypociftis ftoppeth all fluxes of the belly, and is of a ftronger operation than the flowers and leaves of ciftus; wherefore it cureth the bloody flux, and the immoderate overflowing of women's couries. Lapdanum drunk with old wine stoppeth the lask and provoketh urine; it is very good against the hardness of the matrix or mother used in manner of a peffary; it draweth down the fecundine or after-birth, when it is laid upon quick coals, and the fumigation or fmoke thereof received up into the matrix; the fame applied to the head with myrrh, or oil of myrrh, cureth the fcurf thereof, and keepeth the hair from falling off; if it be dropped into the ears, with honeved water or oil of roses, it healeth pains in the ears. It taketh away the scars of wounds, being applied thereunto with wine; it is also very profitable mixed with all ungents and plasters that serve to heat, moisten, and assuage pains; and for such as are laid to the breaft against the cough.

COCKLE. AGROSTEMMA.

NAMES. IT is called also nigel-weed, and field-nigella.

Description. It hath firaight, flender, hairy, frems; the leaves are also long, narrow, hairy, and greyifh; the flowers are of a brown-purple colour, changing towards red, divided into five small leaves, not much differing from the proportion of wild campions; after which there groweth round cups, wherein is contained plenty of feed, of a black-brown colour.

PLACE. It is too frequent amongst wheat, rye, and barley.

TIME. It flowers in May, June, July.

GOVERNMENT AND VIRTUES. This unprofitable gueft among corn is of a Saturnine quality, caufeth giddiness of the head, and stupisses if it gets amongst the corn to be made with it into bread, and, howsoever taken, it is dangerous and hurtful; although some ignorant persons have mistaken it for the right nigella, or used it instead of yuray or darnel, to the great danger of the patient.

No. 11. Q q CORIANDER

CORIANDER. CORIANDRUM.

 $N_{A\,M\,ES}$. IT is called in shops coriandrum, in English coriander, and in some counties colyander.

DESCRIPTION. This is a ftinking plant; it beareth a round fialk, full of branches, each about a foot and a half long; the leaves are whitifh, all jagged and cut; the under leaves that fpring up first are almost like the leaves of chervil or parsley, and the upper leaves are not much unlike the same, or rather like to sumitory leaves, but a great deal tenderer, and more jagged; the slowers are white, and grow in round tusts; the seed is all round, and hollow within, and of a very pleasant scent when it is dry; the root is hard, and of a woody substance.

PLACE. It is fown in gardens, and loveth a good foil.

TIME. It flowereth in July and August, and the seed is ripe shortly after.

GOVERNMENT AND VIRTUES. The green plant is cold and dry, of a Saturnine quality, hurtful to the body; but the fweet-favouring feed is of a warm temperature and useful for many purposes; the seed of coriander, being prepared, and taken alone or covered with fugar, after meals, closeth up the mouth of the stomach, stayeth vomiting, and helpeth digeftion; the fame roafted or parched, and drunk in wine, killeth and bringeth forth worms out of the body, and ftoppeth the lafk and bloody flux, and all other extraordinary iffues of blood. Coriander ought not to be covered with fugar, or to be put into any meat or medicine, nor used any way unprepared: the way of preparing it is after this manner, viz. Take of the feed of coriander well dried, and pour thereupon good firong wine and vinegar mixed together, and fo leave them to fteep for the space of four-and-twenty hours; then take the seeds out of the liquor and dry them, and so keep them to be used in medicine. The green herb coriander, being boiled with crumbs of white bread, or barley-meal, confumeth and driveth away hot tumours, fwellings, and inflammations; and, with bean-meal; it diffolveth the king's evil, hard knobs, &c. The juice applied with cerufe, litharge of filver, vinegar, and oil of roles, cureth St. Anthony's fire, and affuageth, and eafeth the pains of all inflammations.

COLOQUINTIDA. CUCUMIS.

NAME. IT is also called wild bitter-gourd, and the fruit coloquint-apple.

Description. Coloquintida creepeth with its branches along by the ground, with rough hairy leaves, of a greyish colour, much cloven or cut; the slowers are bleak or pale; the fruit round, of a green colour at the beginning, and afterwards yellow; the bark thereof is neither thick nor hard, the inner part of the pulp is open

and

and spongy, full of grey feed, in taste very bitter; the which is dried and kept for medicinal use.

PLACE. Coloquintida groweth in Italy and Spain, from which places the dried fruit is brought unto us.

TIME. Coloquintida bringeth forthits fruit in September.

NATURE AND VIRTUES. It is under the planetary influence of Mars: of temperature hot and dry in the third degree; the white or inward pith or pulp of the apple, taken about the weight of a feruple, openeth the belly mightily, and purgeth groß phlegm and choleric humours, and cleanfeth the guts of flimy filthiness and flinking corruption, which oftentimes flick about them, and cause those grievous pains, gripings, and rumbling, of the belly; but, if taken in too great a quantity, it causeth blood to come forth. The like virtue it bath if it be boiled, or laid to loak in honeyed water, or any other liquor, and afterwards given to be drunk; it profitetli much against cold dangerous sicknesses, giddiness of the head, pain to fetch breath, the cholic, looseness of the sinews, and places out of joint; for all the same purposes, it may be put into clysters and suppositories that are put into the fundament; the oil wherein coloquintida hath been boiled, being dropped into the ears, easeth the pain and singing thereof.

Coloquintida, if administered by an unskilful hand, is very dangerous and hurtful to the stomach and liver, and troubleth the bowels and entrails; for remedy, you must put to the pulp or pith of coloquintida, gum-tragacanth and mastic, and after make it into troches or balls with honey.

CORNEL-TREE. CORNUS

NAMES. IT is called of fome, long cherry, or long cherry-tree.

DESCRIPTION. The cornel-tree fometimes groweth up to a reafonable bigners, like other trees, and fometimes it is but low, and groweth like to a flurb or hedge bush, as divers other small trees do; the wood or timber of this tree is very hard; the flowers are of a faint yellowish colour, the fruitis very red, and somewhat long, almost like an olive, but smaller, with a long little stone or kernel inclosed therein, like the stone of an olive-berry.

PLACE. The cornel-tree is in this country to be found no where but in gardens and orchards where it is planted.

GOVERNMENTAND VIRTUES. It cureth the falling fickness, and gripings in the belly or bowels; it expelleth wind from the ftomach and entrails, helpeth fuch as are bruifed or broken by falls, &c. those that have loose or weak finews, and pains of the sciatica or hip-gout; and used with vinegar it is good against scabs, and is an ingredient in many of our compositions and cordial antidotes.

CAROB-

CAROB-TREE. CERATONIA.

NAMES. IT is called in shops, xylocaracta, carob, and carobs.

Description. This fruit groweth upon a great tree, whose branches are small and covered with a red bark; the leaves are long, and spread abroad after the manner of aften leaves, confisting of fix or seven small leaves growing by a rib, one against another, of a sad dark-green colour above, and of a light-green underneath; the fruit is in certain crooked cods or husks, sometimes of a foot and a half long, and as broad as one's thumb; sweet in taste; in the husk is contained seed, which is large, plain, and of a chesnut-colour.

PLACE. This plant grows in Spain, Italy, and other hot countries.

GOVERNMENT AND VIRTUES. The fruit of the carob-tree is somewhat hot and dry, and a stringent, especially when it is fresh and green; somewhat subject to the influence of Saturn: the fresh and green carobs do gently loosen the belly, but are somewhat hard of digestion, and, if eaten in great quantity, hurtful to the stomach; but being dried they stop fluxes of the belly, provoke urine, and are not prejudicial to the stomach, being much better to be eaten dry than when fresh gathered or green.

CASSIA-FISTULA. OSYRIS.

NAMES. IT is called caffia in the cane, but is ufually known by the general name of caffia-fiffula in most countries.

Description. The tree which beareth the canes hath leaves not much unlike those of the ash-tree; they are great, long, and spread abroad; made of many leaves growing one against another, along by one stem; the fruit is round, long, black, and with woodish husks or cods most commonly two seet long, and as thick as one's thumb; severed or parted in the inside into divers small cells or chambers, wherein lieth flat and brownish seed, laid together with the pulp, which is black, soft, and sweet, and is called the flour, marrow, or cream, of cassia, and is very useful and profitable in medicine.

PLACE. It groweth in Syria, Arabia, and the East Indies; and in the West, as Jamaica.

Government and Virtues. The black pulp, or moift fubftance, of caffia, is of a gentle temperature, moderately hot and moift in the first degree, and under the government of Venus; the inner pulp of caffia is a sweet and pleasant medicine, and may safely be given to all weak people, women with child, and young children. It looseneth the belly gently, and moderately purgeth choleric humours and slimy phlegm gathered about the lungs, to be taken the quantity of an ounce at a time.

Caffia

Cassia is excellent good for those who are troubled with hot agues, the pleurify, jaundice, or any inflammation of the liver; especially being mixed with waters, drinks, or herbs, that are of a cooling nature. It is good to cleanse the reins and kidneys, it driveth forth gravel and the stone, and is a preservative against the stone if drunk in the decoction of liquorice, and parsley roots, or ciches. It is good to gargle with cassia, to assign and mitigate swellings of the throat, and to dissolve, ripen, and break, imposthumes and tumours.

Avicen writeth, that cassia, being applied to the part grieved with the gout, affuageth the pain.

CORAL. ERYTHRINA.

KINDS AND NAMES. THERE are feveral kinds of coral, but the red and the white, especially the red, is most in use. There are also several forts of black coral, called antipathes; and there is a kind of coral which is black, rough, and bristly, and is called funbeggia.

DESCRIPTION. These plants, although their hard substance makes them seem rather to be stones, yet they are vegetables. The great red coral, which is the best, groweth upon rocks in the sea, like unto a shrub, with arms and branches, which shoot forth into sprigs, some large and some small, of a pale-red colour for the most part, when it is taken out of the water, but when it is polished it is very sair, and of a beautiful red colour; whilst it is in the water it is soft and pliable, but, being taken out and kept dry a while, it becomes of a hard stoney substance.

PLACE. The corals are found in the ifle of Sardinia, and divers other places.

DAISIES. BELLIUM.

THESE are also so well known to almost every child, that I suppose it is altogether needless to write any description of them. Take therefore the virtues of them as followeth.

GOVERNMENTAND VIRTUES. The herbisunder the fign Cancer, and under the dominion of Venus; and therefore excellent good for wounds in the breaft, and very fitting to be kept both in oils, ointment, and plasters; as also in fyrup. The greater wild daify is a wound-herb of good respect, often used in those drinks or salves that are for wounds, either inward or outward; the juice or distilled water of these, or the small daisies, doth much temper the heat of choler, and resresheth the liver and other inward parts. A decoction made of them, and drunk, helpeth to cure the wounds made in the hollowness of the breast; the same also cureth all ulcers and pustules in the mouth or tongue, or in the secret parts. The leaves bruised and applied to the No. 11.

testicles, or to any other parts that are swollen and hot, do dissolve the swelling and temper the heat. A decoction made thereof with walwort and agrimony, and the places fomented or bathed therewith warm, giveth great ease to those who are troubled with the palfy, fciatica, or gout; the fame also disperseth and dissolveth the knots or kernels that grow in the flesh of any part of the body, and the bruiles and hurts that come by falls and blows; they are also used for ruptures and other inward burnings, with very good fuccefs. An ointment made hereof doth wonderfully help all wound; that have inflammations about them, or, by reason of moist humours having accels unto them, are kept long from healing; and fuch are those, for the most part, that happen to the joints of the arms and legs. The juice of them, dropped into the running eyes of any, doth much help them.

DANDELION. LEONTODON.

VULGARLY called pifs-a-beds.

DESCRIPTION. It is well known to have many long and deeply-gashed leaves lying on the ground, round about the head of the root; the ends of each gash or jag on both fides, looking downwards towards the root, the middle rib being white, which, broken, yieldeth abundance of bitter milk, but the root much more. From among the leaves, which always abide green, arife many flender, weak, naked, footftalks, every one of them bearing at the top one large yellow flower, confifting of many rows of yellow leaves, broad at the points, and nicked in, with a deep fpot of yellow in the middle; which, growing ripe, the green hufk wherein the flower frood turneth itfelf down to the ftalk, and the head of down becometh as round as a ball, with long reddish feed underneath, bearing a part of the down on the head of every one, which together is blown away with the wind, or may at once be blown away with one's mouth. The root growing downwards exceeding deep, which being broken off within the ground, will, notwithstanding, shoot forth again; and will hardly be deftroyed when it hath once taken deep root in the ground.

PLACE. It groweth frequent in all meadows and pafture grounds. TIME. It flowereth in one place or other almost all the year long.

GOVERNMENT AND VIRTUES. It is under the dominion of Venus. It is of an opening and cleanfing quality, and therefore very effectual for the obstructions of the liver, gall, and fpleen, and the difeafes that arife from them, as the jaundice and hypochondriacal paffion. It wonderfully openeth the paffages of urine, both in young and old; it powerfully cleanfeth aposthumes, and inward tumours in the urinary passages, and by the drying and temperate quality doth afterwards heal them; for which purpose the decoction of the roots or leaves in white wine, or the leaves

chopped

chopped as pot-herbs with a few alifanders, and boiled in their broth, is very effectual. And whoever is drawing towards confumption, or an evil difposition of the whole body, called *cachevia*, by the use hereof for some time together will find a wonderful help. It helpeth also to procure rest and sleep to bodies distempered by the heat of ague-fits, or otherwise; the distilled water is effectual to drink in pestilential severs, and to wash the fores:

You fee here what virtues this common herb hath, and that is the reafon the French and Dutch fo often eat it in the fpring; and now, if you look a little farther, you may plainly perceive that foreign physicians are more liberal in communicating their knowledge of the virtues of plants than the English.

DARNEL. LOLIUM.

IT is also called *juray*, and *wray*; in Sussex, they call it *crop*, being a pestilential enemy among corn.

Description. This hath, all the winterlong, fundrylong, fat, and rough, leaves, which when the fialk rifeth, which is flender and jointed, are narrow, but fill rough. On the top groweth a long fpike, composed of many heads, set one above another, containing two or three hulks, with sharp but short beards or awns at the ends; the feed is easily shaken out of the ears, the hulk itself being somewhat tough.

PLACE. The country hufbandmen know this too well to grow among their corn, or in the borders or pathways of other fields that are fallow.

Government and Virtues. It is a malicious plant of fullen Saturn. As it is not without fome vices, fo hath it also many virtues. The meal of darnel is very good to ftay gangrenes, and other such-like fretting and eating cankers, and putrid fores; it also cleanseth the skin of all leprosies, morphews, ringworms, and the like; if it be used with falt and raddish-roots. And, being used with quick brimstone and vinegar, it dissolveth knots and kernels, and breaketh those that are hard to be dissolved, being boiled in wine with pigeon's dung and linseed; a decoction thereof made with water and honey, and the place bathed therewith, is profitable for the sciatica. Darnel meal applied in a poultice, draweth forth splinters and broken bones from the slesh; the red darnel boiled in red wine, and taken, stayeth the lask and all other sfuxes, and women's bloody issues; and restraineth urine that passeth away too suddenly.

D I-L L. ANETHUM.

DESCRIPTION. The common dill groweth up with feldom more than one stalk, neither so high, nor so great usually, as sennel, being round, and with sewer joints thereon:

thereon; whose leaves are sadder, and somewhat long, and so like fennel that it deceiveth many, but harder in handling, and somewhat thicker, and of a stronger unpleasant smell; the tops of the stalks have four branches, and smaller umbels of yellow slowers, which turn into small seed somewhat flatter and thinner than sennel-seed. The root is somewhat small and woody, perishing every year after it hath borne seed; and it is also unprofitable, being never put to any use.


PLACE. It is most usually fown in gardens, and grounds for that purpose, and is also found wild with us in some places.

Government and Virtues. Mercury hath the dominion of the plant, and therefore to be fure it ftrengthens the brain. The dill being boiled, and drunk, is good to eafe fwellings and pains; it also ftayeth the belly and ftomach from cafting; and the decoction thereof helpeth women that are troubled with the pains and windings of the mother, if they fit therein. It ftayeth the hiccough, being boiled in wine, and only finelled unto, being tied in a cloth. The feed is of more use than the leaves, and more effectual to digest raw and viscous humours, and is used in medicines that serve to expel wind, and the pains proceeding therefrom. The feed being toasted or fried, and used in oils and plasters, dissolveth imposituenes in the sundament, and drieth up all moist ulcers, especially in the secret parts. The oil made of dill is esfectual to warm, to dissolve humours in general, to ease pains, and to procure rest. The decoction of dill, be it herb or feed, (only if you boil the feed, you must bruise it,) in white wine, being drunk, is an excellent remedy to expel wind, and also to provoke the terms.

DEVIL'S BIT. SCABIOSA.

Description. THIS rifeth up with a round, green, finooth, Italk, about two feet high, fet with divers long and fomewhat narrow, finooth, dark green, leaves, fomewhat finipt about the edges, for the most part; being else all whole, and not divided at all, or but very feldom, even to the tops of the branches, which yet are smaller than those below, with one rib only in the middle. At the end of each branch standard a round head of many flowers set together in the same manner, or more neatly then the scabious, and of a more bluish purple colour; which, being pass, there followeth feed that salleth away. The root is somewhat thick, but short and blackish with many strings, abiding after seed-time many years. There are two other forts hereof, in nothing unlike the former, save that one beareth white, and the other blush-coloured, slowers.

PLACE. The first groweth as well in dry meadows and fields, as moift, in many places of this land; but the other two are more rare and hard to meet with; yet are both found growing wild about Appledore, near Rye, in Kent.





Time. They flower usually about August, and the seed is ripe in September. Government and Virtues. The plant is venereal, pleasing, and harmless. The herb or root, being boiled in wine and drunk, is very powerful against the plague, and all pestilential diseases or severs, poisons also, and the bitings of venomous beasts; it also helpeth those that are inwardly bruised by any casualty, or outwardly by falls or blows, dissolving the clotted blood; and the herb or root beaten and outwardly applied, taketh away the black and blue marks that remain in the skin. The decoction of the herb, with honey of rose put therein, is very effectual to help the inveterate tumours and swellings of the almonds and throat, by often gargling the mouth therewith. It helpethalso to procure women's courses, and easeth all pains of the mother, and to break and discuss wind therein, and in the bowels. The powder of the root taken in drink, driveth forth the worms in the body. The juice or distilled water of the herb, is effectual for green wounds, or old fores, and cleanseth the body inwardly, and the seed outwardly, from fores, scurf, itch, pimples, freckles, morphew, especially if a little vitriol be dissolved therein.

DOCK. RUMEX.

MANY kinds of these are so well known, that I shall not trouble you with a description of them.

Government and Virtues. All docks are under Jupiter; of which the red dock, commonly called bloodwort, cleanfeth the blood and firengthens the liver; but the yellow dock root is beft to be taken when either the blood or liver is afflicted by choler. All of them have a kind of cooling (but not alike) drying quality, the forrels being most cold, and the bloodworts most drying; of the burdock I have spoken already by itself; see p. 101. The seed of most of the kinds, whether of the garden or field, do stay lasks or fluxes of all sorts; the loathings of the stomach through choler, and is helpful to those who spit blood. The root, boiled in vinegar, helpeth the itch, scabs, and breaking-out of the skin, if it be bathed therewith. The distilled water of the herb and roots hath the same virtue, and cleanseth the skin of freckles, morphews, and all other spots and dicolourings therein.

All docks being boiled with meat, make it boil the fooner; befides bloodwort is exceeding strengthening to the liver, and procures good blood, being as wholesome a pot-herb as any that grows in a garden.

DODDER OF THYME. CUSCUTA.

CALLED also epithimum.

DESCRIPTION. This first from feed giveth roots in the ground, which shoot forth threads or strings, grosser or siner, according to the property of the plant whereNo. 11.

S s

to

to it belongeth, as also the climate; creeping and spreading on whatever it happens to fasten. These strings have no leaves at all upon them, but wind and entwine themselves so thick, that it not only taketh away all comfort of the sun, but is ready to choke or strangle whatever plant it chanceth to cleave to. After these strings are risen to such a height that they may draw nourishment from the plant, they seem to be broken off from the ground, either by the strength of their rising, or withered by the heat of the sun; upon these strings are found clusters of small heads or husks, out of which come whitish slowers, which afterwards give small pale-coloured seed, somewhat slat, and twice as big as poppy-seed. It generally participates of the nature of the plant which it climbeth upon; but the dodder of thyme is accounted the best, and is the only true epithimum.

GOVERNMENT AND VIRTUES. All dodders are under Saturn. The dodder which grows upon thyme is generally much hotter than that which grows upon colder herbs, for it draws nourifhment from what it grows upon, as well as from the earth where its root is. This is accounted the most effectual for melancholic diseases, and to purge black or burnt choler, which is the cause of many diseases of the head and brain, as also for the trembling of the heart, faintings, and swoonings, and is helpful in all diseases and griefs of the spleen; and that of melancholy, arising from the windiness of the hypochondria. It purgeth also the reins or kidneys by urine: it openeth the obstructions of the gall, whereby it profiteth those who have the jaundice, as also the liver and spleen; it purgeth the veins of choleric and phlegmatic humours, and helpeth children's agues, a little wormseed being put thereto.

The other dodders (as I observed before) participate of the nature of those plants whereon they grow, as that which hath been found growing upon nettles in the West-country hath by experience been found very effectual to procure plenty of urine, when it hath been stopped or hindered; and so of the rest.

D O G's G R A S S. TRITICUM.

KNOWN also by the name of quich-grass or couch-grass.

Description. It is well known that this grafs creepeth far about under ground, with long, white, jointed, roots, having finall fibres at each joint, very fweet in tafte, as the reft of the herb is, and interlacing one another; from whence fhoot forth many fair, long, graffy leaves, finall at the ends, and cutting or fharp on the edges. The ftalks are joined like corn, with the like leaves on them, and a long fpiked head with a long hufk containing hard rough feed. If you know it not by this defcription, watch a dog when he is fick, and he will quickly lead you to it, for dogs have fuch an infinct, that they will find out this herb to cure themselves.

PLACE.

PLACE. It groweth commonly in this kingdom, particularly in ploughed ground, being very troublefome both to hufbandmen and gardeners to weed out of their grounds.

GOVERNMENT AND VIRTUES. It is a gentle remedy under the dominion of Jupiter; and is the most medicinal of all the quich-grasses: being boiled and drunk, it openeth obstructions of the liver and gall, and the stopping of the urine, and easeth the griping pains of the belly, and inflammations; wasteth the matter of the stone in the bladder, and also the ulcers thereof. The roots, bruised and applied, do consolidate wounds. The feed doth most powerfully expel urine, and stayeth the lask and vomiting. The distilled water alone, or with a little worm-feed, killeth worms in children.

The method of using it, is to bruife the roots, and having well boiled them in white wine, drink the decoction: it is opening, but not very safe in purging: and it is a remedy against all diseases arising from stoppages of the body.

DOVE'S FOOT. GERANIUM.

CALLED also crane's bill.

Description. This hath divers small, round, pale-green leaves, cutin about the edges, much like mallows, standing upon long, reddish, hairy, stalks, lying in a round compass upon the ground; among which rise up two or three, or more, reddish, jointed, slender, weak, and hairy, stalks, with some such-like leaves thereon, but smaller, and deeper cut toward the tops, where grow many very small bright red flowers of sive leaves each; after which come small heads, with small short beaks pointing forth, as all the other forts of these herbs do.

PLACE. It groweth in pasture-grounds, and by the path-fides in many places, and is sometimes sound growing in gardens.

TIME. It flowereth in June, July, and August, sometimes earlier and sometimes later, and the seed is ripe quickly after.

GOVERNMENT AND VIRTUES. It is a very gentle, though martial, plant. It has been found by experience to be fingularly good for the wind-cholic, and pains thereof; as also to expel the stone and gravel in the kidneys. The decoction thereof in wine, is an excellent good wound-drink for those who have inward wounds, hurts, or bruises, both to stay the bleeding, to dissolve and expel the congealed blood, and to heal the parts; as also to cleanse and heal outward sores, ulcers, and sistuas; green wounds are likewise quickly healed by bruising the herb, and applying it to the part affected. The same decoction in wine, somented to any place pained with the gout, or to any join t-achs or pain of the sinews, giveth great ease. The powder

or decoction of the herb taken for some time together, will prove exceedingly efficacious in the cure of ruptures, and burstings, either in young or old.

DUCK'S MEAT. LEMNA.

THIS is fo well known to fwim at the top of ftanding-waters, as ponds, pools, ditches, &c. that it is needless further to describe it.

GOVERNMENT AND VIRTUES. Cancer claims the herb, and the Moon is the lady of it. It is effectual to help inflammations and St. Anthony's fire, as also the gout, either applied by itself, or in a poultice with barley-meal. The distilled water hereof is held in high estimation for its virtues against all inward inflammations and pestilential severs; as also to help the redness of the eyes, the swellings of the scrotum, and of the breasts, before they are grown too much. The fresh herb, applied to the forehead, easeth the pains of the head-ach coming of heat.

DOWN, OR COTTON-THISTLE. CARDUUS.

DESCRIPTION. THIS hath many large leaves lying on the ground, fomewhat cutin, and as it were crumpled on the edges, of a green colour on the upper fide, but covered with long hairy wool, or cottony down, fet with very fharp and piercing prickles; from the middle of its heads of flowers come forth many purplifh or crimfon threads, and fometimes (though but very feldom) white ones. The feed that followeth in the heads, lying in a great deal of fine white down, is fomewhat large, long, and round, like the feed of lady's thiftle, but fomewhat paler. The root is large and thick, spreading much, and usually dies after feed-time.

PLACE. It groweth on divers ditches, banks, and in corn-fields, and highways, in almost every part of this kingdom.

TIME. It flowereth and beareth feed about the end of fummer, at the time of the flowering and feeding of other thiftles.

GOVERNMENT AND VIRTUES. Mars owns this plant. Pliny and Diofcorides write, that the leaves and roots hereof taken in drink, help those who have a crick in the neck; Galen saith, that the root and leaves of this plant are of an heating quality, and good for such persons as have their bodies drawn together by spasms or convulsions, as also for children that have the rickets.

DRAGONS. ARUM.

THEY are fo well known in this kingdom that they require no description, though we may just observe, for the benefit of such as are not perfectly acquainted with this plant, that they cannot mistake it if they take notice of the root, which very much resembles a snake.

2

GOVERNMENT AND VIRTUES. The plant is under the dominion of Mars, and is not without its obnoxious qualities. To use herbs of this description, the lafest way is to press out the juice, and distill it in a glass still in fand; it scourcth and cleanseth the internal as well as external parts of the body exceedingly; it cleanseth the skin from freckles, morphew, and sun-burnings; the best way to use it externally is to mix it with vinegar; an ointment of it is very good to heal wounds and ulcers; it consumes cankers, and that stell growing in the nostrils called polypus. The distilled, water being dropped into the eyes, takes away spots and blemishes, as also the pin and web, and cures dimness of sight; it is excellent good against pestilence and poison. Pliny and Dioscorides affirm, that no serpent will approach any person carrying this herb about them.

DUNCH-DOWN. TYPHA.

NAMES. IT is called dunch-down, because, if the down thereof happens to get into the ears, it causest dearners. It is called in Latin typha palustris, in English reed-mace and water-torch; the leaves of it are called mat-weed, because mats are made therewith.

DESCRIPTION. This herb hath long, rough, thick, and almost three-square, leaves, filled within with a soft pith or marrow; among the leaves sometimes groweth up a long, smooth, naked, stalk, without knots or joints, not hollow within, having at the top a grey or russet long knap or ear, which is round, soft, thick, and smooth, and seemeth to be nothing else but a thrum of russet wool or slocks, set thick, and thronged together; which, as it ripeneth, is turned into down, and carried away with the wind. This down or cotton is so fine, that in some countries they fill cushions and beds with it. The roots are hard, thick, and white, with many threads hanging athwart each other; and, when these roots are dry, they serve for little else than firing.

DWARFPLANE-TREE. PLATANUS.

IN Latin this tree is called Platanus orientalis vera.

GOVERNMENT AND VIRTUES. The tender leaves boiled in wine, and used the manner of an ointment, stop fluxions of the eyes; the bark boiled in vinegar, is used for pains of the teeth; but its use in physic is now become obsolete.

DOUBLE-TONGUE. Ruscus.

KINDS AND NAMES. THERE are found two kinds hereof; it is called double-tongue, horse-tongue, and laurel of Alexandria.

No. 12.

Tt

DESCRIPTION.

Description. Double-tongue hath round stalks, like those of Solomon's seal, about a foot and a half high, upon each side whereof grow thick brownish leaves, not much unlike bay-leaves, upon which there groweth, in the middle of every leaf, another small leaf, fashioned like a tongue; and betwixt the small and large leaves there grow round red berries, as big as a pea; the root is tender, white, long, and of a pleasant smell.

There is also another kind of double-tongue, which also bringeth forth its fruit upon the leaves, and is like the first in stalks, leaves, fruit, and roots, except that the great leaves and berries grow alone, without the addition of the small leaf.

PLACE. It groweth in Hungary, and Auftria, and in the woods and forefts in Italy; but is fcarcely ever feen in England, unless planted for curiofity.

TIME. The feed of this herb is generally ripe in September.

GOVERNMENT AND VIRTUES. Double-tongue is an herb of Venus. The leaves and roots thereof are much efteemed for affuaging fwellings of the throat, uvula, and kernels under the tongue; as also against the ulcers and fores of the same, being taken as a gargle. Marcellus observes, that in Italy they hang this herb about children's necks that are fick in the uvula; and Dioscorides affirms, that, if it be worn upon the bare head, it is good for the head-ach. This herb is good for the diseases of the mother, and a spoonful of the decoction of the leaves taken causeth the strangled matrix to descend down to its natural place.

The root of laurel of Alexandria, boiled in wine and drunk, helpeth the ftranguary, provoketh the urine and women's natural fickness, procures easy delivery, expelleth the secundine, and all corruptions of the matrix.

WHITE DAFFODIL. NARCISSUS.

NAMES. IT is called narciffus, and primrofe-pearls.

KINDS. There are feveral kinds hereof: one with a crimfon or red purple circle in the middle of the flower; another having a yellow circle, refembling a coronet, or cup, in the middle of the flower; there is another kind that is yellow in the middle, and another fort which beareth double flowers.

Description. The first kind of dassodil, or narcissus, hath small narrow leaves like leek-blades, with a crested, bare, naked, stalk, without leaves, of a foot or nine inches long, with a flower at the top, growing out of a film or skin, generally singly, or alone, though sometimes two together, consisting of fix little white leaves; in the middle whereof is a small round wrinkled hoop or cup, bordered about the brim with a certain round edge, wherein are contained several small threads or stems, with yellowish tips hanging thereon; after the slowers

appear

appear angled hufks, wherein grow black feeds; the root is round and bulbous, not much unlike an onion.

The other narciffus, with the yellow cup or circle in the middle, has blades longer and broader, and not fo green as those of the first; the stalks are longer and thicker, and upon every one of them frandeth three or four flowers like unto the first, except that they are yellow in the middle.

There is another kind that is yellow in the middle, and bears many more flowers, which are fmaller than those before described.

PLACE. The two first kinds grow plentifully in many places of France, as Burgundy, Languedoc, &c. in meadows and pastures; but in this country they grow only in gardens where they are planted.

They flower chiefly in March and April, though fome of them bloom not until the beginning of May.

TEMPERATURE AND VIRTUES. Venus challengeth the dominion over these plants. The root of it is hot and dry in the third degree; the which root, being boiled or roafted, or taken in meat or drink, provoketh the stomach to vomiting; the fame pounded with a little honey is good to be applied to burnings or fealdings, and cureth finews that are hurt or fprained, and is good to help diflocations, or members out of joint, being applied thereto; it also giveth ease in all old griefs and pains of the joints. The roots of narciffus take away all spots of the face, being mingled with nettle-feed and vinegar, and applied. It mundifieth and cleanfeth corrupt and rotten ulcers, and ripeneth and breaketh hard imposthumes, if it be mixed with the meal of vetches and honey, and used in the manner of a poultice; and, being mixed with the meal of juray and honey, it draweth forth thorns and splinters. at the Landle beareth the rue,

YELLOW DAFFODIL AMARYLLIS.

NAMES. THIS kind of daffodil is also called lide-llly, because it flowereth in March, which month, in some countries, is called Lide, and they are likewise known vulgarly by the name of daffydown-dillies:

DESCRIPTION. It hath long, narrow, green leaves; the stalks are round, upon which grow yellow flowers, of an unpleasant fmell; after which come round knobs or hulks, like little heads, wherein the feed is contained; it hath abundance of roots, which grow thick together, and increase by new sprigs and blades, whereby it spreadeth and increaseth itself under ground, so that the increase of this plant is very rapid.

PLACE. It doth not grow naturally in this country, but in gardens where it is planted.

TIME.

Time. Daffodils flower in March and April, and the feed ripens foon after. Government and Virtues. Yellow daffodils are under the dominion of Mars, and the roots hereof are hot and dry almost in the third degree. The roots, boiled and taken in posset-drink, cause vomiting, and are used with good success at the appearance of approaching agues, especially the tertian ague, which is frequently caught in the spring time. A plaster made of the roots, with parched barley-meal, dissolves hard swellings and imposshumes, being applied thereto; the juice, mingled with honey, frankincense, wine, and myrrh, and dropped into the ears, is good against the corrupt filth and running matter of the ears; the roots, made hollow, and boiled in oil, help raw kibed heels; the juice of the root is good for the morphew, and the discolourings of the skin.

DATE-TREE. PHONIX.

NAMES. THIS is likewife called palm-tree, and the fruit is called dates, or fruit of the palm-tree:

DESCRIFTION. It groweth to be a large tree, with a firaight thick trunk, covered with a firaly bark; at the top whereof grow many long branches, bearing a vaft number of long, firaight; narrow, leaves, or twigs, like reeds, fo that the whole tree appears to be nothing but a bundle of reed-leaves; amongft the branches groweth the fruit, clustering together at the first, and wrapt in a certain long and broad covering, like a pillow, which afterwards openeth, and showeth the fruit ftanding along on certain small sprigs, growing out of a flat yellow branch; the fruit is long and round, containing within it a long and hard stone. Of this tree there are two kinds, the male and semale; the male tree bringeth forth slowers only, which vanish as soon as the blossom is full; and the semale beareth the fruit, and bringeth it to perfection and ripeness.

PLACE: The date-tree groweth in Africa, Arabia, India, Syria, Judea, and other eaftern countries.

TIME. It continueth always green, and beareth its flowers in the fpring. In hot countries the fruit is ripe in autumn.

GOVERNMENT AND VIRTUES. The branches and leaves are cold and aftringent, the fruit is also somewhat aftringent, but hot and dry almost in the second degree; especially before it is thoroughly ripe. Dates are hard of digestion, and cause oppilations in the liver and spleen; they engender windiness, head-ach, and gross blood, if eaten green and fresh; but, being quite ripe, they are not so hurtful, but nourish indifferently, being well digested in a good stomach. Dry dates stop looseness, and stay vomiting and sick qualms of the stomach, especially of women with child, if

they

they are eaten; as also mingled with other proper medicines, and applied as a plaster to the stomach. Being administered inwardly, or applied outwardly, with medicines convenient, they strengthen the weakness of the liver and spleen. The leaves and branches are good to heal green wounds, and resresh and cool hot instantations. There is a direction in the plaster diacalcitheos, that it be stirred with a stick of the palm-tree, that it might be of the more virtue and efficacy, from whence also the same plaster is called diapalma.

DICTAMNUM OF CANDY. DICTAMNUS.

KINDS AND NAMES. IT is observed by Dioscorides, that there are three kinds hereof; the first whereof is the right distamnum, the second is the bastard distamnum, and the third is another kind, bearing both flowers and seed; it is called also dittany of Crete, and in the shops diptanum.

DESCRIPTION. The first kind, which is the right distannum, is a hot and sharp plant, much resembling penny-royal, except that this hath larger leaves, somewhat heavy or mossly, with a certain fine down, or woolly white cotton; at the top of the stalks or branches grow certain small spiky tusts, hanging by small stems, greater and thicker than the ears or spiky tusts of wild marjoram, and are somewhat of a red colour, in which there grow small slowers.

The fecond kind, called befard dictamnum, is very much like the first, except in taste; it does not bite or hurt the tongue, as does the former, neither is it so hot. It hath round, fost, woolly, stalks, with knots and joints, at each of which joints there stand two leaves, somewhat round, soft and woolly, not much unlike the leaves of penny-royal, but that they are larger, all hoary and white, without any smell, but bitter in taste; the flowers are of a light blue, compassing the stalk at certain spaces like garlands, and like the flowers of penny-royal and hoarhound; the root is of a woody substance.

The third kind is like the fecond in figure, faving that its leaves are greener and more hoary; covered with a fine, white, foft, hair, almost like the leaves of water-mint; the whole plant hath a good and pleasant smell, as it were betwixt the scent of water-mint and sage, as saith Dioscorides.

PLACE. The first kind, or the right dictamnum, cometh from Crete, now called Candia, an island in the Meditterranean sea, formerly belonging to the Venetians, but now in possession of the Turks.

The other two kinds are not confined to Candia only, but grow also in many other hot countries

GOVERNMENT AND VIRTUES. The right dictamnum is hot and dry, and of fubtil parts; the other two kinds are also hot and dry, but not quite so hot as the No. 12.

Uu first;

firft; they are all under Venus. The right dictamnum is of the same virtue as penny-royal, but much stronger and better. It bringeth down the courses, afterbirth, and dead child, either taken in meat or drink, or used as a pessary or mother-suppository. The same virtue liath the root, which is hot and sharp upon the tongue; the juice is very good to be drunk against all venoms, and the bitings of venomous beasts and serpents. Dictamnum is of such force against posson, that the savour or smell thereof driveth away all venomous beasts or serpents; the juice of the same is of singular efficacy against all kinds of wounds, if dropped or poured therein; it both mundisieth, cleanseth, and healeth, the same; it qualifieth and assuageth the pain of the milt and spleen, and wasteth and diminisheth it, being either taken inwardly, or applied outwardly to the place; it draweth forth splinters and thorns if it be bruised, and laid upon the affected part.

The baftard dictamnum hath the fame virtues as the first, though not quite so powerful in its operations.

The third kind is very profitable, compounded with medicines, drinks, and platters, against the bitings or stingings of venomous beasts.

FALSE DICTAMNUM. MARRUBIUM.

NAMES. This herb is called in Latin tragium, and by fome fravinella; fome apothecaries do use the root hereof instead of the right distannum, from whence it is called bastard or false distannum.

Description. This plant fomewhat refembles lentifins, or liceras, both in leaves and branches; it hath round, blackifh, rough, stalks, bearing on the tops thereof fair flowers, of a bluish colour, which on the upper part have four or five leaves, and on the lower part it hath small long threads, crooking or hanging down almost like a beard. After the flowers are gone, in the place of each come four or five cods, somewhat rough without, slippery or slimy in handling, and of a strong smell, not unlike that of a goat; in which is contained a black, plain, shining seed. The roots are long and white, sometimes as thick as one's singer, and generally grow one against the other.

PLACE. It groweth on the Isle of Candia, and is sometimes sound in the gardens of curious botanists.

TIME. It flowereth in June and July.

GOVERNMENT AND VIRTUES. This plant is also under the dominion of Venus. It is not almost in the third degree, and of subtil parts; the seed, taken to the quantity of a dram, is good against the stranguary; it provoketh urine, is good against the stone in the bladder, breaking and bringing it forth, and bringeth down the terms of women; the leaves and juice taken after the same manner have similar virtues,

and, being externally applied, draw out thorns and fplinters; the root taken with a little rhubarb, killeth and driveth forth worms, and is of fingular excellence against their return.

Diofcorides observes of this plant, as also of the former, that it is natural to wild goats, when they are struck with darts or arrows, to eat of this herb, which causeth them to fall out of their bodies; on which account it is not improbable that this herb came first to be substituted for the right distannum.

E L M - T R E E. ULMUS.

THIS tree is fo well known, growing generally in most counties of this kingdom, that it would be needless to describe it.

GOVERNMENT AND VIRTUES. It is a cold and Saturnine plant. The leaves hereof, bruifed and applied, heal green wounds, being bound thereon with its own bark; the leaves, or the bark, used with vinegar, effectually cure the scurf and leprofy; the decoction of the leaves, bark, or root, healeth broken bones by bathing the part affected therewith; the water that is found in the bladders on the leaves, while it is fresh, is a good wash for cleansing the skin, and making it fair; and if cloths are often wet therein, and applied to the ruptures of children, it helpeth them, if they are afterwards well bound up with a trufs; the faid water being close stopped in a glass vessel, and set either into the earth or dung for twenty-five days, fetting the bottom thereof on a lay of common falt, fo that the fæces may fettle, and the water become very clear, is a fingular and fovereign balfam for green wounds, being used with foft tents: the decoction of the bark of the root mollifieth hard tumours, and the fhrinking of the finews, being fomented therewith; the roots of the elm boiled for fome confiderable time in water, the fat rifing on the furface being nicely taken off, will prove an excellent reftorative of fallen hair, the bald places being with it anointed; the bark ground with brine or pickle, until it cometh to the thickness of a poultice, and laid on the place pained with the gout, giveth great eafe; and the decoction of the bark in water is exceeding good to bathe fuch places as have been burned with fire.

ENDIVE. CICHORIUM.

DESCRIPTION. COMMON garden endive beareth a longer and larger leaf than fuccory, and abideth but one year, quickly running up to ftalk and feed, and then perifhing; it hath blue flowers, and the feed is to much like that of fuccory, that it is hard to diffinguish them.

GOVERNMENT AND VIRTUES. It is a fine, cooling, cleanfing, plant; the decoction of the leaves, or the juice, or the diffilled water, of endive, ferveth well to

cool the excessive heat of the liver and stomach, as also the hot fits of agues, and all other inflammations; it cooleth the heat and sharpness of the urine, and the excoriations in the urinary parts: the seeds have the same properties, though rather more powerful, and besides are available for fainting, swoonings, and the passions of the heart. Outwardly applied, they serve to temper the sharp humours of fretting ulcers, hot tumours and swellings, and pestilential fores. It wonderfully helpeth not only the redness and inflammation of the eyes, but the dimness of the sight also; it is likewise used to allay the pains of the gout; in sact it cannot be used amiss. The syrup of it is a fine cooling medicine for severs.

ELECAMPANE, INULA.

Description. THIS shooteth forth many large leaves, long and broad, lying near the ground, small at both ends, somewhat soft in handling, of a whitish green on the upper side, and grey underneath, each set upon a short footstalk; from among these rise up divers great and strong hairy stalks, three or four feet high, with some leaves thereon, compassing them about at the lower ends, and are branched toward the tops, bearing several large slowers, like those of the corn-marygold, both the border of the leaves and the middle thrumb being yellow; this is sollowed by a down, with long, small, brownish, seed among it, which is carried away with the wind. The root is large and thick, branching forth many ways, blackish on the outside, and white within, of a very bitter taste, and strong but pleasant smell, especially when they are dried; it is the only part of the plant which has any smell.

PLACE. It groweth in moift grounds and fhadowy places oftener than in the dry and open borders of fields and lanes, and other waste places, almost in every county of this kingdom.

TIME. It flowereth in June and July, and the feed is ripe in August. The roots are gathered for medicinal purposes, as well in the spring, before the leaves come forth, as in autumn or winter.

Government and Virtues. It is a plant under the dominion of Mercury. The fresh roots of elecampane preserved with fugar, or made into a syrup or conferve, is very good to warm a cold and windy stomach, or the pricking therein, and stitches in the sides, caused by the spleen; also to help a cough, shortness of breath, and wheezing in the lungs. The dry root made into powder, mixed with sugar, and taken, answereth the same purposes, and is also profitable to those who have their urine stopped; likewise to prevent the stoppages of the menstrua, the pains of the mother, and of the stone in the reins, kidneys, or bladder; it resistent possion, and stayeth the spreading of the venom of serpents, as also of putrid and pestilential severs; and also the plague. The roots and herbage beaten and put into new ale or

beer



Tuttishit wethe det Directs.



beer, and drunk daily, clear, firengthen, and quicken, the fight of the eyes exceedingly. The decoction of the roots in wine, or the juice taken therein, killeth and driveth forth all manner of worms in the belly and fromach; if gargled in the mouth, or the root chewed, fatteneth loofe teeth, and helpeth to keep them from putrefaction; being drunk, it is good for those who spit blood, helpeth to remove cramps or convulsions, the pains of the gout, the sciatica, the loofeness and pains in the joints, or members disjointed or sprained, proceeding from colds or moisture happening to them, applied either internally or externally; it is also used with good effect by those who are bursten, or have an inward bruise. The roots being well boiled in vinegar, afterwards beaten and made into an ointment with hog's suet and oil of trotters, is an excellent remedy for the scab or itch, either in young or old; the places also bathed or washed with the decoction doth the same, and helpeth all forts of filthy old putrid sores or cankers. In the root of this herb lieth the chief effect for all the remedies aforesaid. The distilled water of the leaves and roots together is very profitable to cleanse the skin from morphew, spots, or blemishes.

ERINGO. ERYNGIUM.

KNOWN also by the name of fea-holly.

Description. The leaves of this plant are nearly round, deeply dented about the edges, hard, and sharp-pointed, a little crumpled, and of a bluish-green colour, each having a long footstalk; the leaves, when young, are neither so hard nor prickly as when come to maturity. The stalk is round and strong, somewhat crested with joints, bearing leaves thereat, which are more divided, sharp, and prickly, than those before mentioned; from these joints it also branches forth many ways, each bearing on the top several bluish, round, prickly, heads, with many small jagged, prickly, leaves under them, standing like a star, which are sometimes of a greenish or white colour. The root groweth very long, sometimes to the length of eight or ten feet, set with rings or circles toward the upper part, but smooth and without joints downwards, brownish on the outside, but very white within, with a pith in the middle, of a pleasant taste, but much more so when carefully preserved, and candied with sugar.

PLACE. It is found on the fea-coafts, and in almost every part of this king-dom bordering on the fea.

TIME. It flowereth at the latter end of the fummer, and giveth its feed about a month after.

GOVERNMENT AND VIRTUES. The plant is venereal, and produceth a great quantity of feed; it is not and moift, and under the fign Libra. The decoction of the

No. 12. X x root

root taken in wine is very effectual in opening the obstructions of the spleen and liver. It helpeth the yellow jaundice, the dropfy, the pains in the loins, and wind-cholic; provoketh urine, expelleth the stone, and procureth women's courses. The decoction taken for fisteen days, on going to bed and in the morning satting, helpeth the stranguary, the evacuation of the urine by drops, the stopping of urine, the stone, and all defects of the reins and kidneys, and by a longer continuance of the aforesaid decoction, great relief will be found against the French disease. The roots bruised, and externally applied, help the kernels of the throat, commonly called the king's evil; or taken inwardly, and applied to the place stung or bitten by a serpent, heal it speedily. If the roots are bruised and boiled in hog's lard, they are good for drawing forth thorns, splinters, &c. and closing the incisson made thereby. The juice of the leaves dropped into the ears, helpeth imposithumes therein; the distilled water of the whole herb, when the leaves and stalks are young, may be drunk with good success for all the purposes aforesaid.

EYE-BRIGHT. EUPHRASIA.

DESCRIPTION. COMMON eye-bright is a fmall low herb, rifing up ufually with but one one blackish-green stalk, about a span high, spread from the bottom into fundry branches, whereon are set small, and almost round, yet pointed, dark-green leaves; they are finely snipped about the edges, two always set together, and very thick; at the joints with the leaves, from the middle upwards, come forth small white slowers, striped with purple and yellow, after which follow small round heads containing very small seed; the root is long, small, and thready at the end.

PLACE. It groweth in meadows and graffy places.

GOVERNMENT AND VIRTUES. It is under the fign Virgo, and Sol claims the dominion over it. The juice of this herb, taken in white wine or broth, or dropped into the eyes for feveral days together, helpeth all the infirmities of them. Some make a conferve of the flowers for the aforefaid purpose. Being used either of these ways, it also helpeth a weak brain or memory. If tunned up with strong beer, that it may work together, and drunk; or the powder of the dried herb mixed with sugar, a little mace, and sennel-seed, and drunk or taken in broth; or the said powder taken as an electuary;—each of these hath the same powerful effect to help and restore the loss of sight through age.

E L D E R - T R E E. SAMBUCUS.

I CONSIDER it needless to trouble my readers with a description of this tree, fince there is scarcely a school-boy but can point it out; shall therefore proceed to the DWARF-

DWARF-ELDER.

CALLED also dead-wort and wall-wort; otherwise Sambucus,

Description. This herb springeth fresh from the ground every spring; its leaves and stalks perishing at the approach of winter. It is like the common elder both in form and quality, rising up with a square, rough, hairy, stalk, about four feet high, though sometimes higher: the winged leaves are somewhat narrower than of that aforementioned; but in other respects not unlike them; the slowers are white, dashed with purple, standing in umbels, resembling those of the former except in smell, these being the most pleasant; after the slowers come small blackish berries, full of juice whilst they are fresh, containing small hard kernels, or seed. The root doth creep under the upper crust of the ground, springing in divers places, and being in general about the size of a person's singer.

PLACE. It groweth wild in many parts of the kingdom, and is with difficulty erafed from the place where it once takes root.

TIME. Most of the elder-trees flower in June, and their fruit is ripe in August; but the dwarf kind or wall-wort flowereth somewhat later, and its fruit is not ripe till September.

GOVERNMENT AND VIRTUES. Both the common and dwarf elders are under the dominion of Venus. The first shoots of the common elder boiled like asparagus, or the young leaves and stalks boiled in fat broth, expel phlegm and choler; the middle or inward bark boiled in water, and drunk, purgeth exceedingly; and the berries, either green or dry, are often given with good fuccess for the dropfy; the bark of the root boiled in wine, or the juice thereof drunk, hath the fame virtue, though more powerful in its operations. The juice of the root doth ftrongly provoke vomiting, and purgeth the watery humours of the dropfy. The decoction of the root cureth the biting of a mad dog, as also that of the adder; it mollifieth the hardness of the mother, and bringeth down the courses; the berries boiled in wine perform the fame effect, and the hair of the head washed therewith is made black. The juice of the green leaves applied to the hot inflammations of the eyes affuageth them, and, being fnuffed up the noftrils, purgeth the tunicles of the brain. juice of the berries boiled with honey, and dropped into the ears, cureth the pains thereof; by drinking a decoction of the berries in wine, urine is provoked; the distilled water of the flowers is very serviceable for cleaning the skin from sunburning, freckles, morphews, &c. It cureth the head-ach by washing it therewith, and, being used as a bath, it is a certain cure for ulcerated legs; it removeth the redness of the eyes, and helpeth those who are afflicted with the palfy.

The dwarf-elder is more powerful than the common in opening and purging choler, phlegm, and water; it helpeth the gout, piles, and the difeases incident to women: it coloureth the hair black, helpeth the inflammations of the eyes, and pains of the ears, the biting of serpents or mad dogs, burning and scaldings, the wind-cholic, the stone, the difficulty of urine, and the cure of old sores and fistulous ulcers. Dr. Butler observes that the decoction of elder is a most excellent relief for the dropfy.

ERYSIMUM.

Description. This plant hath long leaves deeply cut or jagged on the edges, not much unlike the leaves of wild muftard; the ftalks are fmall, flender, and pliant, and will twift and wind like withy. Upon each of these stalks grow many yellow flowers; which are followed by long flender husks, containing seed of a sharp biting taste; the root is very long and thick, with many small strings or threads hanging thereto.

PLACE. It delights in ftony untilled places, and is to be found in most of the bye-paths and bank-sides in this kingdom.

TIME. It generally flowereth in the months of June and July, though their bloffoms are fometimes feen later in the year.

GOVERNMENT AND VIRTUES. The feed of this plant taken with honey ripeneth and caufeth the evacuation of tough and clammy phlegm; it is also good against shortness of breath, and is effectual in removing an old cough. If the feed be steeped in fair water, and then dried by the fire, it is good for the gripings of the belly, and expelleth all venom and poison. An ointment made of the feed consumeth and wasteth all hard swellings and imposshumes behind the ears, as also cankers and swellings in the breasts, genitals, &c.

EGLANTINE. ROSA.

THIS is better known by its common name, freet brier, and is called in fome counties wild brier, and pimpernel-rofe. The Latins call it cynorrhodon, and the Greek rodon agrion. Another species of eglantine is the dog-refe, and all other wild roses.

TIME AND PLACE. The fweet brier, from its fragrant and pleafant finell is cultivated in most gardens and pleafure-grounds. It grows likewise wild in the borders of fields, and in woods, in almost every part of this kingdom; but not by far so plentifully as the dog-rose. It begins to shoot forth its buds early in the spring, and flourisheth and flowereth during the time of all the other rose-trees.

GOVERNMENT

Government and Virtues. Sweet-brief is under the dominion of Jupiter, and the dog-rose is under the Moon. The leaves of the flowers are not so efficacious in medicine as rose-leaves, which, being also more abundant, are always used in preference. The spongy apples or balls which are found upon the eglantine, if pounded to paste, and mixed with honey and wood-ashes, are an excellent remedy for the alopecia, or falling off of the hair; and, being dried and powdered, and taken in white wine, are good against the stone and gravel, removing the stranguary, and strengthening the kidneys. The same boiled in a strong decoction of the roots is good to heal the bitings of venomous beasts or mad dogs. The red berries which succeed the flowers, called hips, if made into a conserve, and eaten occasionally, gently bind the belly, stop defluxions of the head and stomach, help digestion, sharpen the appetite, and dry up the moisture, of cold rheum and phlegm upon the stomach. The powder of the dried pulp is an excellent remedy for the whites; and, if mixed with the powder of the balls, and given in small quantities, is an excellent remedy for the cholic, and to destroy worms.

EUPHORBIUM, OR GUM-THISTLE.

TJHS plant is fo well known, and so common in every part of this kingdom, that any description of it would be altogether superfluous,

PLACE. They grow in most fields and meadows throughout this kingdom, and particularly in grounds fowed with corn.

TIME. They flower from the beginning of June until the end of September; the feed progreffively ripens from the end of June to the beginning of November.

Mars, and partakes more of his fiery nature than any of the other thiftles. It is hot and dry in the fourth degree, being a perfect caustic, and of thin parts. A plaster made of it, with twelve times as much oil, and a little wax, heals all aches of the joints, lameness, palsies, cramps, and shrinkings of the sinews. Mixed with oil of bay and bear's grease, it healeth scurss and scalds in the head, and restoreth lost hair; applied with oil to the temples, it healeth the lethargy, and, by putting it to the nape of the neck, it preventeth the apoplexy. Being mixed with vinegar, it removeth all blemishes of the skin, or, with other ointments, it heateth the parts that are cold, and healeth the sciatica. Taken inwardly, it fretteth the entrails and scorcheth the whole body, therefore must be beaten small, and tempered with something that lubrisheth and allayeth its heat and sharpness, and then it purgeth water and phlegm. The remedy is ant'euphorbium, which is succulent, cold, and slimy. The pills of euphorbium greatly help dropsies, pains in the loins, and gouts, by moit-

No. 12. Yy ture

ture. The simple oil of this plant hath the same virtues as that of castor, but is much stronger; if sourced up the nose, it purgeth the head of phlegm; it is also good in old and cold pains of the joints, liver, and spleen. It is good for cold diseases of the nerves and brain, the head-ach, and pains in the side thereof; it cures the lethargy, being sourced up the nose; anointed on the privities, it provoketh lust, and it healeth all numbness and stiffness proceeding from cold. Oleum de euphorbio compositum, or the compound oil of euphorbium, operates as the simple, but more effectually; it healeth old and cold diseases of the nerves and brain, and prevents drowsiness. It is very effectual in cold pains of the womb, kidneys, and bladder, being anointed on the regions thereof. The extract of euporbium healeth the palfy, gout, spasin, and dropsy, and bringeth phlegm from the nerves.

FERN. POLYPODIUM.

DESCRIPTION. OF this there are two kinds principally to be treated of; viz. the male and female. The female groweth higher than the male, but the leaves thereof are lefs, and more divided or dented, but of the fame smell as that of the male. The virtues of each are the same.

 PLACE . They grow on heaths, and in fluidy places near the hedge-fides, in most parts of this kingdom.

TIME. They flower and feed at midfummer.

Government and Virtues. It is under the dominion of Mercury, both the male and female. The roots of both of there forts of ferns, being bruifed and boiled in mead, or honey-water, and drunk, kill both the broad and long worms in the body, and abate the fwelling and hardness of the spleen. The green leaves, eaten, purge the belly of choleric and waterish humours, but they trouble the stomach; they also cause abortion, consequently are unsit for the use of pregnant women. The roots bruised, and boiled in oil or hog's-lard, make a very profitable ointment to heal wounds, or draw forth thorns from the sless. The powder of them used in foul ulcers, drieth up their malignant moisture, and causeth their speedy healing. Fern being burnt, the smoke thereof driveth away serpents, gnats, and other noisome creatures, which in senny countries are sometimes very troublesome.

WATER-FERN. OSMUNDA.

IT is called ofmond-royal.

DESCRIPTION. This shooteth forth in the spring time; it hath several rough hard stalks, half-round, or statish on one side, and hollow; they are about two feet high, having many branches of winged yellowish-green leaves on all sides, set

one against another, longer, narrower, and not nicked on the edges; from the top of some of these stalks grows forth a long bush of small and more yellowish-green scaly aglets, set in the same manner on the stalks as the leaves are; these are supposed to be the slowers and seed. The root is rough, thick, and scaly, having a white pith in the middle, which is called the heart thereof.

PLACE. It growth in moors, bogs, and watery places, in many parts of this kingdom.

TIME. It is green all the fummer, but the root liveth during the winter.

GOVERNMENT AND VIRTUES. Saturns owns this plant. It hath all the virtues of the former ferns, though much more effectual in its operations than either, both for inward and outward griefs; and is a fingular remedy for wounds, bruifes, &c. The decoction drunk, or boiled down to an oil or ointment, and applied, is also good for bruifes, and bones broken or disjointed; as also for ruptures and burstings, and giveth much ease to the cholic and in splenetic diseases. The decoction of the root, taken in white wine, provoketh urine exceedingly, and cleanseth its passages. Of the ashes of these ferns, with water, are made balls, (particularly in Warwickshire and Staffordshire,) with which, being dried in the sun, they wash their clothes instead of soap; but before they use them, they put them into a light fire till they are red hot, and then they will easily powder. This fern also is used in Sussex to burn lime, the slame being very sit for that purpose. The juice of the root is good for burns: The ashes cast upon stones, instead of nitre, make glass of a green colour.

FEATHERFEW, OR FEVERFEW. MATRICARIA.

Description. COMMON featherfew hath many large fresh green leaves, very much torn or cut on the edges; the stalks are hard and round, set with many such-like leaves, but somewhat smaller; at the tops stand many single flowers, each upon a foot-stalk; they consist of many small white leaves, standing round a yellow thrum. The root is somewhat hard and short, with many strong sibres.—

The smell of the whole plant is strong; taste bitter.

PLACE. There are fome places in this kingdom where it grows wild; but it is generally a garden plant.

TIME. It flowereth in the months of June and July.

GOVERNMENT AND VIRTUES. This herb is governed by Venus. Being boiled in white wine, and the decoction drunk, it cleanfeth the womb, expelleth the after-birth, and is of general utility to the fair fex. It is used for the diseases of the mother, either in the rifing or ftrangling of the same, or when attended with hardness or inflammation, being applied outwardly thereunto. A decoction of the flowers

flowers in wine, with a little nutmeg or mace therein, drunk feveral times a-day, is an approved provocative of women's courses, as also a great help to expel the dead and after births; and to fit over the hot fumes of the decoction of the herb, made in water or wine, will prove equally ferviceable. The decoction, mixed with fugar or honey, is good to help a cough, to cleanfe the cheft or ftomach of phlegm, and to expel the ftone. The powder of the herb taken in wine, with fome oxymel, purgeth both choler and phlegm, and is good for those who are short-winded, or are troubled with melancholy, or lowness of spirits; it is effectual in removing all pains of the head arising from a cold, the herb being bruifed, and applied to the crown thereof; used in the same manner, it is likewise good for the swimming or giddiness of the head. The decoction thereof drunk warm, and the herb bruised with a few grains of bay-falt, and applied to the wrifts, will prevent the return of aguefits. The diffilled water taketh away freckles and other spots of the skin, and other blemishes in the face; the herb bruifed, and heated on a tile, with some wine to moisten it, or fried with a little oil and wine, and applied warm outwardly, helpeth the wind and cholic in the lower part of the belly. It is an especial remedy against the too liberal use of opium.

FENNEL. ANETHUM.

EVERY garden affordeth this fo plentifully, that it needeth no description.

GOVERNMENT AND VIRTUES. It is governed by Mercury, under Virgo, and beareth antipathy to Pifces. It is exceeding good to be boiled with fifh, as it confumeth the phlegmatic humour arifing therefrom. Fennel is good to break wind, provoke urine, and eafe the pains of, as well as break, the stone. The leaves and feed boiled in barley-water, and drunk, are good to increase milk, and make it more wholesome. The leaves, or rather feed, boiled in water, will stay the hiccough, and take away the loathing which often happens to the ftomach of fick and feverish persons, and allayeth the heat thereof; the seed, if it be boiled in wine, and drunk, is good for those who are bitten by a serpent, or have eaten poisonous herbs; the feed and root help to open obstructions of the liver, spleen, and gall, and thereby remove the painful and windy fwellings of the spleen, the yellow jaundice, and the gout and cramp; the feed is of great use in medicines given to help shortness of breath, and wheefing by ftoppage of the lungs; and it helpeth to bring down the courfes, and cleanfe the parts after delivery. The roots are good to be put into dietdrinks and broths that are taken to cleanfe the blood, to open obfiructions of the liver, to provoke the urine, to amend the ill colour of the face after fickness, and to cause a good habit of the body. The distilled water of the whole herb, or the condensate juice diffolyed, (but especially the natural juice that iffueth forth from

root confile of

this plant in hot countries,) dropped in the eyes cleanfeth them from mift and film growing upon the fight thereof. The fweet fennel is much weaker in physical uses than the common sennel, and the wild is stronger and hotter than the tame, and therefore more powerful against the stone, but not so effectual to increase milk, because of its dryness.

SOW-FENNEL PEUCEDANUM.

BESIDES the common English names of fow-fennel, hog's-fennel, hoar-ftrong, hoar-ftrang, sulphur-wort, and brimstone-wort, it is called in Latin peucedanum.

DESCRIPTION. The common fow-fennel hath many branched stalks of thick and somewhat long leaves, three of which generally grow together; the stalk is straight and crested, with joints thereon; somewhat less than the common sennel, and branching forth at the top several small sprays with tusts of yellow flowers, after which cometh flat, thin, and yellowish, seed, rather larger than that of the someon. The root groweth great and deep, with many sibres hanging thereto, of a strong smell, and yieldeth a yellowish clammy juice, almost like a gum.

PLACE. It groweth plentifully in the low falt marshes near Feversham in Kent.

Time. It flowereth and seedeth in July and August.

Government and Virtues. This also is an herb of Mercury. The juice of fow-fennel used with vinegar and rose-water, or the juice with a little euphorbium, put to the nose, helpeth those who are troubled with the lethargy, the frenzy, the turning or giddiness of the head, the falling sickness, long and inveterate headach, the palsy, sciatica, cramp, and in general all the diseases of the sinews, being mixed with oil and vinegar, and the affected parts bathed therewith. The juice dissolved in wine, or put into an egg, is good for a cough, or shortness of breath, and to expel wind; it purgeth the belly gently, helpeth the hardness of the spleen, giveth ease to pregnant women, and also to the pains of the reins, bladder, and womb. A little of the juice dissolved in wine, and dropped in the ears, easeth the pains thereof, or, put into a hollow tooth, easeth the tooth-ach; the root is less effectual in all the aforesaid diseases, yet it is not without its virtues; the powder of it cleanseth foul ulcers, draweth forth splinters of broken bones, drieth up old and inveterate running fores, and is an excellent falve for green wounds.

FIG-WORT. SCROPHULARIA.

CALLED also throat-wort.

Description. Common great fig-wort shootest forth several great, strong, hard, square, brown, stalks, three or four feet high, whereon grow, large, hard, No. 13.

and dark-green, leaves, two on a joint, being larger and harder than nettle-leaves, but do not fting; at the tops of the stalks stand many purple flowers, set in husks, not unlike those of water-betony, which are followed by round heads with a small point in the middle, containing small brownish seed. The root is large, white, and thick, shooting forth many branches under the upper crust of the earth, which abideth many years, but the leaves perish annually.

PLACE. It groweth frequently in moift and fliady places, and in the bottoms of-fields and meadows.

TIME. It flowereth about July, and the feed ripens about a month after the flowers are fallen.

Government and Virtues. Venus claims dominion over this herb. It is an excellent remedy for the king's evil or any other difeafe in the neck; the decoction of the herb taken inwardly, and the bruifed herb applied outwardly, diffolveth clotted and congealed blood; coming from any wound, bruife, or fall, and is no lefs effectual in removing knots, kernels, bunches, and wens, growing in the flesh; it is good also for the hemorrhoids, piles, or other knobs or kernels growing near the fundament. An ointment made hereof may be used for the above purposes when the fresh herb is not to be had. The distilled water of the whole plant, together with the root, may also be used for the aforesaid disorders; it drieth up the superfluous virulent moisture of hollow and corroding ulcers, and taketh away all redness, spots, and freckles, in the face, as also the scurf and blotches therein, and is used with good effect to cleanse the body of the leprosy.

EILAPENDULA, SPIREA.

IT is by fome called drop-worth

Description. It shooteth forth many leaves of various fizes, growing on each fide of a rib, and much dented on the edges, somewhat resembling wild tanfy or agrimony, but feeling much harder; among these rise up one or more stalks, two or three feet high, spreading into many other branches, each bearing several white sweet-smelling showers, consisting of sive leaves apiece, with small threads in the middle; they stand together in a tust or umbel, each upon a small stootstalk, and are succeeded by round chassy heads, like buttons, which contain the seed. The root consists of many tuberous pieces, fastened together by many small, longs blackish, strings, which run from one to another.

PLACE. It groweth in many places of this kingdom, in the corners of dry fields and meadows, and also by hedge-fides.

TIME. They flower in June or July, and their feed is ripe in August.

GOVERNMENT

GOVERNMENT AND VIRTUES. It is under the dominion of Venus. It is very effectual to open the urinary paffages, and to help the firanguary, and all other pains of the bladder and reins, and to expel the fione and gravel, by taking the roots in powder, or a decoction of them in white wine, fweetened with fugar; the fame also helpeth to expel the after-birth. The roots made into powder, and mixed with honey after the manner of an electuary, are good to be taken by those whose ftomachs are swollen, breaking and expelling the wind which was the cause thereof; as also for all diseases of the lungs, as shortness of breath, wheezings, hoarseness of the throat, and the cough, and to expectorate cold phlegm. It is called drop-wort, because it giveth ease to those who evacuate their water by drops.

FIG-TREE. Ficus.

TO give a defcription of a tree fo well known to almost every body who lives in this kingdom, were needless; I shall therefore only observe, that it is much fitter for medicinal purposes than any other.

GOVERNMENT AND VERTUES. The tree is under the dominion of Jupiter. The milk that iffueth from the leaves or branches, when they are broken, being dropped upon warts, taketh them away; the decoction of the leaves is exceeding good to wath fore heads with, nor is there fcarcely a better remedy for the leprofythan this; it also clears the face of the morphew, and the body of white fourf, moilt fcabs, and running fores; if it be dropped into old fretting ulcers, it cleanfeth out the moisture, and closeth up the flesh. For the sake of convenience, an ointment may be made of the leaves whilft they are green, which will keep all the winter. A decoction of the leaves taken inwardly, or rather the fyrup of them, diffolves congealed blood caused by falls or bruises, and is good for the bloody flux; the ashes of the wood made into an ointment with hog's lard, cureth kibes and chilblains; the juice, being put into a hollow tooth, eafeth the tooth-ach, and, dropped into the ear, cureth the deafness and pains thereof. An ointment of the juice and hog's greafe is an excellent remedy for the biting of a mad dog, or other venomous beaft. fyrup of the green fruit is very good for coughs, hoarfenefs, fhortnefs of breath, andall difeases of the breast and lungs; it is equally efficacious for the dropfy and falling fickness. It is reported, (but I cannot vouch for its veracity,) that a bull, be he never fo mad, by being tied to this tree; will quickly become tame and gentle.

F L O W E R - D E - L U C E. IRIS.

IT also beareth the name of yellow water-flags.

DESCRIPTION. There are other flower-de-luces, from which this herb differs chiefly in the leaves; those of this plant are much longer and narrower, and of a fadgreen green colour; in other respects there is little or no difference. The leaves all grow together, from the middle of which riseth the stalk, bearing on the top small yellow slowers, with three falling leaves, and other three arched that cover their bottoms; but, instead of the three upright leaves which are in the other kinds, in this there are substituted three very short leaves, which are followed by long triangular heads, each containing large and slattish seed. The root is long and slender, of a pale brownish colour on the outside, and of a hear lightish colour within, having many hard fibres thereat; and of a harsh taste.

PLACE. It usually grows in watery ditches, ponds, lakes, and moor-fides, which are filled with franding or running waters.

TIME. It flowereth in July, and the feed is ripe in August.

Government and Virtues. It is under the dominion of the Moon. The root is of a very affringent, cooling, and drying, nature, and thereby helpeth all lasks and fluxes, whether of blood or humours, as bleeding at the mouth, nose, or other parts, and the immoderate flooding of women's courses. The distilled water of the whole herb, flowers, and roots, is a fovereign remedy for weak eyes, being either dropped therein, or cloths or sponges wet therewith, and applied to the forehead; being also someted on swellings and hot inflammations, and cankers incident to women's breasts, also soul ulcers in the privy parts of either sex, it is very profitable. An ointment made of the flowers is better for these external applications.

FLAX-WEED. ANTIRRHINUM.

CALLED likewife toad-flax.

Description. Our common flax-weed hath many stalks, thick fet with long and narrow blue or ash-coloured leaves, and bearing from the middle upward a vast number of pale-yellow flowers, of a strong unpleasant smell, with deeper yellow mouths, and blackish flat feed in round heads. The root is somewhat woody and white, especially the chief branch of it, which spreadeth itself many ways, having several fibres hanging thereto.

PLACE. This groweth in every part of this kingdom, and is to be found by the way-fides in meadows, banks, and borders.

TIME. It bloffoms in fummer, and the feed is ripe usually about the middle or latter end of August.

GOVERNMENT AND VIRTUES. Mars owns this herb. It is frequently used to provoke urine, and to expel the abundance of those watery humours by urine which cause the dropsy. The decoction of the herb, with the leaves and flowers in wine, doth somewhat move the belly downwards, openeth obstructions of the liver, help-

eth

dryness

eth the yellow jaundice, expelleth poifon, provoketh women's courses, and driveth forth the dead child and after-birth. Being drunk with a drain of the powder of the seed or the bark of the root of wall-wort, mixed with a little cinnamon, for several days together, it is esteemed a fingular remedy for the dropfy; the juice of the herb, or the distilled water, dropped into the eyes, is a certain cure for all heat, inflammations, and redness of them; the same, put into soul ulcers, whether cankerous or fiftulous, with tents, or the parts washed or injected therewith, cleanseth them thoroughly from the bottom, and healeth them up with safety; it also cleanseth the skin of morphew, scurf, wheals, pimples, or other spots and blemishes, either used by itself, or with the powder of lupines.

F L E A - WO R T. PLANTAGO.

Description. The ordinary flea-wort rifeth up with a stalk about two feet high, though sometimes higher; full of joints and branches on every side, quite up to the top; at each of the joints grow two small, long, and narrow, whitish-green leaves, which are somewhat hairy. At the tops of the branches stand several small, short, scaly, or chaffy, heads, out of which come forth small whitish-yellow threads, somewhat like those of plantane herbs, which are the blossoms or slowers. The feed contained in those heads is small and shining, and very much resembles sleas, both in size and colour, whilst it is fresh, but turns black as its age advances. The root is short, white, hard, and woody, perishing every year, and rising from its own feed, which it promiscuously sheds. The whole plant is rather whitish and hairy, smelling somewhat like rosin.

There is another fort hereof, differing not from the former in the manner of its growth, but the stalks and branches are somewhat greater, bending down towards the ground; the leaves are rather larger, the heads a little less, and the seed very, much like. The root and leaves abide all the year, and do not perish in the winter season like the former.

PLACE. The first groweth only in gardens, but the second plentifully in fields and pastures near the sea.

TIME. They flower in July, or thereabouts.

No. 13.

GOVERNMENTAND VIRTUES. The herb is cold and dry, and of a Saturnine quality. The feed fried and taken frayeth the flux or lask of the belly, and the corrosions that proceed from hot, choleric, sharp, and malignant, humours, or from too strong an operation of any medicine, as scammony, &c. The mucilage of the feed made with rose-water, and a little fugar-candy added thereto, is very good in all hot agues and burning severs and inflammations; also to allay the thirst, and lenify the

3 A

182 CULPEPER'S ENGLISH PHYSICIAN.

dryness and roughness of the tongue and throat. It helpeth hoarseness of the voice, diseases of the breast and lungs, caused by heat or sharp salt humours, and also the pleurity. The mucilage of the seed made with plantane-water, with the yolk of an egg and a little populeon added thereto, is a safe and sure remedy for the sharpness, prickings, and pains, of the hemorrhoids, or piles, if it be laid on a cloth and bound thereto. It healeth inflammations in all parts of the body, and the pains arising therefrom, as the head-ach, &c. It easeth the pains of imposthumes, swellings, and breakings-out, of the skin, as blains, wheals, puthes, purples, and the like; as also the pains of the joints, gout, sciatica, and dislocated members; and, applied with oil of roses and vinegar, is good to help the bursting of young children, and the swelling of the navel. It is a good remedy for the fore breasts and nipples of women. The juice of the herb, with a little honey, put into the ears, helpeth the running and destroyeth the worms breeding therein; the same also mixed with hog's grease, and applied to corrupt and filthy ulcers, cleanseth and healeth them.

F L E A - B A N E. CONYZA.

NAMES. IT is called also mullet.

GOVERNMENT AND VIRTUES. It is hot and dry in the third degree. The herb being fpread under foot, or burnt and finoked in any place, will drive away venomous creatures, and will kill and deftroy fleas and gnats. An ointment of the root and leaves is used with success for the itch.

FLIX-WEED. SISYMBRIUM.

DESCRIPTION. It rifeth up with a round, upright, hard, stalk, four or five feet high, spreading into several branches, whereon grow many greyish green leaves, very finely cut, and severed into a number of short and almost round parts. The flowers are very small and yellow, growing spike-fashion, after which come very long small pods, containing yellowish seed. The root is long and woody, perishing every year.

There is another fort of this plant, differing from the former only in the leaves, these being somewhat broader; both kinds are of a very disagreeable smell, and of

a biting tafte.

PLACE. They grow wild in fields and by hedge-fides and highways; also among rubbish, and other places.

TIME. They flower and feed June and July.

GOVERNMENT AND VIRUES. This herb is also Saturnine. The herb and feed are of excellent use to stay the flux and lask of the belly, being taken in water wherein

gads

gads of heated fteel have been often quenched; and is no less effectual for these purposes than plantane or comfrey, and to restrain any other flux of blood, either in man or woman; as also to consolidate broken and dislocated bones. The juice thereof drunk in wine, or the decoction of the herb taken, killeth the worms in the stomach and belly, as also such as are sometimes seen in putrid and ulcerated wounds. Made into salve, it is a good plaster for soul and malignant sores; the distilled water of the herb answereth the same purposes, though somewhat weaker, yet it is esteemed a fine medicine, and often chosen in preference to the former. Syrups, ointments, and plasters, of it, are truly valuable household medicines.

FLUELLIN. ANTIRRHINUM.

DESCRIPTION. IT shooteth forth many long branches, partly lying upon the ground, and partly standing upright, set with almost round leaves, yet a little pointed, and sometimes bordering upon an oval shape, placed without order, somewhat hoary, and of an evil greenish-white colour; from the joints to the tops of the stalks grow with the leaves, upon small short sootstalks, small slowers one at each place, opening or gaping like snap-dragons, or rather like toad-flax, with the upper part of a yellow colour, and the under of a purplish, with a small heel or spur behind; after these come small round heads, containing small black seed. The root is small and thready, perishing annually, and rising again of its own sowing.

There is another fort which hath longer branches, wholly trailing upon the ground, two or three feet long, and fometimes not quite fo thick fet with leaves, which also grow upon small footstalks; they are rather larger than the former; and sometimes jagged on the edges, but, the lower part being the broadest, and terminating in a small point, its shape does not bear the most distant resemblance to that of the ear of most animals; it is somewhat hairy, but not hoary, and of a better green than the first. The flowers come forth like those afore mentioned, but the colour of the upper part is rather white than yellow, and the purple not fo fair; the flower is every way larger, as are the seeds and seed-vessels. The root is like the other, and perisheth yearly.

PLACE. They grow in the borders and other parts of corn-fields and fertile grounds, especially near Southsleet, in Kent; and at Buckworth, Hamerton, and Rickmansworth, in Huntingdonshire; and in many other places.

TIME. They are in bloom about June or July, and the whole plant is dry and perished before September.

GOVERNMENT AND VIRTUES. It is a lunar herb. The leaves bruifed, and applied with barley-meal to watering eyes that are hot and inflamed by defluxions from the head, help them exceedingly; as also the flooding of blood and humours,

as the lafk, boody flux, women's courfes, bleeding of the nofe, mouth, or any other place, or proceeding from any bruife, wound, or burfting of a vein, and greatly helpeth fuch parts as need confolidating and firengthening; it is no less effectual in cloting and healing green wounds, than in cleanfing and curing foul and ulcerated fores, fretting and firending cankers, &c.

FOX-GLOVE. DIGITALIS.

Description. IT hath many long and broad leaves lying upon the ground, dented about the edges, a little foft or woolly, and of a hoary green colour; among these grow up several stalks, but generally one which bears the aforesaid leaves from the bottom to the middle upwards, from whence to the top it is set with large and long, hollow, reddish, purple, flowers, being a little longer at the lower edge, and spotted with white on the inside; there are threads also in the middle, from whence rise round heads, pointed sharp at the ends, and containing small brown seed therein; they grow one above another, with small green leaves thereat, hanging their heads downward, and each turning the same way. The roots consist of small sibres, among which are some of a tolerable size. The blossoms are without smell, and the leaves are of a bitter hot taste.

PLACE. It groweth in dry fandy places, and as well on high as low grounds; also under the hedge-fides, in almost every part of this kingdom.


TIME. It feldom flowereth before July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. This herb is under the dominion of Venus. It is of a gentle cleanfing nature, and is frequently used to heal fresh or green wounds, by bruising the leaves and binding them thereon, and the juice thereof is also used for old fores, to cleanfe, dry, and heal, them. The decoction made with sugar or honey, is effectual in cleansing and purging the body, both upwards and downwards, of tough phlegm and clammy humours, and to open obstructions of the liver and spleen. It hath been found by experience to be available for the king's evil, the herb being bruised and applied, or an ointment made with the juice, and so used. A decoction of two handfuls thereof with four ounces of polypody, in ale, hath been found to cure those of the falling sickness who have been afflicted therewith for upwards of twenty years. It is a sovereign remedy for a fore head.

FUMITORY. FUMARIA.

DESCRIPTION. OUR common fumitory is a tender fappy herb, fending forth, from one fquare, flender, weak, stalk, and leaning downwards on all sides, many branches two or three feet long, with leaves thereon of whitish, or rather bluish, sea-

green





green leaves, finely cut and jagged; at the tops of the branches fland many finall flowers, one above another, forming a kind of fpike, of a reddish purple colour, with whitish berries; these are succeeded by small round husks, which contain the feed. Its root is yellow, small, and not very long, full of juice while it is green, but perisheth as the feed ripens. In some parts of Cornwall there is a species of this plant which beareth white blossoms.

PLACE. It groweth generally in corn fields and cultivated grounds, and is also a garden plant.

TIME. It flowereth in May, and the feed ripens foon after.

GOVERNMENT AND VIRTUES. Saturn claims dominion over this herb. The fyrup or juice made hereof, or the decoction made in whey, with some other purging or opening herbs and roots added thereto, in order to strengthen its operation, (being of itself but weak,) is very effectual for the liver and spleen, opening the obftructions thereof, and clarifying the blood from faltifly, choleric, and malignant, humours, which cause leprofy, scabs, tetters, itch, and such-like breakings out of the fkin; and, after having performed these services, it strengthers all the inward parts. It cureth the yellow jaundice, and expelleth it by urine, which it procureth in abundance. The powder, of the dried herb, given for some time together, cureth melancholy; but the feed is most effectual. The distilled water of the herb is also of good effect in the former difeases, and is an excellent preventative against the plague, being taken with good treacle, or gargled with a little water and honey of roses, it helpeth the fores of the mouth and throat. The juice dropped into the eyes, cleareth the fight, and taketh redness and other defects therefrom. Dioscorides faith, it hindereth the hair from growing afresh on the eyelids, if they are anointed with the juice hereof having gum arabic diffolved therein. The juice of fumitory and docks mingled with vinegar, and the places gently washed or wet therewith, cureth all forts of fcabs, pimples, itch, wheals, or puflies, which are incident to the face, hands, or any other part of the body.

FURZE-BUSH. ULEX.

IT is fo well known by this name, as also by that of gofs, or whins, that a minute description would be totally useless.

PLACE. It is known to grow on dry barren heaths, and other waste, gravelly, and fandy, ground.

TIME. They flower in the fummer months.

GOVERNMENT AND VIRTUES. Marsowns this herb. It is hot and dry, and good to open obstructions of the liver and spleen. A decoction made with the flowers,

No. 13. 9 B is

186 CULPEPER'S ENGLISH PHYSICIAN,

is effectual against the jaundice, as also to provoke urine, and cleanse the kidneys from the gravel and stone.

FENUGREEK. TRIGONELLA.

NAMES. IT is called in Latin fanum gracum, or otherwise Greek hay.

Description. It groweth up with tender stalks, round, blackish, hollow, and full of branches; the leaves are divided into three parts, like those of tresoil; the slowers are pale or whitish, not much unlike the blossoms of lupines, but smaller. After these are fallen away, there follow long cods or husks, crooked and sharppointed, wherein is contained the seed, which is of a yellowish colour. The root is full of small hanging hairs.

PLACE. It very feldom groweth in this kingdom, unless planted in the gardens of botanifts.

TIME. It bloffoms in July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. Fenugreek-feed is hot in the fecond degree, and dry in the first, and under the influence of the planet Mercury. which is fold by druggifts, and apothecaries, is only used in medicine. tion or broth of the feed, drunk with a little vinegar, expelleth and purgeth all fuperfluous humours which cleave to the bowels; the same decoction first made with dates, and afterwards formed into a fyrup with honey, mundifieth and cleanfeth the breaft, cheft, and lungs, and may be taken with fuccess for any grief attendant thereon, provided the patient be not afflicted with a fever or head-ach, as this fyrup, being hurtful to the head, would rather increase than alleviate those disorders. is of a foftening and diffolving nature, therefore the meal thereof being boiled in mead or honey-water, doth confume, foften, and diffolye, hard fwellings and imposthumes; also a paste made thereof with saltpetre and vinegar, doth soften and wafte the hardness and swelling of the spleen. It is good for women who are afflicted with an imposthume, ulcer, or stoppage in the matrix, to bathe and sit in a decoction thereof; also a suppository made of the juice of this plant and conveyed to the neck of the matrix, will mollify and foften all hardness thereof. The decoction of fenugreek is an excellent wash for the head, as it cleanseth the head of every kind of dirt, viz. fcurf, fcales, dandriff, nits, &c. Or applied with honey, it cleanfeth the face and other parts of pimples, pushes, wheals, and other blemishes; it healeth the itch, and preventeth the difagreeable finell which oftentimes proceeds from perfpiration. The feed, being prepared after the manner of lupines, and eaten, will gradually and gently purge the belly of coftive humours.

FISTIC-

FISTIC-NUTS. PISTACIA.

NAMES. THESE nuts are also called in shops pistacia, pistacies, and sistici.

DESCRIPTION. The tree bearing these nuts, hathlong great leaves, spread abroad, consisting of five, seven, or more, growing one against another, upon a reddish rib or sinew, whereof the last, which is alone at the top, is much the largest; the fruit is much like hazel-nuts, or the kernels of the pine-apple.

PLACE. This tree is a ftranger in this country, but is a native of Syria and other eaftern parts.

GOVERNMENT AND VIRTUES. Fiftic-nuts are under the influence of Jupiter. They are of a mean or temperate heat, and fomewhat aftringent; they are good to open ftoppages and obstructions of the liver, and for strengthening the same; they are also good for the stomach, they open the pipes of the breast and lungs, and being eaten either alone or with sugar, are exceeding good for the phthysic and shortness of breath. Dioscorides, saith, that sistic-nuts given in wine, are an excellent remedy for the biting of venomous beasts.

F L A X. LINUM.

Names. IT is called in Latin *linum*, by which name it is well known in flops; also *lin*, whence the cloth that is made thereof is called linen-cloth; its feed is called linfeed, and the oil produced therefrom linfeed-oil.

DESCRIPTION. Flax hath a tender stalk, covered with sharp narrow leaves, parted at the top into small short branches, which bring forth sair blue slowers; these are succeeded by round knobs or buttons, containing a blackish, large, fat, and shining, seed.

PLACE. It is cultivated in this country, and fown in fine moift fertile grounds, especially such as lie low.

TIME. It flowereth in May and June, and ripens foon after.

GOVERNMENTAND VIRTUES. It is under the dominion of Venus; the feed of this plant, being only used in medicine, is hot in the first degree, and temperately moist and dry. The feed, or linseed, being boiled in water and applied as a poultice or plaster, assume that all pains, softeneth cold tumours or swellings, the imposshumes of the neck and ears, and of other parts of the body. Linseed pounded with figs is good to ripen and bring to a head boils and others swellings; also to draw forth thorns and splinters, being mixed with the root of wild cucumber. The seed mingled with honey and cresses, and laid upon rough, rugged, and ill-favoured, nails, either of the hands or feet, cleanseth and clariseth those that are corrupt; or, laid on the sace,

cleanfeth and taketh away all fpots and freckles thereof. The wine wherein linfeed hath been boiled, preferveth old fores and ulcers from corruption, being washed therewith, and from festering and inward rankling; the water wherein linfeed hath been boiled doth quicken and clear the fight, by being often dropped into the eyes. Used in clysters, it assuges the griping pains of the belly, as well as of the matrix or mother, and cureth all wounds of the same. The seed mixed with honey, and taken as an electuary, cleanseth the breast, and helpeth the cough; compounded with raisins, it is good for such as are consumptive, or troubled with hectic seyers. The feed of lin taken in too great a quantity, is injurious to the stomach; it engenders wind, and hinders digestion of meat.

FIR-TREE. PINUS.

NAMES. THIS tree is called in Latin abies, by the Dutch, meflboom, because of its utility in making masts for ships; and the liquid or clear rosin that issued the bark of the young trees is called trebinthia veneta, but is generally known to us by the name of Venice turpentine.

Description. The fir-tree is large, high, and long, and continues always green; it grows much higher than the pine or pitch tree; the field is very even and ftraight, plain beneath and without joints, but upwards it grows with joints and knobs; upon these joints grow the branches, bearing leaves almost like a yew, but smaller, longer, and sharper at the ends, of a bluish green colour; the fruit is like the pineapple, but smaller, and narrower, not hanging down, but growing straight upward. From out of the bark of the young trees is gathered a fair liquid rosin, clear and shining, in taste bitter, almost like to citron-peel, or lemon-peel condited. There is also found upon this tree, a white rosin or gum, somewhat like that which the pine and pitch-tree produce.

PLACE. It grows upon the high mountains in Greece, Italy, Spain, and France, and in many places of Germany and Norway; from whence the timber thereof is imported into this kingdom, for the purposes of building, &c.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars. The bark and dry gum or roin of this tree, are in temperature and virtues like the bark and roin of the pine-tree, but those of the fir-tree are of a more acrimonous and cleansing quality. The liquid or clear rosin is hot and dry in the second degree, of a sharp quality, and of a digestive or cleansing nature; this liquid, taken to the quantity of half an ounce, looseth the belly and expelleth all choleric humours; it mundifieth and cleanseth the kidneys and bladder, provoketh urine, expelleth the frome and gravel, and is good to be taken often by those who are troubled with the gout;

the same taken with nutmeg and sugar, about the quantity of a nut, helpeth the firanguary, and is very good against excoriations or going-off of the skin, or flux of the privities. It is also an excellent remedy for green wounds, especially those of the head, for it cleanseth and healeth speedily.

GARLIC. ALLIUM.

It is fo univerfally known, that I shall decline troubling my readers with any description of it.

GOVERNMENT AND VIRTUES. Mars owns this herb. It provoketh urine and women's courses, and helpeth the biting of mad-dogs and other venomous creatures; it killeth worms in children, cutteth and bringeth forth tough phlegm, purgeth the head, helpeth the lethargy, and is a good prefervative against, and a remedy for, any plague-fore, or foul ulcer; it taketh away fpots and blemifhes of the skin; easeth pains of the ears, and ripeneth and breaketh imposthumes and other fwellings. It has been noticed that onions are equally effectual for the faid purpofes, but garlic hath many peculiar virtues which the onion cannot boaft of; for instance, it hath a special quality to remove all inconveniences proceeding from corrupt agues or mineral vapours, or from drinking stagnated or unclean water; as also by taking of wolf-bane, hen-bane, hemlock, or other poisonous herbs. is also exceeding good in hydropic difeases, the jaundice, falling fickness, cramps, convulfions, the piles or hemorrhoids, and other cold difeases. However, having showed its many virtues, it is also necessary that its vices should not be concealed; its heat is very vehement, and every thing of that description naturally conveys ill vapours to the brain; in choleric cases it adds fuel to the fire; in men oppressed with melancholy, it extenuates the humour, and confounds the idea with strangevisions and fancies, and therefore ought to be taken with the strictest care by those whose ill disposition of body will not admit of a liberal application. A few cummin feeds, or a green bean or two, being chewed after eating garlic, will entirely remove the difagreeable fmell of the breath proceeding therefrom.

GENTIAN. GENTIANA.

CALLED also felwort and baldmony.

It is acknowledged that the gentian used by us some years ago was imported from beyond the sea; but we have since happily found that our own country is by no means deficient of those bleffings which can contribute to the health of man. There are two forts of gentian the growth of this kingdom, which have been proved,

No. 13. 3 C - by

by the experience of the most able physicians, to be rather of superior excellence to that of the foreign herb.

Description. The greater of the two hath many long and fmall roots, which grow deep in the ground, and abide all the winter. The stalks grow several together, of a brownish-green colour, which are sometimes two feet high, especially if the soil is good, having many long, narrow, dark-green, leaves, set by couples up to the top; the slowers are long and hollow, of a brightish purple colour, and ending in five corners.

The smaller kind groweth up with several stalks, not quite a foot high, parted into many branches, whereon grow two or three small leaves together, not unlike those of the smaller centaury, of a whitish-green colour; on the top of the stalks grow divers persect blue flowers, standing in long husks, but not so big as the other. The root is very small and thready.

PLACE. The former groweth in many places in the eaft and west countries, as at Longfield, near Gravesend; also at Cobham, Lellingstone, and in the chalkpits adjacent to Dartford, in Kent. The second kind groweth also in many places in Kent, as about Southsleet and Longsield, and upon the barren hills in Bedfordshire. It is likewise found not far from St. Alban's, upon a piece of waste ground on the road from Dunstable towards Gorhambury.

TIME. They bloom in August, and shed their feed soon after.

GOVERNMENT AND VIRTUES. They are under the dominion of Mars. They refift putrefaction, poison, and peftilence; nor is there a more excellent herb for ftrengthening the ftomach, and helping digeftion; it preserves the heart, and prevents fainting and fwooning. The powder of the dried root helps the bitings of venomous beafts, opens the obstructions of the liver, and restoreth lost appetite. Steeped in wine and drunk, it refresheth such as are weary with travelling; it helps fitches and griping pains in the fides, and is an excellent remedy for fuch as are bruifed by falls; it provokes urine and the terms exceedingly, confequently should be avoided by pregnant women. The decoction is very profitable for those who are troubled with cramps and convulfions; also it breaks the ftone, and is a great help for ruptures. It is good for cold difeafes, and to expel tough phlegm, and cure all fcabs, itch, and fretting fores and ulcers. It is an admirable remedy to destroy the worms in the body, by taking half a drachm of the powder in the morning in any convenient liquor; and is equally good for the king's evil. To help agues of all forts, the yellow jaundice, and the bots in cattle, there is no herb fuperior to this. When kine are bitten on the udder by any venomous beaft, if the affected parts are washed with a decoction hereof, it will prove a certain cure.

CLOVE-

CLOVE-GILLIFLOWERS. DIANTHUS.

TO describe this herb, it being so well known, would be altogether fruitless.

GOVERNMENT AND VIRTUES. They are fine temperate flowers, of the nature and under the dominion of Jupiter; even fo temperate, that no excess, either in heat, cold, dryness, or moisture, can be perceived in them. They are great firengtheners of the brain and heart, and will therefore make an excellent cordial for family purposes. Either the coserve or syrup of these flowers taken at intervals, is good to help such whose constitution is inclinable to be consumptive. It is good to expel posson, and help hot pestilent severs.

GERMANDER. TEUCRIUM.

DESCRIPTION. COMMON germander shooteth forth many stalks, with small and somewhat round leaves, dented on the edges; the flowers stand at the tops of a deep purple colour. The root is composed of many sprigs, which shoot forth a great way round about, soon overspreading the adjacent ground.

PLACE. It groweth usually in gardens.

TIME. It flowereth in June and July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. It is an herb under the dominion of Mercury. It ftrengthens the brain and apprehension exceedingly, and relieves them when drooping; taken with honey, it is a remedy for coughs, hardness of the spleen, and difficulty of urine; or made into a decoction and drunk, it helpeth those who are troubled with the dropfy, especially if taken at the beginning of the disorder. also bringeth down women's courses, and expelleth the dead child; being drunk in wine, and the bruifed herb outwardly applied, it is a certain cure for the poison of ferpents; used with honey, it cleanseth old and foul ulcers, and made into an oil, and the eyes anointed therewith, taketh away the moisture and dimness of them, and is good for the pains of the fides and cramps. The decoction thereof taken for fome days together, driveth away and cureth both the tertian and quartan agues; it is also good against all diseases of the brain, as continual head-ach, falling sickness, melancholy, drowsiness, and dulness of the spirits; convulsions, and palsy. A drachm of the feed taken in powder, purgeth by urine, and is good against the yellow jaundice; the juice of the leaves dropped into the ears, killeth the worms in them, and the tops thereof when they are in bloom, fteeped twenty-four hours in a draught of white wine and drunk, killeth and expelleth worms in the belly.

oh : E STINKING GLADWIN. IRIS.

DESCRIPTION. THIS is a species of the flower-de-luce, having several leaves growing from the root, very much resembling those of the flower-de-luce, but that

they are fharper edged and thicker in the middle, of a deeper green colour, narrower and fharper pointed, and of a ftrong difagreeable fmell when preffed between the fingers: in the middle rifeth up a reafonable-fized fialk, about a yard high, bearing three or four flowers at the top, made fomewhat like those of the flower-de-luce, with three upright leaves, of a dead purplish-ash-colour, with veins in them of a different colour, the other three leaves do not fall down, neither are the three small ones so finely arched, nor do they cover those at the lower part; in these particulars it differs somewhat from that aforesaid. These are succeeded by three-square hard husks, opening wide into three parts when they are ripe, wherein lie reddish seed, which in time turneth black. The root is like that of the flower-de-luce, but reddish on the outside and whitish within, of a very sharp and hot taste, and of an exceeding disagreeable smell.

PLACE. This groweth as well on the upland grounds as in woods and moift shadowy places, as also by the sea-side, in many parts of this kingdom, and is often cultivated in gardens.

TIME. It bloffoms in July, and the feed is ripe in August and September; yet the husks, when they are ripe, will open themselves, and contain their feed two or three months before they shed it.

GOVERNMENT AND VIRTUES. It is supposed to be under the dominion of Saturn. A decoction of the roots purgeth corrupt phlegm and choler; but, when wanted to operate more gently, a few flices of the roots infufed in ale will answer the purpose, though those whose stomachs will not admit of this, make use of the leaves only. The juice hereof fnuffed up the noftrils caufeth fneezing, and thereby draweth from the head much corruption; or the powder thereof used the same way, produceth the like effect. The powder drunk in wine, helpeth those who are troubled with cramps and convulfions, or with the gout or sciatica, and easeth the gripings of the belly; it helpeth the ftranguary, and cleanfeth, purgeth, and ftayeth, the fharp and evil humours which cause long fluxes. The root boiled in wine and drunk, doth effectually procure women's courses, and, used as a pessary, worketh the same effect; but caufeth abortion in women with child. Half a dram of the feed beaten to powder and taken in wine, doth speedily cause an evacuation of urine; or taken with vinegar, diffolveth the hardness and swellings of the spleen. The root is very effectual in all wounds, and particularly those of the head; as also to draw forth fplinters, thorns, broken bones, or any other thing flicking in the flesh, by being used with a little verdigrease and honey, together with the great centaury root. The same boiled in vinegar, dissolveth and confumeth tumours and swellings; the juice of the leaves and roots healeth the itch, and cleanfeth the ikin from all blemishes.

GOLDEN-ROD. SOLIDAGO.

DESCRIPTION. IT groweth up with brownish, fmall, round stalks, two seet high, and sometimes more; having thereon many narrow and long dark-green leaves, generally plain on the edges, and are sometimes, though very rarely, found with white streaks or spots thereon; the stalks are divided towards the top into many small branches, bearing thereon small yellow slowers, all which are turned one way; these, being ripe, are succeeded by a kind of down, which is carried away by the wind. The root consists of many small sibres, which grow but a little beneath the surface of the ground; it liveth for some years, shooting forth new branches yearly, which perish at the approach of winter.

PLACE. It grows in the open places of woods and coppices, both in moift and dry grounds, in many parts of this kingdom.

TIME. It flowereth about the month of July.

GOVERNMENT AND VIRTUES. Venus claims dominion over this herb. It is spoken of by Arnoldus de Villa Nova as a most excellent remedy for the stone in the reins and kidneys, as also to expel the gravel by urine. The decoction of the herb, either green or dry, or the distilled water thereof, is very effectual for inward bruises, likewise for staying the floodings of the body, as sluxes of humours, bloody fluxes, and the immoderate menses of women; and is most available in all ruptures or burstings, being internally or externally applied. It is a sovereign wound-herb, whereby green wounds and old ulcers are speedily cured; it is of particular efficacy in all lotions for fores or ulcers in the mouth, throat, or privities, of either fex. A decoction is serviceable to fasten the teeth when loose.

GOUT-HERB. ÆGOPODIUM.

THIS herb is also frequently called herb-gerrard.

DESCRIPTION. It is very low, feldom rifing more than half a yard high; it confifts of feveral leaves which ftand on brownish green stalks, generally three together, snipped on the edges, and of a strong unpleasant smell. The umbels of flowers are white, and the seed blackish; the root runneth deep into the earth, and soon spreads itself over a great deal of ground.

PLACE. It groweth by hedge and wall fides, and often in the borders and corners of fields, and fornetimes in gardens.

TIME. It flowereth in July, feeding about the latter end of the fame month. GOVERNMENT AND VIRTUES. Saturn is the ruler of this plant. It is probable it took the name of gout-herb from its peculiar virtues in healing the cold gout and fciatica, as it hath been found by experience to be a most admirable

No. 14. 3 D

194 CULPEPER'S ENGLISH PHYSICIAN.

remedy for these disorders; as also joint-achs, and other cold disorders. It is even affirmed, that the very carrying of it about in the pocket will defend the bearer from any attack of the aforesaid complaint.

G R O M E L. LITHOSPERMUM.

OF this I shall briefly describe three kinds, which are chiefly used medicinally; the virtues of each are the same, but different in the manner of their growth.

Description. The greater growel rifeth up with flender, hard, and hairy, ftalks, trailing and taking root as it lieth on the ground; it fpreads itfelf by feveral fmall branches, whereon grow hairy dark-green leaves. At the joints, with the leaves, grow many fmall blue flowers, which are fucceeded by hard, ftony, roundiff, feed. The root is round and woody, and liveth during the winter, fhooting forth fresh herbage every spring.

The *finall wild gromel* groweth up with feveral ftraight, hard, branched, ftalks, two or three feet high, full of joints, bearing at each, fmall, long, hard, and rough, leaves, very much like the former, but lefs. Among these leaves grow small white blossoms, which are followed by greyish round feed like the first. The root is not very large, but exceedingly thready.

The garden gromet hath many upright, flender, woody, hairy, ftalks, brown, and crefted, with but few branches, bearing leaves like the former; the flowers are white, after which come rough brown hufks, containing white, hard, round, feed, finning like pearls, and greater than either of the former. The root is like that of the first, with many branches and firings thereat, and of long duration.

PLACE. The two first grow wild in barren and untilled places; the last is a nurshing in the gardens of the curious.

TIME. They all flower from Midfummer till September, and the feed ripeneth quickly after.

Government and Virtues. The dominion over these herbs is wholly claimed by Venus. They are of fingular force in breaking the stone and expelling gravel, either in the reins or bladder; as also to provoke urine, and help the stranguary. The feed is most effectual for the above purposes, being bruised and boiled in white wine, or other convenient liquor; the powder of the feed is equally efficacious. Two drams of the feed in powder taken with breast-milk, will procure a speedy delivery to women afflicted with hard travail, and that cannot be delivered. The herb itself, (when the feed is not to be had,) either boiled, or the juice thereof drunk, will answer all the aforesaid purposes, though not so powerful in its operation.

GOOSEBERRY-

GOOSEBERRY-BUSH. RIBES.

CALLED also feap-berry, and, in Suffex, dewberry-bush, and likewise in many places wine-berry.

GOVERNMENT AND VIRTUES. They are under the dominion of Venus. The berries, whilft they are unripe, being scalded or baked, are good to procure the return of a lost appetite, especially if the cause proceeds from a stomach afflicted with choleric humours. They are exceeding good to stay the longing of pregnant women. The decoction of the leaves of the tree cools hot swellings and inflammations, as also the St. Anthony's fire. The ripe gooseberries, being eaten, are an excellent remedy to allay the violent heat of the stomach and liver; and the young and tender leaves break the stone and expel the gravel both from the bladder and kidneys. If they are taken immoderately, they are supposed to breed crude humours, and engender worms.

WINTER-GREEN PYROLA

Description. IT shoots forth seven, eight, or nine, leaves, from a small, brownish, creeping, root, each standing upon a long footstalk; they are nearly as broad as they are long, round-pointed, of a sad-green colour, hard in handling, and somewhat like the leaf of a pear-tree. From among these riseth up a stender weak stalk, standing upright, bearing at the top many small; white, and sweet-smelling, slowers, laid open like a star, consisting of sive round pointed leaves, with many yellow threads standing in the middle, surrounding a green-head, having a longish tube with them, which in time proveth to be the seed-vessel; when ripe it is of a sive-square shape, with a small point, containing seed as small as dust.

PLACE. It groweth but feldom in fields, but frequently in woods in the northern counties in this kingdom, as Yorkshire, Lancashire, &c.

TIME. It flowereth in June and July, shedding its feed soon after.

Government and Virtues. Winter-green is under the dominion of Saturn, and is an excellent remedy for the speedy healing of green wounds, the leaves being bruised and applied, or the juice of them is equally effectual. A salve made of the bruised herb, or the juice boiled in hog's-lard, or with salladoil and wax, adding a little turpentine thereto, is a sovereign medicine, and in high estimation among the Germans, who use it to heal all manner of wounds, ulcers, and fores. The herb boiled in wine and water, and drunk by those who are troubled with ulcers in their kidneys, or neck of the bladder, wonderfully helpeth them. It stayeth all sluxes, whether of blood or humours, as the lask, bloody

196 CULPEPER'S ENGLISH PHYSICIAN,

bloody flux, immoderate mentirua, and bleeding of wounds, and taketh away fuch inflammations as rife from the pains of the heart. It is no lefs available for foul placers that are hard to be cured, as also for cankers and fiftules. The diffilled water of the herb will perform the same virtues, though not so speedily.

GROUNDSEL. SENECIO.

DESCRIPTION. Our common groundfel hath a round, green, and fomewhat brownish, stalk, spreading towards the top several branches, set with long and somewhat-narrow green leaves, cut in on the edges, not much unlike oak-leaves, but less, and round at the ends; at the tops of the branches frand many small green heads, out of which grow yellow threads or thrumbs, which are the flowers: these continue many days thus blown before they are turned into down, which, with the feed, is carried away by the wind. Its root is small and thready, soon perishing, and as soon rising again from its own sowing.

PLACE. It grows almost every-where, as well on the tops of walls as among all kinds of rubbith and rude grounds, but especially in gardens.

Time. It may be seen in bloom at almost any time of the year, and, if permitted to occupy good ground, each plant will spring and seed at least twice in a year.

Government and Virtues. The herb is influenced by Venus. It is an univerfal remedy for all diseases proceeding from heat, in whatever part of the body they may chance to happen; it is a safe and gentle purge for a soul stomach, operating each way. It is of a moist and cold nature, consequently causeth expulsion, and represent the heat caused by the motion of the internal parts, through the effects of an emetic or other medicine. This herb preserved, either as a syrup, an ointment, or distilled water, is a medicine unrivalled in its efficacy for the cure of all hot diseases, both for safety and speed. The decoction of this herb, as Dioscorides observes, made with wine, helpeth the pains of the stomach proceeding from choler; and the juice taken in drink, or the decoction in ale, gently performent the same. It is good against the falling-sickness and jaundice; and a dram given in oxymel, after using a little exercise, provoketh urine, and expelleth the gravel from the reins and kidneys; also it helpeth the sciatica, cholic, and pains of the belly. The people in Lincolnshire use this externally against pains and swellings; and, as they affirm, with great success.

GALINGAL. KEMPFERIA.

DESCRIPTION. It hath long, hard, and narrow, leaves; the stalk is triangular; about a foot and a half high, bearing on the upper part feveral small leaves, from

among which grow spiky tops and white seed; the root is long, and consists of many threads, which are much tangled one within the other.

PLACE. It groweth in low and moift grounds; it is feldom feen in this kingdom, unless such as is planted in gardens.

TIME. This herb bringeth forth its spiky tops and feed, together with its leaves, in June and July.

GOVERNMENT AND VIRTUES. It is a plant of Mars, and the root is hot and ' dry in the third degree. The roots boiled, and the decoction drunk, provoke urine, bring down the menses, expel the stone, and are good for those who are troubled with the dropfy; the fame is also good for the cough, the stingings of icorpions, and bitings of venomous beafts. By bathing the belly with this decoction, it fupples the hardness of the mother, and remedieth the stoppings and coldness thereof. The powder of the root drieth up and healeth old running fores of the mouth and privities, being wet with wine, and laid thereon; and is an excellent ingredient for hot ointments and maturative plasters. Pliny fays, that the feed of galingal drunk with water stoppeth the flux of the belly, and the immoderate floodings of the menstrua; but the greatest care must be taken in using it, as too great a quantity will cause a violent head-ach.

STOCK-GILLIFLOWERS. CHEIRANTHUS.

KINDS AND NAMES: THERE are two kinds of these flowers: the one is called the caftle or flock gilliflower, which may be kept both winter and fummer; the other is not fo large, and is called the fmall ftock-gilliflower, which must be annually fown; they are called leucoion, and violæ albæ, or white violets, because the leaves are white; the leaves of the flowers are of various colours, and called by fome writers violæ matroniales, or dames violets.

DESCRIPTION. These two plants are not much unlike wall-flowers, but that their leaves are whiter and fofter; however, I shall treat of them respectively.

The great caftle or ftock-gilliflower beareth hard and ftraight leaves, about two feet long, by far longer and larger than the leaves of wall-flowers. The bloffoms are of a fragrant or pleafant fmell, fomewhat like those of heart's ease, though much larger; fometimes of a white, fometimes of an ash, colour, some of a carnation, and others of a fearlet and purple, colour. These are followed by long hufks, containing flat and large feeds.

The fmall ftock-gilliflower has ftalks fomewhat like the former, with whitifh, woolly, foft, leaves; the flowers are of a fine fragrant fmell, and of various co-

No. 14. 3 E lours. lours, followed by feeded cods, and in every refpect like the first, except being fomewhat smaller. It is about a foot high, and perisheth yearly.

PLACE. They are fown and planted in most of our English flower-gardens, but are seldom found growing wild.

TIME. The great castle gillishower blossoms in March and April, the second year after it is sown; but the smaller kind slowereth in July and August, the same year in which it is first sown.

GOVERNMENT AND VIRTUES. They are of temperature hot and dry, of a fimilar nature with the yellow or wall gilliflowers, and are plants of Mercury. The flowers of the flock-gilliflower, boiled in water and drunk, are good to remove all difficulty of breathing, and help the cough; they also provoke the courses and urine, and, by bathing or fitting over the decoction, it causeth perspiration.

WALL OR YELLOW GILLIFLOWER. CHEIRANTHUS.

NAMES. THIS is a fmall buft or fhrub, called in Latin leucocia leutea, and by the apothecaries keyri; in English yellow and wall gillishowers.

Description. The yellow wall-gilliflower is green both winter and fummer; the stalks thereof are hard, and of a woody substance, and full of branches; the leaves are thick set thereon, long, narrow, and green; on the tops of the stalks grow the slowers, which are of a very fair yellow colour, of a strong but pleasant smell, and every flower is divided into four small deaves; after these are past, there come cods or husks, which contain large, slat, and yellow, seed.

PLACE. It grows in great quantities on the ruined walls of ftone buildings, and is very often planted in gardens, though the garden kinds are generally double flowered, which gives them a peculiar beauty the other cannot boaft of.

TIME. It generally flowers in March, April, and May.

Government and Virtues. They are hot and dry plants of the Sun, whose influence they are under, being of subtile parts. Being dried, and boiled in water, it provokes urine, and bringeth down the terms; it helpeth the scirrhus, or hard imposshumes of the matrix, by being somented therewith; a plasser, made of the blossoms with oil and wax, is good to heal chaps of the fundament, and the falling down of the same; or, mingled with honey, cureth ulcers and sores of the mouth. Two drachuss of the feed taken in wine is a sure specific for bringing down the menstrua, secundine, and dead child; or a pessary made of the same, and conveyed into the matrix, answereth the same purpose. The juice dropped into the eyes, cleanseth them from spots and dimness; and the root, stamped with vinegar, and applied to the spleen, helpeth the hardness thereos.

GALL-

GALL-OAK. QUERCUS.

Description. The firong gall-oak, fo named from the fruit it bears, doth not grow fo large nor high as other oaks, but fhorter, and very crooked, with fair fpreading branches; on these grow long leaves, very much cut in on the edges, and hoary underneath. This tree flowereth, and beareth acorns, as also a round woody substance, which is called a gall, and the timber is of a very hard substance. There are several kinds of gall-oaks, some of them are much shorter than others, bearing leaves more or less cut or jagged on the edges, and producing a greater quantity of galls, and no acorns at all; some bear large galls, others small; some knobbed or bunched, and others smooth; each are of different colors, some white, others red, yellow, and green.

PLACE. These oaks grow frequently in Italy, Spain, and other hot countries.

TIME. They shoot forth their long catkins or blossoms early in the spring, which fall away for the most part before the leaves appear. The acorns are very feldom ripe before October.

GOVERNMENT AND VIRTUES. I shall here explain the use, virtues, and temperament, of the galls of the foreign trees only, as their acorns differ but little from those produced by our English oaks.

The small gall, called *omphacitis*, is dry in the third degree, and cold in the second; Saturnine, and of a sour harsh nature. It is effectual in drawing together and fastening loose and faint parts, as the overgrowing of the flesh; it expelleth and drieth up rheums and other sluxes, especially those that fall upon the gums, almonds of the throat, and other places of the mouth.

The other whiter gall doth also bind and dry, but not so much as the former; having a less quantity of that four hardness in it, it is good against the dysentery or bloody flux. The decoction of them in water is of a mean aftriction, but more powerful in hardness when; being fat over, it remedieth the falling of the mother; or the galls, being boiled and bruised, and applied to the fundament when falling, or to any swelling or inflammation, will prove a certain cure. The coals of burned galls, when quenched in wine or vinegar, are good to staunch bleeding in any place. They will dye the hair black, and are one of the chief ingredients for making ink; they are likewise used by dyers for making black dye.

The oak-apple is much of the nature of galls, though inferior in quality, but may be fubfituted for them with fuccess to help rheums, fluxes, and other such like painful diffempers.

HEART's

HEART'S EASE. VIOLA.

IT is called in Suffex panfies, and is fo well known by almost every person, that I shall decline troubling my readers with a description of it.

PLACE. Befides those which are cultivated in gardens, they grow wild in barren and unfertile grounds.

TIME. They flower and feed all the time of spring and summer.

GOVERNMENT AND VIRTUES. This is a Saturnine plant, of a cold, slimy, and vircous, nature. A firong decoction of the herb and flowers is an excellent cure for the venereal diforder, being an approved anti-venerean; it is also good for convulsions in children, falling sickness, inflammations of the lungs and breast, pleurify, scabs, itch, &c. It will make an excellent syrup for the aforesaid purposes.

ARTICHOKE. CYNARA.

GOVERNMENT AND VIRTUES. THEY are under the dominion of Venus. They are great provocatives to luft, yet ftay the involuntary course of natural seed in man; the decoction of the root boiled in wine, or the root bruised and distilled in wine, and drunk, purgeth by urine exceedingly.

HART'S TONGUE. ASPLENIUM.

Description. IT confifts of feveral leaves rifing from the root, every one feparately, folding themfelves in their first springing and spreading; when at their full growth, they are about a foot long, smooth and green, but hard and sappy in the middle, streaked on the back athwart on both sides of the middle rib, with small and somewhat long brownish marks; the bottoms of the leaves are a little bowed on each side of the middle rib, and somewhat small at the end. The root is composed of many black threads, which are much entangled together.

TIME. It is green all the winter, having new leaves every year.

GOVERNMENT AND VIRTUES. Jupiter claims dominion over this herb. It is a fingular remedy to ftrengthen the liver when weak, and ease it when afflicted; it is effected for its efficacy in removing the hardness and stoppings of the spleen and liver; also against the heat of the liver and stomach, as well as the lask and bloody flux. The distilled water is good for the passions of the heart, and gargled in the mouth will stay the hiccough, help the falling of the palate, and stop the bleeding of the gums. It is a good remedy for the biting of serpents.

HAZEL-

Applied

HASEL-NUT. CORYLUS.

THEY are fo well known to every boy, that they require no description.

GOVERNMENT AND VIRTUES. They are under the dominion of Mercury. The parched kernels made into an electuary, or the milk drawn from the kernels with mead or honeyed water, are very good to help an old cough; and, being parched, and a little pepper added thereto, and taken in drink, digett the diffillations of rheum from the head. The dried hulks and shells, to the quantity of about two drachms, taken in red wine, ftay the lasks and women's courses: but the red skin which covers the kernel is much more effectual for the latter purpose.

HAWK-WEED, HIERACIUM.

DESCRIPTION. It hath many large leaves lying on the ground, having many deep gashes on the edges, somewhat like those of sow-thistle; from among these rifeth up a hollow rough stalk, two or three feet high, branched from the middle upwards. On these are set, at every joint, several leaves cut but very little on the edges, bearing at the top many pale-yellow flowers, confifting of fmall narrow leaves, broad pointed, and nicked in on the edges, fet in a double row, and fometimes more, the outfide leaves being the largest. These flowers are turned into down, bearing small brownish feed, which is blown away with the wind. The root is long and rather large, with many small fibres thereat. The whole plant is full of bitter milk,

PLACE. It groweth in many places, especially in fields and borders of pathways, in dry grounds.

TIME. It bloffoms and difperies its down in the fummer months,

GOVERNMENT AND VIRTUES. Saturn claims dominion over this herb. Dioscorides says, it is cooling, somewhat dry and binding, and therefore good for the heat and gnawings of the stomach, for inflammation and hot ague-fits. The juice thereof, taken in wine, helpeth digestion, expelleth wind, preventeth crudities from clogging the stomach, and causeth an easy evacuation of urine: being outwardly applied, it is a fovereign cure for the ftinging and biting of venomous beafts, and is good for all poifons. A fcruple of the dried juice, taken in wine and vinegar, is profitable for the dropfy; the decoction of the herb. taken with honey, digesteth thin phlegm in the chest and lungs, and, mixed with hysiop, it helpeth the cough. The decoction hereof, mixed with that of wild fuccory made with wine, and taken, helpeth the wind-cholic, and hardness of the spleen, procureth rest and sleep, preventeth venery, cooleth heats, purgeth the ftomach, increaseth blood, and helpeth all diseases of the reins and bladder, No. 14.

3 F

Applied externally, it is a fingular remedy for all defects and difeases of the eyes, being used with breast milk; and is of equal success when administered to fretting and creeping ulcers, if taken in time. The green herb bruised, and mixed with a little falt, is effectual in helping burns, if it be used before the blisters rise; also inflammations, St. Anthony's fire, and all pushes and eruptions, heat and salt phlegm. The same applied with meal and fair water, in the manner of a poultice, to any place affected with convulsions and the cramp, or dislocated members, giveth great help and ease. The distilled water cleanseth the skin from all ble-mishes. The use of this herb is mostly external, but it is very eminent; it cools, softens, and heals. I saw this year an arm covered with fiery pustules on the one half, and the other with terrible remains of feratching, cured by it in four days; the leaves were beat to a poultice with bread, milk, and a little oil, and tied round the arm.

HAWTHORN. CRATEGUS.

I DO not mean to trouble my readers with the description of a tree so universally known to almost every inhabitant of this kingdom.

It is generally a hedge-bush, but, by being carefully pruned and dreffed, it will grow to a reasonable height. As for the hawthorn-tree of Glastonbury, which is said to flower yearly on Christmas-day, it rather shows the superstition of those who entertain this opinion than excites wonder on any other account, since the same may be found in many other places of this kingdom; as at a place called Whitegreen, near Namptwich, in Cheshire; and also in Romney-marsh. These, if the winter happens to be mild, will be in full bloom about Christmas.

GOVERNMENTAND VIRTUES. It is a tree of Mars. The berries, or the feed in the berries, beaten to powder, and drunk in wine, are a fingular remedy for the ftone, and no lefs effectual for the dropfy. The diffilled water of the flowers frayeth the lafk; and the feeds, cleeted from the down, then bruifed and boiled in wine, will give infrant relief to the tormenting pains of the body. If cloths and fpunges are wet in the diffilled water, and applied to any place wherein thorns, fplinters, &c. are lodged, it will certainly draw them forth.

HEMLOCK. CONTUM.

Description. THE common great hemlock groweth up with a green stalk, four or five feet high, and sometimes higher, full of red spots; at the joints are set very large winged leaves, which are divided into many other winged leaves, set one against another, dented on the edges, and of a sad-green colour. The stalks

falks are branched towards the top; each bearing umbels of white flowers, which are followed by whitifh flat feed. The root is long, white, hollow, and fometimes crooked, of a very ftrong, heady, and difagreeable, fmell.

PLACE. Its growth is not confined to any particular fpot in this kingdom, but it may be found by most old walls, hedge-fides, and uncultivated grounds.

TIME. It generally flowereth and feedeth in July.

GOVERNMENT AND VIRTUES. Saturn governs this plant. It is exceeding cold, and of a very dangerous quality, confequently must not be applied internally. It is of good effect for inflammations, tumours, and fwellings of any part of the body, the privities excepted; also St. Anthony's fire, wheals, pushes, and creeping ulcers, proceeding from hot sharp humours, by cooling and repelling the heat. The leaves bruifed, and laid to the brow or forehead, are good for those whose eyes are red and swelled, and for cleansing them of web or film growing thereon. If the root is roafted in embers, afterwards wrapped in double wet papers, and then applied to any part afflicted with the gout, it will speedily remove the pain thereof. Should any perfon, unfortunately, through miftake, eat the herbage of this plant inftead of parfley, or the root inftead of a parfnip, (both bearing a great refemblance to each other,) it will certainly cause a phrenzy or ftupefaction of the fenses; I will recommend to the patient the strongest and best wine they can procure, and to drink it immediately, before the ill effects of the herb strike to the heart. If wine cannot be instantly had, Pliny adviseth to take a good draught of strong vinegar, which he affirms to be a fovereign remedy.

HEMP. CANNABIS.

IT is fo common a plant, and fo well known by almost every resident of this kingdom, that a description of it would be altogether superstuous.

Time. It is fown about the latter end of March, or beginning of April, and is ripe in August and September.

GOVERNMENT AND VIRTUES. It is under the dominion of Saturn. The feed confumeth wind, but if used too liberally, it drieth up the natural seed for procreation, though, being boiled in milk, and taken a little at a time, it is a good remedy for a dry cough. An emulsion made of the seed is given with good success for the jaundice, especially in the beginning of the disease, if there be no ague accompanying it; for it openeth obstructions of the gall, and causeth digestion of choler; it stayeth lasks and continual fluxes, easeth the cholic, allayeth the troublesome humours of the bowels, and stayeth bleeding at the mouth, note, or any other place; it will destroy the worms either in man or beast, and

WO!

by dropping the juice into the ears, it will kill the worms, and bring forth earwigs or other infects gotten therein. The decoction of the root allayeth inflammation, eafeth the pains of the gout, the hard tumours or knots in the joints, the pains and flrinkings of the finews, and the pains of the hips. The fresh juice, mixed with a little oil and butter, is an exceeding good cure for burns.

HENBANE. HYOSCYAMUS.

Description. The common henbane hath very large, thick, foft, woolly, leaves, lying upon the ground, much cut or torn on the edges, of a dark, ill, greyift-green, colour; from among these rise up several thick and short stalks, two or three feet high, spread into many smaller branches with less leaves thereon, bearing small yellow slowers, which scarcely appear above the husks; they are usually torn on the one side, ending in five round points growing one above another, of a dead yellowish colour, somewhat paler toward the edges, with many purplish veins, and of a dark yellowish purple colour at the bottom of the flower, with a small pointel of the same colour in the middle; each of them stands in a hard close husk, somewhat like those of asarabacca, and rather sharp at the top points, containing much small seed, very like poppy seed, but of a dusky greyish colour. The root is large, white, and thick, branching forth many ways under ground, not much unlike a parsitip, except in colour, and is, together with the plant, of a very strong, disagreeable, and offensive, smell.


PLACE. It generally groweth near pathways, and under the fides of hedges and old walls.

Time. It bloffoms in July, and springeth annually from its own sowing; though many believe it to flower much earlier.

Government and Virtues. It is a Saturnine plant. The leaves are good for cooling hot inflammations in the eyes, or other parts of the body; and, being boiled in wine, and ufed as a foment, it will affuage all manner of fwellings, either in the ferotum, women's breafts, or other parts of the body; also the gont, so atica, and pains of the joints, if proceeding from a hot cause. Being applied with vinegar to the forchead and temples, it helpeth the head-ach, and causeth those to sleep who are prevented by hot violent fevers. The oil of the feed is good for deafness, and noise and worms in the ears. The juice of the herb or feed, or the oil drawn from the feed, will answer all the aforesaid purposes.

HEDGE-HYSSOP. GRATIOLA.

DESCRIPTION. THERE are several forts of this plant, the first of which is a native of Italy, and only reared here by the curious. Two or three kinds, however,





grow wild in England, two of which I shall here mention; viz. The first is a low smooth plant, not quite a foot high, of a very bitter taste, composed of many square stalks diversely branched from the bottom to the top; it has many joints, shooting forth at each two small leaves; these are rather broader at the bottom than at the top, a little dented on the edges, of a sad-green colour, and full of veins. The slowers stand also at the joints, being of a fair purple colour with white spots, and made very much like those of dead-nettle; the seed is small and yellow, and the roots spread much under ground.

The fecond feldom grows more than half a foot high, fhooting forth feveral finall branches, whereon grow many finall leaves fet one against the other, fomewhat broad, but very flort; the flowers are not much unlike the former in shape, but of a pale reddish colour; the feed is finall and yellowish, and the root spreadeth like that of the first.

PLACE. They grow in wet low grounds, and by water-fides, and the latter fort may be found amongst the bogs on Hampstead Heath.

TIME. They generally flower in June, July, and August, and the feed ripens presently after.

GOVERNMENT AND VIRTUES. They are under the dominion of Mars. They are very unfafe to take inwardly, unless well rectified by an alchemist, and only the purity of them given, as they are violent purgers, especially of choler and phlegm. Being prepared, they are very good for the dropfy, gout, and sciatica; externally applied in continents, or the belly anointed therewith, will destroy worms therein, and are an excellent remedy for old and filthy fores.

BLACK HELLEBORE. HELLEBORUS.

IT is called also fetter-wort, fetter-grafs, bear's-foot, Christmas-herb, and Christmas-flower.

DESCRIPTION. It hath many fair green leaves rifing from the root, each of them ftanding about a fpan high from the ground; the leaves are all divided into feven, eight, or nine, parts, dented from the middle to the point on both fides, and remain green all the winter. About Christmas time, if the weather be fomewhat temperate, the flowers appear upon footstalks, each composed of five large round white leaves, which are sometimes purple toward the edges, with many pale-yellow thrums in the middle. The seed is divided into several cells somewhat like those of columbines, but rather larger; the seed is long and round, and of a black colour. The root consists of numberless blackish strings, all united into one head. There is likewise another species of black hellebore,

No. 14. 3 G which

206 CULPEPER'S ENGLISH PHYSICIAN,

which frequently grows in woods and forests, very much like this except that the leaves are smaller and narrower. It perisheth in the winter.

PLACE. The first is cultivated in gardens; the second is commonly found in the woods in Northamptonshire.

Time. The former bloffoms in December and January, and the latter in February and March.

Government and Virtues. It is an herb of Saturn, confequently would be taken with greater fafety after being purified than when raw. The roots are very effectual against all melancholic diseases, especially such as are of long standing, as quartan agues and madness; it helpeth the falling sickness, the leprofy, the yellow and black jaundice, the gout, sciatica, and convulsions; or, used as a pessary, provoketh the terms exceedingly. The same being beaten to a powder, and strewed upon foul ulcers, consumes the dead sless, and instantly heals them; it will also help gangrenes, by taking inwardly twenty grains thereof corrected with half as much cinnamon. Country people use it for the cure of such beasts as are troubled with the cough, or have taken any posion, by boring a hole through the ear and putting a piece of the root therein; this, they say will give relief in twenty-four hours time. It is an excellent ingredient, and used by farriers for many purposes.

HERB ROBERT. GERANIUM.

Description. IT grows up with a reddish stalk about two seet high, bearing on long and reddish footstalks many leaves; these are divided at the ends into three or five divisions, some cut deeper than others, and also dented on the edges, which oftentimes turn of a reddish colour. At the top of the stalk grow several flowers, each consisting of five leaves, much larger than those of dove's foot, and of a deeper red colour, after which come beak-heads as in others. The root is small and thready, and of an unpleasant smell.

PLACE. It may be found almost any where near the waysides, ditch-banks, &c. TIME. It flowers in June and July, and the feed is ripe foon after.

GOVERNMENT AND VIRTUES. This herb is under the dominion of Venus. It is effected an excellent remedy for the ftone, and will ftay blood, from whatever cause it might happen to flow; it speedily health all green wounds, and is effectual in curing old ulcers in the privities and other parts.

HERB TRUELOVE. PARIS.

DESCRIPTION. ORDINARY herb truelove hath a fmall creeping root running under the upper crust of the ground, somewhat like a couch-grass root, but

not

not fo white, shooting forth stalks with leaves, some of which carry small berries, and others not; every ftalk fmooth, without joints, and of a blackish green colour, rifing about half a foot high if it bears berries, but not fo high if otherwife; on the top are four leaves fet directly one against the other, resembling a crofs, or rather a ribbon tied in a truelove's knot, from whence it took its name; these leaves are somewhat like the leaves of nightshade, but a little broader having fometimes three leaves, fometimes five, and frequently fix, fome of which are larger than others. From the middle of the four leaves rifeth up one small flender stalk, about an inch high, bearing on the top a flower spread open like a ftar, confifting of four fmall and long narrow pointed leaves, of a yellowishgreen colour, with four finaller ones lying between; and in the middle ftands a round, dark, purplish, button or head, compassed about with eight sinall yellow mealy threads of three colours, which form a beautiful flower; when the other leaves are withered, the button or head in the middle becomes a blackish purple berry about the fize of a grape, full of juice, and contains many white feeds. The whole plant is without tafte.

PLACE. It grows in woods and coppies, especially about Chissehurst and Maidstone, in Kent; and is likewise frequently found in the corners and borders of fields, and other waste grounds.

TIME. They fpring up about April or May, and flower foon after; the berries are ripe in the end of May and June.

Government and Virtues. This plant is claimed by Venus. The leaves or berries hereof are effectual to expel point of all forts, especially that of the aconites; also the plague, and other pestilential diseases. The roots beaten to powder and taken in wine, give ease to those who are troubled with the choic; the leaves are exceeding good for green wounds, as also to cleanse and heal up old filthy fores and ulcers. It is very powerful to discuss all tumours and swellings in the scrotum, privities, or groin, or in any other part of the body, and speedily allays all inflammations. The leaves or juice, applied to selons, or nails of the hands or feet that have imposthumes or fores gathered together at the roots or under them, will prove a certain cure in a short time.

HYSSOP. HYSSOPUS.

IT is fo univerfally known, that I confider it altogether needless to write any description of it. Its virtues are these:

TEMPERATURE AND VIRTUES. The herb is Jupiter's, under the fign Cancer, confequently firengthens such parts of the body as these govern. Dioscorides faith, that hystop boiled with rue and honey, and drunk, helpeth those

those who are troubled with coughs, shortness of breath, wheezing, and rheumatic diffillation of the lungs; taken with oxymel, it expelleth groß humours by ftool, and with honey it killeth worms in the belly; also with fresh or new figs bruifed, it helpeth to loofen the belly, but more effectually if the root of flower-de-luce be added thereto. It reftoreth the natural colour of the fkin when discoloured by the yellow jaundice; and, being taken with figs and nitre. it helpeth the dropfy and spleen. Being boiled in wine, it is good to wash inflammations, and taketh away black and blue fpots and marks proceeding from blows, bruifes, or falls, if applied with warm water. Being boiled with figs, it makes an excellent gargle for the quinfey, or fwelling in the throat; or, boiled in vinegar and gargled in the mouth, it cureth the tooth-ach; the hot vapours of the decoction taken by a funnel in at the ears, eafeth the inflammations and finging noise of them; bruised and mixed with falt, honey, and cummin-feed, it is a good remedy for the ftinging of ferpents; the head being anointed with the oil thereof, it killeth the lice and allayeth the itching of the fame; it helpeth the falling fickness, and expelleth tough phlegm, and is effectual in all cold griefs or difeafes of the cheft and lungs, being taken either as a medicine or fyrup. The green herb bruifed and a little fugar mixed therewith, will fpeedily heal up any cut or green wound, being thereto applied.

HOPS. HUMULUS.

THE matured hops are fo well known, that I shall decline writing a description; and shall therefore proceed to that of the wild hops.

Description. The wild hop groweth up like the tame, twining upon trees and hedges that find near it; it hath rough branches and leaves like the former, but much finaller heads; there heads are for fearce, that one finalk feldom produces more than one or two;—in this the chief difference confirs.

PLACE. They delight to grow on low moist grounds, and are found in most parts of this kingdom.

Time. They fpring up in April, and flower about the latter end of June, but the heads are not gathered till the latter end of September.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars. This physically operates in opening obstructions of the liver and spleen, cleaning the blood, loofening the belly, expelling the gravel and provoking urine: the decoction of the tops of hops, whether tame or wild, worketh these effects. In cleansing the blood, they help to cure the French disease, and all manner of scabs, itch, and other breakings-out of the body, also tetters, ringworms, and spreading fores, the morphew and all discolouring of the skin. The decoction of the slowers and tops helpeth to expel position.

fuch

poison. Half a drachm of the feed in powder, taken in drink, killeth worms in the body, bringeth down women's courses, and expelleth urine. A fyrup made of the juice and fugar, cureth the yellow jaundice, eafeth the head-ach proceeding from heat, and tempereth the heat of the liver and stomach; it is likewise given with good effect to those who are afflicted with long and hot agues. Both the wild and the manured are of one property, and alike effectual in all the aforefaid diforders. Mars owns this plant, confequently its operations are obvious.

HOARHOUND.

DESCRIPTION. COMMON hoarhound groweth up with square hoary stalks, about half a yard or two feet high, fet at the joints with two round crumpled rough leaves, of a dull hoary-green colour, of a tolerably pleafant smell, but very bitter tafte. The flowers are small, white, and gaping, set in rough, hard, prickly, husks; these, together with the leaves, furround the joints from the middle of the stalk upwards, and are succeeded by small, round, blackish, seed. The root is blackish, hard, and woody, with many strings, and very durable.

· PLACE. It is found in most parts of this kingdom, especially in dry grounds, and waste green places.

TIME. It generally bloffoms in and about July, and the feed is ripe in August. GOVERNMENT AND VIRTUES. It is an herb of Mercury. A decoction of the dried herb with the feed, or the juice of the green herb taken with honey, is a certain remedy for those who are pursey, or short-winded, or have a cough, or are fallen into a confumption, either through long fickness, or thin distillations of rheum upon the lungs. It helpeth to expectorate tough phlegm from the cheft, being taken with the roots of iris, or orris. It bringeth down the menfirua, expelleth the afterbirth, and giveth eafe to those who are afflicted with long and painful travail; and is an excellent medicine to expel poifon, or cure the venomous bitings or stingings of serpents, &c. The leaves used with honey, purge foul ulcers, stay running or creeping forcs, the growing of the flesh over the nails, and case the pains of the sides. The juice thereof, used with wine and honey, helpeth to clear the eyefight, and, fnuffed up the nostrils, purgeth away the yellow jaundice; the fame used with a little oil of roses, and dropped into the ears, eafeth the pains thereof. Galen fays, it openeth obstructions both of the liver and spleen, and purgeth the breast and lungs of phlegm: or outwardly applied, it both cleanfeth and digesteth. Mathiolus also observes a decostion of this plant to be infinitely ferviceable for thoef who have bad livers, and for No. 15.

3 H

fuch as have itches and running tetters. Either the powder or the decoction hereof is effectual in killing worms. The green leaves, bruifed and boiled in old hog's greafe, and used as an ointment, heal the bitings of dogs, abate the swellings of women's breasts, and ease the painful swellings occasioned by thorns or splinters, and, used with vinegar, cleanse and heal tetters. There is a syrup made of this plant fold by most apothecaries, which I would recommend as an excellent help to evacuate tough phlegm and cold rheum from the lungs of aged persons, especially those who are asthmatic or short-winded.

HORSE-TAIL.

OF this there are many kinds, but I shall decline troubling my readers with the description of any other than the most eminent.

Description. The great horse-tail, at the first springing, hath heads somewhat like asparagus, which afterwards grow to be hard, rough, hollow, stalks, jointed in several places, and about a foot high; the lower part appearing to be put into the upper. On each side grows a bush of small, long, rush-like, hard, leaves, each part resembling a horse's tail, (from whence it took its name.) At the tops of the stalks come forth small catkins, somewhat like those of trees. The root creeps under the ground, having many joints.

PLACE. This horse-tail (as do most of the other kinds hereof) generally groweth in moist and wet grounds.

TIME. They fpring up in April, and their catkins bloom in July; in August they shed their feed, and then perish, rising afresh every spring.

Government and Virtues. Of this herb, the smooth rather than the rough, and the leased rather than the bare, are most physical. Saturn claims dominion over it, yet its qualities are very harmless. It is very good to staunch bleedings, either inwardly or outwardly, the juice or decostion thereof being drunk, or externally applied. It stays lasks and fluxes of every kind, either in men or women; suppresses the evacuation of blood through the urinary passages, and healeth not only the inward ulcers and excoriations of the entrails, bladder, &c. but all other forts of foul, most, and running, ulcers, and quickly healeth green wounds. It is an excellent cure for ruptures in children. The decostion, taken in wine, provoketh urine, and helpeth the stone and stranguary; and a small quantity of the distilled water thereof, drunk two or three times in a day, easeth the disagreeable sensations of the bowels, and is effectual against a cough when proceeding from the distillation of the head. By bathing the parts affected with

the warm juice or diffilled water of this plant, it cureth hot inflammations, puftules, red wheals, and other breakings-out, of the skin; and it easeth all swellings, heat, and inflammations, of the sundament and privities of either sex.

HOUSELEEK.

1T is too well known, as well by the name of fengreen as houseleek, to require any description.

PLACE AND TIME. It grows commonly on the tops of houses and walls, and flowereth in quly.

GOVERNMENT AND VIRTUES. Jupiter claims dominion over this herb, from which it is fabuloufly reported, that it preferves whatever it grows upon from fire and lightning. The ordinary houseleek is good for all inward and outward heats. either in the eyes or other parts of the body. A posset made with the juice of houseleek is fingularly good in all hot agues, for it cooleth and tempereth the blood and spirits, and quencheth thirst; by dropping the juice thereof into the eyes, it cureth them of all hot defluxions of fharp and falt rheums, and is equally effectual for all diforders of the ears, being used in the same manner. It stoppeth the immoderate floodings of the menstrua, and helpeth the humours of the bowels: it cooleth and abateth all hot inflammations, the St. Anthony's fire, fealdings, burnings, the shingles, fretting ulcers, cankers, tetters, ring-worms, and the like; and is a certain eafe to those who are afflicted with the gout, when proceeding from a hot cause. By bathing the hands and feet with the juice, and laving the skin of the leaves on them afterwards, it cleanseth them of warts and corns; it also easeth the head-ach and distempered heat of the brain, occasioned by phrenfies or want of fleep, being applied to the temples and forehead. The leaves, bruifed and laid upon the crown of the head, flay the bleeding of the nofevery quickly. The distilled water of the herb is likewise profitable for all the aforefaid purpofes. The leaves, being gently rubbed on any place stung with nettlesor bees, do quickly take away the pain, and discharge the blisters proceeding therefrom.

HOLLY.

CALLED also holm or hulver-bush. It is so well known, that to give a description of it is quite needless.

GOVERNMENT AND VIRTUES. This tree is of a Saturnine quality; the berries expel wind, and are therefore efteemed good for removing the pains of the cholic; they are of a strong nature; for, by eating a dozen of them in the morn-

ing fasting, when they are ripe, and not dried, they purge the body of gross and clammy phlegm; but, if you dry the berries and beat them into powder, they are binding; they stop fluxes of every kind, as also the terms of women. Both the bark and leaves are exceeding good to be used in somentations for broken bones and dislocated members.*

HOUND'S TONGUE.

Description. THE great ordinary hound's tongue hath many long and fomewhat narrow, foft, hairy, darkish-green, leaves, lying on the ground, and not much unlike those of buglos; from among these riseth up a rough hairy stalk, about two seet high, with smaller leaves thereon, and branches at the top into many parts, bearing at the foot of each a small leas; on this branch are many small slowers, which consist of small purplish-red leaves, of a dead colour, scarcely rising out of the husk wherein they stand, with a sew threads in the middle. It hath sometimes a white flower. After the slowers are fallen, there follow rough slat seeds, with a small pointel in the middle, casily cleaving to any thing it happens to touch. The branch whereon these flowers grow is crooked, or turned inwards, before they are in blossom, but straightens itself as the slowers come to perfection. The root is black, thick, and long, hard to break, and full of clammy juice, smelling somewhat strong and disagreeable, as do also the leaves.

PLACE. It groweth in most parts of this kingdom, in waste grounds, untilled places, highway-fides, and under hedges.

TIME. It generally flowereth in the months of May and June, and the feed is ripe fhortly after.

GOVERNMENT AND VIRTUES. It is a plant under the dominion of Mercury. The root is very effectually used in pills and decoctions, or otherwise, to stay all sharp and thin destuxions of rheums from the head into the eyes or nose, or upon the stomach or lungs, as also for coughs and shortness of breath. The leaves boiled in wine, (though many approve of water,) with oil and salt added thereto, mollify and open the belly downwards, and help to cure the biting of a mad dog, by applying the leaves to the wound. Bruising the leaves, or the juice of them

^{*} The method of making Birdlime.—Peel as much of the bark of holly as you have occasion for, in the months of June and July; let it boil seven or eight hours, or till it is tender, in clear water: then make a heap with fern, strewing a lay of one and a lay of another. This sort of position the chemists term stratum super stratum, and mark it thus, S. S. S. Let it ferment a fortinght or three weeks; then take it out, and beat it in a mortar till it may be kneaded like dough; then wash it in water till it becomes clean.—This is pure birdlime.

boiled in hog's lard, and applied, helpeth to preferve the hair from falling, and eafeth the pain of a feald or burn; or the bruifed leaves, laid to any green wound, fpeedily heal the fame. The root baked in embers, wrapped in paste, or wet papers, or in a wet double cloth, and a suppository made thereof and applied to the fundament, doth very effectually help the piles or hemorrhoids; also the distilled water of the herb and root is used with good effect for all the aforesaid purposes, either taken inwardly or applied outwardly, especially as a wash for wounds and punctures, and particularly ulcers occasioned by the venereal disease.

St. JOHN'S WORT.

DESCRIPTION. THE common St. John's wort shooteth forth brownish, upright, hard, round, stalks, two feet high, spreading many branches from the sides up to the top, with two small dark-green leaves set one against another, somewhat like those of the smaller centaury, but narrower, and full of small holes, which can scarcely be discerned unless held up towards the light. At the tops of the stalks and branches stand yellow flowers, each composed of sive leaves, with many yellow threads in the middle, which, being bruised, yield a reddish juice like blood; these are succeeded by small round heads containing small blackish seed, smelling like rosin. The root is hard and woody, with many strings and sibres, and of a brownish colour; they live many years, shooting afresh yearly.

PLACE. It groweth in woods and coppices, as well those that are shady as those that are open and exposed to the sun.

TIME. They flower about midfummer, and their feed is ripe in the latter end of July and August.

Government and Virtues. It is under the celeftial fign Leo, and governed by the Sun. It is by no means the leaft valuable for its efficacy in the cure of wounds, hurts, or bruifes, by being boiled in wine and drunk, if the complaint is inwardly, or, if outwardly, by converting it into an oil, ointment, bath, or lotion. It openeth obstructions, dissolves swellings, closes up the lips of wounds, and strengthens the parts that are weak and feeble. The decoction of the herb and flowers, (though that of the seed is preferable,) taken in wine, or the seed made into powder and drunk with the juice of knot-grass, helpeth all manner of vomiting and spitting of blood, occasioned by the bursting of a vein, bruises, falls, &c. It likewise helpeth those who are bitten or stung by any vonomous creature; also easeth the pain of the stone, and when applied provoketh women's courses. Two drachms of the seed of this herb, beaten to powder and drunk in a little broth, gently expel choler or congealed blood from the stomach. The decoction of the leaves and feeds, being

No. 15. 3I drunk

214 CULPEPER'S ENGLISH PHYSICIAN,

drunk rather warm before the ague-fits come on, in the course of a little time will entirely remove them. Drinking the decoction of the seed for forty days together helpeth the sciatica, the falling sickness, and the palfy.

I V Y.

THIS is too well known to require a description.

PLACE. It may be found upon most old stone walls of churches, houses, and ruinous buildings, and frequently in woods and upon trees.

TIME. It flowereth in July, but the berries do not ripen till they have felt the winter-frosts.

GOVERNMENT AND VIRTUES. It is under the dominion of Saturn. Dioscorides recommends about a drachm of the flowers to be taken twice a-day in red wine as an excellent medicine for the lask and bloody flux. It is very pernicious to the nerves and finews being taken too liberally, but particularly helpful when externally applied. Pliny observes, that the yellow berries are good against the jaundice, and help those who spit blood; also prevent drunkenness; and that the white berries, being either inwardly or outwardly applied, kill the worms in the belly. The fame beaten to powder, and taken in liquor for two or three days together, admirably help those who have the plague, or, taken in wine, break the stone, provoke urine, and bring down the menstrua. The fresh leaves of ivy, boiled in vinegar, and applied warm to the fides of those that are troubled with the spleen, ach, or stitch in the sides, give immediate ease; or, used with rose-water and oil of roses to bathe the temples and forehead, ease the head-ach, though of long continuance. The same, boiled in wine, cleanse and heal old and filthy ulcers, by using it as a wash; it is likewise an excellent cure for green wounds, burnings, fealdings, and all kinds of exulcerations coming thereby, or by falt phlegm or humours in other pats of the body. The juice of the berries or leaves, snuffed up the nose, purgeth the head and brain of thin rheum which causeth defluxions into the eves and nofe, and cureth the ulcers and stench therein; the same, dropped into the ears, helpeth the old and running fores of them. By the continual drinking out of a cup made of ivy, all fymptoms of the spleen are entirely erazed. The speediest cure for a furfeit by wine, is to drink a draught of the same liquor wherein a handful of bruifed ivy-leaves have been boiled.

JUNIPER-BUSH.

THIS is equally as well known as the former, confequently a description would be equally needless,

PLACE.

PLACE. They are very plentiful in most woods and commons, particularly upon Warley-common, near Brentwood in Essex; upon Finchley common, without Highgate; adjacent to the Newsound Wells near Dulwich; upon a common between Mitcham and Croydon; in the highway near Amersham in Buckinghamshire; and in many other places.

Time. The berries are not ripe the first year, but continue green two summers and one winter before they ripen, when they change their colour to black; they are ripe about the fall of the leaf.

GOVERNMENT AND VIRTUES. This admirable folar shrub can scarcely be equalled for its virtues. Its berries are hot in the third degree, and dry in the first, being an excellent counter-poifon and a great refister of pestilence; they are very good for the bitings of venomous beafts; they provoke urine exceedingly, and therefore are very available in difuries and stranguaries. It is so powerful a remedy for the dropfy, that, by drinking only the lye made of the ashes of this herb, it cures the difease; it provokes the terms, helps the fits of the mother, strengthens the stomach, and expels wind; indeed there are few better remedies for the wind and cholic than the chemical oil drawn from the berries; but, as many, in all probability, would be at a loss how to extract this oil, I would advise them to eat ten or a dozen of the ripe berries every morning falling, as these will occasionally answer the aforefaid purposes; they are also good for a cough, shortness of breath, consumption, pains in the belly, ruptures, cramps, and convultions; they ftrengthen the rain. help the memory, fortify the fight by strengthening the optic nerves, and give fafe and speedy delivery to women in labour; they are excellent good in all forts of agues, they help the gout and sciatica, and strengthen all the limbs of the body. The ashes of the wood are a special remedy for the scurvy in the gums, by rubbing them therewith; the berries stay all fluxes, help the hemorrhoids or piles, and kill worms in children; they break the stone, procure lost appetite, and are very good for palfies and falling fickness. A lye made of the ashes of the wood, and the body bathed therewith, cures the itch, scabs, and leprofy.

JUJUBE-TREE.

NAMES AND KINDS. DODONEUS fays, there are two forts of jujubes, red and white; and of the red three different kinds, viz. the greater jujube-tree, called in Latin ziziphus five jujube major; the leffer jujube, called ziziphus five jujuba minor; and the wild jujube-tree.

DESCRIPTION. The greater jujube-tree grows fometimes very high, but oftener spreads itself in breadth, having a crooked body; the wood is hard and whitish,

the bark rugged, and the branches great and spreading; the smaller twigs about a foot long are sull of leaves on both sides, one a little above another, and an odd one at the end; these leaves are small, broad, and pointed at the end; finely dented about the edges, with long veins in them, each standing on a long sootstalk, smooth, and seel hard. At the foot of every leaf, towards the tops of the twigs, come forth small yellowish slowers, each consisting of sive leaves; these are succeeded by the fruit, which is somewhat like a small plumb, or olive, but rather long, green and harsh at the first; afterwards they become yellowish, and when ripe they are of a fine red colour, of a sharp sweetness, and somewhat clammy; statish next the stalk, containing a stone not unlike that of the olive or Cornelian cherry; and its skin is thicker, and harder than that of the plumb. The branches are thorus, standing two always at a joint, one whereof is crooked, the other straight; the roots are long and fast in the earth.

The smaller jujube-tree is in branches, leaves, flowers, and fruit, very much like the former, except that it is every way somewhat smaller; it is also thick set with thorns like the other, but these are rather shorter.

The wild jujube-tree is lower, and more like a shrub, than either of the sormer, but thicker set with small sharp thorns; the leaves are not unlike, but grow not so thick on a twig, and are smaller; the fruit of this is also red, somewhat less, drier of substance, and of a sharper taste, than the others.

PLACE. The first groweth naturally in Africa, Egypt, and most eastern countries, and was, as Pliny observes, conveyed from thence into Italy, where it now grows in great plenty. The other kinds are likewise found in Italy, and in some parts of France, the wild kind growing in the fields and hedges.

TIME. They flower in May, and their fruit is generally ripe in September.

GOVERNMENT AND VIRTUES. Venus claims dominion over these. Jujube-berries, when fresh, open the body, purge choler, and cleanse the blood, as Simon Sethi and Actuarius affirm, though Mathiolus positively denies their purging faculty. They are of a temperate quality in heat and moisture; they cool the heat and sharpness of the blood, and therefore are good in hot agues, also to expectorate tough phlegm and other diseases of the chest and lungs, as coughs, shortness of breath, hot distillations, &c. and, being taken in syrups or electuaries, expel the roughness of the throat and breast. They are good to cleanse the reins and bladder, their viscous qualities making the passages slippery, and expelling the gravel and stone with infinitely less pain; and they stay vomiting when caused by sharp humours. They are hard of digestion, being either fresh or dry, and therefore are used in decoction, syrups, or electuaries. I shall here present my readers with a most valuable receipt

For the cure of all sharp humours, ulcers, or inflammations in the kidneys, reins, and bladder; and for the stone, jaundice, falling-sickness, and dropfy.—It is thus prepared: Take jujubes, the seed of parsley, fennel, anise, and carraways, of each one ounce; of the roots of parsley, burnet, saxifrage, and carraway, one ounce and a half; let the seed be bruised, and the roots washed and cut small, then insufe them all night in a bottle of white wine, and in the morning boil it in a close earthen vessel until a third part be consumed; strain it, and drink four ounces at a time, the first and last thing morning and evening; abstaining from all other drink for at least three hours. This you will find effectual for the aforesaid disorders.

HONEY-WORT.

THERE are divers species of the honey-wort, namely, the great, small, and rough; as, the greater yellow and red, the greater yellow or purple, and the smaller yellow and white; the slowers of all or either of which the bees are remarkably fond of, and much delighted with.

DESCRIPTION. The greater honey-wort growth up upon a thick green flalk, to a moderate height, having many great, deep-pointed, green leaves, placed one above another; towards the top of each flalk come umbels of flowers, thick fet, and rifing up fpiral or crefted; mostly of a bright yellow colour; though some are red, others purple, and some perfectly white.

PLACE. The honey-worts grow not wild in England, but are cherished up in gardens, and planted in the pleasure-grounds and nurseries of the curious.

TIME. They fpring up in April, and flower from the latter end of May to August, but perish in the winter.

GOVERNMENT AND VIRTUES. Honey-worts are under Mercury. They are of a temperate quality, between cold and hot; but rather inclining to cold, and are fomewhat aftringent. They ftop bleeding at the mouth and nofe, immoderate fluxes of the belly, and women's courses. The juice of the herb, with a little saffron diffolved in it, is an excellent remedy for weak, watery, or blear, eyes; and is used to heal foul ulcers after they have been cleansed, particularly in tender parts of the body. Some people use it instead of bugloss and borage, in all cases where those herbs are recommended. The flowers are very sweet.

INDIAN LEAF.

NAMES. IT is called by the Indians cadegi Indi, that is, folium Indum. It is also called malabathrum, and by the East-Indians tamala patra.

No. 15. 3 K Descrip-

Description. They are broad leaves, composed of three ribs, and a little pointed at the ends; amongst these are other leaves which sometimes grow on their branches, two usually at a joint, tasting somewhat hot, like the bay-leaf, as does likewise the bark; among these leaves is sometimes sound a small fruit, very much resembling an acorn in the cup; this is probably the fruit of the tree, and gathered with the leaves.

GOVERNMENT AND VIRTUES. It is a folar plant; the virtues of it are these: if provokes urine, it warms and strengthens the stomach exceedingly, and makes the breath sweet. It is good to put into cordial and stomachic compositions; it resistent poison and venom, and the insusion thereof in warm wine helpeth inslammations and redness of the eyes.

KIDNEY-WORT,

CALLED also wall-pennyroyal, and wall-pennywort.

Description. It hath many thick, flat, and round, leaves, growing from the root, every one having a long footflalk fastened underneath about the middle of it, a little unevenly waved sometimes about the edges, of a pale green colour, and hollow on the upper side, like a faucer. From among these rise one or more tender, hollow, smooth stalks, about half a foot high, bearing thereon two or three small leaves, not round like those below, but somewat long, and divided on the edges; the tops are sometimes divided into long branches, bearing a number of slowers, set round about a long spike, one above another; they are hollow and shaped like a small bell, and of a whitish green colour; these are followed by small heads containing very small brownish feed, which, falling on the ground, springeth up in great plenty before the winter, if it happens to fall on a moist soil. The root is round and smooth, greyish without and white within, having small fibres at the head of the root and bottom of the stalk.

PLACE. It grows in great abundance in many parts of this kingdom, particularly in the western, upon stone and mud walls, upon rocks and stoney ground, at the soot and often on the trunks of rotten trees.

TIME. It usually flowereth in the beginning of May, and the feed, ripening quickly after, sheddeth itself. About the end of the same month the leaves and stalks begin to wither, and remain in that state till September, when the leaves spring up again, and abide green all the winter.

GOVERNMENT AND VIRTUES. Venus claims this herb under Libra. The juice or diffilled water, being drunk, is very effectual for all inflammations and unnatural heats; also to cool a fainting stomach, a hot liver, or heat in the bowels.

bowels. The bruifed herb or the distilled water thereof, applied to pimples, redness, St. Anthony's fire, or other inflammations proceeding from heat, quickly healeth the same; it likewise easeth the pains of the kidneys occasioned by the fretting of the stone, provokes urine, is available for the dropsy, helpeth to break the stone, cooleth inflamed parts, easeth the pains of the bowels, and stoppeth the bloody slux. It is a singular remedy for the painful piles, or hemorrhoidal veins, by bathing the affected parts with the juice thereof, or using it as an ointment; and is effectual in easing pains of the hot gout, the sciatica, and the inflammations and swellings of the scrotum; it cureth the kernels or knots in the neck or throat, called the king's evil; it healeth kibes and chilblains by washing them with the juice, or anointing them with an ointment made thereof, laying at the same time some of the skin of the leaf upon them. It is also used in green wounds, to stay the blood and heal them.

KNAP-WEED.

Description. THE common fort of knap-weed hath many long and fome-what broad dark green leaves, rifing from the root, deeply dented about the edges, and fometimes a little rent or torn on both fides in two or three places, and fomewhat hairy; from among these groweth up a strong round stalk, four or five seet high, which is divided into many branches; at the tops of these standlarge green scaly heads, bearing in the middle many dark purplish red thrums or threads: these are succeeded by black seed, wrapped in down, somewhat like those of the thisse, but smaller. The root is white, hard, and woody, with many fibres annexed thereto; it perisheth not, but liveth during the winter, shooting forth fresh leaves every spring.

PLACE. It grows frequently in fields and meadows, but chiefly in borders and hedges, and may be found on wafte grounds.

Time. It is generally in bloffom about June and July, and the feed is ripe shortly after.

GOVERNMENT AND VIRTUES. Saturn claims dominion over this herb. It helpeth to stay fluxes, bleeding at the nose and mouth, or other, outward parts, and closeth broken blood-vessels; it stayeth the distillations of thin and sharp humours from the head upon the stomach and lungs; it is good for those who are bruised by a fall, blow, or otherwise; it is very profitable for ruptures, by drinking the decoction of the herbage and root in wine, and applying the same outwardly to the place; it is exceeding good for all running sores, cankerous and fistulous, drying up the moisture, and healing them gradually; and is an admirable remedy for a fore throat, swelling of the uvula and jaw, and all green wounds

KNOT-

KNOT-GRASS.

IT is so universally known, that a description would be quite unnecessary.

PLACE. It grows in almost every part of this kingdom, by the high-way sides, by the sootpaths in fields, and by the sides of old walls.

TIME. It grows up late in the spring, and remains green till the winter, when all the branches perish.

GOVERNMENT AND VIRTUES. Saturn appears to have dominion over this herb, though many are of opinion it is influenced by the Sun. The juice of the common kind of knot-grass is very effectual to stay bleeding at the mouth and nofe, by drinking it in fleeled or red wine for the one, or applied to the forehead or squirted up the nostrils for the other. It is no less effectual to cool and temper the heat of the blood and stomach; also to stay fluxes of blood and humours, as the lask, bloody flux, women's courses, and running of the reins. It is a fingular provocative of urine, it helps the stranguary, and allayeth the heat proceeding therefrom; and, by taking a drachm of the powder of the herb in wine, for feveral days together, it powerfully expels the gravel or stone from the kidneys and bladder. Being boiled in wine and drunk, it healeth the wounds made by the bitings of venomous creatures, effectually flays all defluxions of rheumatic humours upon the stomach, kills the worms in the belly, and eases the inward pains that proceed from the heat, sharpness, and corruption, of blood and choler. The diffilled water of this herb taken by itself, or with the powder of the plant or seed, will equally answer all the aforesaid purposes, and is held in high estimation for its admirable efficacy in cooling all manner of inflammations, breakings out, hot fwellings and imposhhumes, gangrenes, fistulous cankers, ulcers and fores in the privities of either fex, and all kinds of fresh and green wounds, and quickly healing them, being washed therewith. The juice, dropped into the ears, cleanseth such as are foul and have running matter therein, and is very good for broken joints and ruptures.

K A L I.

NAMES AND KINDS. IT is called also glass-wort and falt-wort; there are four kinds of kali described by Parkinson, viz. 1. Kali majus cochleatum, great glass-wort with snail-like seed. 2. Kali minus album, small glass-wort. 3. Kali Ægpytiacum, glass wort of Egypt. And 4. Kali geniculatum, sive falicornia, jointed glass-wort. I shall only describe the last.

This join ed kali or glass-wort, groweth up usually but with one upright, round, thick, and almost transparent, stalk, a foot high or more; thick set, and full of joints or knots, without any leaves at all, but shooting forth joints one out of another, with

short cods at the heads of them, and such-like smaller branches on each side, and they are divided into other smaller ones; it is thought to bear neither slower nor seed; the root is small, long, and thready. Some other kinds there are differing somewhat in the form of the joints, and one kind wholly reddish, and differing from the other in nothing else.

The first and third are absolute strangers in our countries, but grow in Syria, Egypt, Italy, and Spain. The second groweth, not only in those countries, but in colder climates, upon many places of our own coasts, especially of the west country. The last generally groweth in all countries, in many places of our sea-coast, where the falt-water oversloweth.

TIME. They all flourish in the summer, and those that perish give their seed in August, or later; the last abideth all the winter.

GOVERNMENT AND VIRTUES. Kali, or glass-wort, all the forts thereof are under the dominion of Mars; they are all of a cleaning quality, without any great or manifest heat; the powder of any of them, or the juice, which is much better, taken in drink, purgeth downwards phlegmatic, waterish, and adust, melancholy humours, and therefore is very effectual for the dropsy, to provoke usine, and expel the dead child. It opens stoppings of the liver and spleen, and wastes the hardness thereof; but it must be used with discretion, as a great quantity is dangerous, hurtful, and deadly.

The afhes are very sharp and biting like a caustic, and the lye that is made thereof is so strong, that it will setch off the skin from the hands or any part of the body,
but may be mixed with other more moderate medicines to take away scabs, leprosy,
and to cleanse the skin: the powder of stones, and the ashes hereof, being melted, are
the matter whereof glass is made, which, when it gloweth in the furnace, casteth
up a fat matter on the top, and when it is cold is fat and brittle, and is called fandiver.

It worketh much to the fame effect with the herb or afhes; it is used often in powder to blow into horses eyes, or, being disfolved, to be squirted in them, to take away any superfluous film or skin beginning to grow thereon: both of them likewise serve to dry up running fores, scabs, tetters, ringworms, and to help the itch.

LADIES' MANTLE.

Description. IT hath many leaves rifing from the root, standing upon long hairy footstalks, being almost round, but a little cut in on the edges, into eight or ten parts, more or less, making it seem like a star, with so many corners and points, and dented round about, of a light green colour, somewhat hard in handling, as if it No. 15.

were folded or plaited at first, and then crumpled in divers places; and a little hairy, as the stalk is also, which rifeth up among them to the height of two or three seet, with such-like leaves thereon, but smaller, and being weak, is not able to stand upright, but bendeth down to the ground, divided at the top into two or three small branches, with small and yellowish-green heads, and slowers of a whitish colour breaking out of them, which being past, there cometh small yellow seed like poppy-seed; the root is somewhat long and black, with many strings or sibres.

PLACE. It groweth naturally in many pastures and woodsides, in Hartfordshire, Wiltshire, and Kent, and other places of this land.

TIME. It flowereth in May and June, and remains green all the winter.

GOVERNMENT AND VIRTUES. Venus claims the herb as her own. Ladies' mantle is very proper for those wounds that have inflammation, and is very effectual to stay bleedings, vomiting, fluxes of all forts in men or women, and bruises by falls or otherwise, and helpeth ruptures; it is also good for some disorders in women's breasts, causing them to grow less and hard, being both inwardly and outwardly applied. The distilled water, taken for twenty days together, helpeth conception; and a bath, made of the decoction of the herb, will sometimes prevent miscarriages. It is one of the most useful wound-herbs, and therefore highly prized and praised by the Germans, who, in all wounds, inward and outward, drink the decoction thereof, and wash the wounds therewith, or dip tents therein, and put them into the wounds. It quickly healeth green wounds, not suffering any corruption to remain behind; and it cureth old fores, though fistulous and hollow.

LAVENDER.

IT is so well known, being an inhabitant of almost every garden, that it needeth no description.

TIME. It flowereth about the end of June and the beginning of July.

GOVERNMENT AND VIRTUES. Mercury owns this herb, and it carries its effects very potently. Lavender is of special use for pains of the head and brain that proceed of a cold cause, as the apoplexy, falling sickness, the drowsy or sluggish malady, cramps, convulsions, palsies, and often faintings. It strengthens the stomach, and freeth the liver and spleen from obstructions, provoketh women's courses, and expelleth the dead child and after-birth. The flowers of lavender steeped in wine are efficacious in obstructions of urine, or for those troubled with the wind or cholic, if the places be bathed therewith. A decoction made of the flowers of lavender, hoarhound, fennel, and asparagus roots, and a little cinnamon, is used to help the falling sickness and giddiness of the brain: to gargle the mouth with the

decoction

decoction thereof is good for the tooth-ach. Two spoonfuls of the distilled water of the slowers taken help them that have lost their voice; as also the tremblings and passions of the heart, and faintings and swoonings, not only being drunk, but applied to the temples or nostrils; but it is not safe to use it where the body is replete with blood and humours, because of the hot and subtle spirits wherewith it is possessed. The chemical oil drawn from lavender, usually called oil of spike, is of so forece and piercing a spirit, that it is cautiously to be used, some few drops being sufficient to be given with other things, either inwardly or outwardly.

LAVENDER COTTON.

IT being a common garden herb, I shall forbear the description; only take notice that it flowereth in June and July.

GOVERNMENT AND VIRTUES. It is under the dominion of Mercury. It refifteth poison, putrefaction, and helps the bitings of venomous beasts: a drachm of the powder of the dried leaves, taken every morning fasting in any convenient vehicle, stops the running of the reins in men, and whites in women: the seed being beaten into powder, and taken as wormseed, kills worms: the like doth the herb itself, being boiled in milk, and the milk drunk: scabs and itch are cured by bathing with a decoction of it.

LADIES'SMOCK, OR CUCKOO-FLOWER.

DESCRIPTION. THE root is composed of many small white threads, from tender dark green leaves, set one against another upon a middle rib, the greatest being at the ends, amongst which rise divers tender, weak, round, green, stalks, somewhat straked, with longer and smaller leaves upon them; on the tops of which stand flowers, almost like stock-gillistowers, but rounder and not so long, of a blushing white colour; the seed is reddish, and groweth in small pouches, being of a sharp biting taste, and so is the herb.

PLACE. They grow in moist places and near to brook sides.

Time. They flower in April or May, and the lower leaves continue green all the year.

GOVERNMENT AND VIRTUES. They are under the dominion of the Moon, and very little inferior to water-creffes, in all their operations: they are very good for the foury: they provoke urine and break the stone, and excellently warm a cold and weak stomach, restoring lost appetite and helping digestion.

LETTUCE.

LETTUCE.

GOVERNMENT AND VIRTUES. THE Moon owns it. The juice of lettuce mixed or boiled with oil of rofes, and applied to the forehead and temples, procureth fleep and eafeth the head-ach proceeding from a bot cause; being boiled and eaten, it helpeth to loosen the belly: it helpeth digestion, quencheth thirst, increases milk in nurses, caseth griping pains of the stomach or bowels that come of choler. It abateth bodily lust, being outwardly applied with a little camphire; applied in the same manner to the region of the heart, liver, or reins, or by bathing the said place with the juice or distilled water wherein some white sanders or red roses are put also, it not only repressed the heat and inflammation therein, but comforts and strengthens those parts, and also tempereth the heat of urine. Galen adviseth old men to use it with spices; and, where spices are wanting, to add mint, rocket, and such-like hot herbs, or else citron lemon, or orange, seeds, to abate the cold of one and heat of the other. The seed and dissilled water of the lettuce work the like effects in all things: but the use of settuce is chiefly forbidden to those that are short-winded, or have any impersection in their lungs, or spit blood.

WATER-LILY.

OF this there are two principal noted kinds, viz, the white and the yellow.

Description. The white lily hath very large and thick dark-green leaves lying on the water, fustained by long and thick foot-stalks, that rife from a great, thick, round, and long, tuberous black root, spungy or loose, with many knobs thereon, like eyes, and whitish within, from the midst of which rise other the like thick and great stalks, sustaining one large white flower thereon, green on the outside, but as white as snow within, consisting of divers rows of long and somewhat thick and narrow leaves, smaller and thinner the more inward they be, encompassing a head within, with many yellow threads or thrums in the middle, where, after they are pass, stand round poppy-like heads, full of broad, oily, and bitter feed.

The yellow kind is little different from the former, only it hath fewer leaves on the flowers, greater and more flining feed, and a whitish root both within and without: the roots of both being somewhat sweet in taste.

PLACE. They are found growing in great pools and flanding waters, and fometimes in flow running rivers, and ditches of running waters, in fundry places of this land.

TIME. They flower most commonly about the end of May, and their feed is ripe in August.

GOVERN-

GOVERNMENT AND VIRTUES. The herb is under the dominion of the Moon, and therefore cools and moistens like the former. The leaves and slowers of the water-lilies are cold and moist, but the root and seed are cold and dry; the leaves cool all inflammations, and both outward and inward heats of agues, and so do the slowers.

WHITE LILIES.

IT being unneceffary to describe a plant so common as to be met with in almost every flower-garden, suffice it to detail their

GOVERNMENT AND VIRTUES. They are under the dominion of the Moon, and, by antipathy to Mars, expel poifon; they are exceedingly used in pestilential fevers, the roots being bruised and boiled in wine, and the decoction drunk, expelling the poison to the exterior parts of the body; the juice of it, being tempered with barley-meal baked, and eaten as ordinary bread, is an excellent cure for the dropsy. An ointment made of the root with hog's-lard, is exceedingly good for scald heads, and unites the sinews when cut; it has also great virtue in cleansing ulcers, it being of a fine suppurating quality; the root, boiled in any convenient decoction, gives speedy delivery to women in travail, and expels the after-birth. The root, roasted and mixed with a little hog's-lard, makes an excellent poultice to ripen and break plague fores. The ointment is also extremely good for swellings in the privities, and cures burns and scalds without leaving any scar; and is a preventative against baldness.

The decoction of the white or yellow lilies, made of the feeds, roots, or leaves, is fingularly efficacious in restraining nocturnal pollution, occasioned by dreams.

LILY OF THE VALLEY.

CALLED also conval lily, May lily, and lily confancy.

DESCRIPTION. The root is small, and creepeth far in the ground, as grass roots do; the leaves are many; amongst which rise up a stalk half a foot high, with many white flowers like little bells, with turned edges, of a strong though pleasing smell; the berries are red, and not much unlike those of asparagus.

PLACE. They grow plentifully upon Hampstead-heath, and in various other places in the kingdom.

TIME. They flower in May, and the feed is ripe in September.

TEMPERATURE AND VIRTUES. It is under the dominion of Mercury, and therefore, without doubt, strengthens the brain, renovates a weak memory, and makes it strong again. The distilled water, dropped into the eyes, helps inflamNo. 16.

3 M

mations

mations thereof, as also that infirmity which they call pin and web; the spirit of the flowers, distilled in wine, restoreth lost speech, helps the palsy, and is exceeding good in the apoplexy, comforteth the heart and vital spirits. Gerrard saith, that the slowers being close stopped up in an ant-hill, and taken away again a month after, a liquor will be found in the glass, which, being externally applied, tends to relieve the gout.

LIQUORICE.

Description. THE English liquorice shoots up with several woody stalks, whereon are set, at several distances, many narrow long green leaves, set together on both sides of the stalks, and an odd one at the end, nearly resembling a young assistance in a place without removal, but not else, will bring forth numerous slowers, standing together spike-sassistance, one above another upon the stalks, in the form of pea blossoms, but of a very pale blue colour, which turn into long, somewhat slat, and smooth, pods, wherein is contained small, round, hard, seed. The root runneth down exceeding deep into the ground, with divers other smaller roots and slowers growing with them; they shoot out suckers in every direction, by which means the product is greatly increased. The root is of a brownish colour on the outside, and yellow within.

PLACE. It is planted in fields and gardens in divers places of this kingdom, greatly to the profit of the cultivators.

GOVERNMENT AND VIRTUES. It is under the dominion of Mercury. Liquorice boiled in clear water, with fome maiden-hair and figs, maketh a good drink for fuch as are troubled with a dry cough, hoarseness, wheezing, or shortness of breath, and for all complaints of the breast and lungs, phthysic, or consumptions, caused by the distillation of falt humours on them. It is also good in all pains of the reins, the stranguary, and heat of urine. The fine powder of liquorice blown through a quill into the eyes of those afflicted with the pin and web, as it is called, or rheumatic distillations into them, cleanses and greatly relieves them. The juice of liquorice is as effectual in all the diseases of the breast and lungs, the reins and bladder, as the decoction. The juice dissolved in rose-water, with some gum tragacanth, is a fine medicine for hoarseness, wheezings, &c.

LIVER-WORT.

DESCRIPTION. THE common liver-wort growth close, and spreadeth much upon the ground, in moist and shadowy places, with numerous sad-green leaves,

or rather, as it were, sticking flat one to another, very unevenly cut in on the edges, and crumpled, from among which arise small slender stalks, an inch or two high at most, bearing small flowers at the tops, somewhat resembling stars.

GOVERNMENT AND VIRTUES. It is under the command of Jupiter, and under the fign Cancer. It is a fingular good herb for all the diseases of the liver, both to cool and cleanse it, and helpeth inflammations in any part; it is likewise serviceable in the yellow jaundice; being bruised and boiled in small beer, and drunk, it cooleth the heat of the liver and kidneys, and helpeth the running of the reins in men, and the whites in women; it is a singular remedy to stay the spreading of tetters, ringworms, and other fretting and running sores and scabs, and is an excellent remedy for such whose livers are corrupted by surfeits, which causeth their bodies to break out; for it fortisses the liver exceedingly, and makes it impregnable.

LOOSE-STRIFE, OR WILLOW-HERB.

Description. THE common yellow loofe-strife growth to the height of four or five feet, with great round stalks a little crested, diversely branched, from the middle of them to the tops, into great and long branches, on all of which, at the joints, there grow long and narrow leaves, but broader below, and usually two at a joint, yet sometimes three or four, somewhat like willow-leaves, smooth on the edges, and of a faint green colour; from the upper joints of the branches, and at the tops of them also, stand many yellow slowers of five leaves apiece with divers yellows threads in the middle, which turn into small round heads, containing small cornered seeds. The root creepeth under ground, almost like couch-grass, but greater, and shooteth up every spring, with brownish heads, which afterwards grow up into two stalks; it hath no scent nor taste, but only astringent.

PLACE. It groweth in most parts of the kingdom, in most meadows, and by the fides of water.

TIME. It flowereth from June to August.

GOVERNMENT AND VIRTUES. This herb is good for all manner of bleeding at the mouth or noie, or wounds; all fluxes of the belly, as well as the bloody flux, given either to drink, or administered as a clyster; it stayeth also the abundance of women's courses. It is a singularly good herb for green wounds, to stay the bleeding, and quickly closes together the lips of the wound, if the herb be bruised, and the juice only applied. It is often used in gargles for sore mouths, as also for the secret parts. The smoke hereof, on its being burnt, driveth away slies and gnats, which are used in the night-time to insest the habitations of people dwelling near marshes, and in the senny countries.


LOOSE-STRIFE, with spiked Heads of Flowers.

Description. This groweth with many woody square stalks, full of joints, about three seet high at least, at every one whereof are two long leaves, shorter, narrower, and of a darker green colour, than the former, and somewhat brownish. The stalks are branched into many long stems of spiked slowers, half a foot long, growing in bundles one above another, out of small husks very like the spiked heads of lavender, each of which slowers has sive round-pointed leaves of a purple violet colour, or somewhat inclining to redness, in which husks stand small round heads after the slowers are sallen, wherein is contained small seed; the root creepeth under ground like unto the yellow, but is greater than it; and so are the heads of the leaves when they first appear out of the ground, and more brown than the other.

PLACE. It groweth usually by rivers, and ditches' fides in wet grounds, as about the ditches at and near Lambeth, and in many other parts of the kingdom.

Time. It flowereth in the months of June and July.

GOVERNMENT AND VIRTUES. The herb is an herb of the Moon, and under the fign Cancer; it is an excellent preservative of the fight when well; nor is there a better cure for fore eyes than the eye-bright taken inwardly, and this used outwardly; it is cold in quality. This herb is not a whit inferior to the former, it having not only all the virtues which the former hath, but fome peculiar virtues of its own, found out by experience; namely, the distilled water is a present remedy for hurts and blows on the eyes, and for blindness, if the crystalline humour be not perished or hurt; and this hath been sufficiently proved true by the experience of a person of judgment, who kept it long to himself as a great secret; it also cleareth the eyes of dust or any other thing which may have got into them, and preferveth the fight; it is a good remedy for wounds and thrufts, being made into an ointment in the following manner: To every ounce of the water add two drachms of May-butter without falt, and of fugar and bees' wax the fame quantity of each, which must boil gently all together; when thus brought to a proper confiftence, let tents be dipped in the ointment after it is cold and put into the wounds, and the place covered with a linen cloth doubled, on which the ointment may be thinly spread; this is an approved medicine. It likewise cleanseth and healeth all foul ulcers and fores whatfoever, by washing them with the water, and laying on them a green leaf or two in the fummer, or dry leaves in the winter. This water, when warmed, and used as a gargle, or even drunk sometimes, cures the quinfy, or king's evil in the throat. The faid water, applied warm, taketh away all spots, marks, and feabs, in the fkin; and a little of it drunk quencheth extraordinary thirst. LOVAGE.





LOVAGE.

DESCRIPTION. IT hath many long and great stalks, with large winged leaves, divided into many parts like smallage, but much larger and greater, every leaf being cut about the edges, broadest forwards, and smallest at the stalk, of a sad-green colour, smooth and shining; from among which rise up fundry strong hollow green stalks, sive or six feet, and sometimes seven or eight feet, high, full of joints, but smaller leaves set on them that grow below; and with them, toward the tops, come forth long branches, bearing at their tops large umbels of yellow slowers, and after them stat brownish seed. The root groweth thick, great, and deep, spreading much, and enduring long, of a brownish colour on the outside, and whitish within. The whole plant, and every individual part of it, smelleth strong and aromatically, and is of an hot, sharp, biting, taste.

PLACE. It is usually planted in gardens, where, if it be suffered, it groweth huge and great.

TIME. It flowereth in the end of July, and feedeth in August.

GOVERNMENT AND VIRTUES. It is an herb of the Sun, under the fign Taurus. If Saturn offend the throat, (as he always doth if he be the occasion of the malady, and in Taurus is the genefis,) this is your cure. It openeth, cutteth, and digesteth, humours, and mightily provoketh women's courses and urine; half a drachm at a time of the dried root in powder, taken in wine, doth wonderfully warm a cold stomach, helping digestion, and consuming all raw and superfluous moisture therein; easeth all inward gripings and pains, diffolveth wind, and refisteth poison and infection. To drink the decoction of this herb is a wellknown and much-practifed remedy for any fort of ague, and greatly helps the pains and torments of the body and bowels occasioned by cold. The feed is effectual to all the purposes aforesaid, except the last, and worketh more powerfully. The distilled water from the herb helpeth the quinfy in the throat, if the mouth and throat be gargled and washed therewith; and relieveth the pleurify, being drunk three or four times. When dropped into the eyes, it taketh away the redness or dimness of them; it also taketh away spots or freckles in the face. The leaves bruifed, and fried with a little hog's-lard, applied hot to any blotch or boil, will quickly break it.

LOVE-APPLF.

IT is also called golden apple of love, and in Latin poma amoris.

No. 16.

2 N

Description. It groweth into a tree of a reasonable height, with large dented leaves, cut in upon the edges, and of a pale green colour. The blossoms are large and white, which falling, the fruit follows.

PLACE. The tree is a native of Ethiopia; but it is planted in the gardens or nurferies of many of the curious in this kingdom.

Time. They bloffom in April and May, and the fruit is ripe in August and September.

GOVERNMENT AND VIRTUES. The apples of love are under Venus; yet are they cold and moist in an extreme degree. They are olygotrophic and cachochymic; yet, in hot countries, they are eaten as sauce, boiled with pepper, falt, and oil. The juice, boiled with uxungia to a salve, heals all inflammations and burnings; and the leaves boiled with oil-olive till crisped, then strained, and afterwards boiled with wax, rosin, and a little turpentine, to a salve, are an infallible remedy for old sores and ulcers of the privities, or for wounds and ulcers in other parts of the body, coming of heat, or viscous humours of the blood.

LUNG-WORT.

DESCRIPTION. THIS is a kind of moss that growth on sundry forts of trees, especially oak and beech; with broad, greyish, tough, leaves, diversely folded, crumpled, and gashed in on the edges, and sometimes spotted also with many small spots on the upper side: it was never seen to bear any stalk, or slower at any time.

GOVERNMENT AND VIRTUES. Jupiter feems to own this herb, which is greatly used by physicians to help the diseases of the lungs, and for coughs, wheezings, and shortness of breath, which it cureth both in man and beast; it is very successfully used in lotions that are taken to stay the most humours that slow to ulcers, which hinder their healing; as also to wash all other ulcers in the privy parts of men or women.

It is an excellent remedy, boiled in beer, for broken-winded horses.

LARCH-TREE, AND ITS AGARIC.

DESCRIPTION AND NAMES. It grows about Italy, and also in Asia. It is called larix both in Greek and Latin; and also agaricum, and agaricus; the agaric is an excrescence, or kind of mushroom, that groweth on this tree, being within white, soft, and spongy, like a mushroom. The agaric is hot in the first degree, and dry in the second; it hath an attenuating cleansing quality, and purges obstructions of the entrails by stool; it purgeth phlegm, choler, and melancholy.

melancholy, and cleanfeth the breast, lungs, liver, and reins; provokes urine, and the terms; kills worms, helps pains of the joints, and causeth a good colour.

It is not good to be taken alone, without corrigents; therefore the fyrup of roses, solutive with agaric, is good to be taken: it cures the yellow jaundice, and is exceeding good for agues coming of thick humours, for which they take pills of hiera with agaric; it may be given with oxymel for agues of all sorts, and gripings of the belly: it is good against shortness of breath, the phthysic, and consumption; half a drachm thereof in wine is an excellent antidote against poisons.

LENTILES.

KINDS AND NAMES. THEY are called lens, and lenticula, in Latin. In fome counties of England, where they fow them for meat for their cattle, they call them tills.

There are three forts. 1. Lens major, the greater lentil. 2. Lens minor, the smaller lentil. And 3. Lens maculata, the spotted lentil.

DESCRIPTION. 1. The greater lentil groweth about two feet long, with many hard, yet flender and weak, branches, from whence, at feveral places, shoot forth long stalks of small winged leaves, many on each side of a middle rib, which middle rib endeth in a small clasper; between the leaves and the stalks come the flowers, which are small, of a sad reddish colour, inclined to purple, almost like the flowers of vetches; they stand, for the most part, two at the end of a long soot-stalk; after the flowers are gone, there succeed small, short, slat, pods, wherein is slat, round, smooth, seed, of a pale yellow ash-colour; the root is sibrous, and dieth every winter.

- 2. The smaller lentil differeth from the former only in this, that the stalks, leaves, and seed, are less; the flowers more pale, and the feeds whiter.
- 3. The third differs not much from the last; but the feed is spotted with black.

GOVERNMENT AND VIRTUES. They are under the dominion of Saturn; of a mean temperature between heat and cold, and dry in the fecond degree. According to Galen, they are somewhat astringent, and bind the body, especially the outward skin. It is of contrary qualities, for the decostion thereof doth not bind but loosen the body; therefore, those who would have it bind, must throw away the first water and use the second, which stops the lask, and strengthens the stomach and inward parts.

LEMON-TREE, OR LEMONS.

NAMES. THERE are feveral forts of lemons: fome great, others small; some having very thick and rugged peels, and some very smooth; some are of a wild juice, others sharp, and some very tart and crabbed; which alterations may be made both by the soil and place where they grow or are planted.

- 1. The ordinary lemon-tree is called malus limonia acida vulgaris.
- 2. Malus limonia acida, cortice tenui; the thin-rined four lemon.
- 3. Malus limonia acida, fructu rotunda; the four round lemon.
- 4. Malus limonia dulcis major; the greater sweet lemon.
- 5. Malus limonia dulcis minor; the smaller sweet lemon, or civil lemon.
- 6. Malus limonia filvestris minima; the least wild lemon tree.

DESCRIPTION. 1. The ordinary lemon-tree groweth great and high, with great arms and flender branches, with long greenish thorns; the leaves are long like unto bay-leaves, both dented about the edges, and full of holes: the flowers are white and sweet; the fruit long and round, of a pale yellow colour; and the rind rugged and uneven.

- 2. All the difference between this and the former is this, that the other is bigger. The rind of this fecond is of a fine pale yellow colour, smoother than the first mentioned, and thinner; is full of a pleasant sharp juice, with seeds amongst it, as the other also hath.
- 3. The tree that beareth the round lemons is in all things like the laft; only in this that it hath few or no thorns upon it; and the fruit is like it, having a thin rind, but is fomewhat rounder, with a small crown at the head.
- 4. The greater fweet lemon is greater than any of the former deferibed lemons; the rind is more fmooth and yellow; and the juice more fweet and pleafant.
- g. The lemon is of the fame fize as the thin-rined four lemon, and so like, that it is hard, by the outside, to know one from the other; but this hath a little deeper coloured rind, and the juice of a sweet pleasant taste, with a little sharpness.
- 6. The least wild lemon groweth wild in Syria and Egypt, and beareth very fmall fruit, no bigger than a pigeon's egg.

Place. These lemons are brought unto us from Spain, and several of their islands.

Time. They are evergreens, and never without bloffoms, green and ripe fruit, throughout the year.

GOVERNMENT AND VIRTUES. The lemons are folar, yet of different parts, and contrary effects; they are of good use to refist poison, venom, or intection; an ounce

ounce and a half of the juice of unripe lemons, drunk in wine, cleanfeth the kidneys of the stone and gravel; and killeth worms in the body, and expelleth them.

An antidote against the plague, or any malignant or contagious disease, is thus prepared: Take sour ounces of the pure juice of lemons, steep therein an angel of gold, or the weight thereof in leaf-gold, the space of twenty-sour hours; then take out the gold, or draw the juice clear from it, and give some of it in a draught of wine, with a little of the powder of angelica root, unto any infected with the plague, and, if there be any hopes of recovery, it will help them. The juice of sweet lemons is neither so cooling nor operative as the other. The distilled water, drawn from the inner pulp or white substance of the lemons, cleareth the skin and face from freckles and spots, provokes urine, and expels the stone, by being drunk; helpeth the running scab, kills lice in the head, worms in the hands or nose, and wheals or pushes in the skin. The juice of lemons is good for seamen, and others at sea, to put into their beverage, to prevent the scurvy, to which people are much subjected in long voyages; it is likewise very properly used to quench thirst in warm climates.

An excellent remedy for seab and itch: Take a lemon, and cut it through the middle, after putting thereon some powder of brimstone, roast it, either against the fire, or under some embers, as you would do a warden-pear, and therewith rub the parts troubled with itch or scabs.

It is also the best, most sovereign, and clear, remedy to destroy those pediculi inguinales vulgarly called crab-lice, the parts afflicted with them being rubbed therewith.

LINE OR LINDEN TREE.

KINDS AND NAMES. OF the line-tree there are accounted two forts, the male and the female; and of the female also two forts, the greater and the fmaller. It is called in Latin, tilia.

Description. 1. Tilia mas, the male line, groweth to be a great tree with large spreading boughs, but not so much as the semale, nor so slexible, but harder and more brittle, and of a thicker bark; the leaves are like unto elder leaves, but smaller and longer; and on every one, for the most part, grow small bladders full of worms that turn into slies, which, when matured, sly away.

This tree feldom beareth either flower or fruit; yet, when it doth bear, it is round flat hufks; many growing close together, each hanging on a long foot-stalk by itselfs with a notch or cleft at the head or end thereof. The wood hereof is more knotty and yellower than that of the female.

234 CULPEPER'S ENGLISH PHYSICIAN,

2. Tilia famina major. The greater female line tree growth to be a larger tree than the former (especially if it happen to be planted in good ground); is covered with a dark-coloured bark, the next thereunto being very pliable to bend, having some other thin rinds within that; the leaves are fair and broad, greener, sinoother, gentler, and rounder, than elm-leaves, and with a longer end; dented about the edges, and of a tolerably good scent; at the end of the branches often imes, and at the foot of the leaves, shoot forth long and narrow whitish leaves, along the middle rib whereof springeth out a slender long stalk, with divers white flowers thereon, smelling very sweet; after which follow small berries, wherein is contained black round seed; the wood is whitish, smooth, and light.

3. Tilia famina minor. The smaller linden-tree is like the last in all things, except that it groweth smaller in body, leaves, and slowers; the leaves are of a darker green colour, and it beareth no fruit after the flowers.

PLACE AND TIME. The greater female kind is planted in many places in this kingdom, in pleasant walks, it making a large sweet shadow, and usually slowereth in May. The others are seldom to be met with in this island.

GOVERNMENT AND VIRTUES. There is no medicinal use made of the male linden. The semale is under the dominion of Venus, of a moderate temperature, and somewhat drying and astringent; the decostion of the leaves, got by boiling them in water, is a good lotion to wash the mouth of young children, or any fore mouth that have ulcers, blisters, or cankers, in them. The leaves being pounded or bruised, after boiling, and applied to the legs or feet, when swelled with the falling down of humours, doth help them; the bark is also effectual for the same purpose.

The flowers of the line-tree and of lily-convally diffilled together are good against the falling sickness; so likewise is the distilled water of the bark; and is also serviceable against those fretting humours which occasion the bloody slux, and griping in the guts. The water, wherein the inner bark hath been steeped till it becomes thick and mucilaginous, and applied with cloths wet therein, helps burnings and scaldings.

LUNG-FLOWER.

THERE are feveral forts of these plants; and they are generally called autumn gentians.

DESCRIPTION. The greater autumn gentian rifeth up, according to the richness of the ground, higher or lower; fometimes two feet high, at others not above one foot; fometimes many, and others fewer, stalks; of a brownish green colour,

with many long and narrow dark-green leaves, fet by couples upon them, up to the tops, which feldom branch forth, but bear every one a large hollow flower, in most of them of a deep bluish purple colour, but in some a little paler, ending in five points. The roots are numerous, small, and long, growing deep into the ground, and abiding all the winter.

- 2. Gentianella autumnalis fimbriato flore; autumn gentian of Naples. This creeps up like couch grafs, from a long, yellowish, sinall, root, shooting forth a few long and narrow leaves, like those of flax, but shorter; but those that grow up to the middle of the stalk are larger, and sinaller again from the middle, to the top, two set at every joint all along, and striped from every one of the joints, on both sides, to the top of the stalk, which is green, and about a foot high; at the top cometh a purplish-green husk, which hath four large-pointed leaves that enclose the flower, which is long and writhed before it blows, and of a pale-blue colour; but, when it is blown open, it is of a deeper-blue colour, having four leaves somewhat long, and as it were pursled about the edges, with a little hairiness; there is also a small leaf at the bottom of each flower, with a sew yellow threads in the middle, standing about a head, which groweth to be the seed-vessel, forked into two parts at the head, being greater there than below, and containeth in it very small black seed when it is ripe.
- 3. Autumn gentian, with small centaury leaves, called in Latin Gentianella autumnalis, centaurea minoris folio. This riseth up with sundry stalks scarce a foot high, parted into many small branches, whereon do stand two leaves together, very like those of the smaller centaury, not so long as either of the former, but a little broader and of a lighter green colour; at the tops of the stalks and branches grow divers blue slowers, set in small long husks half-way rising above the tops of them; the seed is small, and groweth in long horned vessels; the root is small and sibrous.
- 4. There is another fort with small centaury like slowers, which is more spreading; is small, but hath larger leaves and slowers than centaury; of the same colour as the slowers of centaury, yet having more, and lasteth longer. The root, however, perisheth in winter.
- g. Another smaller gentian, with centaury leaves, is very like the last, but smaller, and the stalks much lower, not being above three inches high, having many small branches, whereon are large blue slowers; the seed and vessels, when they are ripe, are like unto the last; the root is also small; but hath many more fibres than the others.

PLACE. The first is found growing in many parts of Germany, and many other foreign countries; in divers places of this kingdom, viz. at Gravesend; near Green

Greenhithe; in a chalk-pit not far from Dartford; and at Cobham; all in Kent; it groweth both in wet and dry grounds. The fecond, upon the hills in Naples, as related by Columna. The third in divers places in Kent, as about Southfleet, and Longfield; also in Bedfordshire; and near old Verulam in Hartfordshire. The rest are strangers here.

TIME. These flower not until August or September; and thence have the name of autumn gentian.

GOVERNMENT AND VIRTUES. These lung-flowers, or autumn gentian, are also under the dominion of Mars, as the gentian or sell-wort is; and much of the same temperature in respect to heat and dryness; and may be used both inwardly and outwardly as effectually as gentian; and, where these are in plenty, and the other not easy to be had, will be sound an efficacious substitute.

They are powerful against putrefaction, venom, and poison; the Germans account it their treacle, and formerly did make treacle with it, the aristolocia, bay-leaves, and other ingredients, at Jena, from whence it took the name of Jenes-treacle, under which title it was imported into this kingdom; and is an excellent specific for all complaints in the stomach; a preventative against infection from the plague and all other infectious diseases, and expels the malignity thereof; preserves the heart, and strengthens it against faintings and swoonings; which treacle was of a bitter taste: but that which is now commonly used by the vulgar people, and generally, by them, called treacle, is very falsely denominated, being nothing else than the gross dregs of sugar, lest after boiling and refining thereof, and is properly called molasses; which, though no wise helpful in any disease, is yet usually and greedily desired and taken by the common people as an universal medicine.

The roots of these gentians, being made into sine powder, and taken in wine, either by themselves or with other things, as myrrh, rue, pepper, or the like, is an effectual remedy against the bitings or stingings of serpents, or any other venomous creature, and against the bite of a mad dog, being taken three or four days together, and the wound carefully kept open with vinegar and salt water, and regularly cleansed and dressed.

The same roots being so taken in wine, open all obstructions of the liver, and help such as are liver-grown. It easeth pains in the stomach, and helpeth such as cannot keep or relish their meat, or have lost their appetite. It resreshes such as are fatigued with travelling; being steeped in wine and drunk, it helps such as are lame in their joints owing to cold or bad lodging; is effectual for pains, slitches, and prickings, in the sides; and is also good for those who are bruised by falls, it possessing the possessing possessing the same p

possessing the virtue of dissolving congealed blood, and easing the pain occasioned thereby. The root is likewise held to be good against agues, when taken in any other liquor but wine; the distilled water of the herb is equally useful.

LUPINES.

KINDS AND NAMES. There are feveral kinds of lupines, as, the great white lupine, called lupinus fativus albus; the spotted white lupine, called lupinus alter albus; and the smallest blue lupine, called lupinus minimus caruleus.

DESCRIPTION. 1. The great white lupine rifeth up with a firong, upright, round, woolly, stalk, set confusedly with divers soft woolly leaves upon long sootstalks, each being divided into several parts, narrow, long, and soft, greenish on the upper side, and woolly underneath; the main stalk is divided into two parts, after the flowers are grown from the uppermost joint, and are like unto the great garden bean, but wholly white, without any spot; after the flowers come long, soft, woolly, stalks, containing in them stat white leaves, somewhat yellowish within, of a very bitter taste. The root is long, hard, and sibrous, and perisheth every winter.

2. The spotted white lupine differeth from the former in the greatness and in the flower, which is spotted with blue on the head of the innermost leaves, and the hollow of the uppermost.

3. The smallest blue lupine is very like the other blue lupine; but smaller, both stalks and leaves; the flowers are blue, and the feed a little spotted.

PLACE. They grow naturally wild, but in England only are planted in gardens.

TIME. The lupines flower in July and August, and the feed is ripe soon after.

Government and Virtues. Lupines are under the dominion of Mars: and have an opening, cleanfing, diffolving, and digestive, property; but, if they be steeped in water until they have lost their bitterness, they may be eaten; however they are very hard to digest, breed gross humours, and pass slowly through the belly, yet do not stop any flux; if they be so steeped, and afterwards dried and taken with vinegar, they provoke appetite, and help the loathing of the stomach to meat. The decoction of lupines, taken with honey, opens obstructions of the liver and spleen, provokes urine and the terms, and expelleth the dead child, when taken with myrrh. It also cleareth the body of scabs, morphew, cankers, tetters, and running ulcers or fores; also cleanseth the face; taketh away the marks or pits which the small-pox leaves behind it; and cleareth the skin of marks, and black-and-blue spots.

238 CULPEPER'S ENGLISH PHYSICIAN,

An ointment of lupines, to beautify and make the face smooth, is made in the following manner: Take the meal of lupines, the gall of a goat or sheep, juice of lemons, and a little alumen faccharinum, and mingle them into the form of a soft ointment.

The meal of lupines, boiled in vinegar and applied to the parts, taketh away knobs, kernels, or pimples. The shells being burnt, the smoke thereof drives away gnats and slies.

MADDER.

Description. GARDEN-MADDER shooteth forth many very long, weak, four-square, reddish, stalks, trailing on the ground a great way, very rough and hairy, and full of joints, at every one of which come forth divers long and somewhat narrow leaves, standing like a star about the stalks; rough also and hairy, toward the tops whereof come forth many small pale-yellow slowers; after which come small round heads, green at first, and reddish afterwards, but black when they are ripe, wherein is contained the seed. The root is not very great, though about a yard long, spreading divers ways, and is of a clear red colour while it is fresh.

PLACE. It is cultivated in gardens or large fields on account of the profits.

Time. It flowereth toward the end of fummer, and the feed is ripe quickly after.

Government and Virtues. It is an herb of Mars; hath an opening quality, but afterwards binds and strengthens; is an affured remedy for the yellow jaundice by opening the obstructions of the liver and gall, and cleansing those parts; it openeth also the obstructions of the spleen, and diminisheth the melancholic humour. It is available for the palfy and sciatica; is effectual for inward and outward bruises, and is therefore much used in vulnerary drinks. The root, for all those aforesaid purposes, is to be boiled in wine or water, as the case requireth, and some honey or sugar put thereunto asterwards. The seed hereof, taken with vinegar and honey, helpeth the swelling and hardness of the spleen. The decoction of the leaves and branches is a good somentation for women to sit over that have not their courses. The leaves and roots, beaten, and applied to any part that is discoloured with freckles, morphew, white scurf, or any such deformity of the skin, cleanse and thoroughly take them away.

The root of this madder, holden in the hand, while fresh, will, when a person makes water, change it to the colour of blood.

MAIDEN-HAIR.

DESCRIPTION. THE common maiden-hair doth, from a number of black hard fibres, fend forth a great many blackish shining brittle stalks, hardly a span long; in many not half so long; on each side set very thick with small round dark green leaves, spotted on the back of them like other serns.

PLACE. It groweth much upon old stone walls in the western parts of England; in Wales, in Kent, and divers other places. It is to be found, in great abundance, by the sides of springs, wells, and on the rocky, moist, and shadowy, places; and is always green.

WALL-RUE, OR ORDINARY WHITE MAIDEN HAIR.

DESCRIPTION. THIS hath very fine pale-green stalks, almost as fine as hairs, fet confusedly with divers pale-green leaves on very short sootstalks, somewhat similar to the colour of garden-rue, and not much differing in form, but more diversely cut in on the edges, and thicker; smooth on the upper part, and spotted finely underneath.

PLACE. It groweth in many parts of the kingdom; at Dartford, and the bridge at Ashford, both in Kent; at Beaconsfield, in Buckinghamshire; on Framlingham castle, in Suffolk; on the church-walls at Mayfield, in Suffex; in Somersetshire; and divers other parts. It is green in winter as well as summer.

GOVERNMENT AND VIRTUES. Both this and the former are under the dominion of Mercury, and so is that also which follows after; and the virtues of both are so nearly alike, that describing those of the one will equally answer the other.

The decoction of the herb maiden-hair, being drunk, relieveth those that are troubled with a cough, shortness of breath, the yellow jaundice, diseases of the spleen, stoppage of urine, and helpeth exceedingly to break the stone in the kidneys, (in all which cases the wall-rue is also very effectual.) It provoketh women's courses, and stayeth both bleedings and sluxes of the stomach and belly, especially when the herb is dry; but, when green, it openeth the body, voideth choler and phlegm from the stomach and liver; it cleanseth the lungs, and by rectifying the blood causeth a good colour to the whole body. The herb, boiled in oil of camomile, dissolveth knots, allayeth swellings, and drieth up moist ulcers. The lye made thereof is singularly good to cleanse the head from scurf, and from dry and running fores; stayeth the falling or shedding of the hair, and causeth it to grow thick, sair, and well-coloured; for which purpose some boil it in wine, putting

fome

fome smallage-seed thereto, and afterwards some oil. The wall-rue is as effectual as maiden-hair in all diseases of the head, preventing baldness, and causing the hair to grow again; and generally for all the aforesaid diseases. The powder of it, taken in drink for forty days together, helpeth ruptures in children.

GOLDEN MAIDEN-HAIR.

TO the two former this may be added, which, possessing the same virtues, it is therefore needless to repeat them.

DESCRIPTION. It hath many small brownish-red hairs, to make up the form of leaves, growing about the ground from the root; and in the middle of them, in summer, rise small stalks of the same colour, set with very sine yellowish-green hairs on them, and bearing a small gold-yellow head, smaller than a wheat-corn, standing in a great husk. The root is very small and thready.

PLACE. It groweth on bogs and marshy grounds, and also on dry shadowy places; at Hampstead-heath, and elsewhere.

MALLOWS AND MARS-H-MALLOWS.


COMMON mallows are generally fo well known, that they need no description. The common marsh-mallows have divers soft, hoary, white, stalks, rising to the height of three or four seet, spreading forth many branches, the leaves whereof are soft and hairy, somewhat smaller than the other mallow leaves, but longer pointed, cut (for the most part) into some sew divisions, but deep. The slowers are many, but smaller also than the other mallows, and white, or tending to a blush-colour; after which come such-like round cases and feed as in the other mallows. The roots are many and long, shooting from one head, of the bigness of a thumb or singer, very pliant, tough and bending, like liquorice, of a whitish-yellow colour on the outside, and more white within, full of a slimy juice, which, being laid in water, will render it as thick as jelly.

PLACE. The common mallows grow in every county in the kingdom. The common marsh-mallows grow in most of the salt marshes from Woolwich down to the sea, both on the Kentish and Effex shores, and in many other places.

Time. They are in flower all the summer months, and continue till winter.

GOVERNMENT AND VIRTUES. Venus owns them both. The leaves of either of the forts before specified, and the roots also, boiled in wine or water, or in broth, with parsley or sennel roots, do help to open the body, and are very convenient in hot agues, or other distempers of the body; if the leaves, so boiled, be applied

warm





warm to the belly, it not only voideth hot, choleric, and other offensive, humours. but easeth the pains and torments of the belly coming thereby; and are therefore used in all clysters conducing to those purposes. The same medicine, when used by nurses, procureth them store of milk. The decoction of the feed of any of the common mallows, made in milk or wine, doth exceedingly help exceriations, the phthific, pleurify, and other difeases of the cheft and lungs that proceed from hot causes, if continued to be taken for any length of time. The leaves and root have the same effects. They help much also in excoriations of the guts and bowels, and hardness of the mother, and in all hot and sharp diseases thereof. The juice drunk in wine, or the decoction of them therein, help women to more speedy and easy delivery. Pliny faith, that whoever takes a spoonful of any of the mallows shall that day be free from all diseases whatsoever, and that it is a good specific for the fall-The fyrup alfo, and conferve made of the flowers, are very effectual ing-fickness. for the fame difeases, and to open the body when costive. The leaves, bruised and laid to the eyes with a little honey, taketh away the imposthumation of them. The leaves bruifed or rubbed upon any place ftung with bees, wafps, or the like, prefently taketh away the pains, rednefs, and fwellings, that arife therefrom. Diofcorides faith the decoction of the leaves and roots helpeth all forts of poifon, provided the poifon is directly voided by vomiting. A poultice made of the leaves. boiled and bruifed, to which is added some bean or barley flour, and oil of roses, is an efpecial remedy against all hard tumours, inflammations, or imposthumes, fwellings of the tefticles and other parts, and eafeth the pain of them; alfo, against the hardness of the liver or spleen, on being applied to the affected places. The juice of mallows, boiled in old oil, taketh away all roughness of the skin, as alfo the fcurf, dandriff, or dry fcabs, on the head, or other parts, if anointed therewith, or washed with the decoction; and preserveth the hair from falling off. It is also effectual against scaldings and burnings, St. Antony's fire, and all other hot, red, and painful, fwellings in any part of the body. The flowers boiled in oil or water (as every one is disposed,) with a little honey and alum put thereto, is an excellent gargle to wash, cleanse, and heal, any fore mouth or throat, in a short space. If the feet be bathed or washed with the decoction of the leaves, roots, and flowers, it helpeth much the defluxions of rheum from the head. If the head be washed therewith, it preventeth baldness. The green leaves (faith Pliny) beaten with nitre and applied to the part, draw out thorns or prickles in the flesh; and, in fhort, there is no wound, external or internal, for which this is not a fovereign remedy.

The marsh-mallows are most effectual in all the diseases before mentioned. The No. 17.

3 Q leaves

leaves are likewife used to loosen the belly gently, and in decoctions for clyfters to eafe all pains of the body, opening the ftraight paffages, and making them flippery. whereby the ftone may descend the more easily, and without pain, out of the reins. kidneys, and bladder, and to ease the torturing pains thereof; but the roots are of more special use for those purposes, as well as for coughs, hoarfeness, shortness of breath, and wheefings, being boiled in wine or honeyed water, and drunk. roots and feeds thereof, boiled in wine or water, are with good fuccefs used by them that have excoriations in the guts, or the bloody flux, by moderating the violence of fharp fretting humours, eafing the pains, and healing the foreness; it is fuccefsfully taken by them that are troubled with ruptures, cramps, or convulsion of finews; and, when boiled in white wine, for imposthumes of the throat, commonly called the king's evil, and of those kernels that rife behind the ears, as well as inflammations or fwellings in women's breafts. The dried root, boiled in milk, and drunk, is very good for the chin-cough. Hippocrates used to give the decoction of the root, or the juice thereof, to drink, to those that were wounded and ready to faint through loss of blood; and applied the same, mixed with honey and rosin, to the wounds; as also the roots boiled in wine to those that had received any hurt by bruifes, falls, or blows; or had any bone or member out of joint, or any fwelling, pain, or ach, in the mufcles, finews, or arteries. The mucilage of the roots, and of linfeed and fenugreek put together, is much used in poultices, ointments, and platters, to mollify and digeft all hard fwellings and the inflammation of them, and to eafe pains in any part of the body. The feed, either green or dry, mixed with vinegar, cleanfeth the fkin from morphew, and all other difcolourings, being bathed therewith in the Sun.

MAPLE-TREE. ACER.

GOVERNMENT AND VIRTUES. IT is under the dominion of Jupiter. The decoction either of the leaves or bark greatly firengthens the liver; it is exceeding good to open obfiructions both of the liver and fpleen; and easeth pains of the fides proceeding from thence.

WILD MARJORAM. ORIGANUM.

CALLED also organe, or origanum, bastard marjoram, and grove marjoram. Description. Wild or field marjoram hath a root which creepeth much under ground, and continueth a long time, sending up fundry brownish, hard, square, stalks, with small dark-green leaves, very like those of sweet marjoram, but harder

and fomewhat broader; at the tops of the stalks stand tusts of flowers, of a deep purplish red colour; the seed is small, and something blacker than that of sweet marjoram.

Place. It groweth plentifully on the borders of corn-fields, and in fome confes.

TIME. It flowereth toward the latter end of fummer.

Government and Virtues. This is under the dominion of Mercury. It ftrengthens the ftomach and head much, there being fcarcely a better remedy growing for fuch as are troubled with a four humour in their ftomach; it reftores loft appetite: helps the cough, and confumption of the lungs; it cleanfeth the body of choler, expelleth poifon, and remedieth the infirmities of the fpleen; helps the bitings of venomous beafts, and fuch as have poifoned themfelves by eating hemlock, henbane, or opium; it provoketh urine, and the terms in women; helps the dropfy, fcurvy, fcabs, itch, and the yellow jaundice; the juice, being dropped into the ears, relieves deafnefs, pain, and noife in the ears. There is a deadly antipathy between this herb and the adder.

SWEET MARJORAM. ORIGANUM.

SWEET marjoram is fo well known, being an inhabitant in every garden, that it is needless to write any description either of this, the winter sweet marjoram, or pot-marjoram.

Place. They grow commonly in gardens, though there are fome forts to be found growing wild, on the borders of corn-fields and pastures in various parts of the kingdom; yet it would be superfluous to detail them, those produced in gardens being most useful.

TIME. They flower in the end of fummer.

Government and Virtues. It is an herb of Mercury, under Aries, and is therefore an excellent remedy for the brain, and other parts of the body and mind under the dominion of the fame planet. The common fweet marjoram is warming and comfortable in cold difeases of the head, stomach, sinews, and other parts, taken inwardly or outwardly applied. The decoction thereof, being drunk, helpeth all diseases of the chest which hinder the freeness of breathing, and is also serviceable in obstructions of the liver and spleen. It helpeth cold complaints of the womb, and the windiness thereof; also the loss of speech, by resolution of the tongue. The decoction thereof made with some pellitory of Spain and long pepper, or with a little accords or origanum, being drunk, is good for those that are beginning to fall into a dropsy, for those who are troubled with a retention of water.

water, and againft pains and torments of the belly; it provoketh women's courfes, if it is ufed as a peffary. Being made into powder, and mixed with honey, it taketh away the black marks of blows and bruifes, by applying it to the part. It is also good for inflammations of, and water in, the eyes, being mixed with fine flour, and laid upon them. The juice, dropped into the ears, easeth the pains and singing noise in them. It is of great service when put into those ointments and salves that are made to warm and comfort the outward parts, as the joints and sinews; for swellings also, and places out of joint. The powder thereof snuffed up into the nose, provoketh sneezing, and thereby purgeth the brain; when chewed in the mouth, it produced much phlegm. The oil extracted from this herb is very warm and comfortable to joints and sinews that are stiff and hard, tending to mollify and supple them. Marjoram is likewise much used in all odoriserous waters, powders, &c.

MARIGOLDS. CALENDULA.

THESE, being fo plentiful in almost every garden, are so well known, that they need no description.

Time. They flower all the fummer long, and fometimes in winter, if it be mild. Government and Virtues. It is an herb of the Sun, and under Leo. They firengthen the heart exceedingly, are very expulsive, and little less effectual, in the small-pox and measles, than fassion. The juice of marigold leaves mixed with vinegar, by bathing any hot swelling therewith, instantly giveth ease, and assuge the pain. The flowers, either green or dried, are much used in possets, broths, and drinks, being comfortable to the heart and spirits, and expelling any malignant or pestilential quality which might annoy them. A plaster made with the dry flowers in powder, hogs'-grease, turpentine, and rosin, applied to the breast, strengthens and succours the heart greatly, in severs, whether epidemical or not.

MASTER-WORT. IMPERATORIA.

Description. COMMON mafter-wort hath divers stalks of winged leaves divided into fundry parts, three for the most part standing together at a small footstalk on both sides of the greater; and three likewise at the end of the stalk, somewhat broad, and cut in on the edges into three or more divisions, all of them dented about the brims, of a dark-green colour, somewhat resembling the leaves of angelica, but that these grow lower to the ground, and on smaller stalks; among which rise up two or three short stalks, about two feet high, and slender, with leaves at the joints similar to those below, but with smaller and sewer divisions, bearing umbels

umbels of white flowers; and after them, fmall thin, flat, blackifh, feed, larger than dill-feeds; the root is fomewhat greater, and groweth flanting into the ground, flooting forth fundry heads, which tafte flarp, biting the tongue, and is the hottest and flarpest part of the plant; the feed, next unto it, being somewhat blackish on the outside, and smelling well.

PLACE. It is usually grown in gardens in this kingdom.

TIME. It flowereth and seedeth about the end of August.

GOVERNMENT AND VIRTUES. It is an herb of Mars. The root of mafterwort is hotter than pepper, and very available in all cold griefs and difeafes both of the ftomach and body, operating very powerfully both upwards and downwards. It is also used in a decoction, with wine, against all cold rheums, or distillations upon the lungs and fhortness of breath, if taken mornings and evenings. provoketh urine; helps to break the ftone, and expel the gravel from the kidneys; procureth women's courfes, and expelleth the dead birth; is fingularly good for ftrangling of the mother, and other fimilar feminine difeases. It is effectual against the dropfy, cramps, and the falling fickness. The decoction, in wine, being gargled in the mouth, extracteth much water and phlegm from the brain. purging and eafing it of what oppreffeth it. It is an excellent remedy against all forts of cold poison; it provoketh sweat: but, lest the taste hereof or of the feed (which worketh to the like effect, though not so powerfully) should be too offensive. the best way is to take the water distilled from both the root and herb. The juice thereof, or tents dipped therein, applied either to green wounds or to filthy rotten ulcers, and fuch as are given by envenomed weapons, doth very foon cleanfe and heal them. It is also a very good preventative against the rheumatism and gout when they originate from cold.

SWEET MAUDLIN. ACHILLEA.

DESCRIPTION. COMMON maudlin has fomewhat long and narrow leaves, fnipped about the edges; the ftalks are two feet high, bearing at the tops many yellow flowers, fet round together, and all of an equal height, in umbels, with tufts like tanfy; after which followeth fmall whitish feed, almost as big as wormfeed. This herb is both sweet and bitter.

PLACE AND TIME. It groweth in gardens, and flowereth in June and July.

GOVERNMENT AND VIRTUES. The virtues of this herb are fimilar to that of coftmary, or alecoft; it is therefore unnecessary to repeat them.

No. 17.

M E D L A R. MESPILUS.

Description. THIS tree groweth near the bigness of the quince tree, with tolerably large spreading branches; longer and narrower leased than either the apple or quince, and not dented about the edges. At the end of the sprigs stand the flowers, formed of five white great broad-pointed leaves, marked in the middle with some white threads; after which cometh the fruit, of a brownish-green colour when ripe, bearing the resemblance of a crown on the top, which was originally the five green leaves; and, being rubbed off or having sallen away, the head of the fruit appears somewhat hollow. The fruit is very harsh before it is mellow, and usually hath five hard kernels within it.

There is another kind hereof, differing in nothing from the former, but that it hath fome thorns on it, in feveral places, which the other hath not; and the fruit is finall, and not fo pleafant.

PLACE AND TIME. They grow in this kingdom, and flower in May generally; they bear ripe fruit in September and October.

GOVERNMENT AND VIRTUES. This tree is under Saturn. A better medicine for ftrengthening the retentive faculties is hardly to be met with; it ftays the longing of women. A plaster, made of the fruit, before they are rotten, with other necessary ingredients, applied to the reins or the back, stops the miscarriage of women with child. They are very powerful in flaying any fluxes of blood or humours in men or women. The leaves have also the fame quality. when eaten by women with child, ftayeth their longings after unufual meat, and is very effectual for those who are apt to miscarry. The decoction of them is good to gargle and wash the mouth, throat, and teeth; when there is any defluxion of blood, to flay it, or of humours which cause pains and swellings. It is a good bath for women to fit over that have their courfes flow too abundantly; or for the piles when they bleed too much. A poultice or plafter, made of dried medlars, beaten and mixed with the juice of red rofes, a few cloves, fome nutmeg, and a little red coral, and applied to the stomach, effectually preventeth the casting or loathing of meat. The dried leaves in powder, ftrewed on fresh bleeding wounds, reftrain the blood and close the wound quickly. The medlar ftones, made into powder, and drunk in wine wherein fome parfley-roots have been infufed, or a little boiled, help to break and expel the ftone in the kidneys, and is a perfect cure for the gravel in the most obstinate cases.

MELILOT,

MELILOT, OR KING'S CHAFER. TRIFOLIUM.

Description. THIS hath many green fialks two or three feet high, rifing, from a tough, long, white, root, which dieth not every year; fet round about at the joints with fmall, and fomewhat long, fweet-fmelling leaves, three together, unevenly denied about the edges. The flowers are yellow, also of a fweet fcent, and formed like other trefoil, but fmall, standing in small spikes, one above another, for an hand's-breadth long, or more, which afterwards turn into long crooked pods, wherein is contained flat feed, somewhat brown.

PLACE. It groweth plentifully in many parts of this kingdom; on the borders of Suffolk; in Effex, Huntingdonshire, and many other places; but most usually in corn-fields and corners of meadows.

TIME. It flowereth in June and July, and is ripe quickly after.

GOVERNMENT AND VIRTUES. Melilot, boiled in wine, and applied to the parts, mollifies all hard tumours and inflammations that happen in the eye, or other parts of the body; and it is not unufual, in fuch cases, to add the yolk of a roafted egg, fine flour, poppy-feed, or endive. It healeth fpreading ulcers in the head, being washed with lye made thereof; being applied fresh, or boiled with any of the afore-named articles, it relieves pains in the ftomach; it also helpeth pains in the ears, being dropped into them; and, fteeped in vinegar and rofe-water, it mitigateth the head-ach. The flowers of melilot and camomile are frequently mixed in clyfters to expel wind and to eafe pains; also in poultices, for the same purpofes; and to affuage swellings or tumours in the spleen or other parts; and helpeth inflammations in any part of the body. The juice, dropped into the eyes, is a fingular good medicine to take away any film or fkin that cloudeth or dimmeth the eye-fight. The head often washed with the distilled water of the herb and flowers, or a lye made therewith, is effectual for those that have fuddenly lost their fenses; as also to strengthen the memory, comfort the head and brain, and to preserve them from pains and the apoplexy.

FRENCH MERCURY. CHENOPODIUM.

DESCRIPTION. THIS rifeth up with a fquare green stalk, full of joints, two feet high or thereabouts, with two leaves at every joint, and branches likewise from both sides of the stalk, set with fresh green leaves, somewhat broad and long, about the bigness of the leaves of basil, finely dented about the edges. Towards

the top of the stalks and branches come forth, at every joint, in the male mercury, two small, round, green, heads, standing together upon a short foot-stalk, which when ripe, are the feed, not bearing any slower. In the semale, the stalk is longer, spike-sashion, set round about with small green husks, which are the slowers, made like small bunches of grapes, which give no feed, but remain long upon the stalk without shedding. The root is composed of many small sibres, which perisheth every year on the approach of winter; it riseth again of its own sowing, and, where it is once suffered to sow itself, the ground will never be without it afterwards, even of both forts, male and semale.

French mercury helps conception. Coftæus, in his book of the nature of plants, fays that the juice of mercury, holyhock, and purflain, mixed together, and the hands bathed therein, defendeth them from burning, if they are thruft into boiling lead. This is what show-men and merry-andrews bathe their mouths with, when they pretend to eat fire.

DOG'S MERCURY. CHENOPODUIM.

HAVING defcribed that which is called French mercury, we come now to that which is known by the defignation of dog's mercury.

Description. This is likewife of two kinds, male and female, having many stalks, stenderer and lower than mercury, and without any branches at all upon them. The root is set with two leaves at every joint, somewhat greater than the female, but more pointed and full of veins; somewhat harder in handling; of a darker green colour, and less dented or snipped about the edges. At the joints, with the leaves, come forth longer stalks than the former, with two hairy round seeds upon them, twice as big as those of the former mercury. The taste thereof is harsh, and the smell somewhat strong and virulent. The semale has much harder leaves, standing upon longer foot-stalks; and the stalks are also longer. From the joints come forth spikes of slowers similar to those of the French semale mercury. The roots of both are numerous, and full of small sibres, which run under ground, and mat themselves very much; not perishing as the former mercury doth, but remaining the whole winter, and shooting forth new branches every year, the old ones falling to the ground.

PLACE. The male and female French mercury are found wild in divers parts of the kingdom: particularly at a village called Brookland, in Romney-marth, in the county of Kent.

The dog's mercury is to be found in various parts of Kent, and elsewhere; but the female is more feldom to be met with than the male.

TIME,

TIME. They flourish in the fummer months, and then produce their feed.

GOVERNMENT AND VIRTUES. Mercury, it is faid, owns this herb; but we are of opinion that it is under the dominion of Venus. The decoction of the leaves of mercury, or the juice thereof, in broth, or drunk with a little fugar put to it, purgeth choleric and watery humours. Hippocrates commendeth it wonderfully for women's difeases; when applied to the secret parts, it easeth the pains of the mother; and, when used as a decoction, helps women's courses, and expels the after-birth; the decoction, mixed with myrrh or pepper, or applying the leaves externally, is effectual against the stranguary and diseases of the reins and bladder. It is also useful for fore and watery eyes, and for deafness and pains in the ears, by dropping the juice into them, and bathing them afterwards in white wine. The decoction thereof, made with water and a cock chicken, is a fafe medicine against hot fits of the ague. It also cleanfeth the lungs and stomach of phlegm, though rather offensive to the stomach. The juice, or distilled water, snuffed up into the noftrils, purgeth the head and eyes of catarrhs and rheums. Two or three ounces of the diffilled water, with a little fugar, are fometimes taken, in the morning, fasting, to open and purge the body of gross, viscous, and melancholy, humours. What Diofcorides and Theophrastus relate of this herb is truly wonderful, if not fabulous, viz. that, if women use them, either inwardly or outwardly, for three days together after conception, and their menses be stopped, they shall bring forth male or female children, according to the kind of herb which they use. Mathiolus saith, that the feed, both of the male and female mercury, boiled with wormwood, and drunk, cureth the yellow jaundice in a fpeedy manner. The leaves, or the juice, rubbed upon warts, taketh them away. The juice, mixed with fome vinegar, helpeth all running scabs, tetters, ring-worms, and the itch. Galen faith, that being applied, in the manner of a poultice, to any swelling or inflammation, it digefteth the swelling, and allayeth the inflammation; and is therefore given in clysters to evacuate offensive humours from the belly. Dog's mereury, though less used, is notwithstanding serviceable in purging off watery and melancholy humours.

MINT. MENTHA.

Description. OF all kinds of mint, the spear-mint, or hart-mint, is the most useful; the description thereof will therefore be sufficient. Spear-mint hath-divers round long stalks, but narrow leaves set thereon; of a dark green colour. The slowers stand in spiked heads at the tops of branches, being of a pale bluish colour. The smell or scent thereof is somewhat similar to basil; it increases by the root, under ground, as all the others do.

No. 17.

PLACE. It is an ufual inhabitant of gardens; and, though it feldom giveth any good feed, yet this defect is recompensed by the plentiful increase of the root, which being once planted in a garden, is hardly to be eradicated. It flowers in August.

GOVERNMENT AND VIRTUES. It is an herb of Venus. Diofcorides faith, it hath a heating, binding, and drying, quality; therefore the juice, taken with vinegar, flayeth bleeding; it is an incentive to venery and bodily luft. Two or three branches thereof, taken with the juice of four pomegranates, ftayeth the hiccough, vomiting, and allayeth choler. It diffolveth imposthumes, being applied with barley-meal. It is good to reprefs the milk in women's breafts; and for fuch as have fwoln, flagging, or large, breafts. Applied with falt, it helpeth the bite of a mad dog; with mead, or honeyed water, it eafeth the pains of the ears, and taketh away the roughness of the tongue, being rubbed thereupon. If the leaves are boiled or fteeped in milk before drinking, it hindereth the curdling thereof on the ftomach. In short, it is a very powerful from achic. The frequent use hereof is very efficacious in ftopping women's courses and the whites. Applied to the forehead or temples. it eafeth pains of the head; it is good to wash the heads of young children, being a preventative against all manner of breakings out, fores, or fcabs, thereon; it also healeth chops in the fundament, and is exceedingly ufeful against the poison of venomous creatures. The diffilled water from mint is available for all the purpofes aforefaid, yet more weakly; but the spirit thereof, when properly and chemically drawn, is much more powerful than the herb itself. Simeon Sethi faith, it helpeth a cold liver; firengtheneth the belly and ftomach; caufeth digeftion; ftayeth vomiting and the hiccough; is good against the gnawing of the heart; provoketh appetite; taketh away obstructions of the liver; and stirreth up bodily lust; but it must not be taken in too great quantities, as it tends to make the blood thin and wheyifh, and turneth it into choler; therefore choleric people must abstain from it. It is a fafe medicine for the bite of a mad dog,* being bruifed with falt, and applied to the wound. The powder of it, being dried, and taken after victuals, helpeth digeftion, and those that are splenetic. Taken in wine, it helpeth women in sore travail in child-bearing. It is good againft the gravel and ftone in the kidneys, and the ftranguary. Being fmelled unto, it is comfortable for the head and memory. The decoction thereof, when ufed as a gargle, cureth the mouth and gums, when fore, and helpeth a ftinking breath; when mixed with rue and coriander, also used

^{*} For the bite of a mad dog, the author's Solar Tincture combines all the virtues of this and other such herbs, and is an infallible remedy, whether the bite is received by man or beast. Let the part bitten be washed clean out, after which, pour the Tincture in and round the affected part, and wherever the slaver is supposed to have fallen. Bind on some lint dipped three or four times, and let a few drops be taken frequently in a wine-glass of water.

as a gargle, it causeth the palate of the mouth to return to its place, when down. Mint, faith Pliny, exhilarates the mind, and is therfore proper for the studious. When put into any vessel containing milk, it hinderesh the curdling thereof, and no butter can be got therefrom.

The virtues of the wild or horfe-mint, which grows in ditches, and by the fides of rivers (the description of which is unneceffary, being fo well known), are effectially to diffolve wind in the ftomach, to help the cholic, and those that are short-winded, and are an effectual remedy against venereal dreams and pollutions in the night, being outwardly applied to the testicles. The juice dropped into the ears easeth the pains thereof, and destroyeth the worms that breed therein. They are good against the venomous biting of serpents. The juice, laid on warm, helpeth the king's-evil, or kernels in the throat. The decoction, or distilled water, helpeth in a stinking breath proceeding from the corruption of the teeth; and snuffed up into the nose, purgeth the head. Pliny saith, that eating of the leaves, and applying some of them to the face, have been found, by experience, to cure the leprosy, and, when used with vinegar, to help the scurf, or dandriff of the head.

They are extremely bad for wounded people; it being afferted, that whoever eats mint, when wounded, will never be cured.

MISLETOE. VISCUM.

DESCRIPTION. THIS rifeth up from the branch or arm of the tree whereon it groweth, with a woody ftem, parting itself into fundry branches, and they are again divided into many other smaller twigs, interlacing themselves one within another, very much covered with a greyish green bark, having two leaves set at every joint, and at the end likewise, which are somewhat long and narrow, small at the bottom, but broader towards the end. At the knots or joints of the boughs and branches, grow small yellowish flowers, which turn into small, round, white, transparent, berries, three or four together, full of glutinous mossture, with a blackish feed in each of them, which was never yet known to produce any thing, though planted in gardens, and other places, for the purpose of trying it:

PLACE. It groweth very rarely on oak-trees in this kingdom, but upon fundry others, as well timber as fruit trees; and is to be met with in woods, groves, &c.

TIME. It flowereth in the fpring time, but the berries are not ripe until October, and, remaining on the branches, serve the birds for food in severe weather.

GOVERNMENT AND VIRTUES. That it is under the dominion of the Sun is without a doubt; that which grows upon the oak participates something of the nature of Jupiter, because an oak is one of his trees; as also that which grows upon pear-trees and apple-trees participates something of that nature, because he rules

the trees it grows upon, having no root of its own; but why that should have more virtue that grows upon the oak is not so easily determinable, unless because it is rareft and hardeft to be come at. Clusius afferts, that that which grows upon peartrees is equally efficacious with the other forts, provided it doth not touch the ground after it is gathered; and also faith, that, being hung about the neck, it remedies witchcraft. Both the leaves and berries of misletoe are of a hot and dry nature, and of fubtle parts. Bird-lime, made thereof, doth mollify hard knots, tumours, and imposthumes; ripening and discussing them; draweth forth thick as well as thin humours from the remote parts of the body, digefting and feparating them; and, being mixed with equal parts of rofin and wax, mollifies the hardness of the fplcen, and healeth old ulcers and fores; being mixed with fandarac and orpiment, with quick-lime and wine-lees added thereto, it draws off foul nails from the flesh. Mathiolus saith, that the misletoe of the oak (being the best), made into powder, and given in drink to those who have the falling fickness, doth affuredly heal them; provided it be taken forty-days together. Some hold it so highly in estimation, that it is termed lignum fanctae crucis, or wood of the holy cross, believing it to help the falling fickness, apoplexy, and palfy, very speedily, not only when taken inwardly, but applied externally, by hanging it about the neck. Tragus faith, that by bruifing the green wood of any misletoe, and dropping the juice to drawn therefrom into the ears of those who are troubled with imposthumes, it healeth the fame in a few days.

The powder of it also cures a pleurify, and forces the courses. Some think the misletoe that grows on the hasel-tree is better for the falling fickness, and other diseases of the head, than that which grows on the oak. Henricus ab Steers thinks it does not grow on hasel-trees till they are about an hundred years old. A young lady, having been long troubled with the falling fickness, for which she had taken every thing prescribed for her by the most famous doctors, without effect, but growing rather worse, having eight or ten dreadful sits in a day, was cured only by the powder of true misletoe, given, as much as would lie on a sixpence, early in the morning, in black cherry-water, or in beer, for some days near the full moon.

MONEY-WORT, OR HERB-TWOPENCE. LYSIMACHIA.

Description. THE common money-wort fendeth forth, from a finall thready root, divers long, weak, and flender, branches, lying and running upon the ground, two or three feet long or more, fet with leaves two at a joint, one againft another at equal diffances, which are almost round, but jointed at the ends, smooth, and of a good green colour. At the joints, with the leaves from the middle forward, come

forth at every joint fometimes one yellow flower, and fometimes two, ftanding each on a fmall footftalk, formed of five leaves, narrow and pointed at the ends, with fome yellow threads in the middle; which being paft, there come in their places fmall round heads of feed.

PLACE. It groweth plentifully in almost every part of the kingdom, commonly in moist grounds, by the sides of hedges, and in the middle of graffy fields.

TIME. They flower in June and July, and their feed is ripe quickly after.

Government and Virtues. Venus owns it. Money-wort is fingularly good to ftay all fluxes in man or woman, whether they be lafks, bloody fluxes, the flowing of women's courfes, bleeding inwardly or outwardly, and the weakness of the flomach that is given to casting. It is also very good for all ulcers or excoriations of the lungs, or other inward parts. It is exceeding good for all wounds, whether fresh or green, or old ulcers of a spreading nature, and healeth them speedily; for all which purposes, the juice of the herb; the powder drunk in water wherein hot steel has been often quenched; the decoction of the green herb in wine or water drunk; the feed, juice, or decoction, used to wash or bathe the outward places, or to have tents dipped therein and applied to the wounds; are effectual.

MOON-WORT. OSMUNDA.

Description. IT rifeth up, ufually, but with one dark-green, thick, and flat, leaf, ftanding upon a fliort footstalk, not above two singers breadth; but, when it flowers, bears a small slender stalk, about four or five inches high, having but one leaf set in the middle thereof, which is much divided on both sides, into sometimes sive or seven parts on a side, and sometimes more, each of which parts is small next the middle rib, but broad forwards, and round-pointed, resembling a half-moon, from whence it takes its name, the uppermost parts or divisions being less than the lowest. The stalk riseth above this leaf two or three inches, bearing many branches of small long tongues, every one like the spiky head of adder's-tongue, of a brownish colour, which, whether they may be called the flowers or seed, is not so well certified; but, after continuing a while, resolve into a mealy dust. The root is small and sibrous. This hath sometimes divers such-like leaves as are before described, with so many branches or tops rising from one stalk, each divided from the other.

PLACE. It groweth on hills and heaths, particularly where there is plenty of grafs.

No. 17.

TIME. It is to be found only in April and May; but in June, if hot weather cometh, it generally withers and dies.

Government and Virtues. The Moon owns this herb. Moon-wort is cold and drying, in a greater degree even than adder's-tongue, and is therefore ferviceable in all wounds, both inward and outward. The leaves boiled in red wine, and drunk, ftay the immoderate flux of women's courfes, and the whites. It also ftayeth bleeding, vomiting, and other fluxes; helpeth all blows and bruises, and consolidates fractures and dislocations. It is good for ruptures; but chiefly used by most, with other herbs, to make oils, or other balfams, to heal fresh or green wounds, either inward or outward, for which it is exceeding good, as is before observed.

Alchemifts fay, that this herb is peculiarly ufeful to them in making filver. It is reported, that whatever horse casually treads upon this herb will lose his shoes; it is also said to have the virtue of unlocking their fetlocks and causing them to fall off; but whether these reports be fabulous or true, it is well known to the country people by the name of unshoe-horse. Galen faith, that, if it be given to such as are enraged by the biting of a mad-dog it doth perfectly cure them.

M O S S. LICHEN.

IT would be needless to trouble the reader with a description of every kind of moss; that of the ground-moss and tree-moss, which are both well-known, being sufficient for our purpose.

PLACE. The ground-moss grows in most woods, at the bottoms of hills, in boggy grounds, shadowy ditches, and other such like places, in all parts of the kingdom. The other growth only upon trees.

GOVERNMENT AND VIRTUNS. All forts of mofs are under the dominion of Saturn. The ground-mofs, being boiled in wine and drunk, is held to be very efficacious in breaking the stone, and to expel and drive it forth by urine. The herb, bruised and boiled in water, and applied, easeth all inflammations and pains proceeding from hot causes; and is therefore used to relieve pain arising from the gout.

The different kinds of tree-moss are cooling and binding, and partake of a digesting and mollifying quality withal, as Galen saith. But each moss doth partake of the nature of the tree from whence it is taken; therefore that of the oak is more binding, and is of good effect to stay fluxes in men or women; as also vomitings or bleedings, the powder thereof being taken in wine. The decoction thereof in wine

is very good for women to be bathed with, or to fit over, that are troubled with the overflowings of their courses. The same being drunk, stayeth the stomach that is troubled with casting, or the hiccough; and Avicenna saith, it comforteth the heart. The powder thereof, taken in drink for some time together, is thought available for the dropfy. The oil of roses, which has has had some fresh moss steeped therein for a time, and afterwards boiled and applied to the temples and forehead, doth wonderfully ease the head-ach arising from a hot cause; as also the distillation of hot rheum or humours from the eyes, or other parts. The ancients used it much in their ointments and other medicines, against lassitude, and to strengthen and comfort the sinews; it may, consequently, be applied by the moderns with equal success.

MOTHER-WORT. LEONURUS.

Description. THIS hath a hard, fquare, brownish, rough, strong, stalk, rising three or four feet high at least, spreading into many branches, wheron grow leaves on each side, with long footstalks, two at every joint, which are somewhat broad and long, as it were rough or crumpled, with many great veins thereon, of a sad-green colour, deeply dented about the edges, and almost divided. From the middle of the branches, up to the tops of them (which are very long and small), grow the flowers round about them, at distances, in sharp pointed, rough, hard, husks, of a more red or purple colour than balm or hoarhound, but in the same manner or form as hoarhound; after which come small, round, blackish seeds, in great plenty. The root sendeth forth a number of long strings and small sibres, taking strong hold in the ground, of a dark yellowish or brownish colour, and remaineth as the hoarhound doth; the smell of this being not much different from it.

PLACE. It is only produced in gardens in this kingdom.

GOVERNMENT AND VIRTUES. Venus owns this herb, and it is under Leo. There is no better herb to drive melancholy vapours from the heart, to firengthen it, and make the mind cheerful, blithe, and merry. It may be kept in a fyrup, or conferve; therefore the Latins call it cordiaca. The powder therefore, to the quantity of a fpoonful, drunk in cold wine, is a wonderful help to women in fore travail, as also for fuffication or rifings of the mother; and from these effects it most likely got the name of mother-wort. It also provoketh urine, and women's courses; cleanseth the chest of cold phlegm oppressing it, and killeth worms in the belly. It is of good use to warm and dry up the cold humours, to digest and disperse them that are settled in the veins, joints, and sincess, of the body, and to help cramps and convulsions.

MOUSE-

MOUSE-EAR. HIERACIUM.

Description. MOUSE-EAR is a low herb, creeping upon the ground by finall firings like the firawberry plant, from which it flooteth forth finall roots, whereat grow upon the ground, many finall and fomewhat fhort leaves, fet in a round form together, hollowish in the middle, where they are broadest; of an hoary colour all over, and very hairs, which, being broken, produce white milk. From among these leaves spring up two or three small hoary stalks, about a span high, with a few smaller leaves thereon; at the tops whereof standeth usually but one slower, consisting of many paler yellow leaves, broad at the points, and a little dented in, set in three or sour rows, the largest outermost, very like a dandelion slower, and a little reddish underneath about the edges, especially if it grow in dry ground; which, after they have stood long in flower, turn into down, which, with the feed, is blown away by the wind.


PLACE. It groweth on the banks of ditches, and in fandy ground.

TIME. It flowereth in June and July, and remaineth green all the winter.

GOVERNMENT AND VIRTUES. The Moon own this herb alfo. The juice thereof, taken in wine, or the decoction thereof drunk, doth help the jaundice, although of long continuance; it is a special remedy against the stone, and griping pains of the bowels. The decoction thereof, with fuccory and centaury, is held very effectual to help the dropfy, and them that are inclining thereunto, as well as diseases of the spleen. It stayeth the fluxes of the blood, whether at the mouth or nofe, and inward bleedings also; it is very efficacious for wounds both inward and outward; it helpeth the bloody flux and the abundance of women's courfes.** There is a fyrup made of the juice thereof, and fugar, by the apothecaries of Italy and other places, which is accounted very ferviceable to those that are troubled with the cough or phthific. The fame is also fingularly good for ruptures or burftings. The green herb, bruifed, and directly applied to any fresh cut or wound, doth quickly heal it; and the juice, decoction, or powder of the dried herb, is very good to ftay the malignity of fpreading and fretting cankers and ulcers. The diftilled water of the plant is available in all the difeases aforesaid, and to wash outward wounds and fores, and by applying tents or cloths wet therein.

* To ftay the abundance of women's courfes, and to keep them in due proportion and regular, no medicine in the whole Materia Medica was ever found fo efficacious as the author's Lunar Tincture; the inherent virtues of which contain the falubrious qualities of this and all other lunar herbs congenial to the female fex.

MUGWORT.





M U G W O R T. ARTEMISIA.

Description. COMMON mugwort hath divers leaves lying upon the ground, very much divided, or cut deeply in about the brims, fomewhat like wormwood, but much larger; of a dark green colour on the upper fide, and very hoary white underneath. The fialk rifes to the height of four or five feet, having on it fimilar leaves to those below, but somewhat smaller, branching forth very much towards the top, whereon are set very small pale yellowish slowers like buttons, which fall away; and after them come small seed, inclosed in round heads. The root is long and hard, with many small sibres growing from it, whereby it taketh strong hold in the ground; but both stalk and leaf die every year, and the root shooteth forth anew in the spring. The whole plant is of a tolerably good seent, and is more readily propagated by the slips than by the seed.

PLACE. It groweth plentifully in many parts of this kingdom, by the road-fide; alfo, by finall water-courses; and in divers other places.

TIME. It flowereth and feedeth in the end of the fummer.

Government and Virtues. This is an herb of Venus; therefore maintaineth the parts of the body she rules, and remedies the diseases of the parts that are her signs, Taurus and Libra. Mugwort is used with good success, among other herbs, in a hot decoction, for women to fit over, to provoke the courses, help delivery, and expel the after-birth; also, for the obstructions and inflammations of the mother. It breaketh the stone, and causeth one to make water when it is stopped. The juice thereof, made up with myrrh, and formed into a perfary, worketh the same effects; the root, being made into an ointment, with hogslard, taketh away wens and hard knots and kernels that grow about the neck and throat, and easeth pains about the neck more effectually, if some field daises be put with it. The herb ittelf, being fresh, or juice thereof, taken, is a special remedy for an over-dose of opium. Three drams of the powder of the dried leaves, taken in wine, is a speedy, and the most certain cure for the sciatica. A decoction thereof, made with camomel and agrimony, taketh away pains of the sinews and the cramp, if the place is bathed therewith while warm.

The leaves and flowers, and the tops of the young floots, in this plant, are all full of virtue; they are aromatic to the tafte, with a little flarpness; and are a most fafe and excellent medicine in female diforders arising from obstruction.

The herb has been famous for this from the earlieft time; and Providence has placed it every where about our doors; fo that reason and authority, as well as the No. 18.

notice of our fenses, point it out for use; but chemistry has banished natural medicine. Dioscorides bestows high praises on the herb; and directs the flowery tops to be used, just before they open into bloom; he determines the dose to be three drams; and the manner of taking it as tea. It is happy that the ancients, who saw the great effect of these medicines, have been so accurate in the dose and manner of giving them; wherever they have, we find them always right, and may depend on them as our best guides; where they have not been so particular, no guess, or bold opinion, is to be indulged; but all is to be learnt from careful trial. To be affured of their medicines, is the first care; and, that being ascertained, we shall be certain to find the accounts they give us of their virtues true, if we will wait with patience till we find the dose, beginning from a little. The many who apply, wearied with the expense, and tired with the vain hope of relief from the common practice, give abundant opportunities of finding this safely and exactly; and, if this publication conveys clearly to mankind the way to reap the advantages of ancient Galenical medicines, the attention to the object will have been well bestowed.

There is no better medicine for young women, in whom the efforts of nature are too weak, than this: the flowers and buds should be stripped off from the tops of the ftalks; three drams of these, clipped small, should be put into a bason, and half a pint of boiling water poured upon them; and when just cool it is to be drunk with a little fugar and cream: this is to be taken twice a-day during the time of nature's effort, and she will rarely want any farther help; but, if its effect be not altogether fufficient, fuch a tea of it should be drunk afterwards every day. Nothing is fo destructive to the constitution as the use of too powerful medicines on this occasion; this is sufficient, and can do no harm. But it is not to this time of life it is limited, it may be taken at any period; and there is a peculiar way of using it to great advantage. A lady of thirty-eight, unmarried, and healthy, after riding many mornings on horseback, (a new exercise to her, and therefore over-pleasing,) found herfelf difappointed at the period of her expectation; with feverish heat, pain. fwelling, and, I believe, inflammation. She had been blooded in the foot; had taken penny-royal water; and was entering upon fomething of more power, when, being informed by another lady of the virtues of this herb, and that the excellent Diofcorides, a better physician than Freind or Mead, advifed the fitting over the fteam of a decoction of it on certain occasions; and that, in this particular case, that way feemed in every fenfe most proper; -a pound of mugwort was boiled in two gallons of water; the whole was put together into a pan; and, when the vapour was not too hot to be borne, the lady fat over it. It was done at night; and, before morning, all was well and happy.

MULBERRY-

MULBERRY-TREE, MORUS.

THIS is fo well known, where it groweth, that it needeth no description.

TIME. It beareth fruit in the months of July and August.

GOVERNMENT AND VIRTUES. Mercury rules the tree, therefore are its effects variable as his are. The mulberry partakes of different and opposite qualities: the ripe berries, by reafon of their fweetness and slippery moisture, opening the body, and the unripe binding it, especially when they are dried; and then they are good to ftay fluxes, lasks, and the abundance of women's courses. The bark of the root killeth the broad worms in the body. The juice, or the fyrup made of the juice, of the berries, helpeth all inflammations or fores in the mouth or throat, and the palate of the mouth when it is fallen down. The juice of the leaves is a remedy against the biting of serpents, and for those that have taken aconite; the leaves, beaten with vinegar, are good to lay on any place that is burnt with fire. A decoction made of the bark and leaves, is good to wash the mouth and teeth If the root be a little flit or cut, and a small hole made in the when they ach. ground next thereunto, in the harvest-time, it will give out a certain juice, which, being hardened the next day, is of good use to help the tooth-ach, to diffolve knots, and purge the belly. The leaves of mulberries are faid to ftay bleeding at the mouth or nofe, the bleeding piles, or of any wound, being bound unto the places. A branch of the tree, taken when the moon is at the full, and bound to the wrift of a woman whose courses overflow, stays them in a short space.

MULLEIN. VERBASCUM.

DESCRIPTION. COMMON white mullein hath many fair, large, woolly, white, leaves, lying next the ground, fomewhat longer than broad, pointed at the ends, and dented as it were about the edges; the ftalk rifeth up to be four or five feet high, covered over with fuch-like leaves, but fmaller, fo that no ftalks can be feen for the quantity of leaves thereon, up to the flowers, which come forth on all fides of the ftalk, generally without any branches, and are many fet together in a long fpike, in fome of a gold-yellow colour, in others more pale, confifting of five round-pointed leaves, which afterwards have little round heads, wherein a fmall brownith feed is contained. The root is long, white, and woody; perifhing after it hath borne feed.

PLACE. It groweth by road-fides and lanes in many parts of the kingdom.

TIME. It flowereth in July, or thereabouts.

3

GOVERNMENT AND VIRTUES. It is under the dominion of Saturn, A finall quantity of the root, given in wine, is commended by Dioscorides against lasks and fluxes. The decoction thereof, being drunk, helpeth ruptures, cramps, and convultions, and those that are troubled with an old cough; and when used as a gargle, eafeth the tooth-ach. An oil, made by frequently infufing the flowers, has a very good effect on the piles. The decoction of the root, in red wine, or in water (if attended with an ague) wherein red-hot freel hath been often quenched, flayeth the bloody flux; and also openeth obstructions of the bladder and reins, when there is a ftoppage of urine. A decoction of the leaves thereof, and of fage. marjoram, and camomile-flowers, and the finews being bathed therewith that are benumbed with cold, or cramps, doth much eafe and comfort them. Three ounces of the diffilled water of the flowers, drunk morning and evening, for fome days together, are faid to be an excellent remedy for the gout. The juice of the leaves and flowers being laid upon rough warts, as also the powder of the dried roots, when rubbed on, doth take them away; but have no effect upon smooth warts. The powder of the dried flowers is an especial remedy for those that are troubled with the cholic or belly-ach. The decoction of the root, and likewife of the leaves, is of great effect in diffolving tumours, fwellings, or inflammations of the throat. The feed and leaves boiled in wine, and applied to the place, fpeedily draweth forth thorns and splinters from the flesh, easing the pain, and healing the wound at the fame time. The leaves, bruifed and wrapped in double papers, and covered with hot afties and embers, in which they must be baked for some time, and then taken and laid on any blotch or boil, diffolve and heal it.

MUSTARD. SINAPIS.

Description. OUR common muftard hath large and broad rough leaves, very much jagged with uneven and diforderly gafhes, fomewhat like turnip-leaves, but finaller and rougher; the stalk rifeth to be upwards of a foot high, and sometimes two feet high; being round, rough, and branched at the top, bearing similar leaves thereon to those below, but smaller, and less divided, and divers yellow slowers one above another at the tops, after which come small rough pods, with small lank slat ends, wherein is contained round yellowish feed, sharp, hot, and biting to the tongue. The roots are small, long, and woody, when it beareth stalk, and perisheth every year.

PLACE. This groweth in gardens only, and other manured grounds.

Time. It is an annual plant, flowering in July, and the feed is ripe in August.

GOVERNMENT

GOVERNMENT AND VIRTUES. It is an excellent fauce for those whose blood wants clarifying, and for weak stomachs, being an herb of Mars; it is hurtful to choleric people, but highly ferviceable to those who are aged, or troubled with cold diseases. Aries claims some share of dominion over this plant; it therefore firengthens the heart, and refifteth poifon; let fuch whose stomachs are so weak that they cannot digeft their victuals, or have no appetite thereto, take of muftardfeed a dram, cinnamon as much, and, after beating them to powder, add half as much powder of mastic, and, with gum arabic diffolved in rose-water, make it up into troches, of which the quantity of half a dram may be taken an hour or two before meals, and the good effects thereof will foon be apparent, more particularly to the aged of either fex. Muftard-feed hath the virtue of heating, discussing, rarefying, drawing out fplinters of bones, and other things, out of the flesh; provokes the meuses; is good for the falling sickness, lethargy, drowfiness, and forgetfulness, by using it both inwardly and outwardly, rubbing the nostrils, forehead, and temples, to warm and quicken the spirits, as, from its fierce sharpness, it purgeth the brain by fneezing, and draweth down rheums, and other vifcous humours, which, by their diftillation upon the lungs and cheft, cause coughing; when taken inwardly, it operates more forcibly if mixed with honey. The decoction of the feed made in wine, provoketh urine, refifts the force of poifon, the malignity of mushrooms, and the venom of fcorpions, or other poisonous animals, if it be taken in time. If administered before cold fits of the ague come on, it altereth, lesseneth, and cureth, The feed, taken either by itfelf, or with other things, either in an electuary or drink, is a great incentive to venery, and helpeth the fpleen, pains in the fide, and gnawing in the bowels. If used as a gargle, it draweth up the palate of the mouth, when fallen down. It also dissolveth swellings about the throat, if it be applied externally. Being chewed in the mouth, it oftentimes helpeth the tooth-ach. The outward application thereof upon the pained place, in cases of the sciatica, discusseth the humours, and eafeth the pains: as also of the gout, and other joint-achs. It is frequently used to ease pains of the fides, loins, shoulders, or other parts of the body, by applying thereof as a blifter, and cureth the difease by drawing it to the outward part of the body; it is also used to help the falling of the hair. The feed, bruised, and mixed with honey or wax, taketh away the black and blue marks occasioned by falls or other bruifes; the roughness or scabbiness of the skin; as also the leprofy and loufy evil; it helpeth also the crick in the neck. The distilled water of the herb, when it is in flower, is much used to drink inwardly for any of the diseases aforefaid, and to wash the mouth when the palate is down; and as a gargle for difeafes No. 18. 3 X

difeases of the throat; also outwardly for scabs, itch, or other such infirmities; and cleanseth the face from morphew, spots, freckles, and other deformities.

People who are fond of music, and who would wish to improve their voices, have only to mix some of the powder of mustard-feed with honey into balls, and, by swallowing one or two every morning fasting, in a short time they will find their voices to be clear. Mustard-feed and onions, mixed together, provoke weeping.

HEDGE-MUSTARD. ERYSIMUM.

Description. THIS groweth up usually but with one blackish-green stalk, tough, easy to bend, but not break, branched into divers parts, and sometimes with divers stalks set full of branches, whereon grow long, rough, or hard, rugged leaves, very much torn or cut on the edges into many parts, some larger and some smaller, of a dirty green colour; the flowers are small and yellow, growing at the tops of the branches in long spikes, flowering by degrees; the stalks have small round pods at the bottom, growing upright, and close to the stalk, whilst the flowers yet show themselves; in which are contained small yellow seed, sharp and strong, as the herb is also. The root groweth down slender and woody, yet abiding, and springing again every year.

PLACE. This groweth generally by the roads and hedge-fides; but fometimes in the open fields.

TIME. It flowereth usually about July.

Government and Virtues. Mars owns this herb alfo. It is fingularly good in all the diseases of the cheft and lungs, hoarseness of voice; and, by the use of the decoction thereof, some have been recovered who had utterly lost their voices, and nearly their spirits also. The juice of this herb, made into a syrup with honey or sugar, is no less effectual for the same purposes, and for coughs, wheesing, and shortness of breath. It is also serviceable to those who have the jaundice, the pleurisy, pains in the back and loins, and for torments in the belly, or the cholic; it is also used in elysters. The seed is held to be a special remedy against poison and venom, is singularly good for the sciatica, the gout, and all joint-achs, fores and cankers in the mouth, throat, or behind the ears: it is also equally serviceable in reducing the hardness and swelling of the testicles, and of women's breasts.

MASTIC-TREE. PISTACIA.

NAMES. IT is called in Latin lentifcus; and the gum or rofin, refina lentifcina, mafliche, and maflix; in English, mastic.

DESCRIPTION.

Description. The mastic growth like a tree when suffered to grow up; and often it riseth but as a thrub. The body and branches are of a reddish colour; tough and gentle, having their ends bending somewhat downwards, whereon do grow winged dark-green leaves consisting of sour couple, standing one against another, of the bigness of the large myrtle-leaf, with a reddish circle about their edges, and somewhat reddish veins on the under-side, smelling sweet, and always continuing green; the flowers grow in clusters at the joints, with the leaves, being small, and of a pale purple-green colour; after them come small blackish berries, of the fize of a pepper-corn, with a hard black shell under the outer skin, and a white kernel within; it beareth also certain horns, with a clear liquor in them that turneth into small flies. It yieldeth also a clear white gum, in small drops, when the stocks are cut in fundry places; which is carefully gathered and preserved.

PLACE. The lentifk-tree groweth in Provence, in France; and also in divers parts of Italy; in Candia, and many other places in Greece; but yieldeth little gum there, especially in the isse of Scio.

TIME. It flowereth in April, and the berries are ripe in September; it is pruned and manured with as great care by the cultivators as others do their vines; the profit arifing from the gum being much greater.

Government and Virtues. The lentificative is under the influence of Jupiter. It is of moderately hot temperature; but the root, branches, bark, leaves, fruit, and gum, are all of a binding quality, ftopping all fluxes and fpitting of blood; ftrengthens a weak ftomach, and helps the falling down of the womb and fundament. The decoction healeth up hollow fores, knitteth broken bones, fafteneth loofe teeth, and ftayeth the fpreading of fores, they being fomented therewith. The oil which is preffed out of the berries, helpeth the itch, leprofy, and fcab, both in man and beaft; gum maftic hath the like virtue of ftaying fluxes, taken any way in powder; or, if three or four grains of it be swallowed whole at night when going to bed, it not only easeth the pains of the stomach, but hindereth its being affected afterwards; the powder of maftic, with amber and turpentine, is good against the running of the reins, and to check the fluor albus and menses in women. The powder of mastic is also materially useful in stopping thin rheums from falling upon the lungs, which occasion a continual cough and spitting of blood.

THE MEALY TREE. VIBURNUM.

NAMES. It is called also the way-faring tree; and by Mr. Parkinson, from the pliability of the twigs and branches, the pliant mealy tree.

DESCRIPTION.

DESCRIPTION. This tree hath (from a fmall body, rifing to the height of a hedge-tree, or bufh, covered with a dark-greyish bark) fundry small short but very tough and pliant branches, of a finger's thickness, whose bark is smooth and whitish, whereon grow broad leaves, like elm-leaves, but long and hoary, rough, thick, and white like meal, and a little hairy, set by couples, and finely dented about the edges; at the ends of the branches stand large tusts of white slowers, which turn into large bunches of round and flat seed, like that of the lentil, but larger; green when they are first formed, and for a considerable time afterwards, but black when they are ripe.

The branches thereof are fo tough and firong, that they ferve for bands to tie bundles, or any other thing; or to make fast gates leading into fields, for which purposes they are better adapted than withy, or any thing of that nature.

PLACE. It groweth as a hedge-bush, and is often cut and plashed by country people to spread on the hedges; is very frequently found in Kent, and in many other parts of this kingdom.

TIME. It flowereth about the end of May, and the fruit is ripe in September.

GOVERNMENT AND VIRTUES. It is a plant of Saturn. The leaves thereof have a harfh binding quality, and are good to firengthen and faften loofe teeth. The decoction of the leaves thereof, and of olive-leaves together, in vinegar and water, is exceeding good to wash the mouth and throat when swelled by sharp humours falling into them; restores the uvula or palate of the mouth to its right place, when fallen down; it also stays the rheums that fall upon the jaws. The kernels of the fruit hereof, taken before they are ripe, dried and made into powder, and drunk in any liquid, stop looseness of the belly, and all forts of fluxes. Of the roots, being steeped under ground, then boiled, and beaten a long time afterwards, bird-lime is made to catch small birds. The leaves, boiled in lye, keep the hair from falling off the head, and change the colour into black.

M A Y W E E D. COTULA. ANTHEMIS.

Kinds and Names. THERE are three forts: 1. Cotula fætida, or Anthemis, ftinking mayweed. 2. Cotula non fætida, mayweed with no fcent. Stinking mayweed groweth more upright than that which hath no fmell, or than common camomile; neither of them creep or run on the ground as camomile doth; the leaves are longer and larger than those of camomile, yet very like unto it, but of a paler green colour; the one fort hath a very strong sinell, the other no scent at all; the

flowers

flowers are like those of camomile, but larger; there is also a fort of mayweed found in various parts of the kingdom, which hath double flowers, almost as large as double camomile flowers, which is called *Cotula flore pleno*.

PLACE. The ftinking mayweed growth abundantly among corn, and will blifter the hands of the reapers; that which ftinketh not growth also very plentifully, wild, in many places, and often amongst wild camomile.

TIME. They flower all the fummer months, some earlier and some later.

GOVERNMENT AND VIRTUES. Mayweed is governed by Mars; yet Galen faith the fophi of the Egyptians confecrated camomile to the Sun, which is much of the fame temperature; but the ftinking mayweed is more hot and dry, and is used for the fame purposes as camomile, viz. to dissolve tumours, expel wind, and to ease pains and achs in the joints and other parts; it is also good for women whose matrix is fallen down, or loosened from one side to the other, by washing their seet with a decoction thereof made in water. It is likewise good to be given to smell to by such as are troubled with the rising or suffocation of the matrix.

M A D W O R T. ALYSSUM.

PLACE. IT is often fown in gardens. The feed comes from Italy.

Time. It flowers and flourishes in May; the feed is ripe in August.

QUALITIES AND VIRTUES. It is dry, digefting, and foouring. It healeth the bite of a mad dog, the morphew, fun-burning, &c. It also heals wounds inwardly and outwardly, cancers, and filthy ulcers; and digefteth clotted blood.

MANDRAKE. ATROPA.

THE mandrake is male and female.

PLACE. It grows in hot regions; woods, mountains, and gardens.

TIME. It fprings in March, flowers in April; the fruit is ripe in August.

QUALITIES AND VIRTUES. It is of a cold nature. The root is phlegmatic, and may be eaten with pepper and hot fpices. The apples are cold and moift, the bark of the root cold and dry, and the juice is good in all cooling ointments. The dried juice of the root, taken in a finall quantity, purgeth phlegm and melancholy. In collyriums, it healeth pains of the eyes. In a peffary, it draweth forth the dead child and fecundine. The green leaves, bruifed with axungia and barley-meal, heal all hot fwellings and inflammations; and, applied to the parts, confume hot ulcers and imposthumes. A suppository made of the juice, put into the fundament, No. 18.

caufeth fleep. Infufed in wine, and drunk, it caufeth fleep, and healeth pains; the apples finelt to, or the juice taken in a finall quantity, also cause fleep. The seed and fruit do cleanse the womb; the leaves heal knots in the slesh, and the roots heal St. Anthony's fire, &c. and, boiled with ivy, mollify the same. The oil of mandrakes is very cold; yet it may be anointed upon the temples and noses of those that have a phrenzy; if the patient sleep too long, dip a sponge in vinegar, and hold it to the nose. Also, it heals vehement pains of the head, and the tooth-ach, when applied to the cheeks and jaws, and causeth sleep.

M U S H R O O M. AGARICUS.

DESCRIPTION. Mushrooms are plants more perfect than many people imagine. They have a regular root, a ftalk confifting of feveral arrangements of fibres, the interffices of which are filled up with a parenchymatous fubftance, leading from the root to the head or umbel; the under fide of this umbel is full of lamellæ, or chives. every one of which is a regular pod, or feed-veffel. If these lamelle are examined in their feveral ftates, the feeds in them may be eafily difcovered, and are always found to be of a fize and degree of maturity proportioned to the ftate of the plant at the time. They have each of them also a filiquaceous aperture lengthwise, the feeds lying in rows ready to fall through it. The plant is eafily and regularly propagated through these, and not only may be raised from feed, but, like many other plants, may be propagated by roots; feveral filaments at the root producing tubercles, in the manner of the potatoe, from each of which there will arise new roots and a new plant. The periods of vegetation to this plant are also sufficiently regular; and the common opinion, of its fpringing up in a night, and perifhing in a day, has no foundation in reality; for, in the common way of raifing them on hot-beds, it is eafy to find, that they often fland a fortnight or longer, from their first appearance, before they are fit for the table.

Mr. Bradley mentions an hundred kinds of mufhrooms which he has feen in England, befides these very numerous small ones which constitute the mouldiness of liquors, fruits, &c. Mathiolus mentions mushrooms which weighed thirty pounds each, and were as yellow as gold. Fer. Imperatus tells us, he saw some which weighed above one hundred pounds apiece; and the Journal des Sçavans furnishes us with an account of some, growing on the frontiers of Hungary, which made a full cart-load.

The poison of mushrooms has been much talked of by several persons; but there seems to be no certain account of any body's having ever been injured by eating the

common

common mufhroom; though there are perhaps fome kinds of them that are truly poifonous. The ancients have taken great pains to diftinguish the several kinds of them, that the world might know the hurtful from the safe. The boletus, mentioned by Juvenal, on account of the death of Claudius, is sufficiently described by Pliny. Clusius, among the moderns, has described a vast number of different species, every-where distinguishing the esculent and wholesome from the poisonous and pernicious kinds. The several authors who have treated of them since the time of Clusius, have all mentioned the effects of some or other of the poisonous kinds, and there are numerous instances of the mischief done by them at one time or other. The true eatable mushroom is distinguished from the poisonous and unpleasant kinds by these marks: When young, it appears of a roundish form, like a button, the stalk as well as the button being white, and the sleshy part very white when broken, the gills within being livid. As they grow larger, they expand their heads by degrees into a slat form, and the gills underneath are of a pale slesh colour; but, as they stand long, become blackish.

VIRTUES. The Laplanders have a method of using funguses, or toadstools as we call them, (which are of the same genus with the mushroom,) to cure pains. They collect the largest funguses which they find on the bark of beech and other large trees, and dry them for use. Whenever they have pains in their limbs, they use some of this dry matter; pulling it to pieces with their singers, they lay a small heap of it on the part nearest to where the pain is situated, and set it on fire. In burning away, it blisters up the part, and the water discharged thereby generally carries off the pain. It is a coarse and rough method, but generally a very successful one, especially when the patient has prudence enough to apply it in time, and resolution enough to bear the burning to a necessary degree.

NAILWORT, OR WHITLOW-GRASS. DRABA.

DESCRIPTION. THIS very small and common herb hath no roots, save only a few strings; neither doth it ever grow to be above a hand's-breadth high; the leaves are very small, and something long, not much unlike those of chickweed, amongst which rise up many slender stalks, bearing numerous white slowers one above another, which are exceeding small; after which come small slat pouches containing seed, which is also very small, but of a sharp taste.

PLACE. It grows commonly upon old from and brick walls, and fometimes in dry gravelly grounds, especially if there be grass or moss near to shadow it.

TIME.

TIME. They flower very early in the year, fometimes in January and in February; before the end of April they are no longer to be found.

VIRTUES. It is held to be an exceeding good remedy for those impositumes in the joints, and under the nails, which they call whitlows, felons, adicoms, and nail-wheals.

NEP, OR CATMINT. NEPETA.

DESCRIPTION. COMMON garden nep shooteth forth hard four-square stalks with a hoariness on them, a yard high or more, full of branches, bearing at every joint two broad leaves, somewhat like balm, but longer pointed, softer, whiter, and more hoary, nicked about the edges, and of a strong sweet scent. The flowers grow in large tusts at the tops of the branches and underneath them, likewise on the stalks, many together, of a whitish purple colour. The roots are composed of many long strings or sibres, sastening themselves strongly in the ground, and retaining their leaves green all the winter.

PLACE. It is only nurfed up in our gardens.

TIME. It flowereth in July, or thereabouts.

Government and Virtues. It is an herb of Venus. Nep is generally used by women, being taken either inwardly or outwardly, either alone or with other convenient herbs, in a decoction to bathe them, or to fit over the hot fumes thereof, and by the frequent use thereof it taketh away barrenness, and the wind, and pains of the mother. It is also used for pains of the head arising from any cold cause, such as catarrhs, rheums, &c. and for swimming and giddiness thereof, and is of especial use for expelling wind from the stomach and belly. It is also effectual for the cramp, or other pains occasioned by cold; and is sound serviceable for colds, coughs, and shortness of breath. The juice thereof drunk in wine, helps bruises. The green herb, bruised, and applied to the part for two or three hours, easeth the pain arising from the piles. The juice also, being made up into an ointment, is effectual for the same purpose. Washing the head with a decoction thereof taketh away scabs; and may be used to the like effect on other parts of the body.

NETTLES. URTICA.

NETTLES are fo well known, that they need no description.

GOVERNMENT AND VIRTUES. This herb Mars claims dominion over. Nettle-tops, eaten in the fpring, confume the phlegmatic fuperfluities in the body, which

the coldness and moisture of winter hath left behind. The roots or leaves boiled, or the juice of either of them, or both, made into an electuary with honey or fugar, is a fafe and fure medicine to open the pipes and paffages of the lungs, obstruction in which is the cause of shortness of breath, and helpeth to expectorate tough phlegm, as also to raise the imposthumated pleurify, and evacuate it by spitting; the juice of nettles, used as a gargle, allayeth the swelling of the almonds of the throat; it also effectually fettles the palate of the mouth in its place, and heals and tempers the foreness and inflammation of the mouth and throat. The decoction of the leaves in wine, being drunk, is very efficacious in most of the diseases peculiarly incident to the female fex; and is equally ferviceable, when applied externally, mixed with myrrh. The decoction also, or the feed, provoketh urine, and has hardly ever been known to fail in expelling the gravel and ftone from the reins and bladder; killeth worms in children; eafeth the ipleen occasioned by wind, and expelleth the wind from the body; though fome think them only a provocative to venery. The juice of the leaves, taken two or three days together, ftayeth bleeding at the mouth. The feed, being drunk, is a remedy against the sting of venomous creatures, the bite of a mad dog, the poisonous qualities of hemlock, henbane, nightshade, mandrake, or other fuch-like herbs, that ftupify and dull the fenfes; as also the lethargy, especially if used outwardly, by rubbing the forehead and temples in lethargic cases, and the places bitten or stung by beasts, with a little salt. The diftilled water of the herb is also effectual (although not so powerful) for the diseases aforefaid, and for outward wounds and fores, to wash them, and to cleanse the skin from morphew, leprofy, and other discolourings thereof. The seed, or leaves, bruifed, and put into the noftrils, ftayeth the bleeding thereof, and taketh away the flesh growing in them, called polypus. The juice of the leaves, or the decoction of them; or of the roots, is very good to wash either old, rotten, or stinking, fores; fiftulas, and gangrenes, and fuch as are fretting, eating, and corroding; fcabs, manginess, and itch, in any part of the body; as also green wounds, by washing them therewith, or applying the green herb bruifed thereunto, even although the flesh should be separated from the bones. The same, on being applied to the limbs, when wearied, refresheth them, and strengtheneth, drieth, and comforteth, such places as have been put out of joint, after having been fet again; as also such parts of the human body as are fubject to the gout or other achs, greatly eafing the pain thereof; and the defluxion of humours upon the joints or finews it also relieveth, by drying up or difperfing the defluxions. An ointment made of the juice, oil, and a little wax, is exceedingly good to rub cold and benumbed members. A handful of green nettles, and another of wall-wort, or Dane-wort, bruifed and applied No. 18. 3 Z fimply

fimply of themselves, to the gout, sciatica, or joint-achs, in any part, hath been found to be an admirable help in complaints of that nature.

NIGHTSHADE. SOLANUM.

Description. COMMON nighthade hath an upright, round, green, hollow, ftalk, about a foot or half a yard high, fhooting forth into many branches, whereon grow numerous green leaves, fomewhat broad and pointed at the ends, foft and full of juice, fomewhat like unto bafil, but larger, and a little unevenly dented about the edges; at the tops of the ftalks and branches come forth three or more white flowers, composed of five small pointed leaves apiece, ftanding on a stalk together one above another, with yellow pointels in the middle, composed of four or five yellow threads set together, which afterwards turn into so many pendulous green-berries of the bulk of small pease, full of green juice, and small whitish round stat feed lying within it. The root is white, and a little woody when it hath given flowers and fruit, with many small sibres at it. The whole plant is of a watery inspid taste; but the juice within the berries is somewhat viscous, and of a cooling and binding quality.

PLACE. It groweth wild in this kingdom, in rubbish, and the common paths and sides of hedges, in fields; and also in gardens without any planting.

Time. It dieth annually, and rifeth again of its own fowing; but fpringeth not until the latter end of April at the foonest.

Government and Virtues. It is a cold faturnine plant. The common nightfhade is wholly used to cool hot inflammations, either inwardly or outwardly, being no ways dangerous, as the other nightfhades are; yet it must be used moderately; the distilled water only of the whole herb is fittest and safest to be taken inwardly; the juice, being clarified and mixed with a little vinegar, is very good to wash the mouth and throat, when inslamed. Outwardly, the juice of the herb or berries, with a little vinegar and ceruse, pounded together in a leaden mortar, is very good to anoint all hot inflammations in the eyes; it is also very good for the shingles, ringworms, and in all running, fretting, and corroding, ulcers; and in most fiftulas, if the juice be mixed with hen's-dung and applied thereto. A cloth, wet in the juice, and applied to the testicles, when swelled, giveth much ease, as also to the gout which ariseth from hot and sharp humours. The juice dropped into the ears easeth pains thereof, arising from heat or inflammation. Pliny saith, it is good for hot swellings under the throat. Care must be taken that the deadly nightshade be not mistaken for this.

DEADLY

DEADLY NIGHTSHADE. ATROPA.

Description. THE flower is bell-shaped; it hath a permanent empalement of one leaf, cut into five parts; it hath five stamina rising from the base of the petal; in the centre is fituated an oval germen, which becomes a globular berry, having two cells sitting on the empalement, and filled with kidney-shaped seed. It is of a cold nature; in some it causeth sleep; in others madness, and, shortly after, death.

This plant should not be suffered to grow in any places where children resort, for it is a strong posson; several instances having happened where children have been killed by eating the berries.

There is a remarkable inftance of the direful effects of this plant recorded in Buchanan's History of Scotland; wherein he gives an account of the destruction of the army of Sweno, when he invaded Scotland, by mixing a quantity of the juice of these berries in the drink which the Scots, by the truce, were to supply them with; this so intoxicated the Danes, that the Scots fell upon them in their sleep, and killed the greatest part of them; so that there were scarcely men enough left to carry off their king.

WOODY NIGHTSHADE. SOLANUM.

CALLED also bitter sweet, dulc' amara, and amara dulcis.

PLACE. It grows by the fides of hedges, and in moift ditches, climbing upon the bushes; with winding, woody, but brittle, stalks.

TIME. It is perennial, and flowers in June and July.

VIRTUES. The roots and stalks, on first chewing them, yield a considerable bitterness, which is soon followed by an almost honey-like sweetness; and they have been recommended in different disorders, as high resolvents and deobstruents. Their sensible operation is by sweat, urine, and stool; the dose from four to six ounces of a tincture made by digesting sour to six ounces of the twigs in a quart of white wine.

NAVEL-WORT, OR PENNY-WORT. COTYLEDON.

NAMES AND KINDS. IT is called umbilicus veneris, and herba coxendicum.

There are feven different kinds.

DESCRIPTION AND VIRTUES. 1. The small navel-wort is moist and somewhat cold and binding. It cooleth and repelleth, scourch and consumeth.

2. The

- 2. The water penny-wort, called *Hydrocotyle*, is hot and ulcerating, like crowsfoot; and is very dangerous to cattle who may occasionally feed thereon.
- 3. The baftard Italian navel-wort, called Crafpula, partakes of the true in cold and moisture.
- 4. The juice of the wall penny-wort healeth all inflammations and hot tumours, as the eryfipelas, or St. Anthony's fire; it healeth kibed heels, being bathed therewith, and the leaves applied. The leaves and root break the ftone, provoke urine, and cure the dropfy. The diffilled water healeth fore kidneys, pains of the bowels, piles, gout, and king's evil.
- 5. The common or one-fummer's navel-wort is diuretic, not very hot, but exceeding dry. It provoketh urine, and digefieth fliminess in the joints. Two drams drunk in wine will expel much urine from dropfical persons; and, applied, will also ease the gout.
- 6, 7. The fpotted and fmall red-flowered navel-wort are cold and moift, like house-leek.

PLACE. The first fortgrowth on stone walls; the other forts are only found on the Alps.

TIME. They flower in the beginning of the spring, but flourish all the winter.

NIPPLE-WORT. LAPSANA.

NAMES AND KINDS. OF this there are three kinds: 1. The ordinary nipplewort, called in Latin Lapfana vulgaris. 2. The nipple-wort of Austria, called Lapfana papillaris. 3. Wild or wood bastard nipple-wort, Soncho affinis, Lapfana fylvatica. And in Prussia, as faith Camerarius, they call it Papillaris.

Description. 1. The ordinary nipple-wort groweth with many hard upright stalks, whereon grow dark-green leaves from the bottom to the top, but the higher the smaller; in some places without dents in the edges, and in others with a few uneven jags therein, somewhat like a kind of hankweed; the tops of the stalks have some small long branches, which bear many small star-like yellowish slowers on them, which turn into small seed; the root is small and sibrous; the plant yieldeth a bitter milk like that of the sow-thistle.

2. The Auftrian nipple-wort hath flender, fmooth, and folid, ftalks, not eafily broken, about two feet high, whereon ftand, without order, fomewhat long and narrow leaves, broadeft in the middle, and fharp at the ends, waved a little about the edges, and compaffing them at the bottom, yielding a little milk; from the upper joints, with the leaves, grow forth fmall firm branches, yet a little bending, bearing each of them four or five long green hufks, and in them fmall purplifh

flowers

flowers of five leaves each, notched in at the broad ends, with fome small threads in the middle; which turn into down, and are blown away with the wind: the root is small and shreddy, and lasteth many years.

3. The wild or wood bastard-nipplewort is like unto the first fort, but with somewhat broader leaves, and greater store of branches; but in the slowers and other parts not much different.

PLACE AND TIME. The first groweth common, almost every where, upon the banks of ditches and borders of fields; the second Clusius saith he found in Hungary and Saxony, and other places; the last is found near the sides of woods, and hedge-rows; they flower in summer, and the seed is ripe foon after.

GOVERNMENT AND VIRTUES. These are plants of Venus, and kindly endued with a peculiar faculty for the healing the fore nipples of women's breasts; for which reason Camerarius saith that in Prussia they call it papillaris, because of its excellent virtues in healing women's fore breasts, as well as their nipples, when they are ulcerated; it having a singular healing quality therein; and is temperate in heat and dryness, with some tenuity of parts able to digest the virulency of sharp humours which break out in those parts.

NUTMEG-TREE, AND MACE.

NAMES AND DESCRIPTION. The fruit of this is called in Latin nux myssica, and in shops nux moscata. The tree groweth very tall, like our pear-trees; having leaves always green, somewhat resembling the leaves of the orange-tree; the fruit groweth like our walnuts, having an outer thick husk; which, when it grows ripe, openeth itself as the shell of the walnut doth; shewing the nut within covered with the mace, which is of an orient crimson colour while it is fresh, but the air changeth the colour to be more dead and yellowish.

GOVERNMENT AND VIRTUES. The nutmegs and maces are both folar, of a temperature hot and dry in the fecond degree, and fomewhat aftringent, and are good to flay the lask; they are effectual in all cold griefs of the head or brain, for palsies, shrinking of finews, and diseases of the mother; they cause a sweet breath, and discuss wind in the stomach or bowels, quicken the fight, and comfort the spirits; provoke urine, increase sperm, and are comfortable to the stomach; they help to procure rest and sleep, being laid to the temples, by allaying the distemper of the spirits.

The way to use it to procure rest is, to take two pieces of red-rose cake, and warm them in vinegar over a chasing-dish of coals, then scrape nutmeg upon the cakes, and bind it warm to the temples.

No. 19. 4 A The

The mace is of the same property, but somewhat more warming and comforting, than the nutmeg; the thick oil that is drawn from both nutmegs and mace is good in pectoral complaints, to warm a cold stomach, help the cough, and to dry up distillations of rheum falling upon the lungs.

THE OAK

IS so well known, (the timber thereof being the glory and fafety of the British nation,) that it needeth no description.

GOVERNMENT AND VIRTUES. Jupiter owns the tree. The leaves and bark of the oak, and the acorn cups, do bind and dry very much; the inner bark of the tree, and the thin fkin that covereth the acorn, are most used to stay the spitting of blood and the bloody flux; the decoction of the bark, and the powder of the cups, flay vomiting, spitting of blood, bleeding at the mouth, or other fluxes of blood in men or women; lasks also, and the involuntary flux of natural seed. The acorns in powder taken in wine provoke urine, and refift the poilon of venomous creatures. The decocion of acorns and the bark made in milk, and taken, refisteth the force of poisonous herbs and medicines, as also the virulency of cantharides, when any person, by eating them, hath the bladder ulcerated, and evacuateth blood. Hippocrates faith, he used the sume of oak-leaves to women that were troubled with the strangling of the mother; and Galen applied them, being bruised, to cure green wounds. The distilled water of the oaken buds, before they break out into leaves, is good to be used either inwardly or outwardly to affuage inflammations, and stop all manner of fluxes in man or woman; it is also fingularly good in pestilential and hot burning fevers, as it resistes the force of the infection, and allayeth the heat; it cooleth the heat of the liver, breaketh the stone in the kidneys, and stayeth women's courses. The decoction of the leaves hath the same effects. The water that is found in the hollow places of old oaks is very effectual against any foul or spreading scab. The distilled water or decostion (which last is preferable) of the leaves is one of the best remedies known for the fluor albus.

OATS.

THIS grain is well known: avena is the Latin name; they are grown in every quarter of the globe where agriculture is carried on. They are fown in fpring, and mown or reaped in September, and October; but in the northern parts of this kingdom it is frequently much later before they are cut down.

NATURE

NATURE AND VIRTUES. They are fomewhat cold and drying, and are more used for food, both for man and beast, than for physic; yet being quilted in a bag with bay salt, made hot in a srying-pan, and applied as warm as can be endured, they ease pains and stitches in the side, and the cholic in the belly. A poultice made of the meal of oats and oil of bays, helpeth the itch, leprosy, and sistuals, and discusseth hard imposshumes. Oatmeal boiled in vinegar, and applied, takes away spots and freckles in the sace or other parts of the body. It is also used in broth or milk, to bind those who have a lask, or other flux; and with sugar it is good for them that have a cough or cold. Raw oatmeal is an unwholesome diet.

ONE-BLADE.

DESCRIPTION. THIS small plant never beareth more than one leaf, except only when it rifeth up with its stalk, in which case it beareth another, but seldom more, which are of a bluish-green colour, pointed, with many ribs or veins therein, like plantain; at the top of the stalk grow many small white slowers, in the form of a star, smelling somewhat sweet; after which come small berries, of a reddish colour when they are ripe. The root is small, of the bigness of a rush, lying and creeping under the upper crust of the earth, shooting forth in divers places.

PLACE. It groweth in moift, shadowy, and graffy, places of woods, in most parts of the kingdom.

TIME. It flowereth about May; the berries are ripe in June; it then quickly perisheth until the next year, when it springeth asresh from the old roots.

GOVERNMENT AND VIRTUES. It is a precious herb of the Sun. Half a drachm, or at most a drachm, in powder of the roots, taken in wine and vinegar, of each equal parts, and the party laid directly down to sweat thereupon, is held to be a sovereign remedy for those that are insected with the plague, and have a fore upon them, by expelling the poison and insection, and defending the heart and spirits from danger. It is an exceeding good wound-herb, and is therefore used with others of the like nature, in making compound balms for curing wounds, either whether they are fresh and green, or old and malignant, and especially if the sinews have been burnt.

Pena and Lobel feverally made experiments of the quality of this plant upon two dogs, and found it was not dangerous, but effectual to expel the deadly operation of corrolive fublimate and arfenic.

ORCHIS.

ORCHIS.

IT hath a great variety of names, though most generally known by this.

Description. To enumerate all the different forts of it is needless; a description of the roots will be sufficient, which are to be used with some discretion. They have each of them a double root within, some of them round, others like a hand; these roots alter every year alternately; when the one riseth and waxeth full, the other groweth lank and perisheth; now it is those which are sull grown that are to be used in medicine, the other being either of no use at all, or essentially the other than the other being either of no use at all, or essentially the sum of the sull grown root, and undoing what otherwise it might have essentially the operation of the sull grown root, and undoing what otherwise it might have essentially the sum of the sull grown root, and undoing what otherwise it might have essentially the sum of the sull grown root, and undoing what otherwise it might have essentially the sum of the sum o

Time. One or other of them may be found in flower from the beginning of April to the latter end of August.


GOVERNMENT AND VIRTUES. They are hot and moist in operation; under the dominion of Venus, and provoke lust exceedingly; which, it is said, the dry and withered roots restrain again; they are held to kill worms in children; also, being bruised and applied to the place, to help the king's evil.

ONIONS.


THEY are fo well known, that their description is unnecessary.

GOVERNMENT AND VIRTUES. Mars owns them. They posses the quality of drawing corruption to them, for if you peel one and lay it upon a dunghill, you will find it rotten in half a day, by drawing putrefaction to it; it is therefore natural to suppose they would have the same attractive power if applied to a plague-fore.

Onions are flatulent, or windy; yet do they whet the appetite, increase thirst, and ease the belly and bowels; provoke the menses; help the bite of a mad dog, and other venomous creatures, when used with honey and rue, and increase specially the seed of them; they also kill the worms in children, if they drink the water fasting wherein they have been sleeped all night. Being roasted under the embers, and eaten with honey or sugar and oil, they conduce much to help an inveterate cough, and expectorate the tough phlegm. The juice being snuffed up into the nostrils, purgeth the head, and helpeth the lethargy; yet the eating them too frequently occasions the head-ach. The eating of onions, fasting, with bread and falt, is held to be a good preservative against insection. If a great onion is made









hollow, filling the place with good treacle, afterwards roasting it on the embers, then throwing away the outward skin, and beating the remainder well together, is accounted a sovereign remedy for either the plague-fore or any other putrid ulcer. The juice of onions is reckoned good for scalds or burns, occasioned either by fire, boiling water, or gunpowder; and, used with vinegar, taketh away all blemishes, spots, and marks, in the skin; and, dropped into the ears, easeth the pain and noise thereof. If applied, beaten together with figs, they help to ripen, and cause suppuration in, imposshumes.

Onions, if bruifed, and mixed with falt and honey, will effectually deflroy warts, caufing them to come out by the roots.

Leeks participate of nearly the same quality as onions, though not in so great a degree. They are said to be an antidote against a surfeit occasioned by the eating of mushrooms, being first baked under the embers, and then taken when sufficiently cool to be eaten; being boiled, and applied warm, they help the piles.

ORPINE.

DESCRIPTION. COMMON orpine rifeth up with divers round brittle stalks thick set with fat and slessly leaves, without any order, and very little dented about the edges, of a pale green colour; the flowers are white, or whitish, growing in tusts, after which come small chaff-like husks, with seed like dust in them. The roots are various in their shape and size, and the plant does not grow so large in some places as in others.

PLACE. It is to be found in almost every part of this kingdom, but most commonly in gardens, where it groweth to a larger size than that which is wild; it is also to be found in the shadowy sides of fields and woods.

TIME. It flowereth about July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. The Moon owns thisherb. Orpine is feldom used in inward medicines with us, although Tragus saith, from experience in Germany, that the distilled water thereof is profitable for gnawings or excoriations in the stomach and bowels, and for ulcers in the lungs, liver, or other inwards parts; as also in the matrix; being drunk for several days successively, it helpeth all those diseases; he also says it stayeth the sharpness of the humours in the bloody slux, and other sluxes of the body, or in wounds; the root thereof hath also the same effect. It is used outwardly to cool any heat or inflammation upon any hurt or wound, and easeth the pains of them; as also to heal scalds or burns. The juice thereof beaten with

No. 19. 4 B fome

fome fallad-oil, and therewith anointing the parts, or the leaf bruifed and laid to any green wounds in the hands and legs, doth quickly heal them; and, being bound to the throat, much helpeth the quinfey; it is likewife found ferviceable in ruptures.

The juice thereof, made into a fyrup with honey or fugar, may be fafely taken, a fpoonful or two at a time, and with good effect, for a quinfey; and will be found more speedily in operation, as well as pleasant in taste, than some other medicines prescribed for that disorder.

OLIVE-TREE.

KINDS AND NAMES. OF these there are the tame and manured olive, and the wild olive-tree; the first is called in Latin olea fativa, and the wild kind oleaster, or olea sylvestris.

DESCRIPTION. 1. It has a small tubulous impalement of one leaf, cut into four fegments at the top; the former confifts of one petal, which is tubulous, cut at the brim into four fegments; it has two short stamina, terminated by erect fummits, and a roundish germen, supporting a short single style, crowned by a thick bisid stigma; the germen afterwards turns to an oval fmooth fruit, or berry, with one cell, inclosing an oblong oval nut. In Languedoc and Provence, where the olivetree is greatly cultivated, they propagate it by truncheons fplit from the roots of the trees; for, as these trees are frequently hurt by hard frosts in winter, so, when the tops are killed, they fend up feveral stalks from the root; and, when these are grown pretty strong, they separate them with an axe from the root; in the doing of which they are careful to preserve a few roots to the truncheons; these are cut off in the fpring after the danger of the frost is over, and planted about two feet deep in the ground. These trees will grow in almost any soil; but, when planted in rich moist ground, they grow larger, and make a finer appearance, than in poor land; but the fruit is of less esteem, because the oil made from it is not so good as that which is produced in a leaner foil; chalky ground is efteemed best for them; and the oil, made from the trees growing in that fort of land, is much finer, and will keep longer, than the other. In England, the plants are only preferved by way of curiofity, and are placed in winter in the green-house for variety.

2. Oleaster, the wild olive-tree, groweth somewhat like unto the manured, but it hath harder and smaller leaves, and thicker set on the branches, with sundry sharp thorns among the leaves; the blossoms and fruit come forth in the same manner as the other do, and in as great plenty, but much smaller, and scarcely coming at any time

time to ripeness where they naturally grow; but, where they do become ripe, they are small, with crooked points, and black. Of the olives hereof oil is sometimes made, which is colder and more astringent than the other, and harsher in taste and greenish in colour; but the olives are much respected, and gathered to be eaten.

PLACE AND TIME. Both kinds of olives grow in the hot countries only; in any cold climate, they will never bear fruit, nor hardly endure a winter; the manured is planted where it groweth, and, according to the nature of the foil or climate, produceth larger or smaller olives, and in more or less plenty; and oil sweeter or more strong in taste. The finest and sweetest oil comes from the isles in the Mediterranean sea, as Zante, Cerigo, &c. that from Majorca, &c. is more full and fat; the oil from Provence, in France, is stronger and hotter tasted. The wild olives grow naturally in Spain, Portugal, Italy, and many other countries. They slower in June and July, but their fruit is not ripe until November or December.

GOVERNMENT AND VIRTUES. The olive-tree is a plant of Venus, and of gentle temperature. The green leaves and branches of the olive-tree, but much more of the wild olive, do cool and bind; and the juice thereof, mixed with vinegar, is peculiarly ferviceable in all hot imposthumes, inflammations, swellings, St. Anthony's fire, fretting or creeping ulcers, and cankers in the sless or mouth. The same also stayeth the bleeding of wounds, being applied to the place; the said juice being dropped into the eyes stayeth the distillation of hot rheums into them, and cleareth the sight from silms or clouds that offend the sight, or any ulcer that doth breed therein, or ulcers in the ears.

Pickled olives do stir up an appetite to meat, and, although they be hard of digestion, yet are pleasing to the stomach, being apt to putrefy therein; they are not good for the eye-sight, and cause the head-ach; if they be dried, and applied to fretting and corroding ulcers, they stop their progress, and heal them; and take away the scars of carbuncles, or plague-fores. The pickled olives burned, beaten and applied unto wheals, stop their further increase, and hinder them from rising; they cleanse foul ulcers, help gums that are spungy, and saften loose teeth.

The water, that is taken from the green wood when heated in the fire, healeth the fourf or foab in the head, or other parts; the olive-flones, being burned, are used for the same purposes, and also to heal soul spreading ulcers; and, being mixed

with fat and meal, they take away the ruggedness of the nails.

The other properties of the olive are contained in the oil, and the foot or bottom of the tree. First, the oil has divers and variable virtues, according to the ripeness or unripeness of the fruit whereof it is made, and then of the time and age thereof,

and of the washing it from the falt wherewith some of it is made. The oil that is made of unripe olives is more cooling and binding than that which is made of those that are ripe; which, when it is fresh and new, is moderately heating and moistening: but, if it be old, it hath a stronger force to warm and discuss, which properties are perceivable by its sweetness; for, if the oil be harsh, it is more cooling than warming; and, if that oil be washed, it taketh from it all harshness.

The green oil of unripe olives, while it is fresh, is most welcome to the stomach; it strengtheneth the gums, and fasteneth the teeth, if it be held in the mouth for any time; and, being drunk, it preventeth too great a perspiration in those who are subject thereunto. The sweet oil is of most use in sallads, &c. being most pleasing to the stomach and taste; but the older the oil is, the better it is for medicine, both to warm any part, and discuss any thing where needful; and to open and move the belly downwards; and is most effectual against all poisons, especially those that exulcerate the intestines, or, not having passed down so low, irritate the stomach, the oil either bringing it up by vomiting, or at least hindering its malignity from spreading. It is also a principal ingredient in almost all salves, helping as well the form as the virtue thereof.

The foot or dregs of the oil, the older it is, is the better for various purposes; as to heal the scab in man or beast, being used with the decostion of lupines; it is very profitably used for ulcers of the fundament or privy parts, when mixed with honey, wine, and vinegar; it healeth wounds, and helpeth the tooth-ach, being held in the mouth. If it be boiled in a copper vessel to the thickness of honey it bindeth much, and is effectual for all the purposes for which lycinus may be used; if it be boiled with the juice of unripe grapes to the thickness of honey, and applied to the teeth, it will cause them to fall out.

ORANGE-TREE.

KINDS AND NAMES. Of oranges we shall describe five kinds or forts. They were called by the ancients mala aurea Hesperidum, the golden apples of Hesperides; and therefore Hercules made it one of his labours to kill the dragon that kept the garden where they were, and to bring them away with him. The flowers of the orange-tree are called napha; and the ointment that is made of them unguentum exnapha. Oranges are now generally called aurantia.

Description. 1. The ordinary orange-tree, mala aurantia vulgaris, groweth often to a very great height and thickness, with large spreading arms and branches, with

with a rougher bark below, and green on the branches; yet it is smaller in less fruitful foils; fparingly armed with sharp but short thorns; the leaves are somewhat fimilar to those of the lemon, but that each leaf hath a piece of a leaf fet under it. are not dented at all about the edges; and are full of small holes in them; the slowers are whitish, and of a strong sweet scent; the fruit hereof is round, with a thick bitter rind, of a deep yellowish red colour, which from it taketh the name of an orange colour, having a foft, thin, white, loofe, fubstance next to the outer coloured rind; and a four juice lying mixed amongst fmall skins in several parts, with seed between them in partitions; the juice of some is less sour than others, and of a taste between four and fweet, nearly like wine.

2. The wild or crab orange-tree, malus aurantia sylvestris. This tree groweth wild as our crab trees do, and is fuller of branches and thicker fet with thorns than the former.

3. The apple orange, called in Latin malus aurantia cortice dulci eduli. The Spaniards call this orange naranja caxel. This differeth from others not fo much in the colour of the outer bark, which is of a deep gold yellowish-red, but in the whole fruit, which is throughout almost as firm as an apricot, and yet distinguished into parts, in the infide, like others; which, together with the bark and rind, is to be eaten like an apple; the rind not being rough and bitter as the others.

4. The orange without feeds, malus aurantia unico grano. This only differeth from that orange which has the best four juice, in having but one grain or feed in

the whole juice lying within it.

5. The dwarf orange-tree, malus aurantia pumilio. The stock of this dwarf-tree is low, and the branches grow thick, well flored with leaves, but they are fmaller and narrower than the other; the flowers also are many, and thick set on the branches, which bear fruit more plentifully than the former, though of a smaller fize, yet equally well-coloured.

PLACE AND TIME. All these forts of oranges, as well as the lemons and citrons, are brought unto us from Spain and Portugal; they hold time with the lemons. having their leaves always green, with green bloffoms and ripe fruit constantly

together.

No. 19.

GOVERNMENT AND VIRTUES. All these trees and fruits are governed by Jupiter. The fruit is of different parts and qualities; the rind of the oranges is more bitter and hot than those of the lemons or citrons, and are therefore preferable to warm a cold stomach, breaking the wind and cutting the phlegm therein; after the bitterness is taken from them, by steeping them in water for fundry days, and then pre-4 C ferved. ferved either wet or dry, besides their use in banquets, they are very effectual for strengthening the heart and spirits. Though the juice is inferior to those of the citron and lemon, and fitter for meat than medicine, yet four or five ounces of the juice taken at a time, in wine or ale, will drive forth putrid humours from the inward parts by sweat, and strengthen and comfort the heart. The distilled water of the slowers, besides the odoriserous scent it has as a persume, is good against contagious diseases and pestilential severs; by drinking thereof at sundry times, it helpeth also the moist and cold infirmities of the womb; the ointment that is made of the slowers is good to anoint the stomach, to help the cough, and expectorate cold raw phlegm; and to warm and comfort the other parts of the body.

PARSLEY.

THIS is fo well known, that it needs no description.

GOVERNMENT AND VIRTUES. It is under the dominion of Mercury, and is very comfortable to the stomach; it helpeth to provoke urine, women's courses, and to break wind both in the stomach and bowels; it a little openeth the body, but the root possesseth this last virtue in a greater degree, opening obstructions both of the liver and fpleen; and is therefore accounted one of the five opening roots; Galen commendeth it against the falling fickness, and says it mightily provokes urine, if boiled and eaten like parsnips. The feed is also effectual to provoke urine and women's courses, expel wind, break the stone, and ease the pains and torments there. of, or of any other part of the body, occasioned by wind. It is also effectual against the venom of any poisonous creature, and the dangerous consequences which arise from the taking of litharge, and is good against a cough. The distilled water of parfley is a familiar medicine with nurses to give to children when they are troubled with wind in the stomach or belly, which they call the frets; it is also greatly useful to grown persons. The leaves of parsley, when used with bread or meal, and laid to the eyes that are inflamed with heat, or fwoln, doth greatly relieve them; and being fried with butter, and applied to women's breafts that are hard through the curdling of the milk, it quickly abateth the hardness; it also taketh away black and blue marks arifing from bruifes or falls. The juice, dropped into the ears with a little wine, easeth the pains thereof. Tragus recommends the following, as an excellent medicine to help the jaundice and falling fickness, the dropfy, and stone in the kidneys, viz. Take of the feeds of parfley, fennel, anife, and carraways, of each an ounce; of the roots of parfley, burnet faxifrage, and carraways, of each one ounce and an half; let the feeds be bruifed, and the roots washed and cut small:

let them lie all night in steep in a pottle of white wine, and in the morning be boiled in a close earthen vessel until a third part or more be wasted, which, being strained and cleared, take sour ounces thereof morning and evening first and last, abstaining from drink after it for three hours. This openeth obstructions of the liver and spleen, and expelleth the dropfy and jaundice by urine.

PARSLEY-PERT, OR PARSLEY-BREAKSTONE.

Description. THE root, although it be small and thready, yet it continues many years, from whence arise many leaves lying along upon the ground, each standing upon a long small footstalk, the leaves as broad as a man's nail, very deeply indented on the edges, somewhat like a parsley leaf, but of a very dusky green colour. The stalks are very weak and slender, about three or four singers in length, set so full of leaves that they can hardly be seen, either having no footstalk at all, or but very short. The slowers are so small they can hardly be seen, and the seed is scarcely perceptible at all.

PLACE. It is common through all parts of the kingdom, and is generally to be met with in barren, fandy, and moist, places. It may be found plentifully about Hampstead heath, in Hyde-park, and in other places near London.

TIME. It may be found all the fummer through from the beginning of April to the end of October.

GOVERNMENT AND VIRTUES. Its operation is very prevalent to provoke urine and to break the stone. It is a very good sallad-herb, and would pickle for winter use as well as samphire. It is a very wholesome herb. A drachm of the powder of it, taken in white wine, brings away gravel from the kidneys insensibly, and without pain. It also helps the stranguary.

PARSNIP.

THE garden kind thereof is fo well known (the root being commonly eaten,) that to particularize it is totally unneceffary; but the wild kind being of more physical use, the following is its

DESCRIPTION. The wild parsnip differeth little from that of the garden, but does not grow so fair or large, nor has it so many leaves; the root is shorter, more woody, and not so fit to be eaten; therefore the more medicinable.

PLACE. The name of the first sheweth the place of its growth.

The

284 CULPEPER'S ENGLISH PHYSICIAN,

The other groweth wild in divers places, as in the marshes by Rochester, and elsewhere, and slowereth in July; the seed being ripe about the beginning of August the second year after the sowing; seldom slowering the first year.

Government and Virtues. The garden parsnip is under Venus. It is exceeding good and wholesome nourishment, though rather windy; it is said to provoke venery, notwithstanding which it satteneth the body much if frequently used. It is also serviceable to the stomach and reins, and provoketh urine. But the wild parsnip hath a cutting, attenuating, cleansing, and opening, quality therein. It resistent and helpeth the bitings of serviceable to the sides, and dissolve wind both in the stomach and bowels; it also provoketh urine. The root is often used, but the seed much more.

The wild parfnip being preferable to that of the garden, flews nature to be the best physician.

COW-PARSNIP.

Description. THIS groweth with three or four large, fpread, winged, rough, leaves, lying often on the ground, or elfe raifed a little from it, with long, round, hairy, footflalks under them, parted usually into five divisions, the two couples standing against each other, and one at the end, and each leaf being almost round, yet somewhat deeply cut in on the edges in some leaves, and not so deep in others, of a whitish green colour, smelling somewhat strongly; among which ariseth up a round crested hairy stalk, two or three feet high, with a few joints and leaves thereon, and branched at the top, where stand large umbels of white, and sometimes reddish, slowers, and, after them, slat, whitish, thin, winged feed, two always joined together. The root is long and white, with two or three long strings growing down into the ground, smelling likewise strong and unpleasant.

PLACE. It groweth in moift meadows, the borders and corners of fields, and near ditches, generally throughout the kingdom.

TIME. It flowereth in July, and feeds in August.

GOVERNMENT AND VIRTUES. Mercury hath the dominion over them. The feed hereof, as Galen faith, is of a sharp and cutting quality, and is therefore a fit medicine for the cough and shortness of breath, the falling sickness, and the jaundice. The root is available to all the purposes aforesaid, and is also of great use to take away the hard skin that groweth on a sistua, by scraping it upon the part. The seed hereof, being drunk, cleanfeth the belly from tough phlegmatic matter;

it easeth those that are liver-grown, and passions of the mother, either being drunk or the sinoke thereof inhaled by fumigation; it raiseth such as have fallen into a deep sleep or lethargy, by burning it under their nose. The seed and root, being boiled in oil, and the head rubbed therewith, helpeth not only those labouring under a phrenzy, but also the lethargy or drowfy evil, and those that have been long troubled, when mixed with rue. It also helpeth the running scab and the shingles. The juice of the flowers, dropped into the ears that run and are full of matter, cleanseth and healeth them.

PEACH-TREE.

DESCRIPTION. THE peach-tree does not grow fo large as the apricot-tree, yet it hath tolerably wide-fpreading branches, from whence fpring smaller reddish twigs, whereon are set long and narrow green leaves, dented about the edges. The blosfoms are larger than the plum, and of a light purple colour. The fruit is round, and sometimes as big as a middle-fized pippin; others are smaller, and differing in colour and taste, as russet, or yellow, watery, or firm, with a freize or cotton all over, a cleft therein like an apricot, and a rugged surrowed great stone within it, which contains a bitter kernel. It sooner waxeth old and decayeth than the apricot-tree.

PLACE. They are nurfed up in gardens and orchards.

TIME. They flower in the spring, and fructify in autumn.

GOVERNMENT AND VIRTUES. Venus owns this tree, and by it opposeth the ill effects of Mars. Nothing is better to purge choler and the jaundice in children and young people, than the leaves of this tree made into a syrup or conserve, of which two spoonfuls at a time may safely be taken. The leaves of peaches, bruised and laid on the belly, kill worms; and so they do also, if boiled in ale and drunk; they likewise open the belly; and, being dried, are a safe medicine to discuss humours. The powder of them, strewed upon fresh bleeding wounds, stayeth their bleeding, and closeth them up. The flowers, steeped all night in a little warm wine strained forth in the morning, and drunk safting, do gently open the belly. A syrup made of them, as the syrup of roses is made, operates more forcibly than that of roses, as it provoketh vomiting, and discusseth watery and hydropic humours by the continuance thereof. The slowers made into a conserve produce the same effect. The liquor, which drops from the tree on its being wounded, is given in the decoction of colts-soot to those that are troubled with the cough or shortness of

No. 19, breath;

breath; by adding thereto some sweet wine, and putting also some saffron therein, it is good for those that are hoarse, or have lost their voice; it helpeth all desects of the lungs, and those that vomit or spit blood. Two drachins thereof given in the juice of lemons, or of raddiffies, are good for those that are troubled with the stone. The kernels of the stones do wonderfully ease the pains and wringings of the belly, occasioned by wind or sharp humours; and make an excellent medicine for the stone, when done up in the following manner: Take fifty kernels of peach-stones, and one hundred of the kernels of cherry-stones, a handful of elder-flowers, fresh or dried, and three pints of muscadel; set them in a close pot into a bed of horsedung for ten days; after which distil it in a glass, with a gentle fire, and keep it for use; three or sour ounces of it may be drunk at a time. The milk or cream of these kernels being drawn forth with some vervain water, and applied to the forehead and temples, procures rest and sleep to fick persons who cannot otherwise get By rubbing the temples with the oil drawn from the kernels, the same effect is produced. The faid oil, put into clyfters, or anointing the lower part of the belly, eafeth the pain of the windy cholic, and, when dropped into the ears, relieveth pain in them; the juice of the leaves bath the like virtue; and, by rubbing the forehead and temples, it helpeth the megrim and all other pains in the head. If the kernels be bruifed and boiled in vinegar, until they become thick, and applied to the head, it causeth the hair to grow upon bald places, or where it is too thin.

PEAR-TREES.

PEAR-TREES are fo well known, that they need no description.

Government and Virtues. This tree belongs to Venus, as well as the appletree. For their phyfical use, they are best discerned by their taste. All the sweet or luscious sorts, whether manured or wild, tend to open the belly more or less; those, on the contrary, that are sour and harsh, have an astringent quality; the leaves of each possess the same contrariety of properties. Those that are most are, in some degree, of a cooling nature; but the harsh or wild forts are much more so, and are frequently used as repelling medicines; if the wild forts be boiled with mushrooms, it maketh them the less dangerous. The said pears, boiled with a little honey, help much the oppression of the stomach, as indeed all forts of them do more or less; but the harsher kinds are most cooling and binding. They are very useful to bind up green wounds, stopping the blood and healing the wound without further trouble or instammation, as Galen saith he hath sound by experience.

Wild

Wild pears fooner close up the lips of the green wounds than the others.

Schola Salerni advifeth to drink much wine after eating of pears, otherwife, (it is faid,) they are as bad as poifon; but, if a poor man find his stomach oppressed by eating pears, it is but working hard, which will have the same effect as drinking wine.

PELLITORY OF SPAIN.

COMMON pellitory of Spain, if planted in gardens, thrives very well in this kingdom. There is a fort, growing wild in this country, which is very little, if at all, inferior to the other.

DESCRIPTION. Pellitory is a very common plant, yet must be diligently looked after to be brought to perfection. The root goes downright into the ground, bearing leaves long and finely cut upon the stalks, lying upon the ground, much larger than the leaves of camomile are; at the top it bears one single large flower at a place, having a border of many leaves, white on the upper side, and reddish underneath, with a yellow thrum in the middle, not standing so close as that of camomile.

The other common pellitory, which groweth here spontaneously, hath a root of a sharp biting taste, scarcely discernible by the taste from that before described, from whence arise divers brittle stalks, more than a yard high, with narrow long leaves, finely dented about the edges, standing one above another up to the top. The slowers are many and white, standing in tusts like those of yarrow, with a small yellowish thrum in the middle. The feed is very small.

PLACE. The last groweth in fields, by the hedge-fides, and paths, almost every where in Britain.

TIME. It flowereth at the end of June, and in July.

Government and Virtues. It is under the government of Mercury, and is one of the best purgers of the brain that grows. An ounce of the juice taken in a draught of muscadel, an hour before the fit of the ague comes, will affuredly drive away the ague, at the second or third time of taking it at furthest. Either the herb or root dried and chewed in the mouth, purgeth the brain of phlegmatic humours, thereby not only easing pains in the head and teeth, but also hindering the distilling of the brain upon the lungs and eyes, thereby preventing coughs, phthisics, and consumptions, the apoplexy, and salling sickness. It is an excellent approved remedy in the lethargy. The powder of the herb or root, being snuffed up the nostrils, procureth sneezing, and easeth the head-ach. Being made into an ointment with hog's lard, it takes away black and blue spots occasioned by blows or falls, and helps both the gout and sciatica.

PELLITORY OF THE WALL.

Description. It riseth up with many brownish, red, tender, weak, clear, and almost transparent, stalks, about two feet high, upon which grow at the several joints two leaves somewhat broad and long, of a dark-green colour, which asterwards turn brownish, smooth on the edges, but rough and hairy, as the stalks are also. At the joints with the leaves, from the middle of the stalk upwards, where it spreadeth into some branches, stand many small, pale, purplish, slowers, in hairy rough heads or husks, after which comes small, black, and rough seed, which sticks to any cloth or garment it may chance to touch. The root is somewhat long, with many small sibres thereat, of a dark reddish colour, which abideth the winter, although the stalks and leaves perish, and spring afresh every year.

PLACE. It generally groweth wild, in most parts of the kingdom, about the borders of fields, by the sides of walls, and among rubbish. It prospereth well when brought up in gardens, and, if once planted on the shady side, it will afterwards spring up of its own sowing.

TIME. It flowereth in June and July, and the feed is ripe foon after.

GOVERNMENT AND VIRTUES. It is under the dominion of Mercury. The dried herb pellitory made up into an electuary with honey, or the juice of the herb, or the decoction thereof made up with fugar or honey, is a fingular remedy for an old or dry cough, shortness of breath, and wheesing in the throat. Three ounces of the juice thereof, taken at a time, greatly help the stoppage of urine, and expel the stone or gravel in the kidneys or bladder, and are therefore usually put among other herbs used in clysters to mitigate pains in the back, sides, or bowels, proceeding from wind, stoppage of urine, the gravel, or stone, as aforesaid. If the bruised herb, fprinkled with fome muscadine, be warmed upon a tile, or in a dish, upon a few quick coals in a chafing-dish, and applied to the belly, it hath the same effect. The decoction of the herb, being drunk, easeth pains of the mother, and forwards the menses; it also easeth such complaints as arise from obstructions of the liver, fpleen, and reins. The same decoction, with a little honey added thereto, is good to gargle a fore throat. The juice if held a while in the mouth, easeth pains in the teeth. The distilled water of the herb, drunk with some sugar, produceth the fame effect; it also cleanfeth the skin from spots, freckles, purples, wheals, sunburn, morphew, &c. The juice, dropped into the ears, eafeth the noise thereof, and taketh away the pricking and shooting pains therein. The same, or the distilled

water.





water, affuageth hot and fwelling imposshumes, burnings and scaldings by fire or water; also hot tumours and inflammations, or breakings out, &c. The said juice made into a liniment, with ceruse and oil of roses, cleanseth rotten ulcers, and stops the running fores in children's heads, and prevents the hair from coming off; it is likewise of great service to persons afflicted with the piles, as it immediately easeth their pain, and, being mixed with goat's tallow, relieveth the gout. The juice, or herb itself, bruised, with a little salt, is very effectual to cleanse sifullas and to heal them up safely; it is also of great benefit to any green wound. A poultice made hereof with mallows, and boiled in wine, mixed with wheat, bran, bean-slowers, and some oil, being applied warm to any bruised sinew, tendon, or muscle, doth, in a very short time, restore it to its original strength.

The juice of pellitory of the wall, clarified and boiled into a fyrup with honey, and a fpoonful of it drunk every morning, is very good for the dropfy.

PENNYROYAL MENTHA.

DESCRIPTION. THE common pennyroyal is fo well known, that it needeth no description.

There is another kind of pennyroyal, fuperior to the above, which differeth only in the largeness of the leaves and stalks; in rising higher, and not drooping upon the ground so much. The flowers of which are purple, growing in rundles about the stalk like the other.

PLACE. The first, which is common in gardens, groweth also in many moist and watery places in this kingdom. The second is found wild in Essex, and divers places on the road from London to Colchester, and parts adjacent.

TIME. They flower in the latter end of fummer.

Government and Virtues. This herb is under Venus. Dioscorides faith, That pennyroyal maketh tough phlegm thin, warmeth the coldness of any part that it is applied to, and digesteth raw and corrupt matter: being boiled and drunk, it moveth the courses, and expelleth the dead child and after-birth; being mixed with honey and salt, it voideth phlegm out of the lungs. Drunk with wine, it is of singular service to those who are stung or bit by any venomous beast; applied to the nostrils, with vinegar, it is very reviving to persons fainting and swooning; being dried and burnt, it strengtheneth the gums, and is helpful to those that are troubled with the gout; being applied as a plaster, it taketh away carbuncles and blotches from the face; applied with salt, it helpeth those that are splenetic, or liver-grown. The de-

No. 20. 4 E coction

coction doth help the itch, if washed therewith; being put into baths for women to fit therein, it helpeth the fwelling and hardness of the mother. The green herb bruifed, and put into vinegar, cleanfeth foul ulcers, and taketh away the marks of bruifes and blows about the eyes, and all discolouring of the face by fire, and the leprofy, being drunk and outwardly applied; boiled in wine, with honey and falt, it helpeth the tooth-ach. It helpeth the cold griefs of the joints, taking away the pains and warming the cold parts, being fast bound to the place after bathing or fweating. Pliny addeth, that pennyroyal and mint together help faintings or fwoonings, infufed in vinegar, and put to the noftrils, or a little thereof put into the mouth. It eafeth the head-ach, and the pains of the breaft and belly, ftayeth the gnawing of the ftomach, and inward pains of the bowels; being drunk with wine, it provoketh the courses, and expelleth the dead child and after-birth; it helpeth the falling-ficknefs: put into unwholefome or ftinking water that men muft drink, as at fea, and where other cannot be had, it maketh it less hurtful. It helpeth cramps or convultions of the finews, being applied with honey, falt, and vinegar. It is very effectual for a cough, being boiled in milk and drunk, and for ulcers and fores in the mouth. Mathiolus faith, the decoction thereof, being drunk, helpeth the jaundice, and all pains of the head and finews that come of a cold cause; and that it helpeth to clear and quicken the eye-fight, Applied to the noftrils of those that have the falling-fickness, or the lethargy, or put into the mouth, it helpeth them much, being bruifed in vinegar, and applied. Mixed with barley meal, it helpeth burnings, and, put into the ears, eafeth the pains of them.

PEONY, MALE AND FEMALE. PÆONIA.

Description. THE male peony rifeth up with many brownish stalks, whereon grow a great number of fair green, and sometimes reddish, leaves, each of which is set against another upon a stalk without any particular division in the leas. The slowers stand at the tops of the stalks, consisting of sive or six broad leaves of a fair purplish-red colour, with many yellow threads in the middle, standing about the head, which after riseth to be the seed-vessel, divided into two, three, or sour, rough crooked pods like horns, which, being sull ripe, open and turn themselves down one edge to another backward, showing within them divers round, black, shining, seed, having also many red or crimson grains intermixed with the black, whereby it maketh a very pretty show. The roots are thick and long, spreading and running down deep into the ground,

The

The ordinary female peony hath many stalks, and more leaves than the male; the leaves not so large, but nicked on the edges, some with great and deep, others with smaller, cuts and divisions, of a dark or dead green colour. The flowers are of a strong heady scent, most usually smaller, and of a more purple colour than the male, with yellow thrums about the head as the male hath. The feed-vessels are like horns as in the male, but smaller; the feed is black, but less shining. The roots consist of many thick and short tuberous clogs, fastened at the ends of long strings, and all from the head of the root, which is thick and short, and of the like scent with the male.

PLACE AND TIME. They grow in gardens, and flower usually about May. GOVERNMENT AND VIRTUES. It is an herb of the Sun, and under the Lion. Physicians fay, male peony roots are best; but male peony is best for men, and female peony for women. The roots are held to be of most virtue; then the feeds; next the flowers; and, last of all, the leaves. The root of the male peony, fresh gathered, hath been found by experience to cure the falling fickness; but the furest way is (befides hanging it about the neck, by which children have been cured) to take the root of the male peony washed clean and stamped somewhat small, and infuse it in fack for twenty-four hours at least; afterwards strain it, and take, morning and evening, a good draught for fundry days together before and after a full moon; and this will also cure older persons, if the disease be not inveterate and past cure, especially if there be a due and orderly preparation of the body, with possetdrink made of betony, &c. The root is also effectual for women that are not fufficiently cleanfed after childbirth, and fuch as are troubled with the mother; for which likewise the black feed, beaten to powder and given in wine, is available. The black feed also, taken before bed-time and in the morning, is very effectual for fuch as in their fleep are troubled with the difease called ephialtes or incubus, but we do commonly call it the night-mare, a difeafe which melancholy perfons are fubject unto: it is also good against melancholy dreams. The distilled water, or syrup made of the flowers, worketh the fame effects that the root and the feed do, although more weakly. The female is often used for the purpose aforesaid, by reason the male is fo fcarce.

PEPPER-WORT, OR DITTANDER. LEPIDIUM.

DESCRIPTION. THE common pepper-wort fendeth forth fomewhat long and broad leaves, of a light bluifh-green colour, finely dented about the edges, and pointed at the ends, ftanding upon round hard ftalks, three or four feet high, fpreading

many branches on all fides, and having many fmall white flowers at the tops of them, after which follow small feed in small heads. The root is slender, running much under ground, and shooting up again in many places; and both leaves and roots are very hot and sharp of taste, like pepper, for which cause it took the name.

PLACE. It groweth naturally in many parts of the kingdom, as at Clare in Effex; also near unto Exeter, Devonshire; upon Rochester Common, Kent; Lancashire, and divers other places; but is usually kept in gardens.

TIME. It flowereth in the end of June, and in July.

GOVERNMENT AND VIRTUES. This herb is under the direction of Mars. Pliny and Paulus Æginetus fay, that pepper-wort is very effectual for the sciatica, or any other gout, pain in the joints, or any other inveterate grief; the leaves to be bruifed and mixed with old hog's-lard, and applied to the place, and to continue thereon four hours in men, and two hours in women, the place being afterwards bathed with wine and oil mixed together, and then wrapped with wool or fkins after they have sweat a little; it also amendeth the deformities or discolourings of the fkin, and helpeth to take away marks, fcars, and fcabs, or the foul marks of burning with fire or iron. The juice hereof is in some places used to be given in ale to women with child, to procure them a fpeedy delivery.

PERIWINKLE. VINCA.

DESCRIPTION. THE common fort hath many branches running upon the ground, shooting out small fibres at the joints as it runneth, taking thereby hold in the ground, and rooteth in divers places; at the joints of these branches stand two fmall dark-green fhining leaves, fomewhat like bay-leaves, but fmaller, and with them come forth also flowers, one at a joint, standing upon a tender sootstalk, being fomewhat long and hollow, parted at the brims fometimes into four, fometimes into five, leaves; the most ordinary fort are of a pale blue colour, some are pure white. and some of a dark reddish purple colour. The root is a little bigger than a rush, bushing in the ground, and creeping with its Lanches, and is most usually planted under hedges, where it may have room to grow.

PLACE. Those with the pale blue and those with the white flowers grow in woods and orchards by the hedge-fides in divers places of this land, but those with the purple flowers in gardens only.

TIME. They flower in March and April,

GOVERNMENT AND VIRTUES. Venus owns this herb, and faith that the leaves, eaten by man and wife together, cause love between them. The periwinkle is a great binder. binder, ftaying bleeding both at mouth and nofe, if some of the leaves be chewed; the French use it to stay women's courses. Dioscorides, Galen, and Æginetus, commend it against the lask, and sluxes of the belly, to be drunk in wine.

ST. PETER'S WORT. ASCYRUM.

DESCRIPTION. IT rifeth up with square upright stalks for the most part, somewhat greater and higher than St. John's wort, but brown in the same manner, having two leaves at every joint, somewhat like, but larger than, St. John's wort; and a little rounder pointed, with sew or no holes to be seen therein, and having sometimes some smaller leaves rising from the bosom of the greater, and sometimes a little hairy also. At the tops of the stalks stand many star-like slowers, with yellow threads in the middle, very like those of St. John's wort, insomuch that this is hardly to be discerned from it, but only by the largeness and height, the seed being alike in both. The root abideth long, sending forth new shoots every year.

PLACE. It groweth in many groves and small low woods, in divers places of this land, as in Kent, Huntingdonshire, Cambridgeshire, and Northamptonshire; as also near water-courses in other places.

TIME. It flowereth in June and July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. It is of the fame property with St. John's wort, but fomewhat weak, and therefore more feldom used. Two drams of the feed taken at a time, in honeyed water, purge choleric humours, as faith Dioscorides, Pliny, and Galen, and thereby help those that are troubled with the sciatica. The leaves are used, as St. John's wort, to help those places of the body that have been burnt with fire.

PIMPERNEL. ANAGALLIS.

DESCRIPTION. COMMON pimpernel hath many weak fquare stalks lying on the ground, beset all along with two small and almost round leaves at every joint one against anther, very like chickweed; but hath no footstalks, for the leaves as it were compass the stalk: the slowers stand singly, consisting of sive round small pointed leaves of a fine pale red colour, with so many threads in the middle, in whose place succeed smooth round heads, wherein is contained small seed. The root is small and sibrous, perishing every year.

PLACE. It groweth every where almost, as well in the meadows and cornfields as by the way-fides, and in gardens, arising of itself.

No. 20, 4 F

Time. It flowereth from May to August, and the seed ripeneth in the mean time and falleth.

GOVERNMENT AND VIRTUES. It is a folar herb. This is of a cleaning and attractive quality, whereby it draweth forth thorns or fplinters, or other fuch-like things, from the flesh, and, put up into the nostrils, purgeth the head; and Galen faith alfo, they have a drying faculty, whereby they are good to close the lips of wounds, and to cleanfe foul ulcers. The diffilled water or juice is much efteemed by the French to cleanfe the fkin from any roughness, deformity, or discolouring, thereof: being boiled in wine, and given to drink, it is a good remedy against the plague and other peftilential fevers, if the party, after taking it, lie warm in bed and fweat for two hours after, and use the same twice at least. It helpeth also all ftingings and bitings of venomous beafts or mad dogs, being used inwardly, and applied outwardly; it also openeth the obstructions of the liver, and is very available against the infirmities of the reins; it provoketh urine, and helpeth to expel the ftone and gravel out of the kidneys and bladder, and helpeth much in all inward wounds and ulcers. The decoction, or diffilled water, is no less effectual to be applied to all wounds that are fresh and green, or old filthy fretting and running ulcers, which it very effectually cureth in a fhort space. A little honey mixed with the juice, and dropped into the eyes, cleanfeth them from cloudy mifts, or thick films which grow over them, and hinder the fight. It helpeth the tooth-ach, being dropped into the ear on the contrary fide of the pain. It is also effectual to ease the pains of the hemorrhoids or piles.

GROUND-PINE. TEUCRIUM.

Description. THE common ground-pine groweth low, feldom above a hand's-breadth high, fhooting forth divers finall branches, fet with flender finall long narrow greyish or whitish leaves, somewhat hairy, and divided into three parts, many times bushing together at a joint, and sometimes some grow in scatteredly upon the stalks, sinelling somewhat strong like unto rosin; the slowers are somewhat sinall, and of a pale yellow colour, growing from the joints of the stalks all along among the leaves, after which come sinall and round husks: the root is sinall and woody, perishing every year.

PLACE. It groweth more plentifully in Kent than in any other county of this land; as also in many places from on this side of Dartford, along to Rochester, and upon Chatham down.

TIME. It flowereth and giveth feed in the fummer months.

GOVERNMENT

GOVERNMENT AND VIRTUES. Mars owns this herb. The decoction of ground-pine, drunk, doth wonderfully prevail against the stranguary, or any inward pains arising from the diseases of the reins and urine, and is good for all obftructions of the liver and fpleen, and gently openeth the body, for which purpose they were wont in former times to make pills with the powder thereof and the purple figs. It helpeth the difeases of the mother, used inwardly or applied outwardly, procuring the courfes, and expelling the dead child and after-birth. It acts to powerfully, that it is utterly forbidden for women with child, in that it will cause abortion, or delivery before the time: it is effectual also in all pains and diseafes of the joints, as gouts, cramps, palfies, ficiatica, and achs; either the decoction of the herb in wine, taken inwardly or applied outwardly, or both, for fome time together; for which purpose the pills, made with the powder of ground-pine, and of hermodactils, with Venice turpentine, are very effectual. These pills also are good for the dropfy, to be continued for fome time. The fame is a good help for the jaundice, and for griping pains in the joints, belly, or inward parts; it helpeth also all diseases of the brain, proceeding of cold and phlegmatic humours and diffillations, as also the falling-fickness. It is an especial remedy for the poison of the aconites of all forts, and other poisonous herbs, as also against the stinging of any venomous creature. It is a good remedy for a cold cough, especially in the beginning. For all the purposes aforesaid, the herb, being tunned up in new drink and drunk, is almost as effectual, but far more acceptable to weak and dainty stomachs. The diffilled water of the herb hath the same effects, but in a smaller degree. The conferve of the flowers doth the like, which Mathiolus much commendeth àgainstthe palfy. The green herb, or the decoction thereof, being applied, diffolveth the hardness of women's breasts, and all other hard swellings in any other part of the body. The green herb alfo, applied, or the juice thereof with fome honey, not only cleanfeth putrid, ftinking, foul, and malignant, ulcers and fores of all forts, but healeth up the lips of green wounds in any part also.

PL'ANTAIN. PLANTAGO.

THIS groweth fo familiarly in meadows and fields, and by pathways, and is fo well known, that it needeth no description.

TIME. It is in its beauty about June, and the feed ripeneth fhortly after.

GOVERNMENT AND VIRTUES. It is under the command of Venus, and cures the head by antipathy to Mars, and the privities by fympathy to Venus; neither is there hardly a martial difeafe but it cures. The juice of plantain, clarified, and drunk for divers days together, either by itself or in other drink, prevaileth wonderfully against

against all torments or excoriations in the bowels, helpeth the distillations of rheum from the head, and ftayeth all manner of fluxes, even women's courses when they flow too abundantly. It is good to ftay spitting of blood, and other bleeding at the mouth, or the making of foul or bloody water by reason of any ulcer in the reins or bladder; and also stayeth the too free bleeding of wounds. It is held an especial remedy for those that are troubled with the phthysic, or consumption of the lungs, or ulcers in the lungs, or coughs that come of heat. The decoction or powder of the roots or feed is much more binding for all the purposes aforefaid than the leaves. Diofcorides faith, that the root boiled in wine helpeth the tertian and quartan ague. The herb, but especially the feed, is held to be profitable against the dropfy, the falling-fickness, the yellow jaundice, and stoppings of the liver and reins. The roots of plantain and pellitory of Spain beaten to powder, and put into hollow teeth, take away the pains of them: the clarified juice or diffilled water dropped into the eyes cooleth the inflammations in them, and taketh away the pin and web; and, dropped into the ears, eafeth pains in them, and helpeth and reftoreth the hearing: the fame alfo, with juice of houseleek, is profitable against all inflammations and breakingsout of the skin, and against burnings and scaldings by fire or water. decoction, made either of itself or with other things of like nature, is of much use and effect for old and hollow ulcers that are hard to be cured, and for cancers and fores in the mouth or privy parts; and helpeth also the piles. The juice mixed with oil of rofes, and the temples and forehead anointed therewith, eafeth the pains of the head proceeding from heat, and helpeth lunatic and phrenetic persons very much: as also the biting of serpents or a mad dog; the same also is profitably applied to all hot gouts in the feet or hands, especially in the beginning. It is also good to be applied where any bone is out of joint, to hinder inflammation, fwellings, and pains, that prefently rife thereupon. The powder of the dried leaves, taken in drink, killeth worms of the belly, and, boiled in wine, killeth worms that breed in old and foul ulcers. One part of plantain water, and two parts of the brine of powdered beef, boiled together and clarified, is a most fure remedy to heal all spreading scabs and itch in the head or body, all manner of tetters, ringworms, the shingles, and all other running and fretting fores. Briefly, the plantains are fingular good wound-herbs, to heal fresh or old wounds or fores, either inward or outward.

P L U M S. PRUNUS.

THESE are fo well known, that they need no description.

GOVERNMENT AND VIRTUES. All plums are under Venus: those that are sweet moisten the stomach, and make the belly soluble; those that are sour quench thirst

more, and bind the belly; the moift and waterifh fooner corrupt in the ftomach than the firm, which are more nourifhing and less offensive. The dried fruit, fold by the grocers under the name of damask prunes, do somewhat loosen the belly, and, being stewed, are often used, both in health and sickness, to procure appetite, and gently open the belly, allay choler, and cool the stomach. The juice of plum-tree leaves, boiled in wine, is good to wash and gargle the mouth and throat, to dry the flux of rheum coming to the palate, gums, or almonds of the ears. The gum of the tree is good to break the stone. The gum, or leaves, boiled in vinegar, and applied, will kill tetters and ringworms. Mathiolus saith, the oil pressed out of the stones, as oil of almonds is made, is good against the instance piles, the tumours or swellings of ulcers, hoarseness of the voice, roughness of the tongue and throat, and likewise pains in the ears. Five ounces of the said oil, taken with one ounce of muscadine, will expel the stone, and help the cholic.

POLYPODY OF THE OAK. POLYPODIUM.

Description. This is a fmall herb, confifting of nothing but roots and leaves, bearing neither stalk, slower, nor feed, as it is thought. It has three or four leaves rising from the root, every one singly by itself, of about a hand's-length, which are winged, consisting of many small narrow leaves, cut into the middle rib, standing on each side of the stalk, large below, and smaller up to the top, not dented or notched on the edges at all like the male fern; of a sad green colour, and smooth on the upper side, but on the under side somewhat rough, by reason of some yellowish spots thereon. The root is smaller than one's little singer, lying sloping, or creeping along under the upper crust of the earth, brownish on the outside, greenish within, of a sweet hardness in taste, set with certain rough knobs on each side thereof, having also much moss or yellow hair upon it, and some sibres underneath, whereby it is nourished.

PLACE. It groweth as well upon old rotten fumps or trunks of trees, as oak, beech, hazel, willow, or any other, as in the woods under them, and upon old mud walls; also in mosly, stony, and gravelly, places, near unto the woods. That which grows upon oak is accounted the best, but the quantity thereof is scarcely sufficient for common use.

TIME. Being always green, it may be gathered for use at any time.

GOVERNMENT AND VIRTUES. It is an herb of Saturn. Polypodium of the oak is deareft; but that which grows upon the ground is beft to purge melancholy; if the humour proceed from other causes, chuse your polypodium accordingly.

No. 20. 4 G Mefue

298 CULPEPER'S ENGLISH PHYSICIAN.

Mefue faith, that it drieth up thin humours, digefteth thick and tough, and purgeth burnt, choler, and especially thick and tough phlegm, and thin phlegm alfo, even from the joints; and is therefore good for those that are troubled with melancholy, or quartan agues, especially if it be taken in whey or honeyed water. in barley water, or the broth of a chicken, with epythimum, or with beets and mallows. It is also good for the hardness of the spleen, and for prickings or stitches in the fides, as also for the cholic; some chuse to put to it some fennel, aniseseed, or ginger, to correct the loathing it caufeth in the ftomach, which is not at all neceffary, it being a fafe and gentle medicine, fit for all perfons at all feafons, which daily experience confirmeth; and an ounce of it may be given at a time in a decoction, if there be not fena or fome other firong purger mixed with it. A dram or two of the powder of the dried roots, taken fasting in a cup of honeyed water, worketh gently, and for the purposes aforefaid. The distilled water, both from the roots and leaves, is much commended for the quartan ague, if taken for feveral days together; as also against melancholy, or fearful or troublesome sleeps or dreams; and with fome fugar-candy diffolved therein, is good against the cough, shortness of breath, and wheelings, and those distillations of thin rheum upon the lungs which cause phthisics, and oftentimes confumptions. The fresh roots beaten fmall, or the powder of the dried roots mixed with honey, and applied to any of the limbs out of joint, doth much help them. Applied to the nose, it cureth the difease called polypus, which is a piece of fungous flesh growing therein, which in time stoppeth the passage of breath through that nostril; and it helpeth those clefts or chops that come between the fingers or toes.

POPLAR-TREE. POPULUS.

DESCRIPTION. THERE are two forts of poplars which are very familiar with us, viz. the white and the black: the white fort groweth large, and tolerably high, covered with a fmooth, thick, white, bark, especially the branches, having large leaves cut into several divisions, almost like a vine-leaf, but not of so deep a green on the upper side, and hoary white underneath, of a good scent, the whole representing the form of colt's foot. The catkins, which it bringeth forth before the leaves, are long, of a faint reddish colour, which fall away, and but seldom bear good seed with them. The wood hereof is smooth, soft, and white, and very finely waved, wherefore it is much esteemed.

The black poplar groweth higher and firaighter than the white, with a greyish bark, bearing broad and green leaves somewhat like ivy-leaves, not cut in on the edges

like the white, but whole and dented, ending in a point, and not white underneath, hanging by flender long footftalks, which with the air are continually flaken as afpen-leaves are. The catkins hereof are greater than of the white, composed of many round green berries, as it were set together in a long cluster, containing much downy matter, which, on being ripe, is blown away with the wind. The clammy buds hereof, before they are spread into leaves, are gathered to make the unguentum populeon, and are of a yellowish-green colour, and small, somewhat sweet, but strong. The wood is smooth, tough, and white, and easy to be cloven. On both these trees groweth a sweet kind of musk, which formerly used to be put into sweet ointments.

PLACE. They grow in moift woods, and by the water-fide, in all parts of the kingdom; but the white fort is not fo frequently to be met with as the other.

TIME. They are in leaf at the end of fummer, but the catkins come before the leaves as above-mentioned.

GOVERNMENT AND VIRTUES. Saturn hath dominion over both. The white poplar, faith Galen, possesses a cleansing property: one ounce in powder of the bark thereof being drunk, faith Diofcorides, is a remedy for those that are troubled with the fciatica, or the ftranguary. The juice of the leaves, dropped warm into the ears, easeth the pains thereof. The young clammy buds, or eyes, before they break out into leaves, bruifed, and a little honey put to them, are a good medicine for a dull fight. The black poplar is held to be more cooling than the white, and therefore the leaves bruifed with vinegar, and applied, help the gout. The feed, drunk in vinegar, is held good against the falling sickness. The water, that droppeth from the hollow places of this tree, taketh away warts, pushes, wheals, and other out-breakings in the body. The young black poplar buds, faith Mathiolus, are much used by women to beautify their hair, bruifing them with fresh butter, and ftraining them after they have been kept for some time in the sun. The ointment called populeon, which is made of this poplar, is fingularly good for all heat and inflammation in any part of the body, and tempereth the heat of wounds. It is much used to dry up the milk in women's breafts, when they have weaned their children.

POPPY. PAPAVER.

OF these there are three kinds, viz. the white and black of the garden, and the erratic wild poppy, or corn-rose.

DESCRIPTION. The white poppy hath at first four or five whitish-green leaves lying upon the ground, which rise with the stalk, compassing it at the bottom of them,

them, and are very large, much cut or torn in on the edges, and dented also. The stalk, which is usually four or five feet high, hath sometimes no branches at the top, and usually but two or three at most, bearing but one head, each wrapped in a thin skin, which boweth down before it be ready to blow, and then, rising and being broken, the flower within it spreadeth itself open, and consistent of four very large round white leaves, with many whitish round threads in the middle, set about a small round green head, having a crown, or star-like cover, at the head thereof, which, growing ripe, becometh as large as a great apple, wherein are contained a great number of small round seed, in several partitions or divisions next unto the shell, the middle thereof remaining hollow and empty. All the whole plant, leaves, stalks, and heads, while they are fresh, young, and green, yield a milk, when they are broken, of an unpleasant bitter taste, almost ready to provoke puking, and of a strong heady smell, which, being condensed, is called opium. The root is white and woody, perishing as soon as it hath given ripe feed.

The black poppy differeth but little from the former, until it beareth its flower, which is fomewhat lefs, and of a black purplish colour, but without any purple spots in the bottom of the leaf. The head of the seed is much less than the former, and openeth itself a little round about the top, under the crown, so that the seed, which is very black, will fall out, if the head is turned downwards.

The wild poppy, or corn-rose, hath long and narrow leaves, very much cut in on the edges into many divisions, of a light green colour, and sometimes hairy withal. The stalk is blackish and hairy also, but not so tall as the garden kinds, having some such like leaves thereon as grow below, parted into three or four branches sometimes, whereon grow small hairy heads, bowing down before the skin breaks wherein the flower is inclosed, which, when it is sull blown, is of a fair yellowish red or crimson colour, and in some much paler, without any spot in the bottom of the leaves, having many black soft spots in the middle, compassing a small green head, which, when it is ripe, is no larger than one's little singer end, wherein is contained much black seed, smaller by half than that of the garden. The root perisheth every year, and springeth again of its own sowing. Of this kind there is one smaller in all the parts thereof, but differing in nothing else.

PLACE. The garden kinds do not naturally grow wild in any place, but are all fown in gardens, where they grow. The wild poppy or corn-rofe is plentiful enough, and many times too much fo, in the corn-fields in all parts of the kingdom, as also upon the banks of ditches and by hedge-fides. The smaller wild kind is also to be met with in those places, though not so I lentifully as the former.

TIME.

Time. The garden kinds are usually fown in the spring, which then flower about the end of May, and somewhat earlier, if they are of their own sowing. The wild kinds usually flower from May until July, and the feed of them is ripe soon after their flowering.

GOVERNMENT AND VIRTUES. The herb is lunar, and the juice of it is made The garden poppy heads, with the feed, made into a fyrup, are frequently, and to good effect, used to procure rest and sleep to the fick and weak, and to ftay catarrhs and defluxions, or hot thin rheums from the head into the ftomach. and upon the lungs, caufing a continual cough, the forerunner of a confumption; it helpeth also hoarseness of the throat, and when a person hath lost the power of articulation; for all which complaints the oil of the feed is also a good remedy. The black feed, boiled in wine and drunk, is also faid to stay the flux of the belly, and the menfes. The empty shells of the poppy-heads are usually boiled in water, and given to procure fleep; the leaves likewife, when fo boiled, poffefs the same virtue. If the head and temples be bathed with the decoction warm, the oil of poppies, the green leaves or heads bruifed and applied with a little vinegar, or made into a poultice with barley-meal, or hog's greafe, it cooleth and tempereth all inflammations, as also the disease called St. Anthony's fire. It is generally used in treacle and mithridate, and in all other medicines that are used to procure reft and fleep, and to eafe pains in the head, as well as in other parts. It is also used to cool inflammations, agues, or phrensies, and to stay defluxions which cause a cough or confumption, and also other fluxes of the belly: it is frequently put into hollow teeth to ease the pain thereof; and hath been found by experience to help gouty pains...

The wild poppy, or corn-rofe, Mathiolus faith, is good to prevent the falling fickness. The fyrup made with the flowers is given with good effect to those that have the pleurity; and the dried flowers also, either boiled in water or made into powder and drunk, either in the diffilled water of them, or in some other drink, work the like effect. The diffilled water of the flowers is held to be of much good use against surfeits, being drunk evening and morning; it is also more cooling than any of the other poppies, and therefore cannot but be as effectual in hot agues, phrensies, and other inflammations, whether external or internal, the fyrup or water to be used inwardly, and the green leaves outwardly, either in an ointment or in any other convenient manner in which it can be applied. Galen faith, the seed is dangerous to be used inwardly.

No. 20. 4 H. PURSLAIN.

PURSLAIN. PORTULACA.

GARDEN purflain, being used as a fallad-herb, is so well known, that it needs no description.

GOVERNMENT AND VIRTUES. This is an herb of the Moon. It is good to cool any heat in the liver, blood, reins, and ftomach, and in hot agues nothing better can be administered; it stayeth hot and choleric fluxes of the belly, the menfes, fluor albus, gonorrhea, and running of the reins; also distillations from the head, and pains therein proceeding from heat, want of fleep, or the phrenfy. The feed is more effectual than the herb, and is fingularly ufeful in cooling the heat and sharpness of the urine, lust, venereous dreams, and the like, infomuch that the over-frequent use of it extinguisheth the heat and virtue of natural procreation. The feed, bruifed and boiled in wine, and given to children, expelleth worms. The juice of the herb is held equally effectual for all the purposes aforesaid; as also to Itay vomitings; taken with fome fugar or honey, it helpeth an old dry cough, shortness of breath, and the phthisic, and stayeth immoderate thirst. The distilled water of the herb is used by many, being more palatable, with a little fugar, to produce the fame effects. The juice also is good in ulcers and inflammations of the fecret parts, likewife of the bowels, and hemorrhoids when they are ulcerous, or have excoriations in them. The herb, bruifed, and applied to the forehead and temples, allayeth excessive heat therein, hindering rest and sleep; and, applied to the eyes, taketh away the redness and inflammation in them, and those other parts where pushes, wheals, pimples, St. Anthony's fire, and the like, break forth. especially if a little vinegar be put to it; and being applied to the neck, with equal quantities of galls and linfeed together, taketh away all pain therefrom, and what is termed the crick in the neck. The juice is also used with oil of roses for the above purpofes, for blafts by lightning, and burns by gunpowder, or for women's fore breafts. and to allay heat in all other fores or hurts. Applied also to the navels of children that are too prominent, it reduceth them. It is likewise good for fore mouths and gums that are fwelled, as well as to fasten loose teeth. Camerarius saith, that the diffilled water cured the tooth-ach when all other remedies failed; and that the thickened juice, made into pills with the powders of gum tragacanth and arabic, being taken, greatly relieveth those that make bloody water. Applied to the gout, it eafeth pains thereof, and helpeth hardness of the sinews, if not arising from the cramp or a cold cause. This herb, if placed under the tongue, assugeth thirst.

PRIMROSES.

PRIMROSES. PRIMULA.

THESE are so well known, that they need no description. Of the leaves of primrofes is made an excellent falve to heal green wounds.

PRIVET. LIGUSTRUM.

DESCRIPTION. THE common privet turns up with many siender branches to a tolerable height and breadth, and is frequently used in forming arbours, bowers, and banqueting-houses, and shaped sometimes into the forms of men, horses, birds, &c. which, though at first requiring support, grow afterwards strong enough of themselves. It beareth long and narrow green leaves by couples, and sweet smelling white flowers in tufts at the ends of the branches, which turn into small black berries that have purplish juice within them, and some feeds that are flat on the one fide, with a hole or dent therein.

PLACE. It groweth in divers woods in Great Britain.

TIME. The privet flowereth in June and July, and the berries are ripe in August and September.

GOVERNMENT AND VIRTUES. It is under the influence of the Moon, and is but little used in physic in these times, except in lotions to wash fores and fore mouths, and to cool inflammations and dry up fluxes; yet Mathiolus faith, it ferveth every purpose for which the cypress-tree, or oriental privet, is approved of by Dioscorides and Galen. He further faith, that the oil extracted from the flowers of privet by infusion, and set in the sun, is very serviceable in inflammatory wounds, and for the head-ach when arising from a hot cause. There is a fweet water also distilled from the flowers, which is good for all those diseases that require cooling and drying, and therefore helpeth all fluxes of the belly or ftomach, bloody fluxes, and women's courfes, being either drunk or otherwife applied; as also for those that void blood at their mouth or at any other place; likewife for diffillations of rheums in the eyes, especially if it be used with tutty.

POMECITRON-TREE. CITRUS MEDICA.

THERE are three kinds of pomecitrons. The tree is generally called malus medica, or citrus medica.

DESCRIPTION. 1. The great pomecitron-tree, or malus citria major. This tree doth not grow very high in fome places, but rather with a fhort crooked body, and

304 CULPEPER'S ENGLISH PHYSICIAN,

in others not much lower than the lemon-tree, fpreading out into fundry great long arms and branches; fet with long and fharp thorns, and fair, large, and broad, fresh-green leaves, a little dented about the edges, with a show of almost invisible holes in them, but less than the orange-leaves have; of a sweet scent; the slowers green at the leaves, all along the branches, being somewhat longer than those of the orange; made of five thick, whitish, purple, or bluish, leaves, with some threads in the middle, after which followeth fruit all the year, being seldom seen without ripe fruit, and half-ripe, and some young and green, and blossoms, all at once. This kind beareth great and large fruit, some the size of a musk-melon, others less, but all of them with a rugged, bunched-out, and uneven, yellow bark, thicker than in any of the other forts, with a four juice in the middle, and somewhat great, pale, whitish, or yellow, feed, with a bitter kernel lying in it; the smell of this fruit is very strong and comfortable to the senses.

2. The fmaller pomecitron tree, citria malus minor, five limonera; this tree groweth very like the former, but the leaves are fomewhat fmaller and fhorter, and fo are the thorns: the flowers are of a deep bluifli colour, and the fruit less and longer than they, but no longer than the finall fruit of the former; the rind is also thick and yellow, but not fo rugged, having more four juice and fewer feed.

3. Citriamalus, five limonera pregnans. This differs very little from the foregoing. PLACE AND TIME. All these forts of citrons are cultivated in Spain by the curious, but were transported thither from fundry places abroad. The great pomecitron was brought first from Media and Persia, and was therefore called Malum Medicum and Malum Persicum. The last was brought from the Fortunate Islands. They are continually in flower, and bear fruit throughout the year.

Government and Virtues. These are solar plants, yet they are of different qualities; all the parts of the fruit hereof, both the outer and inner rind, as well as the juice and seed, are of excellent use, though of contrary effects one to another; some being hot and dry, whilst others are cold and dry; the outer yellow rind is very sweet in smell, highly aromatic, and bitter in taste; and, dried, is a sovereign cordial for the heart, and an excellent antidote against venom and possion in cases of the plague or any other insection; it warmeth and comfortest a cold and windy stomach, and disperseth cold, raw, and undigested, humours therein, or in the bowels, and mightily expelleth wind. Being chewed in the mouth, it helpeth a stinking breath; it also helps digestion, and is good against melancholy. The outer rinds are often used in cordial electuaries, and preservatives against insection and melancholy. It also helpeth to loosen the body, and therefore there is a solutive electuary

made

made therewith, called electuarium de citrio folutivum, to evacuate the bodies of cold phlegmatic confiitutions, and may fafely be used where choler is mixed with phlegm. The inner white rind of this fruit is rather unsavoury, almost without taste, and is not used in physic. The four juice in the middle is cold, and far surpasseth that of lemons in its effects, although not so sharp in taste. It is singularly good, in all pestilential and burning severs, to restrain the venom and insection, to suppress the choler and hot distemper of the blood, and to quench thirst; and correcteth the bad disposition of the liver. It stirs up an appetite, and refreshes the over-spent and fainting spirits; resisteth drunkenness, and helpeth giddiness of the head, by the hot vapours arising therein, which causeth a phrenzy for want of sleep. The seed not only equalleth the rind in its virtues, but in many instances surpasseth it.

PEPPER. PIPER.

KINDS AND NAMES. THERE are feveral forts of pepper, as black, white. and long, pepper; called piper nigrum, album, et longum. The black, and white, pepper, differ not either in manner of growing, or in form of leaf or fruit. · long pepper also grows in the same manner, but differeth in the fruit. All these forts grow on a climbing bush, in the East-Indies, after one manner, that is, as hops grow with us; fo that, if they be not fustained by some tree or pole, on which they may climb and spread, they will lie down on the ground, and thereon run and shoot forth small fibres at every joint; but the usual manner is to plant a branch taken from the bush near some tall tree, great cane, or pole; and so it will quickly, by winding itself about such props, get to the top thereof. It is full of joints, and fhooteth forth fair large leaves, one at each joint, being almost round, but ending in a point, green above and paler underneath, with a great middle-rib, and four other ribs, fomewhat lefs, spreading from it, two on each fide, and smaller therein alfo, unto the edges, which are fmooth and plain, fomewhat thin, and fet on a pretty long footftalk. The fruit, or pepper, whether black, white, or long, groweth at the fame joint, but on the contrary fide, opposite to the leaf, round about a long stalk, fomewhat thinly fet all along thereon, or not so close as a bunch of grapes; the root hath fundry joints creeping in the ground, with fibres at the joints. The white pepper is hardly diffinguishable from the black, by the plants thereof, until it become ripe, (for the white and black pepper grow on different bushes,) but that the leaves are of a little paler green colour, and the grains or berries are white, folid, firm, without wrinkles, and more aromatic. The long pepper hath leaves of very near the fame form and fize, but a little longer pointed, of a paler No. 21. 4 I green

green colour, thinner also, and with a shorter foot-stalk, but four or five ribs sometimes on each side, according to the largeness of the leaf, with other smaller veins therein, and has less acrimony and hot taste than the black. The fruit of this also groweth in like manner at the joints, opposite to each leaf, which are closer set together than in the black, consisting of many, small grains as it were set together in rows, and not open and separate as in the black and white pepper; of an ash-colour when it is ripe.

GOVERNMENT AND VIRTUES. All the peppers are under the dominion of Mars, and of temperature hot and dry almost in the fourth degree, but the white pepper is the hottest; which fort is much used by the Indians, many of whom use the leaves as Europeans do tobacco; and even the pepper itself they also chew, taking from the branch one grain after another, while they are fresh.

Pepper is much used with us in meats and fauces; comforteth and warmeth a cold stomach, consumeth crude and moist humours therein, and stirreth up the appetite. It helpeth to break or dissolve wind in the stomach or bowels, to provoke urine, to help the cough and other diseases of the breast, and is effectual against the bitings of serpents, and other positions, and to that purpose it is an ingredient in the great antidotes; but the white pepper, as being more sharp and aromatical, is of more effect in medicine; and so is the long, being more used to be given for agues to warm the stomach before the coming of the fit, thereby to abate the shaking thereof. All of them are used against the quinty, being mixed with honey, and taken inwardly and applied outwardly; and disperse the kernels, as well in the throat as in any other part of the body.

Mathiolus maketh mention of a kind of pepper, which he calleth *piper Æthio-picum*, brought with other merchandize from Alexandria into Italy, and growing in long cods like beans or peafe; but many cods fet together at a place, whose grains within them being like pepper both in form and tafte, but smaller, ftick very close to the infide; this fort Serapio calleth *granum zelin*.

Monardus also maketh mention of a kind of long pepper, that groweth in all the tract of the continent in the West-Indics. This kind of pepper is half a foot long, and of the thickness of a small rope, confisting of many rows of small grains, set close together as in the head of plantane, and is black when ripe; and hotter in taste, and more aromatical and pleasant, than capsicum, and preferred before black pepper, and groweth (says he) on high trees or plants.

GUINEA-PEPPER. CAPSICUM.

KINDS AND NAMES. THERE are many forts thereof found out and brought to our knowledge in these latter days. Gregorius de Reggio, a Capuchin friar, maketh mention of a dozen several forts or varieties, at the least, in the fruit or cods, though in any thing else very little differing: there are likewise some other varieties, observed by Clusius and others.

DESCRIPTION. The most ordinary Guinea-pepper with long husks, capsicum majus vulgatius oblongis filiquis. By this you may frame the description of all the rest, the main difference consisting in the form of the fruit, whether husk or This plant rifeth up with an upright, firm, round, ftalk, with a certain pith within it; growing about two feet high in this country, and not exceeding three feet in any other hotter climate, fpreading into many branches on all fides, even from the very bottom, which divide themselves again into other smaller branches, at each joint whereof come two long leaves upon short footstalks, somewhat bigger than those of nightshade, with divers veins in them, not dented about the edges at all, and of a dark-green colour; the flowers stand severally at the joints, with leaves like the flowers of nightfhade, confifting most usually of five, and sometimes fix, white fmall pointed leaves, ftanding open like a ftar; with a few yellow threads in the middle, after which come the fruit, either great or finall, long or fhort, round or fquare, as the kind is, either ftanding upright or hanging down, as their flowers fhow themselves either of this or that form; in this, about three inches in length, thick and round at the stalk, and smaller towards the end, which is not sharp, but round-pointed, green at the first, but when full ripe of a very deep shining crimson colour; on the outfide of which is a thick skin, and white on the inside, of a sweet pleafant fmell, having many flat yellow feeds therein, cleaving to certain thin fkins within it, which are broad at the upper end and narrow at the lower, leaving the end or point empty within, not reaching fo far; the hulk or feed of which is of fo hot and fiery a tafte, as to inflame and burn the mouth and throat for a long time after it is chewed, and almost ready to choak one that taketh much at a time thereof: the root is composed of a great tust or bush of threads, which spreads plentifully on the ground, and perisheth even in hot countries after it hath ripened all its fruit.

There are nineteen other forts of Guinea-pepper, all which, except the undermentioned, differ fo little from that already described, as not to be worth explanation.

Guinea-pepper with hairy stalks, capsicum caule piloso. This groweth with green round stalks, set full of white hairs, contrary to all other forts; at the branches

OS CULPEPER'S ENGLISH PHYSICIAN,

branches come forth two fuch leaves as the before-mentioned one hath, but rather larger; the flowers are white, confitting of five leaves like the reft, which are likewife larger; after which come the cods, green at first, and, when ripe, red like the reft, which are somewhat great and long, ending in a very long point; not differing from the former forts in the feed and roots.

PLACE AND TIME. All these forts of pepper came from the West-Indies, called America, and the several parts thereof, Brasil being reckoned as a part of it, and our Summer Islands also; but here in England (though erroneously) we give it the name of Guinea-pepper, as though it originally came from thence. They are now raised in gardens in all the provinces of Europe, excepting in very cold countries, and grow in many piaces of Italy, Spain, &c.

They do not fow them in hot countries before the end of March or beginning of April, and at the foonest they do not flower before August following, and their red cods ripen not thoroughly until November, when they will continue both with flower and fruit most of the winter, where the weather is not very intense; but in very cold climates they perish with the first frost, and therefore must be carefully housed, if any will preserve them.

GOVERNMENT AND VIRTUES. All these forts of pepper are under Mars, and are of a fiery, hot, and fharp, biting tafte, and of temperature hot and dry to the end of the fourth degree; they burn and inflame the mouth and throat fo extremely, that it is hard to be endured; and if it be outwardly applied to the skin in any part of the body, it will exulcerate and raife it as if it had been burnt with fire or fcalded with hot water. The vapours that arise from the husks or cods, while one doth but open them to take out the feed, (especially if they beat them into powder, or bruise them,) will to pierce the brain, by flying up into the head through the noftrils, as to produce violent fneezings, and draw down abundance of thin rheum, forcing tears from the eyes, and will all pass into the throat, and provoke a sharp coughing, and cause violet vomiting; and, if any shall with their hands touch their face or eyes, it will cause so great an inflammation, that it will not be remedied in a long time, by all the bathing thereof with wine or cold water that can be used, but yet will pass away without further harm. If any of it be cast into fire, it raiseth grievous ftrong noifome vapours, occasioneth sneezing, coughing, and strong vomiting, to all that be near it; if it should be taken simply of itself (though in a very small quantity, either in powder or decoction), it would be hard to endure, and might prove dangerous to life;

Having now given you an account of the dangers attending the immoderate use of these violent plants and fruits, I shall next direct you how to proceed in order to

make them become ferviceable for health, being corrected and cleanfed from all their evil and noifome qualities.

Preparations of Guinea-Pepper.

Take the ripe cods of any fort of the Guinea-pepper, (for they are in property all alike,) and dry them well, first of themselves, and then in an oven after the bread is taken out: put it into a pot or pipkin, with fome flour, that they may be quite dried; then cleanse them from the flour, and their stalks, if they have any: cut both hufks and feeds within them very fmall, and to every ounce of them put a pound of wheat-flour; make them up together into cakes or finall loaves, with leaven proportioned to the quantity you make; bake thefe as you do bread of the fmall fize, and, when baked, cut it again into fmaller parts, and then bake it again, that it may be as dry and hard as a bifcuit, which beaten into fine powder, and fifted, may be kept for any of the uses hereafter-mentioned, or may serve instead of ordinary pepper to feafon meat or broth; for fauce, or any other purpose, the East India pepper doth serve; for it doth not only give good taste or relish to the meat or fauce, but is found to be very good both to difculs the wind and the cholic in the body: it is of fingular fervice to be used with flatulent or windy diet, and fuch as breeds moisture and crudities; one scruple of the faid powder, taken in a little broth of veal, or of a chicken, gives great relief and comfort to a cold itomach, caufing phlegm and fuch vifcous humours as lie low in the bottom thereof to be voided; it helpeth digeftion, for it occasioneth an appetite to meat, provoketh urine, and, taken with faxifrage-water, expelleth the ftone in the kidneys, and the phlegm that breedeth them; and taketh away dimness or mistiness of the fight, being used in meats; taken with pillulæ alcophanginæ, it helpeth the dropsy; the powder, taken for three days together in the decoction of pennyroyal, expelleth the dead birth; but, if a piece of the cod or husk, either green or dry, be put into the womb after delivery, it will make them barren for ever after; but the powder, taken for four or five days fafting, with a little fennel-feed, will eafe all pains of the mother. The fame also made up with a little powder of gentian and oil of bays into a peffary, with fome cotton-wool, doth bring down the courses; and mixed with a lohoch or electuary, helpeth an old inveterate cough; being mixed with honey and applied to the throat, it helpeth the quinty; and made up with a little pitch or turpentine, and laid upon any hard knots or kernels in any part of the body, it will diffolve them, and not fuffer any more to grow there; and, being mixed with nitre and applied, it takes away the morphew, and all freckles, fpots, marks, and discolourings, of the skin; applied with hen's greafe, it dissolves all cold 4 K

310 CULPEPER'S ENGLISH PHYSICIAN,

1:

cold impositumes and carbuncles; and, mixed with sharp vinegar, it dissolves the hardness of the spleen; mixed with ungentum de alabastro, and the reins of the back anointed therewith, it will take away the shaking-fits of agues; a plaster made thereof, with the leaves of tobacco, will heal the sting or biting of any venomous beafts.

The decoction of the husks themselves, made with water, and the mouth gargled therewith, helpeth the tooth-ach, and preserveth the teeth from rottenness; the ashes of them, being rubbed on the teeth, will cleanse them, and make them look white. The decoction of them in wine helpeth the hernia ventess, or watery rupture, if applied warm morning and evening: if put to steep for three days together in aqua vitæ, it helpeth the palfy, the place affected being bathed therewith; and, steeped for a day in wine, and two spoonfuls drunk thereof every day saffting, it is of singular service in rendering stinking breath sweet.

PITCH-TREE. PINUS.

NAMES. THIS tree is called in Latin picea and pitis.

DESCRIPTION. The pitch-tree is of an indifferent bigness, and tall stature, but not so great as the pine-tree, and always green, like the pine and fir-tree. The timber is fat, and doth yield an abundance of rosin of divers forts; the branches are hard, and parted into other sprays, most commonly cross-wise, upon which grow small green leaves, not round about the branches, but by every side, one right over against another, like little feathers: the fruit is smaller than the truit of the pine-tree. In burning of this tree, there doth issue out pitch, as doth also out of the pine-tree.

PLACE AND TIME. The pitch-tree grows in many places of Greece, Italy, France, and Germany; and the fruit thereof is ripe in September.

GOVERNMENT AND VIRTUES. The leaves, bark, fruit kernels, or nuts, of this tree, are almost of the same nature, virtues, and operations, as the leaves, bark, fruit, and kernels, of the pine-tree

The Rofin that cometh out of the Pine or Pitch Trees.

Out of the pine and pitch-trees come three forts of rofin, befides the pitch and tar.

- 1. The one floweth out by force of the heat of the fun in lummer, from the wood or timber where it is broken or cut.
- The other is found both upon and between the bark of the pine and pitchtree, and most commonly in such parts thereof as are cut or any other way impaired.
 - 3. The third kind groweth betwixt the scales of the fruit.

NAMES. All the kinds of rosin are called in Latin resina, in French resine, and in Dutch herst. The first kind is called resina liquida, and resina pini; of this fort is also the rosin which is molten by the sun in summer, and remaineth dry, and may be made into powder, which some called resina arida, or dry rosin.

The fecond kind is called in Latin refina arida; that which tweateth out of the pine-tree is called refina pinea, and that which cometh out of the pitch-tree refina picea. The third kind is called refina frobilina.

GOVERNMENT AND VIRTUES. All the rofins are folar, and of an hot and dry temperature, and of a feouring and cleanfing nature. Rofin doth cleanfe and heal fresh wounds, and therefore is a principal ingredient in all ointments and plasters that serve for that purpose. It softeneth hard swellings, and is comfortable to bruised parts or members, being applied or laid to, with oils, ointments, or plasters, appropriated to that use.

PITCH AND TAR. PINUS.

KINDS AND NAMES. THERE are two forts of pitch: the one moift, called liquid pitch; the other is hard and dry: they do both run out of the pine and pitch tree, and out of certain other trees, as the cedar, turpentine, and larch, trees, by burning of the wood and timber of them. Pitch is called in Latin pix, in French poix, in Dutch peck. The liquid pitch is called in Latin pix liquida, in Brabant teer, and in English tar. The dry pitch is called in Latin pix arida, and navalis; in English, ship-pitch or stone-pitch; in Dutch steen-peck.

Government and Virtues. The pitch and tar are both folar, hot and dry in the fecond degree, and of fubtle parts, but the frone-pitch is the drieft; the liquid pitch or tar is the hotteft, and of more fubtle parts. Liquid-pitch, taken with honey, doth cleanfe the breaft, and is good to be licked in by those that are troubled with shortness of breath, whose inside is clogged with corrupt matter. It mollifieth and bringeth to perfection all hard swellings, and is good to anoint the neck against the squinancy or swelling of the throat; it is good to be put into mollifying plasters, anodynes to take away pains, and maturative or ripening medicines; being applied with barley-meal, it softeneth the hardness of the matrix and sundament; liquid pitch mingled with sulphur vivum, or quick brimstone, represent fretting ulcers, soul scabs, and scurf; and, if some salt be put thereto, it is good to be laid upon the wounds occasioned by the bite or sting of any serpent or viper. It cureth the rists and cloven chaps that happen to the hands, seet, &c.

The ftone pitch, being pounded very fmall, with the fine powder of frankincenfe, healeth hollow ulcers and fiftulas, filling them up with flesh: the ftonepitch

312 CULPEPER'S ENGLISH PHYSICIAN.

pitch is not fo firong as the liquid pitch, but is much better, it being more apt to close up the lips of wounds.

POMEGRANATE-TREE. PUNICA.

KINDS AND NAMES. THE pomegranate-tree is diftinguished into three kinds; that is, the manured pomegranate bearing fruit, and the greater and less wild kind. The first is called malus punicum and malus granata, and the fruit malum punicum and malum granatum, because it is supposed that they were brought over, from that part of Africa where old Carthage stood, into that part of Spain which is now called Granada, and thence called granatum. The slowers of the manured kind (as Dioseorides faith) are called citin; but Pliny calleth the slowers of the wild kind citinus, and the flowers of both kinds balaustium; but citinus is more properly the cup wherein stand the flowers of both kinds; balaustium; with us generally taken for the double flowers of the wild kind.

Description. The pomegranate-tree bearing fruit, malus punica fativa. The tree groweth not great in the warm countries, and where it is natural; not above-feven or eight feet high, fpreading into many flender branches, here and there fet with thorns, and with many very fair, green, fhining, leaves, like the leaves of large myrtle, every one upon a finall and reddish footfalk. Among the leaves come forth here and there the flowers, which are like bell-flowers, broad at the brims, and finaller at the bottom, being one whole leaf divided at the top into five parts, of an orient crimfon colour naturally, but much paler with us, and many veins running through it with divers threads in the middle and ftanding in a brownish hollow cup, or long hard husk; the fruit is great and round, with a hard, smooth, brownish-red, rind; not very thick, but yellowish on the inside, and a crown at the top, stored plentifully with a fine clear liquor or juice, like wine, full of feeds inclosed in skins, and the liquor among them. Sometimes this breaketh the rind as it groweth, which will cause it to rot very soon.

PLACE AND TIME. The manured kinds grow in Spain, Italy, Portugal, and other warm countries; but here in England they are preferred and housed with great care, (yet come not to perfection,) and the wild kind with much more; they feldom flower with us.

GOVERNMENT ANDVIRTUES. The Sungoverns these plants and fruits. Pomegranates are hot and moit, but yet moderate; all the forts breed good blood, yet do they yield but slender nourishment; they are very helpful to the stomach: those that are sweet are most pleasant, yet they somewhat heat, and breed wind and choler,

and

and therefore they are forbidden in agues; and those that are four are fit for a hot fainting stomach, stay vomiting, and provoke urine, but are somewhat offensive to the teeth and gums in the eating. The seed within the fruit, and the rind thereof, do bind very forcibly, whether the powder or the decostion be taken, and stay casting, the bloody flux, women's courses, the spitting of blood, and running of the reins, and are said to be good for the dropsy; the flowers work the same effects. The fruit is good against the bite of the scorpion, and stayeth the immoderate longings of women with child; the decostion of the rind or seeds of the fruit, with a little syrup put to it, is good against the cankers in the mouth and ulcers in any part of the body, and against ruptures; it also helpeth ulcers in the ears or nose, or rheums in the eyes, being dropped or injected; it safteneth loose teeth, destroyeth the state worms in the body, and helpeth to take away wens. With the rinds of pomegranates, instead of galls, or with galls, is made the best writing-ink, both for blackness and durability:

QUEEN OF THE MEADOWS, OR MEADOW-SWEET. SPIREA.

Description. THE stalks of this are reddish, rising to be three feet high, fometimes four or five feet, having at the joints thereof large winged leaves set on each side of a middle rib, being hard, rough, or rugged, crumpled like elm-leaves, having also some similar leaves with them, (as agrimony hath,) somewhat deeply dented about the edges, of a sad green colour on the upper side, and greyish underneath, of a pretty sharp scent and taste, somewhat like unto burnet; and a least thereof, put into a cup of claret, giveth it a sine relish: at the top of the stalks and branches stand many tusts of small white leaves thick together, which smell much sweeter than the leaves; and in their places, being sallen, come crooked and cornered seed. The root is somewhat woody, blackish on the outside, and brownish within, with divers greater strings and smaller sibres set thereat, of a strong scent, but not so pleasant as the slowers and leaves; it abideth many years, and shooting forth anew every spring.

PLACE. It grows in moift meadows, or near the courses of water.

TIME. It flowereth in some place or other all the three summer months, viz. June, July, and August; and the seed is ripe quickly after.

GOVERNMENT AND VIRTUES. Venus claims dominion over this herb. It is used to stay all manner of bleedings, fluxes, vomitings, and women's courses, as also their whites; it is said to take away the fits of quartan agues, and to make a merry heart, for which purpose some use the flowers, and some the leaves. It

No. 21. 4 L fpeedily

314 CULPEPER'S ENGLISH PHYSICIAN,

fpeedily helpeth those that are troubled with the cholic, being boiled in wine; and, with a little honey, taken warm, it openeth the belly: but, boiled in red wine, and drunk, it frayeth the flux of the belly. Being outwardly applied, it healeth old ulcers that are cancerous or eaten, or hollow and fiftulous, for which it is by many much commended, as also for fores in the mouth or secret parts. The leaves, when they are full grown, being laid upon the skin, will, in a short time, raise blisters thereon. The water thereof helpeth the heat and inflammation of the eyes.

QUINCE-TREE. PYRUS.

Description. The ordinary quince-tree groweth often to the height and bigness of an apple-tree, but more usually lower, and crooked, with a rough bark, and branches spreading far abroad. The leaves are somewhat like those of the appletree, but thicker, broader, and fuller of veins, and whiter on the under-side, not dented at all about the edges. The flowers are large and white, sometimes dashed over with a blush. The fruit, when ripe, is yellow, and covered with a white frieze or cotton, thick set on the younger, and growing less as they become thoroughly ripe, bunched out oftentimes in some places, some being like an apple, and some a pear, of a strong heady scent, not durable to keep, and of a four, harsh, and unpleasant, taste, to eat fresh; but, being scalded, roasted, baked, or preserved, it becomes more pleasant.

PLACE AND TIME. It thrives and grows best near the water-fide, and is common throughout Great Britain; it flowereth not until the leaves come forth. The fruit is ripe in September or October.

Government and Virtues. Old Saturn owns the tree. Quinces, when they are green, help all forts of fluxes in man or woman, and choleric lasks, castings, and whatsoever needeth astriction, more than any way prepared by fire; yet the fyrup of the juice, or the conserve, is rather opening, much of the binding quality being consumed by the fire; and, if a little vinegar be added, it ftirreth up the languishing appetite, and strengtheneth the stomach; some spices being added, it comforteth and cheereth the decayed and fainting spirits, helpeth the liver when oppressed so that it cannot perfect the digestion, and correcteth choler and phlegm. If you would have them purging, put honey to them instead of sugar; and, if more laxative, for choler, rhubarb; for phlegm, turbith; for watery humours, scammony: but, if more forcibly to bind, use the unripe quinces, with roses, acacia, or hypocistis, and some torrissed rhubarb. To take the crude juice of quinces is held a preservative against the force of deadly posson; for it bath been found most true, that the very smell of a quince hath taken away all

the firength of the poison of white hellebore. If there be need of any outward binding and cooling of any hot fluxes, the oil of quinces, or any medicine that they make thereof, is very available to anoint the belly or other parts. It likewise firengtheneth the stomach and belly, and the sinews that are loosened by sharp humours falling on them, and restraineth immoderate sweating. The mucilage, taken from the seeds of quinces, and boiled in a little water, is very good to cool the heat, and heal the fore breasts of women. The same with a little sugar is good to lenify the harshness and foreness of the throat and roughness of the tongue. The cotton or down of quinces, boiled, and applied to plague fores, healeth them up; and laid as a plaster, made up with wax, it bringeth hair to them that are bald, and keepeth it from falling off.

QUICK-GRASS. CRATÆGUS.

KINDS AND NAMES. There are feveral forts of these grasses, some growing in the fields and other places of the upland ground, and others near the sea: it is also called dog grass, or gramen canimum; the other several names shall follow in the descriptions.

Description. 1. Common quick-grafs, gramen caninum vulgare. This grafs creepeth far about under ground, with long white jointed roots, and finall fibres almost at every joint, very sweet in take, as the rest of the herb is, and interlacing one another; from whence shoot forth many fair and long grafs-leaves, small at the ends, and cutting or sharp on the edges; the stalks are jointed like corn, with the like leaves on them, and a long spiked head, with long husks on them, and hard rough seed in them.

2. Quick-grass with a more spreading panicle, gramen caninum longius radicatum et paniculatum. This differeth very little from the former, but in the tust, or panicle, which is more spread into branches, with shorter and broader husks; and in the root, which is fuller, greater, and farther spread.

3. The smaller quick-grass with a sparsed tust, gramen caninum latiore panicula minus. This small quick grass hath slender stalks; about half a foot high, with many very narrow leaves, both below and on the stalks; the tust, or panicle, at the top, is small according to the plant, and spreadeth into sundry parts, or branches: the root is small and jointed, but creepeth not so much, and has many more sibres than the others have, and is a little browner, but more sweet.

4. Low-bending quick-grafs, gramen caninum arvense. This creepeth much under ground, but in a different manner, the stalk taking root in divers places, and scarcely rising a foot high; with such-like green leaves as the ordinary, but shorter; the spiked head is bright, and spreadeth abroad somewhat like the field-grafs.

5. Gramen

316 CULPEPER'S ENGLISH PHYSICIAN,

- 5. Gramen caninum supinum monspeliense. This differeth very little from the last, in any other part thereof than in the panicle, or spiked head: which is longer, and not spread or branched into parts as that is.
- 6. A finall fweet grafs like quick grafs, gramen exile tenuifolium, canariæ fimile, five gramen dulce. This finall grafs hath many low creeping branches, rooting at the joints, like the two last, having a number of small and narrow leaves on them, much less than they; and a small sparsed panicle, somewhat like the red dwarf-grafs.
- 7. Wall-grass with a creeping root, gramen murorum radice repente. This wall-grass, from a blackish creeping root, springeth forth with many stalks a foot high, bending or crooking with a few narrow short leaves on them, at whose tops stand small white panicles, of an inch and a half long, made of many small chaffy husks.

PLACE AND TIME. The first is usual and common in divers ploughed grounds and gardens, where it is often more bold than welcome, troubling the husbandmen as much, after the ploughing up of some of them, (as to pull up the rest after the springing, and, being raked together, to burn them,) as it doth the gardeners, where it happeneth, to weed it out from amongst their trees and herbs; the second and third are more scarce, and delight in sandy and chalky grounds; the three next are likewise sound in fields that have been ploughed and do lie fallow; and the last is often sound on old decayed walls in divers places; they flourish in the beginning of summer.

Government and Virtues. These are plants of Mercury. The root is of temperature cold and dry, and hath a little mordacity in it, and some tenuity of parts; the herb is cold in the first degree, and moderate in mossiure and drynes; but the seed is much more cold and drying. This quick-grass is the most medicinal of all forts of grasses: it is effectual to open obstructions of the liver and spleen, and the stoppings of urine, the decoction thereof being drunk, and to ease the griping pains in the belly, and inflammations; and to waste the excrementitious matter of the stopping, and the ulcers thereof; also the root, being bruised and applied, doth knit together and consolidate wounds: the feed doth most powerfully expel urine, bindeth the belly, and stayeth vomiting; the distilled water is good to be given to children for the worms.

RADISH; RAPHANUS. HORSE-RADISH; COCHLEARIA.

THE garden-radifh is fo well known, that it needeth no description.

Description. The horfe-radifh hath its first leaves rising before winter, about a foot and a half long, very much cut in or torn on the edges into many parts, of a

dark

dark green colour, with a great rib in the middle; after those have been up a while, others follow, greater, rougher, broader, and longer, whole, and not divided as the first, but only somewhat roundly dented about the edges. The stalk, when it beareth flowers, (which is but seldom,) is great, rising up with some few smaller leaves thereon to three or four feet high, spreading at the top many small branches of white flowers, of four leaves each; after which come small pods, like those of shepherds purse, but seldom with any seed in them. The root is large, long, white, and rugged, shooting up divers heads of leaves; but it doth not creep within ground, nor run above ground, and is of a strong, sharp, and bitter, taste, almost like mustard.

PLACE. It is found wild in fome places in England, but is chiefly planted in gardens, where it thrives in moift and shadowy places.

TIME. It flowereth but feldom; but, when it doth, it is in July.

GOVERNMENT AND VIRTUES. They are both under Mars. The juice of horfe-radifh, given to drink, is held to be very effectual for the fourty. It killeth the worms in children, being drunk, and also laid upon the belly. The root bruised, and laid to the place grieved with the sciatica, joint-ach, or the hard swellings of the liver and spleen, doth wonderfully help them all. The distilled water of the herb and roots is more commonly taken with a little sugar for all the purposes aforesaid.

Garden radifhes are eaten as fallad, but they breed humours in the ftomach, and corrupt the blood; yet, for fuch as are troubled with the gravel, ftone, or ftoppage of urine, they are good physic, if the body be ftrong that takes them; the juice of the roots may be made into a fyrup for that use; they purge by urine exceedingly.

Sleep not prefently after the eating of radifh, for that will cause a ftinking breath.

RAGWORT. SENECIO.

IT is called St. James-wort, ftagger-wort, ftammer-wort, and feggrum.

Description. The greater common ragwort hath many large and long dark-green leaves lying on the ground, very much rent and torn on the fides into many pieces; from among which rife up fometimes one and fometimes two or three fquare or crefted blackifh ftalks three or four feet high, fometimes branched, bearing divers fuch-like leaves upon them at feveral diffances unto the tops, where it brancheth forth into many ftalks bearing yellow flowers, confifting of a number of leaves-fet as a pale or border, with a dark yellow thrum in the middle, which at laft turn into down, and, with the fmall blackifh grey feed, are carried away with the wind. The root is made of many fibres, whereby it is firmly fastened into the ground, and abideth many years.

318 CULPEPER'S ENGLISH PHYSICIAN,

There is another fort hereof different from the former only in this, that it rifeth not fo high; the leaves are not fo finely jagged, nor of fo dark a green colour, but rather whitifh, foft, and woolly, and the flowers usually paler.

PLACE. They both grow wild in paftures and untilled grounds in many places, and oftentimes both of them in one field.

TIME. They flower in June and July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. Ragwort is under the command of Venus. and cleanfeth, digefteth, and discusseth. The decoction of this herb is good for ulcers in the mouth or throat, and for fwellings, hardness, or imposthumations. for it thoroughly cleanfeth and healeth them; as also the quinfy and the king's evil. It helpeth to ftay catarrhs, thin rheum, and defluxions from the head into the eyes, nofe, or lungs. The juice is found by experience to be good to heal green wounds, and to cleanfe and heal old and filthy ulcers; as also inward wounds and ulcers, and ftayeth the malignity of fretting and running cancers, and hollow fiftulas, not fuffering them to fpread further. It is also much commended to help achs and pains, either in the fleshy parts, or in the nerves and finews; as also the fciatica, or pain of the hips. Bathe the places with the decoction of the herb, or anoint them with an ointment made of the herb bruifed and boiled in hog's lard, with maftic and olibanum in powder added to it after it is ftrained. In Suffex this herb is called ragwood. Externally it has been praifed with good reafonagainst swellings, and in inflammations: they are to be boiled to softness, and applied as a warm poultice, with bread and oil,

RATTLE-GRASS. PEDICULARIS, RHINANTHUS.

OF this there are two kinds, the red and the yellow.

Description. The common red rattle-grafs hath fundry reddifh hollow-ftalks, and fometimes green, rifing from the root, lying for the most part on the ground, yet some growing more upright, with many small reddish or greenish leaves set on both sides of a middle rib sinely dented about the edges: the flowers stand at the tops of the stalks and branches, of a fine purplish red colour; after which come stalks lackish seed in small husks, which, lying loose therein, will rattle with shaking. The root consists of two or three small whitish strings, with some sibres thereat.

The common yellow rattle hath feldom above one round green ftalk, rifing from the root, about half a yard or two feet high, and but few branches thereon, having two long and fomewhat broad leaves fet at a joint, deeply cut in on the edges, refembling the comb of a cock, broadeft next the ftalk. The flowers grow

at the tops of the ftalks, with some shorter leaves with them, hooded after the same manner as the others, but many of a fair yellow colour, in some paler, in some whiter. The seed is contained in large husks; the root is smaller and slender, perishing every year.

PLACE. They grow in meadows and woods generally throughout England.

TIME. They are in flower from Midfummer till August.

GOVERNMENT AND VIRTUES. They are both under the dominion of the Moon. The red rattle is reckoned good to heal fiftulas and hollow ulcers, and to ftay the flux of humours to them, or any other flux of blood, being boiled in red or white wine and drunk.

The yellow rattle, or cock's comb, is held to be good for those that are troubled with a cough, or dimness of fight; if the herb, being boiled with beans, and some honey put thereto, be drunk, or dropped into the eyes, it draweth forth any skin, dimness, or film, from the fight, without trouble or pain.

REST-HARROW, OR CAMMOAK. ONONIS.

DESCRIPTION. COMMON reft-harrow rifeth up with divers rough woody twigs, two or three feet high, fet at the joints without order, with a little-roundiful leaves, fometimes more than two or three at a place, of a dark-green colour, without thorns while they are young, but afterwards armed in fundry places with fhort and sharp thorns. The flowers come at the tops of the twigs and branches, whereof it is full, fashioned like pease, or bloom blossoms, but smaller, flatter, and somewhat close, of a faint purplish colour: after which come small pods, containing small, flat and round, seed. The root is blackish on the outside, and whitish within: very rough and hard to break when it is fresh and green, and as hard as an horn when it is dried, thrusting down deep into the ground, and spreading likewise, every piece being likely to grow again if it be left in the ground.

PLACE. It groweth in many places of Great Britain, as well in arable as in waste ground.

TIME. It flowereth in general about the beginning or middle of July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars. It is good to provoke urine and to break and expel the ftone, which the powder of the bark of the root taken in wine performs effectually. Mathiolus faith, the fame helpeth the difease called hernia carnosa, or fleshy rupture, by taking the said powder for some months together constantly, and that it hath cured some which seemed incurable by any other means than by cutting or burning. The decoction thereof, made with some vinegar, and gargled in the mouth, easeth the tooth-ach, especi-

4

ally when it comes of rheum; and is very powerful to open obstructions of the liver and spleen, and other parts. A distilled water, made in balneo mariæ with four pounds of the roots hereof, first fliced small, and afterwards steeped in a gallon of Canary wine, is very good for all the purposes aforesaid, and to cleanse the passages of the urine. The powder of the said root made into an electuary or lozenges with sugar, as also the bark of the fresh roots boiled tender, and afterwards beaten into a conserve with sugar, worketh the like effect. The powder of the roots, strewed upon the brims of ulcers, or mixed with any other convenient thing and applied, consumeth the hardness, and causeth them to heal the better.

ROCKET. BUNIAS.

AS the garden-rocket is rather used as a fallad-herb than to any physical purposes, I shall omit it, and only speak of the common wild rocket.


Description. The common wild rocket hath longer and narrower leaves, much more divided into flender cuts and jags on both fides of the middle rib, than the garden kinds have, of a fad green colour, from among which rife up divers ftiff stalks, two or three feet high, sometimes set with the like leaves, but smaller, and much less upwards, branched from the middle into sundry stalks, bearing yellow flowers of sour leaves each, as the others are, which afterwards yield small reddish seed, in small long pods, of a more bitter and hot biting taste than the garden kinds, as are the leaves likewise.

PLACE. It is found wild in most places of Great Britain.

TIME. It flowereth about June and July, and the feed is ripe in August.

Government and Virtues. The wild rockets are forbidden to be used alone, because their sharpness sumeth into the head, causing ach and pain: and are no less burtful to hot and choleric persons, for sear of inflaming their blood. Mars rules them. The wild rocket is more strong than the garden kinds; it serveth to help digestion, and provoketh urine exceedingly. The feed is used to cure the bittings of serpents, the scorpion, the shrew-mouse, and other positions, and expelleth the worms and other noisome creatures that breed in the body. The herb, boiled or stewed, and some sugar put thereto, helpeth the cough in children, being taken often. The seed also, taken in drink, taketh away the ill scent of the arm-pits, increaseth milk in nurses, and wasteth the spleen. The feed, mixed with honey, and used on the sace, cleanseth the skin from spots, morphew, and other discolourings; and, used with vinegar, taketh away freekles and reducts in the sace or other parts; and, with the gall of an ox, it amendeth soul scars, black spots, and the marks of the small-pox.

WINTER





WINTER ROCKET, OR CRESSES.

DESCRIPTION. WINTER rocket, or winter creffes, hath divers fomewhat-like turnip-leaves, with fmaller pieces next the bottom, and broad at the ends, which so abide all winter, (if it spring up in autumn, when it is used to be eaten,) from among which rifeth up divers small round stalks sull of branches, bearing many small yellow flowers of four leaves each, after which come small long pods with reddish feed in them. The root is rather stringy, and perisheth every year after the seed is ripe.

PLACE. It groweth of its own accord in gardens, and fields, by the way-fides, in divers places.

TIME. It flowereth in May, and feedeth in June; and then perisheth.

GOVERNMENT AND VIRTUES. This is profitable to provoke urine, to help the stranguary, and to expel gravel and the stone; it is also of good effect in the scurvy. It is found by experience to be a good herb to cleanse inward wounds; the juice or decoction, being drunk, or outwardly applied to wash foul ulcers and fores, cleanseth them by sharpness, and hindereth the dead sless from growing therein, and healeth them by the drying quality.

ROSES.

I HOLD it needless to trouble the reader with a description of these, fince both the garden roses and the wild roses of the briers are well enough known; take therefore the virtues of them as followeth; and first I shall begin with the garden kinds.

GOVERNMENT AND VIRTUES. Red roses are under Jupiter, damask under Venus, and white under the Moon. The white and the red roses are cooling and drying, and yet the white is taken to exceed the red in both those properties, but is seldom used inwardly in medicine. The bitterness in the roses when they are fresh, especially the juice, purgeth choler and watery humours; but, being dried, and that heat which caused the bitterness being confumed, they have then a binding quality; those also that are not full blown do both cool and bind more than thefe that are full blown, and the white roses more than the red. The decoction of red roses, made with wine, and used, is very good for the head-ach, and pains in the eyes, ears, throat, and gums, as also for the fundament, the lower bowels, and the matrix. The same decostion, with the roles remaining in it, is profitably applied to the region of the heart to eafe the inflammation therein; as also St. Anthony's fire, and other diseases of the stomach. Being dried and beaten to powder, and taken into fteeled wine or water, it helpeth to flay women's courses. The yellow threads in the middle of the red roses, No. 22. (which 4 N

(which are erroneously called the rose feed,) being powdered, and drunk, in the distilled water of quinces, stayeth the defluxion of rheum upon the gums and teeth, preserving them from corruption, and fasteneth them if they be loose, being washed and gargled therewith, and some vinegar of squills added thereto. The heads, with feed, being used in powder, or in a decoction, stay the lask and spitting of blood. Red roses do strengthen the heart, stomach, and liver, and the retentive faculty; they mitigate the pains that arise from heat, affuage inflammations, procure rest and sleep, flay running of the reins and fluxes of the belly; the juice of them doth purge and cleanse the body from choler and phlegm. The busks of the roses with the beards and nails, are binding and cooling, and the distilled water of either of them is good for heat and redness in the eyes, and to stay and dry up the rheums and watering of them. Of the red roles are usually made many compositions, all ferving to fundry good uses, viz. electuary of roses; conserve, both moist and dry, which is more usually called sugar of roses; syrup of dried roses, and honey of roses; the cordial powder called diarrhodon abbatis and aromatica rofarum; the diffilled water of roses, vinegar of roses, ointment and oil of roses, and the rose-leaves dried, which, although no composition, is yet of very great use and effect. The electuary is purging, whereof two or three drachms taken by itself in some convenient liquor is a purge sufficient for a weak constitution; but may be increased to fix drachms, according to the strength of the patient. It purgeth choler without trouble, and is good in hot fevers, and pains of the head arifing from hot choleric humours and heat in the eyes, the jaundice also, and joint-achs proceeding of hot humours. The moist conferve is of much use, both binding and cordial; for, until it be about two years. old, it is more binding than cordial, and after that more cordial than binding; some of the younger conserve, taken with mithridatum, mixed together, is good for those that are troubled with distillations of rheum from the brain to the nose, and defluxions of rheum into the eyes, as also for fluxes and lasks of the belly; and, being mixed with the powder of mastic, is very good for the running of the reins, and for the looseness of humours in the body. The old conserve, mixed with aromaticum rofarum, is a very good cordial against faintings, swoonings, weakness, and tremblings of the heart, strengthening both it and a weak stomach, helpeth digestion, flayeth casting, and is very good preservative in the time of infection. The dry conferve, which is called fugar of roses, is a very good cordial to strengthen the heart and spirits, as also to stay defluxions. The syrup of dried red roses strengtheneth a stomach given to casting, cooleth an over-heated liver, comforteth the heart, resisteth putrefaction and infection, and helpeth to stay lasks and fluxes. Honey of roses is much used in gargles and lotions, to wash fores, either in the mouth, throat,

or other parts, both to heal them and to flay the fluxes of humours falling upon them; it is also used in clysters. The cordial powders, called diarrhodon abbatis and aromaticus rofarum, do comfort and strengthen the heart and stomach, procure an appetite, help digeftion, ftop vomiting, and are very good for those that have flippery bowels, to strengthen them and to dry up their moisture. Red rose water is of well-known and familiar use in all occasions, (and better than damask-rose water,) being cooling and cordial, quickening the weak and faint spirits, used either in meats or broths, to wash the temples, to smell to at the nose, or to smell the sweet vapours thereof out of a perfuming pot, or cast on a hot fire-shovel; it is also of good use against the redness and inflammations of the eyes, to bathe them therewith, and the temples of the head also against pain and ach, for which purpose also vinegar of roles is of great fervice, and to procure rest and sleep, if some thereof and rosewater together be used to smell to, or the nose and temples moistened therewith, but more usually to moisten a piece of red-rose cake cut fit for the purpose, and heated between a double-folded cloth, with a little beaten nutmeg, and poppy-feed ftrewed on the fide that must lie next to the forehead and temples, and bound thereto all night. The ointment of roles is much used against heat and inflammations in the head, to anoint the forehead and temples, and, being mixed with unguentum populeon, to procure rest; it is also used for the heat of the liver, of the back and reins, and to cool and heal pushes, wheals, and other red pimples rising in the face or other parts. Oil of roses is not only used by itself to cool any hot swellings or inflammations, and to bind and stay fluxes of humours unto fores, but is also put into ointments and plafters that are cooling and binding, to reftrain the flux of humours. The dried leaves of the red roses are used both inwardly and outwardly, being cooling, binding, and cordial; for with them are made both aromaticum rofarum, diarrhodon abbatis, and faccharum rofarum, each of whose properties are before declared. Rose-leaves and mint, heated and applied outwardly to the stomach, stay castings, and very much ftrengthen a weak stomach; and, applied as a fomentation to the region of the liver and heart, do much cool and temper them, and also serve instead of a rose-cake, to quiet the over-hot spirits and cause rest and sleep. The syrup of damask roses is both fimple and compound, and made with agaric. The fimple folutive fyrup is a familiar, fafe, gentle, and easy, medicine, purging choler, taken from one ounce to three or four; yet this is remarkable herein, that the distilled water of this fyrup should notably bind the belly. The fyrup with agaric is more strong and effectual, for one ounce thereof by itself will open the body more than the other; and worketh as much on phlegm as choler. The compound fyrup is more forcible in working on melancholy

melancholy humours, and against the leprofy, itch, tetters, &c. and the French difease. Also honey of roses solutive is made of the same insusions that the syrup is made of, and therefore worketh the same effect both opening and purging, but is oftener given to phlegmatic than choleric persons, and is more used in clysters than in potions, as the syrup made with sugar is. The conserve and preserved leaves of these roses are also operative in gently opening the belly.

The fimple water of the damask roses is chiesly used for sumes to sweeten things, as the dried leaves thereof to make sweet powders and fill sweet bags. The wild roses are, sew or none of them, used in physic, but yet are generally held to come near the nature of the manured roses. The fruit of the wild brier, which are called hops, being thoroughly ripe, and made into a conserve with sugar, besides the pleasantness of the taste, doth gently bind the belly, and stay dessumes from the head upon the stomach, drying up the moisture thereof, and helpeth digestion. The brier-ball is often used, being made into powder and drunk, to break the stone, provoke urine when it is stopped, and to ease and help the cholic. In the middle of these balls are often found certain white worms, which, being dried, and made into powder, and some of it drunk, is sound, by experience of many, to kill and void the worms of the belly.

ROSA SOLIS, OR SUN-DEW.

Description. IT hath divers small round hollow leaves, somewhat greenish, but full of certain red hairs, which makes them seem red, every one standing upon his own footstalks, reddish hairy likewise. The leaves are continually most in the hottest day, for the hotter the sun shines on them the moister they are, with a certain sliminess, the small hairs always holding this moisture. Among these leaves rise up small slender stalks, reddish also, three or four singers high, bearing divers small white knobs one above another, which are the slowers; after which, in the heads, are contained small seeds: the root is a few small hairs.

PLACE. It groweth usually in bogs and in wet places, and sometimes in moist woods and meadows.

TIME. It flowereth in June, and then the leaves are fittest to be gathered.

GOVERNMENT AND VIRTUES. The Sun rules it, and it is under the fign Cancer. Rofa folis is accounted good to help those that have falt rheum distilling on their lungs, which breedeth a consumption, and therefore the distilled water thereof in wine is held fit and profitable for such to drink, which water will be of a gold yellow colour: the same water is held to be good for all other diseases of the lungs, as phthisics, wheeling, shortness of breath, or the cough; as also to heal the ulcers

thas

that happen in the lungs; and it comfortes the heart and fainting spirits; the leaves outwardly applied to the skin will raise blisters, which bath caused some to think it dangerous to be taken inwardly. There is an usual drink made hereof, with aqua vitæ and spices, frequently, and without any offence or danger, but to good purpose, used in qualms and passions of the heart.

ROSEMARY.

OUR garden rolemary is so well known, that I need not describe it.

TIME. It flowereth in April and May with us, and sometimes again in August. GOVERNMENT AND VIRTUES. The Sun claims privilege in it, and it is under the coelestial Ram. It is an herb of as great use with us as any whatsoever, not only for physical, but civil, purposes. The physical use of it (being my present task) is very much both for inward and outward diseases; for, by the warming and comforting heat thereof, it helpeth all cold difeases, both of the head, stomach, liver, and belly. The decoction thereof in wine, helpeth the cold distillations of rheum into the eyes, and all other cold diseases of the head and brain, as the giddiness or swimming therein, drowfiness, or dulness of the mind and senses, the dumb palfy, or loss of speech, the lethargy, and falling-fickness, to be both drunk and the temples bathed therewith. It helpeth the pains in the gums and teeth, by rheum falling into them; or, by putrefaction, causing an evil smell from them, or a stinking breath. It helpeth a weak memory, and quickeneth the fenses. It is very comfortable to the stomach in all the cold griefs thereof, helping digeftion, the decoction or powder being taken in wine. It is a remedy for wind in the stomach or bowels, and expelleth it powerfully, as also wind in the spleen. It helpeth those that are liver-grown, by opening the obstructions thereof. It helpeth dim eyes, and procureth a clear fight, the flowers thereof being taken, all the while it is flowering, every morning fafting, with bread and falt. Both Dioscorides and Galen say, that, if a decostion be made thereof with water, and they that have the yellow jaundice do exercife their bodies prefently after the taking thereof, it will certainly cure them. The flowers, and the conferve made of them, are good to comfort the heart, and to expel the contagion of the peftilence: to burn the herb in houses and chambers correcteth the air in them. The dried leaves, smoked, help those that have a cough, phthisic, or consumption, by warming and drying the thin diffillations which cause those diseases. The leaves are much used in bathings, and, made into ointments or oils, are good to help cold benumbed joints, finews, or members. The chemical oil, drawn from the leaves and flowers, is a fovereign help for all diseases aforesaid, touching the temples and nostrils with

40

No. 22.

two or three drops, for all the diseases of the head and brain spoken of before; as also to take a drop, two, or three, as the cause requireth, for the inward griefs; yet must it be done with discretion, for it is very quick and piercing, and therefore but a very little must be taken at a time. There is also another oil made in this manner: Take what quantity you will of the slowers, and put them into a strong glass close stopped, tie a fine linen cloth over the mouth, and turn the mouth down into another strong glass, which being set in the sun, an oil will distil down into the lower glass, to be preserved as precious for divers uses, both inward and outward, as a sovereign balm to heal the diseases before mentioned, to clear a dim sight, and to take away spots, marks, and scars, in the skin. This herb is good for a dull and melancholy man to make use of; for, if they take the slowers, and make them into powder, and bind them on the right arm in a linen cloth, this powder, by working on the veins, will make a man more merry than ordinary.

RHUBARB, OR RHAPONTIC.

THOUGH the name may speak it foreign, yet it grows with us in England, and that frequently enough, in our gardens; and is nothing inserior to that which is brought us out of China; take therefore a description at large of it, as followeth.

DESCRIPTION. At the first appearing out of the ground, when the winter is past, it hath a great round brownish head rising from the middle or sides of the root, which openeth itself into fundry leaves one after another, very much crumpled or folded together at the first, and brownish; but afterwards it spreadeth itself, and becometh fmooth, very large, and almost round, every one standing on a brownish stalk, of the thickness of a man's thumb when they are grown to their fulness, and most of them two feet and more in length, especially when they grow in any moist or good ground; and the stalk of the leaf also, from the bottom thereof to the leaf itself, is also two feet; the breadth thereof from edge to edge, in the broadest place, is also two feet; of a fad or dark green colour, of a fine tart or fourish taste, much more pleafant than the garden or wood forrel. From among these rifeth up sometimes, but not every year, a strong thick stalk, not growing so high as the patience, or gardendock, with fuch round leaves as grow below, but fmaller at every joint up to the top, and among the flowers, which are white, spreadeth forth into many branches, and confifting of five or fix small white leaves each, after which come brownish threefquare feed, like unto other docks, but larger. The root groweth in time to be very great, with divers great spreading branches from it, of a dark brownish or reddish colour on the outfide, with a pale yellow skin under it, which covereth the inner **fubflance**

fubstance or root; which rind and skin being pared away, the root appeareth of so fresh and lively a colour, with fresh-coloured veins running through it, that the choicest of that rhubarb that is brought us from beyond the seas cannot excel it: which root, if it be dried carefully, and as it ought, (which must be in our country by the gentle heat of a fire, in regard the sun is not hot enough here to do it,) and every piece kept from touching one another, will hold its colour almost as well as when it is fresh; and hath been approved of, and commended, by those who have oftentimes used it.

PLACE. It groweth in gardens, and flowereth about the beginning or middle of June, and the feed is ripe in July.

TIME. The roots, that are to be dried and kept all the year following, are not to be taken up before the stalk and leaves be quite withered and gone, and that is not until the middle or end of October; and, if they be taken a little before the leaves do spring, or when they are sprung up, the roots will not have so good a colour in them.

GARDEN PATIENCE, OR MONKS RHUBARB.

DESCRIPTION. THIS is a dock, bearing the name of rhubarb for fome purging quality therein, and groweth up with large tall flalks, fet with fomewhat broad and long fair green leaves, not dented. The tops of the flalks, being divided into many small branches, bear reddish or purplish flowers, and three-square seed, like unto other docks. The root is long, great, and yellow, like unto the wild docks, but a little redder, and, if it be a little dried, sheweth less discoloured veins than the next doth when it is dry.

GREAT ROUND-LEAVED DOCK, OR BASTARD-RHUBARB.

DESCRIPTION. THIS hath divers large, round, thin, yellowish-green, leaves, rising from the root, a little waved above the edges, every one standing on a thick and long brownish foot-stalk; from among which riseth up a pretty big stalk, about two feet high, with some such-like leaves growing thereon, but smaller; at the top whereof stand, in a long spike, many small brownish slowers, which turn into hard three square shining-brown feed, like the garden patience before described. This root grows larger, with many branches of great sibres, yellow on the outside, and sowewhat pale yellow within, with some discoloured veins, like the rhubarb first described, but much less, especially when it is dry.

PLACE

PLACE AND TIME. These also grow in gardens; they flower in June, and the seed is ripe in July.

GOVERNMENT AND VIRTUES. Mars claims predominancy over all the wholesome herbs: a drachm of the dried root of monks rhubarb, with a scruple of ginger, made into powder and taken fasting in a draught or mess of warm broth, purgeth choler and phlegm downwards, very gently and safely, without danger: the feed thereof, contrarily, doth bind the belly, and helpeth to stay any fort of lask or bloody flux. The distilled water thereof is very profitably used to heal scabs, as also foul ulcerous fores, and to allay the instammation of them; the juice of the leaves or roots, or the decoction of them in vinegar, is used as a most effectual remedy to heal scabs and running fores.

The bastard rhubarb hath all the properties of the monks rhubarb, but is more effectual for both inward and outward diseases. The decoction thereof, with vinegar, dropped into the ears, taketh away the pains; gargled in the mouth, taketh away the tooth-ach, and, being drunk, healeth the jaundice. The feed thereof easeth the gnawing and griping pains of the stomach, and taketh away loathing. The root thereof helpeth the ruggedness of the nails, and, being boiled in wine, helpeth the swelling of the throat, commonly called the king's evil, as also the swellings of the kernels of the ears. It helpeth them that are troubled with the stone, provoketh urine, and helpeth the dimness of the fight. The roots of this bastard rhubarb are used in opening and purging diet drinks with other things to open the liver, and to cleanse and cool the blood.

The properties of that which is called the English rhubarb are the same with the former, but much more effectual, and hath all the properties of the true Indian rhubarb, except the force of purging, wherein it is but of half the strength thereof, and therefore a double quantity must be used; it likewise hath not that bitterness and astriction; in other things it worketh almost in an equal quality, which are these, it purgeth the body of choler and phlegm, being either taken of itself, made into powder and drunk in a draught of white wine, or steeped therein all night, and taken fasting, or put among other purges, as shall be thought convenient, cleansing the stomach, liver, and blood, opening obstructions, and helping those griefs that come thereof; as the jaundice, dropsy, swelling of the spleen, tertian and day agues, and pricking pains in the sides; and also it stayeth spitting of blood. The powder, taken with cassia dissolved, and a little Venice turpentine, cleanseth the reins, and strengtheneth them, and is very effectual to stay the running of the reins. It is also given for she pains and swellings in the head, for those that are troubled with melancholy, and helpeth

helpeth the gout and the cramp. The powder of rhubarb, taken with a little mummia and madder roots, in some red wine, dissolveth clotted blood in the body, happening by any fall or bruise, and healeth burstings and broken parts as well inward as outward: the oil, likewise, wherein it hath been boiled, worketh the like effects; it is used to heal those ulcers that happen in the eyes and eye-lids, being steeped and strained; as also to assume swellings and instammations; and, applied with honey, or boiled in wine, it taketh away all black and blue spots or marks. Whey or white wine are the best liquors to steep it in, and thereby it worketh more effectually in opening obstructions, and purging the stomach and liver.

MEADOW RUE.

DESCRIPTION. MEADOW RUE rifeth up with a yellow stringy root, much spreading in the ground, and shooting forth new sprouts round about, with many herby green stalks, two feet high, crested, set with joints here and there, and many large leaves on them below, being divided into smaller leaves, nicked or dented, in the forepart, of a sad green colour on the upper side, and pale green underneath. Toward the top of the stalk there shoot forth divers short branches, on every one whereof there stand two, three, or four, small round heads or buttons, which breaking the skin that incloseth them, shew forth a tust of pale greenish-yellow threads, which salling away, there come in their places small three-cornered cods, wherein is contained small, long, and round, seed. The plant hath a strong unpleasant smell.

PLACE. It groweth in many places in England, in the borders of moist meadows, and by ditch sides. Pliny writeth, that there is such friendship between it and the fig-tree, that it prospereth no where so well as under that tree, and delightest to grow in sunny places.

TIME. It flowereth about July, or the beginning of August.

Government and Virtues. Dioscorides saith, that this herb, bruised and applied, persectly healeth old sores: and the distilled water of the herb and slowers doth the like. It is used by some, among other pot-herbs, to open the body; but the roots, washed clean, boiled in ale, and drunk, are more opening than the leaves. The root, boiled in water, and the places of the body most troubled with vermin, or lice washed therewith, while it is warm, destroyeth them utterly. In Italy it is used against the plague, and in Saxony, against the jaundice. It is an enemy to the toad, as being a great enemy to poison. The ancient astrologers declare this herb hath a property of making a man chaste; but a woman it fills with lust.

No. 22. 4 P GARDEN

GARDEN RUE.

GARDEN RUE is fo well known, both by this name and the name herb of grace, that I shall not write any description of it, but shall only shew the virtues of it, as followeth:

GOVERNMENT AND VIRTUES. It is an herb of the Sun, and under Leo. It provoketh urine, being taken either in meat or drink. The feed thereof, taken in wine, is an antidote against all dangerous medicines or deadly poisons. The leaves, taken either by themselves, or with figs and walnuts, is called Mithridates's counter-poison against the plague, and causeth all venomous things to become harmless. Being often taken in meat or drink, it abateth venery, and destroyeth the ability to beget children. A decoction made thereof, with some dried dill leaves and flowers, easeth all pains, inwardly drunk, and outwardly applied warm to the place grieved. The fame, being drunk, helpeth the pains both of the cheft and fides, as also coughs and hardness of breathing, the inflammations of the lungs, and the tormenting pains of the sciatica and of the joints, being anointed or laid to the places; as also the shakingfits of agues, by taking a draught before the fit. Being boiled or infused in oil, it is good to help the wind cholic; it killeth and driveth forth the worms of the belly, if it be drunk after it is boiled in wine to the half with a little honey. It helpeth the gout or pains in the joints of hands, feet, or knees, applied thereunto: and with figs it helpeth the dropfy, being bathed therewith; being bruifed, and put into the noftrils, it stayeth the bleeding thereof. It taketh away wheals and pimples, if, being bruifed with a few myrtle leaves, it be made up with wax and applied. It cureth the morphew, and taketh away all forts of warts, if boiled in wine with some pepper and nitre, and the places rubbed therewith; and with alum and honey, helpeth the dry scab, or any tetter or ring-worm. The juice thereof, warmed in a pomegranate shell or rind, and dropped into the ears, helpeth the pains of them. The juice of it and fennel, with a little honey, and the gall of a cock put thereto, helpeth the dimnels of the eye fight. An ointment made of the juice thereof, with oil of roses, ceruse, and a little vinegar, cureth St. Anthony's fire, and all foul running fores in the head, and the stinking ulcers of other parts. The antidote used by Mithridates every morning fasting to secure himself from any poison or infection was this: Take twenty leaves beaten together into a mass with twenty juniper berries, which is the quantity appointed for every day. Another electuary is made thus: Take of nure, pepper, and cummin feed, of each equal parts; of the leaves of rue, clean picked, as much in weight as all the other three; beat them well together, and put to it as much honey

as will make it up into an electuary; (but you must first steep your cummin feed in vinegar twenty-four hours, and then dry it, or rather toast it in a hot sire-shovel, or in an oven;) and it is a remedy for the pains or griefs of the chest or stomach, of the spleen, belly, or sides; of the liver, by obstructions; of the reins and bladder, by the stopping of urine.

RUPTURE-WORT.

DESCRIPTION. THIS fpreadeth very many small branches round about upon the ground, about a span long, divided into many parts, full of small joints set very thick together, whereat come forth two very small leaves of a yellowish green colour, branches and all, where groweth forth also a number of exceeding small yellowish slowers, scarcely to be discerned from the stalks and leaves, which turn into seeds as small as the very dust. The root is very long and small, thrusting down deep into the ground. This hath no smell nor taste at first, but afterward hath a little aftringent taste, without any manifest heat, yet a little bitter and sharp.

PLACE. It groweth in dry, fandy, rocky, places.

TIME. It is fresh and green all the summer.

GOVERNMENT AND VIRTUES. This herb is under the dominion of Saturn, Rupture-wort hath not its name in vain, for it is found by experience to cure the rupture, not only in children, but also in grown persons, if the disease be not too inveterate, by taking a drachm of the powder of the dried herb every day in wine, or the decoction made in wine and drunk, or the juice or distilled water of the green herb taken in the same manner; and helpeth all-other fluxes either in men or women; vomitings also, and the gonorrhea, or running of the reins, being taken any of the ways aforesaid. It doth also most affuredly help those that have the stranguary, or are troubled with the stone or gravel. The same also much helpeth all stitches in the side, all griping pains in the stomach or belly, the obstructions of the liver, and cureth the yellow jaundice likewise. It killeth also the worms in children; being outwardly applied, it heals wounds, and helps desluxions of rheum from the head to the eyes, nose, and teeth, being bruised green and bound thereto. It also drieth up the moisture of fishulous ulcers, or any other that are foul and spreading.

RUSHES.

ALTHOUGH there are many kinds of rushes, yet I shall confine myself to those which are best known, and most medicinal, as the bull-rushes, and other of the soft and smooth kinds; which grow so commonly in almost every place in Great-

Britain,

Britain, and are so generally noted, that it is needless to write any description of them. Briefly then take the virtues of them, as followeth.

GOVERNMENT AND VIRTUES. The feeds of these soft rushes, say Dioscorides and Galen, toasted, and drunk in wine and water, stay the lask, and the courses when they come down too abundantly; but it causeth the head-ach. They likewise provoke sleep, but must be given with caution. Pliny saith, the root, boiled in water to the consumption of one-third, helpeth the cough.

R Y E.

GOVERNMENT AND VIRTUES. RYE is more digefting than wheat. The bread and the leaven thereof ripeneth and breaketh imposthumes, biles, and other swellings; the meal of rye, put between a double cloth, moistened with a little vinegar, and heated in a pewter dish, and bound fast to the head while it is hot, doth much ease the continual pains of the head. Mathiolus saith, that the ashes of rye-straw, put into water, and suffered therein a day and a night, will heal the chaps of the hands or feet.


RICE.

DESCRIPTION. THIS grain, or corn, rifeth up with a stronger stalk than wheat, about a yard high, with fundry joints, and a large thick leaf at each of them, like the reed; at the top it beareth a spiked tust spread into branches, whose blooming is said to be purplish, with the seed standing severally on them inclosed in hard brown straked husk, and an arm at the head of every one of them; which, being hulled, is very white, of the bigness almost of wheat corns, blunt at both ends.

NAMES. Rice is called in Latin oriza, and the Italians call it rizo, the French ris. PLACE AND TIME. This grain originally was brought out of the East-Indies, where in many places it yieldeth two crops in a year, being the chiefest corn they live upon, and not with them only, but through all Ethiopia and Africa; and thence hath been brought into Syria, Egypt, Italy, &c. It delighteth to grow in moist grounds, and is ripe about the middle of autumn.

GOVERNMENT AND VIRTUES. It is a folar grain. The physical use thereof is chiefly to stay the lasks and fluxes of the stomach and belly, especially if it be a little parched before it be used, and steel quenched in the milk wherein it is boiled, being somewhat binding and drying; it is thought also to increase seed, being boiled in milk, and some sugar and cinnamon put thereto; the slower of rice is of the same

property





property, and is sometimes also put into cataplasms that are applied to repel humours from slowing or falling to the place, and is also conveniently applied to women's breasts, to stay inflammations therein.

SWEET OR AROMATICAL REED.

KINDS AND NAMES. THERE is one fort called calamus aromaticus Mathioli, Mathiolis's aromatical reed; a fecond called calamus aromaticus Syriacus vel Arabicus fuppofitivus, the spurious Syrian or Arabian aromatical reed; and the third, the true accrus of Dioscorides, or sweet-smelling reed, called in shops calamus aromaticus, and likewise accrus verus, sive calamus officinarum.

Description. 1. Mathiolus's aromatical reed. This groweth with an upright tall stalk, set full of joints at certain spaces up to the top, (not hollow, but stuffed full of a white spongeous pith, of a gummy taste, somewhat bitter, and of the bigness of a man's singer,) and at every one of them a long narrow leaf, of a dark-green colour, smelling very sweet, differing therein from all other kinds of reeds; on the tops whereof groweth a bushy or seather-like panicle, resembling those of the common reed. The root is knobby, with divers heads thereat, whereby it increaseth and shooteth forth new heads of leaves, smelling also very sweet, having a little binding taste, and sharp withal.

The supposed Syrian or Arabian aromatical reed, riseth up from a thick root three or sour inches long, big at the head and small at the bottom, with one stalk, sometimes more, two cubits high, being straight, round, smooth, and easy to break into splinters; full of joints, and about a finger's thickness, hollow and spungy within, of a whitish yellow colour; the stalk is divided into other branches, and they again into other smaller ones, two usually set together at a joint, with two leaves under them likewise, very like unto the leaves of lysimachia, the willow-herb or loosestrise, but less, being an inch and half long; compassing the stalk at the bottom, with sundry veins running all the length of them; from the joints rise long stalks, bearing sundry yellow small slowers, made of leaves like also unto lysimachia, with a small pointed in the middle, after which follow small blackish long heads or feed-vessels, pointed at the end, and having in them small blackish seed; the stalk hath little or no scent, yet not unpleasant, as Alpinus saith, being bitter, with a little acrimony therein; but Bauhinus saith, it is of an aromatical taste, and very bitter.

3. The sweet-smelling reed, or calamus officinarum, or accrus verus, hath many slags, long and narrow fresh green leaves, two feet long, or more; yet oftentimes some, what brownish at the bottom, the one rising or growing out of the side of the other,

No. 22. 4 Q in

in the fame manner that other flags or flower-de-luces grow, which are thin on both fides, and ridged or thickest in the middle; the longest, for the most part, standing in the midft, and some of them as it were curled or plaited towards the ends or tops of them; finelling very fweet, as well when they are green and fresh as when they are dried and kept a long time; which do fo abide in a garden a long time, as though it never did nor never would bear flower; the leaves every year daying down to the ground, and shooting out fresh every spring; but, after three or four years abiding in a place, it shooteth forth a narrow long leaf by itself, flat like-unto the other leaves, especially from the middle upwards; but from the bottom to the middle it is flat, at which place cometh forth one long round head, very seldom two; in form and bigness like unto the catking or aglet of the hasel-nut tree, growing upright, and of the length and thickness of one's finger, or rather bigger; fet with several small lines or divisions, like unto a green pine-apple; of a purplish green colour for the most part; out of which bunches shoot forth small pale whitish slowers, consisting of four small leaves apiece, without so good a scent as the leaves, falling quickly away, and not yielding any feed. The root is thick and long, lying under the furface of the ground, shooting forward, and with small roots or suckers, on all sides like unto the garden valerian, whitish on the outside, or greenish if it lie above the ground, and more pale or whitish on the inside, with many joints thereabouts, and whereat it hath or doth shoot forth long thick fibres underneath, whereby it taketh strong hold in the ground.

PLACE AND TIME. The first is said by Mathiolus, and others, to grow in India, Syria, and Judæa; the dry stalks of the second are said to grow at the foot of Mount Libanus, in Syria, not far from Tripoli, in the wet grounds there; the third in sundry moist places in Egypt, and by the lake Gennesareth in Judæa, and in divers places of Syria and Arabia.

The other calamus of the shops, or true accrus, growth in many places of Turkey, in moist grounds, whence the largest roots, the sirmest, whitest, and sweetest, are brought unto us; it growth also in Russia and thereabouts, in great plenty. It is sometimes found in moist grounds in Yorkshire, and the northern parts of England.

GOVERNMENT AND VIRTUES. These reeds are under the dominion of Venus, of a temperate quality. The calamus of Dioscorides, he saith, hath these properties: It provoketh urine, and, boiled with grafs roots and smallage, it helpeth those that have the dropfy; it fortisieth the reins, and is good against the stranguary, and is also profitable for those that have the rupture; the sumes of it, taken through a tobacco-pipe, either by itself or with some dried turpentine, cure a cough; it is put into baths for women to sit in, also in clysters to ease pains.

Iε

It is used in mollifying oils and plasters, that serve to ripen hard impostumes, as also for the sweet scent thereof. Galen saith, it being of a temperature moderate, between heat and cold, and somewhat aftringent, and having a very little acrimony, it is profitably used among other things that help the liver and stomach, doth provoke urine, is used with other things in somentations for inflammations, and gently to move the courses. Dioscorides saith, that the sweet slag is good to provoke urine, if the decoction thereof be drunk. It helpeth to ease pains in the sides, liver, and breast, as also to ease the griping pains of the choice and cramp, and is good against ruptures; it wastes the spleen, helps the stranguary, and bitings of venomous creatures. It is also good in baths for women to sit in, for distempers of the womb. The juice, dropped into the eyes, drieth rheums therein, and cleareth the sight, taking away all films that may burt them.

The root is of much use in all antidotes against poison or infection; it is a good remedy against a stinking breath, to take the root fasting every morning for some time together. 'The hot fumes of the decoction made in water, and taken in at the mouth through a funnel, are good to help those that are troubled with a cough. A drachm of the powder of the roots, with as much cinnamon, taken in a draught of wormwood wine, is good to comfort and ftrengthen a cold weak ftomach: the decoction thereof is good against convulsions or cramps, and for falls and inward bruises. An oxymel or fyrup made hereof in this manner is effectual for all cold spleens and livers: Take of the roots of acorus one pound; wash and pick them clean, then bruife them, and fleep them for three days in vinegar, after which time let them be boiled together to the confumption of the one half of the vinegar, which being ftrained, fet to the fire again, putting thereto as much honey as is sufficient to make it into a fyrup; an ounce of this fyrup in the morning, in a small draught of the decoction of the fame roots, is sufficient for a dose; the whole roots, preserved either in honey or sugar, are effectual for the same purposes; but the green roots, preserved, are better than the dried roots, which are first steeped and then preserved. It likewise mollifies hard tumours in any part of the body.

SAFFRON.

THE herb needs no description, it being known generally where it grows.

Place. It grows frequently at Walden in Effex, and in Cambridgeshire.

GOVERNMENT AND VIRTUES. It is an herb of the Sun, and under the Lion, and therefore strengthens the heart exceedingly. Let not above ten grains be given at one time, for, being taken in an immoderate quantity, it may hurt the heart instead

of helping it. It quickeneth the brain, for the Sun is exalted in Aries, as well as he hath his house in Leo; it helpeth the consumption of the lungs and difficulty of breathing; it is an excellent thing in epidemical diseases, as pestilence, small-pox, and measles. It is a notable expulsive medicine, and remedy for the yellow jaundice. My own opinion is, that hermodactils are nothing else but the roots of fassfron dried; and my reason is, that the roots of all crocus, both white and yellow, purge phlegm as hermodactils do; and if you dry the roots of any crocus, neither your eyes nor your taste shall distinguish them from hermodactils.

S A G E*.

OUR ordinary garden fage is so well known by every inhabitant of this kingdom, that it needeth no description.

TIME. It flowereth in or about June, July, and August.

GOVERNMENT AND VIRTUES. Jupiter claims this, and it is good for the liver, and to breed good blood. A decoction of the leaves and branches of fage, faith Dioscorides, provoketh urine, bringeth down women's courses, helpeth to expel the dead child, and caufeth the hair to become black; it stayeth the bleeding of wounds, and cleanfeth foul ulcers or fores. Orpheus faith, three spoonfuls of the juice of sage taken fasting, with a little honey, doth presently stay the spitting or cashing up of blood. For them that are in a confumption these pills are much commended: Take of spikenard and ginger, each two drachms; of the feed of fage, toafted at the fire, eight drachms; of long pepper twelve drachms; all these being brought into fine powder, put thereto fo much juice of fage as may make them into a mass for pills, taking a drachm of them every morning fasting, and so likewise at night, drinking a little pure water after them. Mathiolus faith, it is very profitable for all manner of pains of the head coming of cold and rheumatic humours, as also for pains of the joints, whether inward or outward, and therefore helpeth the falling fickness, the lethargy, fuch as are dull and heavy of spirit, the palfy, and is of much use in all defluxions of rheum from the head, and for the diseases of the chest or breast. The leaves of fage and nettles, bruifed together, and laid upon the impostume that rifeth behind the ears, do assuage it much. The juice of sage, taken in warm water, helpeth a hoarfeness and cough. The leaves fodden in wine, and laid upon the place affected with the palfy, helpeth much, if the decoction be drunk alfo. Sage taken

^{*} The occult virtues of faffron and fage are admirably combined in the SOLAR TINCTURE, with all folar herbs, antifeorbutics, purifiers of the blood, &c. &c. whence it is, in all ferophulous complaints, an abfolute specific.

with wormwood is good for the bloody flux: Pliny faith, it helpeth the stinging and biting of serpents, killeth worms that breed in the ears and in sores. Sage is of excellent use to help the memory, warming and quickening the sense; and the conserve made of the slowers is used to the same purpose, and also for all the former recited diseases. The juice of sage drunk with vinegar hath been of good use against the plague at all times. Gargles likewise are made with sage, rosemary, honey-suckles, and plantane, boiled in wine or water, with some honey or alum put thereto, to wash fore mouths and throats. With other hot and comfortable herbs, sage is boiled to bathe the body and legs in the summertime, especially to warm cold joints or sinews troubled with the palsy or cramp, and to comfort or strengthen the parts. It is much commended against the stitch or pains in the side coming of wind, if the place be somented warm with the decostion thereof in wine, and the herb also, after the boiling, be laid warm thereto.

WOOD-SAGE.

DESCRIPTION. WOOD-SAGE rifeth up with fquare hoary stalks two feet high at the least, with two leaves at every joint, somewhat like other sage leaves, but smaller, softer, whiter, and rounder, and a little dented about the edges, and smelling somewhat stronger; at the tops of the stalks and branches stand the flowers on a slender long spike, turning themselves all one way when they blow, and are of a pale and whitish colour, smaller than sage, but hooded and gaping like it; the seed is blackish and round, four usually seen in a husk together; the root is long and stringy, with divers sibres thereat; and it abideth many years.

Place. It groweth in woods, and by wood-fides, as also in divers fields and by-lanes in Great Britain.

TIME. It flowereth in June, July, and August.

GOVERNMENT AND VIRTUES. The herb is under Venus. The decoction of wood-fage provoketh urine; it also provoketh sweat, digesteth humours, and discussed the fwellings and nodes in the sless. The decoction of the green herb made with wine is a safe and sure remedy for those who by salls, bruises, or blows, doubt some vein to be inwardly broken, to disperse and void the congealed blood, and to consolidate the vein; it is also good for such as are inwardly or outwardly bursten, the drink used inwardly, and the herb applied outwardly; the same, used in the same manner, is found to be a sure remedy for the palsy. The juice of the herb, or the powder thereof dried, is good for moist ulcers and fores in the legs or other parts, to dry them, and causeth them to heal more speedily. It also cureth green wounds.

SOLOMON'S SEAL.

DESCRIPTION. THE common Solomon's scal riseth up with a round stalk about half a yard high, bowing or bending down, fet with fingle leaves one above another, fomewhat large, and like the leaves of the lily-convalley, or May-lily, with an eye of bluish upon the green, with some ribs therein, and more yellowish underneath. At the foot of every leaf, almost from the bottom up to the top of the stalk, come forth small, long, white, and hollow, pendulous flowers, somewhat like the flowers of May-lily, but ending in five long points, for the most part two together at the end of a long foot-stalk, and fometimes but one, and sometimes also two stalks with flowers at the foot of a leaf, which are without any scent at all, and stand all on one side of the stalk. After they are past, come in their places fmall round berries, green at first, and blackish green, tending to blueness, when they are ripe, wherein lie small, white, hard, and stony, seed. The root is of the thickness of one's finger or thumb, white and knobbed in some places, with a flat circle reprefenting a feal, whence it took the name, lying along under the furface of the earth, and not running very low, but with many fibres underneath.

PLACE. It is frequent in divers places of Kent, Effex, and other counties.

 $T_{
m IME}$. It flowereth about May, or the beginning of June; and the root abideth and flooteth anew every year.

GOVERNMENT AND VIRTUES. Saturn owns the plant. The root of Solomon's feal is found by experience to be available in wounds, hurts, and outward fores, to heal and close up the lips of those that are green, and to dry up and restrain the flux of humours to those that are cold: it is good to flay vomitings and bleedings wherefoever, as likewife all fluxes in man or woman; also to knit any joint, which by weakness useth to be often out of place, or will not stay in long when it is fet; also to knit and join broken bones in any part of the body, the roots being bruifed and applied to the place; it hath been found by late experience, that the decoction of the root in wine, or the bruifed root put in wine or other drink, and after a night's infusion strained off, and drunk, hath relieved both man and beaft whose bones have been broken by any occasion, which is the most affured refuge of help to people of all countries that they can have: it is no less effectual to help ruptures and burstings, the decoction in wine, and the powder in broth or drink, being inwardly taken and outwardly applied to the place. The same is also available for inward or outward bruises, falls, or blows, both to dispel the congealed blood, and to take away the pains and the black-and-blue marks that abide after the hurt. The fame also, or the diffilled water of the whole plant, used to the face or other parts of the Min.

Ikin, cleanfeth it from morphew, freckles, fpots, or marks whatfoever, leaving the place fresh, fair, and lovely; for which purpose it is much used by the Italian ladies, and is the principal ingredient of most of the cosmetics and beauty-wash advertised by perfumers at a high price.

SAMPHIRE.

DESCRIPTION. ROCK-SAMPHIRE growth with a tender green stalk, about half a yard or two feet at the most, branching forth almost from the very bottom, and stored with fundry thick, and almost round, somewhat long, leaves, of a deep green colour, sometimes three together, and sometimes more, on a stalk, and are sappy, and of a pleasant, hot, or spicy, taste. At the tops of the stalk and branches stand umbles of white slowers, and after them come large feed bigger than sensel-feed, yet somewhat like. The root is great, white, and long, continuing many years, and is of an hot spicy taste.

PLACE. It groweth on the rocks that are often moistened by the sea. Time. It flowereth and seedeth in the end of July and August.

GOVERNMENT AND VIRTUES. It is an herb of Jupiter, and was in former times wont to be used more than it now is. It is a safe herb, very pleasant both to the taste and slomach, helping digestion, and in some fort opening the obstructions of the liver and spleen, provoking urine, and helping thereby to wash away the gravel and stone.

SANICLE.

Description. The ordinary fanicle fendeth forth many great round leaves, standing upon long brownish stalks, every one cut or divided into five or fix parts, and some of those also cut in, somewhat like the leaf of a crow-soot or dove's-soot, sinely dented about the edges, smooth, and of a dark-green shining colour, and sometimes reddish about the brims, from among which rise up small round green stalks, without any joint or leaf thereon, except at the top, where it branches forth into slowers, having a leaf divided into three or four parts at that joint with the slowers, which are small and white, starting out of small round-greenish yellow heads, many standing together in a tust; in which afterwards are the seeds contained, which are small round burs, somewhat like the seeds of clover, and stick in the same manner upon any thing that they touch. The root is composed of many black strings of sibres set together at a little long head, which abideth with the green leaves all the winter.

PLACE. It is found in many shadowy woods, and other places, in England.

TIME

240

TIME. It flowereth in June, and the feed is ripe shortly after.

GOVERNMENT AND VIRTUES. This is one of Venus's herbs. It is exceeding good to heal green wounds, or any ulcers, imposshumes, or bleedings, inwardly. It wonderfully helps those that have any tumours in any part of their bodies, for it represses the powder in drink, and the juice used outwardly; for there is not found any herb that can give such present help either to man or beast when the disease falleth upon the lungs or throat, and to heal up all the putrid malignant ulcers in the mouth, throat, and privities, by gargling or washing with the decoction of the leaves and root, made in water, and a little honey put thereto. It helpeth to stay fluxes of blood either by the mouth, urine, or stool, and lasks of the belly, the ulceration of the kidneys also, and the pains in the bowels, and the gonorrhea or running of the reins, being boiled in wine or water, and drunk: the same is also no less powerful to help any ruptures or burstings, used both inwardly and outwardly; and it is effectual in binding, restraining, consolidating, heating, drying, and healing.

SARACENS CONSOUND, OR SARACENS WOUND-WORT.


Description. THIS groweth very high, fometimes with brownish stalks, and other times with green and hollow, to a man's height, having many long and narrow green leaves snipped about the edges, somewhat like those of the peach tree, or willow leaves, but not of such a white-green colour: the tops of the stalks are furnished with many pale yellow star-like slowers standing in green heads, which, when they are fallen, and the feed ripe, (which is somewhat long, small, and of a yellowish brown colour wrapped in down,) is therewith carried away by the wind. The root is composed of many strings or sibres, set together at a head, which perish not in winter, though the stalks dry away. The taste of this herb is strong and unpleasant, and so is the smell. Wonders are related of the virtues of this herb against hurts and bruises; and it is a great ingredient in the Swifs arquebusade water. It is balsamic and diuretic.

PLACE. It groweth in moist and wet grounds by the side of woods, and sometimes in moist places of the shady groves, as also by the water-side.

Time. It flowereth generally about the middle of July, and the feed is foon ripe, and carried away by the wind.

GOVERNMENT AND VIRTUES. Saturn own this berb. Among the Germans, this wound-herb is preferred before all others of the fame quality. Being boiled in

wine,





wine, and drunk, it helpeth the indifposition of the liver, and freeth the gall from obstructions, whereby it is good for the yellow jaundice, and for the dropsy in the beginning of it, for all inward ulcers of the reins, or elsewhere, and inward wounds and bruises; and, being steeped in wine and then distilled, the water thereof drunk is of fingular service to ease all gnawings in the stomach, or other pains of the body as also the pains of the mother; and, being boiled in water, it helpeth continual agues; and this said water, or the simple water of the herb distilled, or the juice or decostion, are very effectual to heal any green wound, old fore, or ulcer, cleaning them from corruption, and quickly healing them up. It is no less effectual for the ulcers in the mouth or throat, be they never so soul or stinking, by washing and gargling them therewith. Briefly, whatsoever hath been said of bugle or sanicle may be found herein.

SAUCE-ALONE, OR JACK-BY-THE-HEDGE.

DESCRIPTION. THE lower leaves of this are rounder than those that grow towards the tops of the stalks, and are set singly, one at a joint, being somewhat round and broad, and pointed at the ends, dented also about the edges, somewhat resembling nettle-leaves for the form, but of a more fresh green colour, and not rough or pricking: the slowers are very small, and white, growing at the tops of the stalks one above another; which being past, there follow small and long round pods, wherein are contained small round seeds, somewhat blackish. The root is stringy and thready, perishing every year after it hath given feed, and raiseth itself again of its own sowing. The plant, or any part thereof, being bruised, smelleth of garlie, but is much more pleasant, and tasteth somewhat hot, sharp, and biting, almost like rocket.

PLACE. It groweth under walls, and by hedge fides, and pathways in fields in many places.

TIME. It flowereth in June, July, and August.

GOVERNMENT AND VIRTUES. It is an herb of Mercury. This is eaten by many country people as fauce to their falt fish, and helpeth to digest the crudities and other corrupt humours ingendered thereby; it warmeth the stomach, and causeth digestion. The juice thereof, boiled with honey, is reckoned to be as good as hedge-mustard for the cough, to cut and expectorate the tough phlegm. The seed, bruised and boiled in wine, is a good remedy for the wind cholic, or the stone, being drunk warm. The seaves also or seed boiled are good to be used in clysters to ease the pains of the stone. The green seaves are held to be good to heal ulcers in the legs.

WINTER AND SUMMER SAVORY.

BOTH these are so well known, (being constant inhabitants in our garden,) that they need no description.

Government and Virtues. Mercury claims the dominion over this herb. It is a remedy against the cholic and iliac passion: the summer kind is the best. They are both of them hot and dry, especially the summer kind, which is both sharp and quick in taste, expelling wind in the stomach and bowels, and is a present help for the rising of the mother procured by wind, provoketh urine, and is much commended for women with child to take inwardly, and to smell often to. It cutteth tough phlegm in the chest and lungs, and helpeth to expectorate it the more easily: quickeneth the dull spirits in the lethargy, the juice thereof being snuffed or cast up into the nostrils. The juice, dropped into the eyes, cleareth a dull sight, if it proceed of thin cold humours distilling from the brain. The juice, heated with a little oil of roses, and dropped into the ears, easeth them of the noise and singing in them, and of deasness also. Outwardly applied, with flour, in manner of a poultice, it giveth ease to the sciatica, and members having the palfy, heating and warming them; and taketh away their pains. It also taketh away the pains that comes of stinging by bees, wasps, or any venomous reptile.

SAVIN.

TO describe a plant so well known is needless, it being almost in every garden, and remaining green all the winter.

GOVERNMENT AND VIRTUES. It is under the dominion of Mars, being hot and dry in the third degree; and, being of exceeding clean parts, is of a very digefling quality: if you dry the herb into powder, and mix it with honey, it is an excellent remedy to cleanfe old filthy ulcers, and fiftulas; but it hinders them from healing. The fame is good to break carbuncles and plague-fores; it also helpeth the king's evil, being applied to the place: being spread upon a piece of leather, and applied to the navel, it kills the worms in the belly; helps scabs and the itch, running fores, cankers, tetters, and ringworms; and, being applied to the place, may happily cure venereal spress. This I thought proper to mention, as it may safely be used outwardly; but inwardly it cannot be taken without manifest danger, particularly to pregnant women, or those who are subject to flooding.

COMMON WHITE SAXIFRAGE.

DESCRIPTION. THIS hath a few fmall reddish kernels, covered with some kins lying among divers small blackish sibres, which send forth several round, faint,

or yellowish green, leaves, greyish underneath, lying above the ground unevenly dented about the edges, and somewhat hairy green stalks, two or three feet high, with a few such round leaves as grow below, but smaller, and somewhat branched at the top, whereon stand pretty large white slowers of sive leaves each, with some yellow threads in the middle, standing in a long-crested brownish-green huss. After the slowers are past, there ariseth sometimes a round hard head, forked at the top, wherein is contained small blackish seed; but usually they fall away without any feed; and it is the kernels or grains of the root which are usually called the white saxifrage feed, and so used.

PLACE. It groweth in many parts of Great Britain; in meadows and graffy fandy places; it used to grow near Lamb's Conduit, on the back-side of Gray's Inn.

TIME. It flowereth in May, and is then gathered, as well for that which is called the feed as to diffil: for it quickly perisheth down to the ground in hot weather.

GOVERNMENT AND VIRTUES. It is very effectual to cleanfethe reins and bladder, and to diffolve the stone ingendered in them, and to expel it and the gravel by urine; to provoke urine also, and to help the stranguary; for which purposes the decoction of the herb or roots in white wine, or the powder of the small kernelly root, which is called the seed, taken in white wine, or in the same decoction made with white wine, is most usual. The distilled water of the whole herb, roots, and slowers, is most commonly taken. It freeth and cleanfeth the stomach and lungs from thick and tough phlegm. There are not many better medicines to break the stone than this, or to cleanse the urinary passages, and cure the gravel.

BURNET-SAXIFRAGE.

DESCRIPTION. THE greater fort of our English burnet-faxifrage groweth up with divers long stalks of winged leaves, set directly opposite one to another on both sides, each being somewhat broad, and a little pointed and dented about the edges, of a sad green colour. At the tops of the stalks stand umbels of white flowers, after which comes small and blackish seed: the root is long and whitish, abiding long. Our lesser burnet saxifrage hath much siner leaves than the former, and very small, and set one against another, deeply jagged about the edges, and of the same colour as the former. The umbels of the slowers are white, and the seed very small; and so is the root, being also somewhat hot to the taste.

PLACE. These grow in most meadows in England, and are to be found concealed in the grafs scarcely to be discerned.

TIME. They flower about July, and the feed is ripe in August.

GOVERNMENTS

GOVERNMENT AND VIRTUES. These herbs are both of the Moon. These faxifrages are as hot as pepper, and Tragus faith, by his experience, they are more wholesome. They have the same properties that the parsleys have; but, in provoking urine, and easing the wind and cholic, are much more effectual. The roots or feed, being used either in powder, or in decoction, or any other way, help to break and void the stone in the kidneys, to digest cold, viscous, and tough, phlegm in the stomach, and are a most special remedy against all kind of venom. Castoreum, being boiled in the distilled water hereof, is good to be given to those that are troubled with cramps and convulsions. Some make the feed into comfits, (as they do carraway feed,) which is effectual to all the purpofes aforefaid. The juice of the herb, dropped into the most grievous wounds of the head, drieth up their moisture and healeth them quickly. Some women use the distilled water, to take away spots or freckles in the face or any parts of the body: and to drink the fame, fweetened with fugar, for all the purposes aforesaid.

SCABIOUS.

DESCRIPTION. THE common field scabious groweth up with many hairy, fost, whitish-green, leaves, some whereof are but very little if at all jagged on the edges, others very much rent and torn on the fides, and have threads in them, which, upon the breaking, may be plainly feen; from among which rife up divers hairy green stalks, three or four feet high, with such-like hairy green leaves on them, but more deeply and finely divided, branched forth a little. At the tops, which are naked and bare of leaves for a good space, stand round heads of slowers, of a pale bluish colour, fet together in a head, the outermost whereof are larger than the inward, with many threads also in the middle, somewhat flat at the top, as the head with seed is likewise. The root is great, white, and thick, growing down deep in the ground, and abideth many years.


There is another fort of field scabious, different in nothing from the former, but only that it is smaller.

The corn scabious differeth little from the first, but that it is greater, and the flowers more declining to purple; and the root creepeth under the furface of the earth, and runneth not deep in the ground as the first doth.

PLACE. The first groweth most usually in meadows, especially about London every where. The fecond in some of the dry fields near London, but not so plentiful as the former. The third in the flanding corn, or fallow fields, and the borders of fuch-like fields.

TIME. They flower in June and July, and fome abide flowering until it be late in August, and the seed is ripe in the mean time.

There





There are many other forts of scabious, but those here described are most samiliar with us; the virtues both of these and the red being much alike, you will take them as followeth.

GOVERNMENT AND VIRTUES. Mercury owns the plant. Scabious is very effectual for all forts of coughs, fhortness of breath, and all other diseases of the breast and lungs, ripening and digesting cold phlegm and other tough humours, voiding them by coughing and spitting. It ripeneth also all forts of inward ulcers and imposthumes, the pleurify also, if the decoction of the herb, dry or green, be made in wine, and drunk for some time together. Four ounces of the clarified juice of scabious, taken in the morning fasting, with a drachm of Mithridate or Venice treacle, freeth the heart from any infection of pestilence, if after the taking of it the party perspire two hours in bed. The green herb, bruifed, and applied to any carbuncle or fore, is found, by certain experience, to dissolve or break it in three hours space. The same decoction also, drunk, helpeth pains and stitches in the sides. The decoction of the roots, taken for forty days together, or a drachm of the powder of them taken at a time in whey, doth (as Mathiolus faith) wonderfully help those that are troubled with running or fpreading fcabs, tetters, or ringworms, even though they proceed of the venereal disease. The juice, or decoction, drunk, helpeth also fcabs and breakings out of itch and the like. The juice, made up into an ointment, is effectual for the same purpose. The same also helpeth all inward wounds, by the drying, cleanfing, and healing, quality therein. A fyrup made of the juice and fugar is very effectual to all the purposes aforesaid, and so is the diffilled water of the herb and flowers made in due feafon; especially to be used when the green herb is not in force to be taken. The decoction of the herb and roots, outwardly applied, doth wonderfully help all forts of hard or cold fwellings in any part of the body, and is as effectual for any fhrunk finew or vein. The juice of scabious made up with the powder of borax and camphire, cleanfeth the skin of the face or other parts of the body, not only from freckles and pimples, but also from morphew and leprofy. The head being washed with the same decoction, it cleanseth it from dandriff, scurf, fores, itches, and the like, being used warm. Tents, dipped in the juice of water thereof, not only heal green wounds, but old fores and ulcers also. The herb bruised, and applied, doth in short time loosen and draw forth any splinter, broken bone, arrow-head, or other thing, lying in the flesh.

SCURVY-GRASS.

DESCRIPTION. OUR ordinary English scurvy-grass hath many thick leaves, more long than broad, and sometimes longer and narrower; sometimes smooth No. 23.

on the edges, and fometimes a little waved; fometimes plain, fmooth, and pointed, fometimes a little hollow in the middle, and round pointed, of a fad green, and fometimes a bluish colour, every one standing by itself upon a long footstalk, which is brownish or greenish also, from among which rise small flender stalks, bearing a few leaves thereon like the other, but longer and less for the most part; at the tops whereof grow many whitish flowers with yellow threads in the middle, standing about a green head which becometh the feed-vessel. The feed is reddish, tasting somewhat hot: the root is composed of many white strings, which slick deeply in the mud, wherein it chiesly delighteth; yet it will grow in upland and dry grounds; and tasteth a little brackish, or salt, even there, but not so much as where it hath salt water to feed upon.

PLACE. It groweth all along the Thames fide, on the Effex and Kentish shores, from Woolwich round about the sea-coasts to Dover, Portsmouth, and even to Bristol, where it is in plenty; the other, with round leaves, groweth in the marshes in Holland in Lincolnshire, and other places of Lincolnshire by the sea-side.

2. Dutch feurvy-grafs is most known and frequent in gardens, and hath divers, fresh, green, and almost round, leaves, rising from the root, not so thick as the former, yet in some rich ground very large, not dented about the edges, nor hollow in the middle, every one standing on a long sootstalk; from among these rise up divers long slender weak stalks, higher than the former, and with more white slowers, which turn into smaller pods, and smaller brownish seed, than the former: the root is white, small, and thready: the taste of this is not falt at all, but hot, aromatical, and spicy.

TIME. It flowereth in April or May, and the feed is ripe foon after.

GOVERNMENT AND VIRTUES. It is an herb of Jupiter. The English scurvy-grass is more used for its salt taste, which doth somewhat open and cleanse; but the Dutch scurvy-grass is of better effect, and chiefly used by those that have the scurvy, especially to purge and cleanse the blood, the liver, and the spleen, for all which diseases it is of singular good effect, by taking the juice in the spring every morning sasting in a cup of drink. The decoction is good for the same purpose, and the herb tunned up in new drink, either by itself, or with other things, openeth obstructions, evacuateth cold clammy and phlegmatic humours both from the liver and the spleen, wasting and consuming both the swelling and hardness thereof, and thereby bringing to the body a more lively colour. The juice also helpeth all soul ulcers and fores in the mouth, if it be often gargled therewith; and, used outwardly, it cleanseth the skin from spots, marks, or scars.

SELF-HEAL.

NAMES. IT is called prunel, carpenter's herb, hook-heal, and fickle-wort.

Description. The common felf-heal is a small, low, creeping, herb, having many small roundish pointed leaves, somewhat like the leaves of wild mints, of a dark green colour, without any dents on the edges, from among which rise divers small leaves up to the tops, where sland brownish spiked heads, of many small brownish leaves like scales and slowers set together, almost like the head of cassidony, which slowers are gaping, and of a bluish purple, or more pale below, in some places sweet, but not so in others. The root consists of many strings or sibres downward, and spreadeth strings also, whereby it increaseth. The small stalks, with the leaves, creeping upon the ground, shoot forth sibres taking hold of the ground, whereby it is made a great tust in a short time.

PLACE. It is found in woods and fields every where.

TIME. It flowereth in May, and fometimes in April.

GOVERNMENT AND VIRTUES. This is an herb of Venus. It is a special herb for inward and outward wounds: take it inwardly in fyrups for inward wounds; outwardly, in unguents and plasters, for outward. As felf-heal is like bugle in form, fo also in the qualities and virtues, serving for all the purposes whereto bugle is applied, with good fuccess, either inwardly or outwardly. If it be accompanied with bugle, fanicle, and other the like wound-herbs, it will be the more effectual; and to wash or inject into ulcers, in the parts outwardly, where there is cause to repress the heat and sharpness of humours flowing to any fore ulcer, inflammation, fwelling, or the like; or to ftay the flux of blood in any wound or part; this is used with good success; as also to cleanse the foulness of fores, and cause them more speedily to be healed. It is a good remedy for green wounds, to close the lips of them, and to keep the place from any further inconvenience. The juice-thereof, used with oil of roses, to anoint the temples and forehead, is very effectual to remove the head-ach; and the fame, mixed with honey of roses, cleanseth and healeth all ulcers in the mouth and throat.

SERVICE-TREE.

IT is fo well known in the places where it grows, that it needeth no defcription.

TIME. It flowereth before the end of May, and the fruit is ripe in October.

GOVERNMENT AND VIRTUES. Services, when they are mellow, are fit to be taken to stay the fluxes, scowering, and castings, yet less than medlars; if

they be dried before they be mellow, and kept all the year, they may be used in de coction for the said purpose, either to drink, or to bathe the parts requiring it; and are profitably used in that manner to stay the bleeding of wounds. The service-tree is under the dominion of Saturn.

SHEPHERDS PURSE.

NAMES. IT is also called shepherds scrip, shepherds pouch, toy-wort, pick-purse, and case-weed.

Description. The root is small, white, and perisheth every year. The leaves are small and long, of a pale green colour, and deeply cut on both sides: amongst which springeth up a stalk which is small and round, containing small leaves upon it even to the top. The slowers are white, and very small; after which come the little cases which hold the seed, which are slat, almost in the form of a heart.

PLACE. They are frequent in Great Britain, commonly by the paths-fide.

Time. They flower all the fummer long; nay, fome of them are fo fruitful, that they flower twice a-year.

GOVERNMENT AND VIRTUES. It is under the dominion of Saturn, and of a cold, dry, and binding, nature. It flops all fluxes of blood, either caufed by inward or outward wounds; as also flux of the belly, bloody flux, and spitting of blood; being bound to the wrists and the soles of the feet, it helps the yellow jaundice. The herb, being made into a poultice, helps inflammations and St. Anthony's fire; the juice, being dropped into the ears, helps pains and noises therein. A good ointment may be made of it for all wounds, especially wounds in the head.

SMALLAGE.

THIS also is very well known, and therefore I shall not trouble the reader with any description thereof.

PLACE. It groweth naturally in wet and marshy grounds; but, if it be sown in gardens, it there prospereth very well.

TIME. It abideth green all the winter, and feedeth in August.

GOVERNMENT AND VIRTUES. It is an herb of Mercury. Smallage is hotter, drier, and much more medicinable, than parfley, for it much more openeth obstructions of the liver and spleen, rarefieth thick phlegm, and cleanseth it and the blood withal. It provoketh urine, and is good against the yellow jaundice. It is effectual against tertian and quartan agues, if the juice thereof be taken; but especially made into a syrup. The juice also, put to honey of roses, and barley water, is very good

to gargle the mouth and throat of those that have sores and ulcers in them, and will quickly heal them: the same lotion also cleanseth and healeth all other soul ulcers and cancers elsewhere. The seed is especially used to break and expel wind, to kill worms, and to help a stinking breath. The root is essectional to all the purposes aforesaid, and is held to be stronger in operation than the herb, but especially to open obstructions, and to rid away any ague, if the juice thereof or the decoction be taken in wine. All the purposes of this herb are likewise answered by the Solar Tincture, which imbibes its occult property.

SOPE-WORT, OR BRUISE-WORT.

DESCRIPTION. THE root creepeth under ground far and near, with many joints therein, of a brown colour on the outfide, and yellowish within, shooting forth in divers places many weak round stalks, full of joints, fet with two leaves apiece at every one of them on the contrary side, which are ribbed somewhat like that of plantane, and sassined like the common field white campion leaves, seldom having any branches from the sides of the stalks, but set with divers slowers at the top, standing in long husks like the wild campions, made of sive leaves each, round at the ends, and a little dented in the middle, of a pale rose colour almost white, sometimes deeper, and sometimes paler, of a reasonable good scent.

PLACE. It groweth wild in low and wet grounds in many parts of England, by the brooks and fides of running waters.

TIME. It flowereth usually in July, and so continueth all August and part of September.

GOVERNMENT AND VIRTUES. Venus owns it. The country people in many places do use to bruise the leaves of sope-wort, and lay it to their singers, hands, or legs, when they are cut, to heal them. Some say it is diuretic, and expels gravel and stone in the kidneys; and is also good to void hydropical waters, thereby to cure the dropsy, tympany, or an impoverished state of the blood.

SORREL.

OUR ordinary forrel, which groweth in gardens, and also wild in the fields, is so well known, that it needeth no description.

GOVERNMENT AND VIRTUES. It is under the dominion of Venus. Sorrel is prevalent in all hot difeafes, to cool any inflammation and heat of blood in agues peftilential or choleric, or other fickness, and fainting, arising from heat, and to refresh the spirits overspent with the violence of surious or fiery sits of No. 23.

4 U agues.

agues, to quench thirst, and procure an appetite in fainting or decayed stomachs; for it refifteth the putrefaction of the blood, killeth worms, and is a cordial to the heart; for which the feed is more effectual, being more drying and binding, and thereby flayeth the hot humours in the bloody flux, or flux of the stomach. The roots also, in a decoction, or in powder, are effectual for all the faid purposes. Both roots and feed, as well as the herb, are held powerful to refift the poison of the scorpion. The decoction of the roots is taken to help the jaundice, and to expel the gravel and stone. The decostion of the flowers made with wine, and drunk, helpeth the black jaundice, as also the inward ulcers of the body or bowels. A fyrup made with the juice of forrel and fumitory is a fovereign help to kill those sharp humours that cause the itch. The juice thereof with a little vinegar may be used outwardly for the same cause, and is also profitable for tetters, ringworms, &c. It helpeth alfo to discuss the kernels in the throat; and the juice, gargled in the mouth, helpeth the fores therein. The leaves wrapped up in a colewort leaf, and roafted under the embers, and applied to a hard impostume, blotch, bile, or plague-fore, both ripen and break it. The distilled water of the herb is of much good use for all the purposes aforesaid; and the leaves eaten in a fallad are excellent for the blood.

WOOD-SORREL.

DESCRIPTION. THIS groweth low upon the ground, having a number of leaves coming from the root, made of three leaves like trefoil, but broad at the ends, and cut in the middle, of a faint yellowish green colour, every one standing on a long footslalk, which at their first coming up are close folded together to the stalk; but, opening afterwards, are of a fine four relish, and yield a juice which will turn red when it is clarified, and maketh a most dainty clear fyrup. Among these leaves riseth up divers stender weak footstalks, with every one of them a flower at the top, consisting of five small pointed leaves, star-sashion, of a white colour in most places, and in some dashed over with a small show of bluish on the back-side only. After the flowers are past, sollow small round heads, with small yellowish seed in them. The roots are nothing but small strings sastened to the end of a small long piece, all of them being of a yellowish colour.

PLACE. It groweth in many places of England, in woods and other places not too much open to the fun.

TIME. It flowereth in April and May.

GOVERNMENT AND VIRTUES. Venus owns it. Wood-forrel ferveth to all the purposes that the other forrels do, and is more effectual in hindering the putre-faction of blood, and ulcers in the mouth and body, and in cooling and tempering

heats.

heats and inflammations, to quench thirst, to strengthen a weak stomach, to procure an appetite, to stay vomiting, and is very excellent in any contagious sickness, or pestilential sever. The syrup made of the juice is effectual in all the cases aforesaid, and so is the distilled water of the herb. Spunges or linen clothes wet in the juice, and applied outwardly to any hot swellings or inflammations, do much cool and help them. The same juice taken, and gargled in the mouth, for some time, and frequently repeated, doth wonderfully help a stinking canker or ulcer therein. It is of singular service for wounds in any part of the body, to stay the bleeding, and to cleanse and heal the wounds; and helpeth to stay any hot defluxions into the throat or lungs, and cleanseth the viscera.

SOW-THISTLES.

SOW-THISTLES grow in every part of this kingdom, and are fo well known, that they need no description.

PLACE. They grow in our gardens and manured grounds, and fometimes by old walls, the path-fides of fields and highways.

GOVERNMENT AND VIRTUES. This and the former are under the influence of Venus. Sow-thiftles are cooling, and fomewhat binding, and are very fit to cool a hot stomach, and to ease the gnawing pains thereof. The herb, boiled in wine, is very helpful to flay the diffolution of the stomach: and the milkthat is taken from the stalks when they are broken, given in drink, is beneficial to those that are short-winded. Pliny faith, that it hath caused the gravel and stone to be voided by urine, and that the eating thereof helpeth a stinking breath. The faid juice, taken in warm drink, helpeth the stranguary. The decoction of the leaves and stalks caufeth abundance of milk in nurses, and their children to be well-coloured, and is good for those whose milk doth curdle in their breafts, The juice boiled or thoroughly heated with a little oil of bitter almonds in the. peel of a pomegranate, and dropped into the ears, is a fure remedy for deafnefs, finging, and all other difeases, in them. The herb bruised, or the juice, is profitably applied to all hot inflammations in the eyes, or wherefoever elfe, and for wheals, blifters, or other the like eruptions, or heat, in the fkin; also for the heat and itching of the hemorrhoids, and the heat and sharpness of humours in the fecret parts of man or woman. The distilled water of the herb is not only effectual for all the difeases aforesaid, to be taken inwardly with a little sugar, (which medicine the daintiest stomach will not refuse,) but outwardly, by applying cloths or spunges wetted therein. It is good for women to wash their faces therewith, to clear the skin, and to give a lustre thereto. The virtue of: thias this plant lies in its milky juice, which is of great value in difficulty of hearing. This often arifes from obstructing wax, often from inflammation, and fometimes from both these causes conjoined.

SOUTHERNWOOD.

SOUTHERNWOOD is fo well known to be an ordinary inhabitant in almost all gardens, that it needeth no description.

TIME. It flowereth for the most part in July and August.

GOVERNMENT AND VIRTUES. It is a Mercurial plant, worthy of more esteem that it bath. Dioscorides faith, that the feed bruised, heated in warm water, and drunk, helpeth those that are troubled with the cramps, or convulsions of the finews, the sciatica, or difficulty in making water. The same taken in wine is an antidote, or counter-poifon, and driveth away ferpents and other venomous creatures; as also the smell of the herb, being burnt, doth the same. The oil thereof, anointed on the back-bone before the fits of agues come, preventeth them; it taketh away inflammations in the eyes, if it be put with fome part of a roasted quince, and boiled with a few crumbs of bread and applied. Boiled with barley-meal, it taketh away pimples, pushes, or wheals, that rife in the face or other part of the body. The feed as well as the dried herb is often given to kill worms in children. The herb bruifed helpeth to draw forth fplinters and thorns out of the flesh. The ashes thereof dry up and heal old ulcers that are without inflammation, although by the sharpness thereof it makes them smart. The ashes, mingled with old fallad oil, help those that have their hair fallen, and are bald, caufing the hair to grow again either on the head or beard. Durantes faith, that the oil made of fouthernwood, and put among the ointments that are used against the French disease, is very effectual, and likewise killeth lice in the head. The distilled water of the herb is said to help them much that are troubled with the stone, as also for the diseases of the spleen and mother. The Germans commend it for a fingular wound-herb, and therefore call it stab-wort. It is held by all writers, ancient and modern, to be more offensive to the stomach than wormwood, which has thrown it into difrepute.

SPIGNEL.

Description. THE roots of common spignel do spread much and deep in the ground, many strings or branches growing from one head, which is hairy at the top, of a blackish brown colour on the outside, and white within, of a pleasant smell and aromatic taste, whence rise sundry long stalks of sine cut leaves like hairs, smaller





than dill, fet thick on both fides of the stalk, and of a good scent. Among these leaves rise up round stiff stalks, with a sew joints and leaves, and at the tops an umbel of sine pure white slowers, at the edges whereof sometimes will be seen a show of reddish-blue colour, especially before they be sull blown, and are succeeded by small somewhat-round seed, bigger than the ordinary sennel, and of a browner colour, divided into two parts, and crested on the back, as most of the umbelliserous seeds are.

PLACE. It groweth wild in Lancashire, Yorkshire, and other northern counties; and is also planted in gardens.

GOVERNMENT AND VIRTUES. It is an herb of Venus. Galen faith, the roots of fpignel are available to provoke urine; but, if too much thereof be taken, it causeth head ach. The roots boiled in wine or water, and drunk, help the stranguary and stoppings of the urine, the wind, swellings, and pains, in the stomach, and all joint achs. If the powder of the roots be mixed with honey, and the same taken as a licking medicine, it breaketh tough phelgm, and drieth up the rheum that falleth on the lungs. The roots are accounted very effectual against the stinging or biting of any venomous creature, and is one of the ingredients in mithiridate and other antidotes for the same.

SPLEEN-WORT, OR CETRACH.

DESCRIPTION. The smooth spleen-wort, from a black, thready, and bushy, root, sendeth forth many long single leaves, cut in on both sides into round dents, almost to the middle, which is not so hard as that of polypody, each division being not always set opposite unto the other, but between each, smooth, and of a light green on the upper side, and a dark yellowish roughness on the back, folding or rolling itself inward at the first springing up.

PLACE. It groweth as well upon stone walls as moist and shadowy places about Bristol and the other the west parts plentifully; as also on Framinghamcassle, on Beckonssield church in Berkshire, at Stroud in Kent, and elsewhere; and abideth green all the winter.

GOVERNMENT AND VIRTUES. Saturn owns it. It is generally used against infirmities of the spleen; it helpeth the stranguary, and wasteth the stone in the bladder, and is good against the yellow-jaundice and the hiccough; but the use of it in women hindereth conception. Mathiolus faith, that, if a drachm of the dust, that is on the back-side of the leaves, be mixed with half a drachm of amber in powder, and taken with the juice of pursuane or plantane, it will help the No. 24.

running of the reins: and that the herb or root, being boiled and taken, helpeth all melancholic difeases, and those especially that arise from the French disease. Camerarius saith, that the distilled water thereof, being drunk, is very essential against the stone; and that the lye, made of the ashes thereof, being drunk for some time together, helpeth splenetic persons; it is used in outward remedies for the same purpose.

STAR-THISTLE.

Description. THE common star thistle hath divers long and narrow leaves lying next the ground, cut or torn on the edges, somewhat deeply, into many almost even parts, soft or a little woolly all over the green; among which rise up divers weak stalks parted into many branches, all lying or leaning down to the ground, so that it seemeth a pretty bush, set with many divided leaves up to the tops, where severally stand long and small whitish-green heads, set with sharp and long white pricks, (no part of the plant being else prickly,) which are somewhat yellowish: out of the middle whereof riseth the slower, composed of many small reddish-purple threads; and in the heads, after the slowers are past, come small whitish round seed, lying down as the others do. The root is small, long, and woody, perishing every year, and rising again of its own sowing.

PLACE. It groweth wild in the fields about London in many places.

TIME. It flowereth early, and feedeth in July, and fometimes in August.

GOVERNMENT AND VIRTUES. This, like almost all thistles, is under Mars. The seed of this star-thistle made into powder, and drunk in wine, provoketh urine, and helpeth to break the stone, and expel it. The root in powder given in wine, is good against the plague, or pestilence: and, drunk in the morning fasting for some time together, is very profitable for a fishula in any part of the body. Baptista Sardus doth much commend the distilled water, to help the French disease, to open obstructions of the liver, and cleanse the blood from corrupted humours: and it is profitably given against quotidian or tertian agues.

STRAWBERRIES,

THESE are fo well known through this land, that they need no description. T_{IME} . They flower in May ordinarily, and the fruit is ripe shortly after.

GOVERNMENT AND VIRTUES. Venus owns the herb. Strawberries, when they are green, are cold and dry; but when they are ripe they are cold and moist. The berries are excellent good to cool the liver, the blood, and the

fpleen,

spleen, or a hot choleric stomach; to refresh and comfort the fainting spirits, and to quench thirst. They are good also for other inflammations, yet it is not amiss to refrain from them in a fever, lest by their putrifying in the stomach they increase the fits. The leaves and roots boiled in wine or water, and drunk, do likewife cool the liver and blood, and affuage all inflammations in the reins and bladder, provoke urine, and allay the heat and sharpness thereof; the same also, being drunk, flay the bloody-flux, and help the swellings of the spleen. The water of the berries, carefully diffilled, is a fovereign remedy and cordial in the pacification of the heart; and is good for the yellow jaundice. The juice dropped into foul ulcers, or the decoction of the herb and root, doth wonderfully cleanse and help to cure them. Lotions and gargles for fore mouths, or ulcers therein, or elsewhere, are made with the leaves and roots, which are also good to fasten loose teeth, and to heal spungy foul gums. It helpeth also to stay catarrhs or defluxions of rheum into the mouth, throat, teeth, or eyes. The juice, or water, is good for hot and red inflamed eyes; it is also of excellent property for all puthes, wheals, and other breakings forth of hot and tharp humours, in the face and hands, or other parts of the body, to bathe them therewith; and to take away any redness in the face, or spots, or other deformities in the skin, and to make it clear and smooth. Some use this medicine: Take so many strawberries as you shall think fitting, and put them into a distillatory, or body of glass, fit for them; which, being well closed, fet in a bed of horse-dung for twelve or fourteen days, and afterwards distil it carefully, and keep it for your use. It is an excellent water for hot inflamed eyes, and to take away any film or fkin that beginneth to grow over them, and for fuch other defects in them as may be helped by any outward medicine.

SUCCORY.

Description. THE garden-fuccory hath longer and narrower leaves than endive, and more cut in and torn at the edges; and the root abideth many years; it beareth also many blue flowers like endive, and the seed is hardly distinguishable from the seed of the smooth or ordinary endive.

GOVERNMENT AND VIRTUES. It is an herb of Jupiter. Garden-fuccory, as it is more dry and less cold than endive, so it openeth more. A handful of the leaves or roots boiled in wine or water, and a draught thereof drunk fasting, driveth forth choleric and phlegmatic humours; openeth obstructions of the liver, gall, and spleen: helpeth the yellow-jaundice, the heat of the reins, and of the urine; the dropsy also, and hose that have an evil disposition in their bo-

dies by reason of long sickness, evil diet, &c. which the Greeks call cachexia. A decoction thereof made with wine, and drunk, is very effectual against long lingering agues; and a drachm of the feed in powder drunk in wine before the sit of an ague helpeth to drive it away. The distribled water of the herb and slowers (if you can take them in time) is good for hot stomachs, and in agues, either pestilential or of long continuance; for swoonings, and the passions of the heart; for the heat and head-ach in children, and for the disorders of the blood and liver. The said water, or the juice, or the bruised leaves, applied ouwardly, allayeth swellings, inslammations, St. Anthony's fire, pushes, wheals, and pimples, especially used with a little vinegar, as also to wash pestiserous fores. The said water is very effectual for sore eyes that are inflamed with redness, and for nurses' breasts that are pained by abundance of milk.

STONECROP, OR SMALL HOUSELEEK.

DESCRIPTION. IT groweth with divers trailing branches upon the ground, fet with many thick, fat, roundish, whitish, leaves, pointed at the ends; the flowers stand many of them together, somewhat loosely; the roots are small, and run creeping under the ground.

PLACE. It groweth upon the stone walls and mud walls, upon the tiles of houses and penthouses, and amongst rubbish and in most gravelly places.

TIME. It flowereth in June and July, and the leaves are green all the winter.

GOVERNMENT AND VIRTUES. It is under the dominion of the Moon, cold in quality, and fomething binding, and therefore very good to flay defluxions, especially such as fall upon the eyes: it stops bleeding both inward and outward, helps cankers and all fretting fores and ulcers; it abates the heat of choler, thereby preventing diseases thence arising from choleric humours. It expels poison, resistent pestilential severs, and is exceeding good also for tertian agues. It so harmless an herb, you can scarce use it amiss. Being bruised and applied to the place, it helps the king's-evil, and any other knots, or kernels, in the sless a also the piles.

SARSAPARILLA.

THIS is reckoned amongst the forts of prickly bindweeds, of which there are two forts, and this farsaparilla brought from the West Indies makes the third kind. Their names with their descriptions severally follow.

Description. 1. Prickly bindweed with red berries, called in Latin fmilax afpera fruëlu rubro. This groweth up with many branches, wherewith it windeth about trees and other things, fet with many crooked pricks or thorns like a bramble, all

the whole length, binding this way and that in a feemly proportion; at every joint it boweth or bendeth itself, having a somewhat broad and long leaf thereat standing upon a long footstalk, and is broad at the bottom, with two-forked round ends, and then groweth narrower unto the point; the middle rib on the backfide of most of them having many small thorns or pricks, and also about the edges; the lowest being the largest, and growing smaller up to the top, smooth and of a fair green colour, and fometimes spotted with white spots. At the joints with the leaves also come forth tendrils, like a vine, whereby it winds itself; the flowers stand at the tops of the branches at three or four joints, many breaking forth into a cluster, which are white, composed of fix leaves each, star-fashion, and sweet in fcent, after which come the fruit, which are red berries when they are ripe, of the bigness of asparagus-berries or finall grapes; and in some less, wherein are contained fometimes two or three hard black stones, like those of asparagus. The root is flender, white, and long, in hard dry grounds not fpreading far, but in the loofer and moifter places running down into the ground a pretty way, with divers knots and joints.

2. Prickly bindweed with black berries, fmilax afpera fruitu nigro. This other prickly bindweed groweth like the former, the branches being joined in like manwith thorns on them, but not climbing like the former; the leaves are fomewhat like it, not having those forked ends at the bottom of every leaf, but almost wholly round, and broad at the bottom, of a darker-green colour also, seldom having any thorns or pricks either on the back or edges of the leaves, with tendrils like a vine also: the flowers come forth in the same manner, and are star-fashion, consisting of six leaves like the other, of an incarnate or blush colour, with a round red umbone in the middle of every one, which is the beginning of the berry, which when it is ripe will be black, being more sappy or slessy than the other, with stones or kernels within them like unto it: the roots hereof are bigger and fuller than the former for the most part, and spread further under the ground.

4. Sarfaparilla of America, fmilax afpera Peruviana. The farfaparilla that cometh from America into Spain hath been feen fresh, even the whole plant, and hath been verified in all things to resemble the prickly bindweed, and in nothing different from it. But certainly the plant of farfaparilla that groweth in Peru and the West-Indies is a peculiar kind of itself, differing from the fmilax aspera as mechoacan doth from our briony: this doth wind itself about poles or any thing else it can lay hold on to climb on; the branches have crooked prickles growing on them as the smilax aspera hath, but sewer and not so sharp; it hath very green leaves like those of bindweed, but longer, and cornered like No. 24.

ivy-leaves, ending in a long point: the flowers are faid to be very great and white, every one as big as a middle-fized dish, which, opening in the morning, fadeth at night; which occasioned the Spaniards to call the whole plant buenos noches, that is, good night. Gerrard describes the sarsaparilla to be the roots of a shrub, having leaves like ivy; but saith nothing of the flowers or fruit, which it may be believed were not then discovered.

PLACE AND TIME. The two first grow in Italy, Spain, and other warm countries, whether continent or isles, throughout Europe and Asia. The third is found only in the West Indies; the best is faid to come from the Honduras, others not so good from other places, as the fertility or barrenness of the ground, and the temperature of the climate, afford it; and it hath ripe berries early in hot countries.

GOVERNMENT AND VIRTUES. These are all plants of Mars, of an healing quality, howfoever used; Dioscorides faith, that both leaves and berries, being drunk before or after any deadly poifon is taken, are a remedy there-against, ferving to expel it. It is faid also, that, if to a new-born child some of the juice of the berries hereof be given, it shall not be hurt by poison ever after; it is given as an antidote against all forts of poison and venomous things: if twelve or fixteen of the berries, being beaten to powder, be given in wine, it procureth urine, when it is stopped; the distilled water of the flowers, being drunk, worketh the fame effect, and cleanfeth the reins, and affuageth inward inflammations. If the eyes be washed therewith, it taketh away all heat and redness in them; and, if the fores of the legs be washed therewith, it healeth them thoroughly. The true farfaparilla is held generally not to heat, but rather to dry, the humours; yet it is eafily perceived, that it doth not only dry the humours, but wasteth them away, by a fecret and hidden property therein; much whereof is performed by fweating, which it promoteth very effectually. It is much used in many kinds of diseases; as in all cold fluxes from the head and brain, rheums, and catarrhs, as also in all cold griefs of the stomach, and expelleth wind very powerfully. It helpeth not only the French disease, but all manner of achs in the sinews or joints; all running fores in the legs, all phlegmatic swellings, tetters, or ringworms, and all manner of fpots and foulness of the skin; it is not proper to be given to those whose livers are over hot, or to fuch as have agues. In former times it was used beaten to powder and fo drunk; others used to boil it until it became tender, which, being beaten or broken, was afterwards strained into the decoction, making a kind of thick drink like cream. Some others, and that most usually, boiled it in water to the half, or the confumption of the third part, as they would have it stronger or weaker, and that either by itself or with other things proper for the difease-it was intended for; and others also put it amongst others things for drink.

An excellent diet-drink may be made as follows: Take lignum vitæ, which is guaiacum, nine ounces; bark of the same two ounces, sassaffaras one ounce, sarsaparilla sour ounces, juniper-berries one ounce; boil them in two ounces of sountain-water to the consumption of half, add to the strained liquor coriander-seeds sour drachms; cinnamon and liquorice, each two drachms. This may be taken as an ordinary drink for all the diseases before-mentioned.

SAUNDERS.

KINDS AND DESCRIPTION. IN our shops, for physical use, we have three forts of faunders, whereof the white and yellow are sweet woods, but the yellow is the sweetest; the red hath no seent. The faunders-tree growth to be as big as a walnut-tree, having fresh green leaves like the mastic-tree, and darkish blue slowers, the fruit being like cherries for the size, but without any taste; black when they are ripe, and quickly falling away. The wood itself is without seent, as it is said, while it is living and fresh, and smelleth sweet only when it is dry. The white and the yellow woods are so hard to be distinguished before that time, that none but those Indians that usually fell those trees do know their difference beforehand; and can tell which will prove better than others: the chiefest part, and smelling sweetest, is the heart of the wood. They are distinguished by these names, santalum album, citrinum, et rubrum.

Government and Virtues. All the faunders are under the folar regimen: they are cooling and cordial, and used together in sundry cordial medicines; but the white and the yellow are the more cordial and comfortable, by reason of their sweetness; and the red more cooling and binding; which quality neither of the other are without, though in a less proportion. The red is often used to stay thin rheum falling from the head, and to cool hot instammations, hot gouts, and in hot agues to cool and temper the heat; but the white and yellow are both cordial and cephalic, applied with rose-water to the temples, procuring ease in the headach, and are singular good for weak and fainting stomachs through heat, and in the hot sits of agues. They are very prositably applied in somentations for the stomach, spirits, and palpitations of the heart, which also do comfort and strengthen them, and temperate the melancholy humour, and procure alacrity and mirth, which quality is attributed to the yellow more than the white.

SCAMMONY.

DESCRIPTION. THE true scammony hath a long root of a dark ash-colour on the outside, and white within, and of the bigness of an arm, with a pith in the

the middle thereof, and many fibres thereat, from whence arife many long, round, green, branches, winding themselves like a bind weed about stakes and trees, or any other thing that stands next it, unto a good height, without any classing tendrils, like the true or wild vine: from the joints of the branches come forth the leaves, every one by itself, upon short footstalks, somewhat broad at the bottom, with two corners next thereto, and some also round; and then growing long and narrow to the end, being of a fair green colour, and smooth, somewhat shining. Towards the tops of the branches, at the joints with the leaves, come forth large whitish bell-slowers, with wide open brims and narrow bottoms, after which come round heads, wherein is contained three or four black seeds; if any part of this plant be broken, it yieldeth forth a milk, not hot, nor burning, nor bitter, yet somewhat unpleasant, provoking loathing, and almost casting.

NAMES. It is called feammonia both in Greek and Latin. The dried juice, which is most in use, is called also feammoniacum in the druggists and apothecaries shops, as also with most writers, and some call the plant so too. When it is prepared, that is, baked in a quince under the embers, or in an oven, or any other way, it is called diagridium.

PLACE AND TIME. Scammony growth in Syria, and the farther eastern parts, where no frost come in the winter; for where any frost comes it quickly perisheth, consequently it sourishes in hot climates only.

GOVERNMENT AND VIRTUES. This is a martial plant, and of a churlish naure, fo that there had need be great care taken in the choice thereof, that only that be used in physic which is pure and without adulteration; which may be known if it be not heavy, or close compact together, but that it be moderately light, with fome finall holes or hollowness, here and there, therein; and that it be fmooth and plain in the breaking, and not in grains or knots, or having fmall sticks or stones in it, fomewhat clear and blackish, but not of a deadish, dark, or ill-favoured, colour; and that it may be made quickly into a very fine and white powder. It purgeth both phlegm, yellow choler, and watery humours, very strongly; but, if it be indiscreetly given, it will not only trouble the stomach more than any other medicine, but will also scour the guts, in working too powerfully, oftentimes unto blood, and oftentimes unto faintings and fwoonings, and therefore is not fit to be given to any gentle or tender body. Mefue declareth three feveral hurts or dangers that come to the body thereby, and the remedies of them: The first is, faith he, that it ingendereth certain gnawing winds in the stomach, so much offending it, that it provoketh to vomit. To be baked therefore in a quince, and fome parfly, fennel, or wild carrot feed,

feed, or galanga, mixed with it, is the remedy hereof. The next is, that it inflameth the spirits, by the overmuch sharpness or sierceness therein; whereby it readily induceth fevers, especially in those that are subject to obstructions, and replete with putrid humours; which inconveniences are taken away by putting those things into your decoctions that do cool and quench the heat thereof; and fuch are, the mucilage of the feeds of pfyllum, or fleawort; prunes boiled, or rather the pulp of them, the juice, or the julep, or the water, of roles or violets, or if before the boiling thereof (that is the scammony) you steep it in the oil of roses, or violets, or in the juice of a quince, and mingle it with a little shumac or spodium. A third is, that, having a ftrong opening and drawing faculty, it caufeth immoderate fluxes of the belly, by opening the mouth of the veins more than is fit: this harm is also taken away by mixing aftringent and restraining things with it, such as mastic, and especially yellow, myrobolans, and quinces, or the juice of them. Again, it raifeth the entrails and guts, by reason of the sharp juice wherewith it abounds, and by which it procureth pains therein; this danger is remedied if moift, fat, and flippery, things be used with it, as gum tragacanth bdellium, and oil of almonds and roses, as also the pulp of prunes made up with fugar, the mucilage of fleawort-feeds, maftic, and quinces, taken afterwards, and warm water last of all; all which cause it to pass the quicker from the stomach and bowels, and thereby prevents its doing harm. This fault is also helped if cold medicines as well as hot be mixed together to be given, thereby to yield help to the heart, liver, and stomach. Dioscorides saith, if the juice be applied to the womb, it destroyeth the birth, being mixed with honey and oxgall; and rubbed on wheals, pimples, and pushes, takes them all away: and, boiled in vinegar, and anointed, takes away the leprofy, and outward marks in the Ikin, being diffolved in rofe-water and vinegar, and the head moistened therewith, easeth the continual pains thereof. A drachm or two of the roots of scammony purge in the same manner as the juice doth, if some of the things that are appointed therewith be given in it. The roots boiled in water, and made into a poultice, with barley-meal, eafeth the sciatica, being laid thereon; it taketh away scurs and scabs if they be washed with the vinegar wherein the roots have been boiled, and also healeth imposthumes.

SEBESTEN, OR ASSYRIAN PLUM.

DESCRIPTION AND NAMES. THE febeften-tree growth not fo high as the plum-tree. It is covered with a whitish bark; the branches are green, whereon grow rounder, thicker, and harder, leaves. The blossoms are white, and confist of No. 24.

five leaves each, growing together on a long stalk, which afterwards turn into small berries, rather than plums, of blackish-green colour when they are ripe, every one standing in a little cup, of a sweet taste, and glutinous or clammy substance, and a very thick skin; within which lieth a three-square hard stone, with a thick shell and a small kernel, these are gathered and laid in the sun, whereby they grow wrinkled: and so they are kept and brought to us in boxes.

WILD SEBESTEN.

THE wild febesten is in all things like the other, but that it groweth lower, much like unto a hedge-bush, and with smaller and thinner leaves. The flowers and fruit are like, but less.

In shops they have only the name of sebesten, but in Latin the tree is called myxos, myxa, and myxaria.

PLACE AND TIME. The first groweth in Syria, and is but planted in Egypt, whence they were brought into Italy in Pliny's time, and grafted on the service-tree, and do now grow in many places in their orchards. It is so tender that it will not endure the cold with us. The wild kind, as Alpinus saith, is natural in Egypt: they flower in May, and the fruit is ripe in September.

GOVERNMENT AND VIRTUES. This is a plant of Venus: the Arabians and Greeks hold that they open the body as much, or rather more, by reason of the mucilage in them, than the damask prunes: more however while they are green, and less when they are dry; yet the decoction of them, or the infusion of them in broth, although dried and taken whole, worketh effectually; which Fuschius denieth, and affirmeth that they are rather binding. They ferve to cool any intemperate heat of the stomach or liver, and therefore are good in hot agues, and to purge choler, whereof they come. Mathiolus saith, that ten drachms, or twelve at the most, of the pulp of febeffens taken from the skins and stones, work to as good purpose as the pulp of cassia fistula. They are very effectual also to lenify the hoarseness and roughness of the throat; they help the cough and wheasing of the lungs, and distillations upon them, by lenifying of the paffages, and caufing much phlegm to be voided. They also give ease to such as are troubled with pains in their sides, and those that are troubled with heat in their urine, and sharpness thereof proceeding from choler or falt phlegm; they also drive forth the long worms of the belly. There is a kind of birdlime made of these fruits by boiling them a little in water to take away the skins and stones, and afterwards boiling them more to a confistence; the which

(as faith Mathiolus) was used at Venice to catch birds; but Alpinus faith they use it in Egypt as a plaster to dissolve hard tumours or swellings.

SENA.

DESCRIPTION. THE true sena is said to grow in Arabia and Syria, and is transported from Alexandria to us. There is a baftard fena, which is kept in many gardens with us, commonly called colutea, which is its Latin name.

GOVERNMENT AND VIRTUES. It is under the dominion of Mercury. The leaves of fena (which only are used) are hot near the first degree, and dry in the third; it is of a purging faculty, but leaveth a binding quality after the purging; it openeth obstructions, and cleanfeth and comforteth the stomach, being corrected with some annife-feed, carraway-feed, or ginger; it purgeth melancholy, choler, and phlegm, from the head and brain, lungs, heart, liver, and spleen, cleanling those parts of evil humours, a drachm thereof taken in wine, ale, or broth, fasting; it strengthens the fenses, and procureth mirth: it is also good in chronical agues, whether quartan or quotidian; it cleanfeth and purifieth the blood, and caufeth a fresh and lively habit of the body, and is a special ingredient in diet-drinks, and to make purging ale, to be taken to clarify and cleanfe the blood. The bastard sena works very violently both upwards and downwards, offending the stomach and bowels.

SYCAMORE-TREE.

THERE are two forts of this tree, the one bearing fruit out of the body and greater arms of the tree only, the other upon stalks without leaves. The first is called in Latin sycomorus ficus Egyptiaca, the Egyptian fig-tree, and is the true fycamore-tree; those trees which are vulgarly called fycamores in England are a kind of maples.

DESCRIPTION. 1. This fycamore groweth to be a very great tree, bigger than the mulberry tree, with large arms and branches, full of round and somewhat long leaves, pointed at the ends, and dented about the edges, very like the leaves of the mulberry-tree; but harder and rougher, like fig-leaves; this beareth fmall figs, or fruit, and no flower, differing in that from all other trees; for it bringeth forth the fruit out of the very body or trunk of the tree only, and the elder branches next to the body, and no where elfe; and are very like unto white or wild figs, and of the fame bigness, but much sweeter, and without any kernels. The whole tree, and every part, aboundeth with milk, if the bark be but gently wounded; but, if it be On all Discounting

cut too deep, it yieldeth no milk at all; which maketh it to bear three or four times a-year, new rifing out of the places where the old grew. The root is folid, hard, and black, and will abide fresh long after it is felled.

2. The other fycamore is called fycomorus altera, feu ficus Cypria, the fycamore of Cyprus. This groweth to be as big as a plum-tree, or white poplar-tree, the arms and branches bearing broad and fomewhat round leaves, like unto the elm, but very like unto the former; this beareth fuch-like fruit as figs, but smaller, which rise both from the body and the greater arms, but not as the former; but on certain stalks in branches, which rise by themselves without any leaves with them; and are as sweet as figs. They bear four times every year, but not unless they be slit, that the milk in them may come forth.

PLACE AND TIME. The first grows chiefly in Egypt, Syria, and Arabia, and other places adjacent; the other in Cyprus, Caria, Rhodes, and the neighbouring parts.

GOVERNMENT AND VIRTUES. These are under the particular influence of Venus. The fruit maketh the belly soluble, but by its overmuch moisture it troubles the stomach, and giveth but little nourishment. The milk that is taken from the tree by gently piercing the bark, and afterwards dried and made into troches, and kept in an earthern pot, hath a property to soften tumours, and dissolve them, and to solder and close together the lips of green wounds. The fruit itself, being applied as a plaster, worketh the same effect.

SPIKENARD.

IT is naturally an Indian plant, called *nardus Indica*; therefore I fhall proceed to declare its virtues, not troubling you at all with its description.

VIRTUES. Spikenard is of a heating drying faculty, as faith Diofcorides; it is good to provoke urine, and eafeth pains of the ftone in the reins and kidneys, being drunk in cold water; it helps loathings, fwellings, or gnawing in the ftomach, the yellow-jaundice, and fuch as are liver-grown. It is a good ingredient in mithridate and other antidotes against poifon; to women with child it is forbidden to be taken inwardly. The oil of spikenard is good to warm cold places, and to digest crude and raw humours; it worketh powerfully on old cold griefs of the head and brain, stomach, liver, spleen, reins, and bladder. It purgeth the brain of rheum, being snuffed up the nostrils; being insufed certain days in wine, and then distilled in a hot bath, the water is good inwardly and outwardly to be used for any coldness of the members. It comforts the brain, and helps cold pains of the

head





head, and the shaking palfy. Two or three spoonfuls thereof, being taken, help passions of the heart, swoonings, and the cholic: being drunk with wine, it is good against venomous bitings; and, being made into troches with wine, it may be referved for an eye medicine, which, being aptly applied, represent the obnoxious humours thereof.

STORAX-TREE.

KINDS. THERE are accounted three forts of the storax-tree, whose names shall follow with their descriptions.

DESCRIPTION. The usual storax-tree, called in Latin styrax arbor vulgaris. This storax-tree groweth very like the quince-tree, both for form and bigness, the leaves also are long and round, and somewhat like, but far less: whitish underneath, and stiff, the slowers stand both at the joints with the leaves, and at the ends of the branches consisting of sive or six large whitish leaves, like those of the orange-tree, with some threads in the middle, after which come round berries, set in the cups that the slowers were in before, of the bigness of hazel-nuts, pointed at the ends, and hoary all over; each standing on a long foot-stalk, containing within them certain kernels in small shells. This yieldeth a most fragrant sweet gum, and clear, of the colour of brown honey.

- 2. Storax with maple-leaves, flyrax folio aceris. From a round root, covered with a crefted or as it were a jointed bark, come forth, out of knots, three or five broad leaves, like those of the maple or plane tree, standing on small blackish long stalks, and are divided in three or five parts, full of veins, dented about the edges, and pointed at the ends.
- 3. Red storax, called in Latin styrax rubra. This hath formerly by some been thought to be the bark of some kind of tree that went under the name of storax. But Serapio and Avicen divide storax into liquida and sicca: by liquida meaning the pure gum slowing from the tree, and not that liquida which we now call by that name; and by the sicca the seces of the expressed oil from the fruit; but calumita is now taken of some to be red storax.

PLACE AND TIME. The first groweth in Provence of France, in Italy, Candy, Greece, and some other parts of Turkey, where it yieldeth no gum; but in Syria, Silicia, Pamphylia, Cyprus, and those hotter countries, it groweth much. It slowereth in the spring, yielding fruit in September.

GOVERNMENT AND VIRTUES. This is a folar plant: there is no part of this tree in use with us, but the gum that issued out of it; it is of temperature hot in the No. 24.

fecond degree, and dry in the first; it heateth, mollisieth, and digesteth; and is good for coughs, catarrhs, distillations of rheums and hoarseness. Pills made with it and a little turpentine, and taken, gently loosen the belly. It resistest cold poisons; dropped into the ears, it helpeth the singings and noise in them; applied to the hips, joints, or shoulders, afflicted with cold achs, it resolveth and comforteth much, and is good to be put into baths, for lameness of the joints and weariness by travel. It is also good to be put with white frankincense to persume those that have catarrhs, rheums, and desluxions from the head to the nose, eyes, or other parts, by casting it on quick coals, and holding the head over the smoke. It dissolves hard tumours in any part, and is good for the king's-evil.

SWALLOW-WORT.

KINDS. OF this there are three kinds. The usual Latin name of swallow-wort is afclepias or Venice toxicum; their distinct names follow in their descriptions.

Description. 1. Swallow-wort with white flowers, afclepias flore albo. This fwallow-wort rifeth up with divers flender weak stalks, to be two or three feet long, not easy to break, scarce able to stand upright, and therefore for the most part leans or lies upon the ground, if it find not any thing to sustain it; whereon are set two leaves at the joints, being somewhat broad and long-pointed at the end; of a dark green colour, and smooth at the edges. At the joints with the leaves, towards the tops of the stalks, and at the tops themselves, come forth divers small white slowers, confisting of sive pointed leaves a-piece, of a sweet scent; after which come small long pods, thick above, in a great deal of white silken down, which when the pod is ripe openeth of itself, and sheddeth both seed and cotton upon the ground, if it be not carefully gathered. The roots are a great bush, of many strings sastened together at the head, smelling somewhat strong while they are fresh and green, but more pleasant when they are dried; both leaves and stalks perish every winter, and arise anew in the spring of the year, when the stalks, at their first springing, are of a blackish brown.

2. Swallow-wort with black flowers, called in Latin afclepias flore nigro. This groweth in the same manner that the former doth, having long slender rough branches, rising out to a greater height than the other, and twining about whatsoever standeth next unto them; having such-like dark green leaves set by couples, but somewhat smaller, and of a dark purplish colour; after which come more plentifully such-like cods, with a white silver down and seeds in them as the former. The

roots

roots hereof are not fo bushy as the other, neither smell fo strong; neither doth it give any milky but a watery juice when it is broken.

3. Swallow-wort of Candy, afclepias Critica. This rifeth up in the fame fashion that the former do, with many slender slexible green branches, with leaves set at the joints on either side, as the white kind hath, and are very like them, but somewhat of a paler white colour. The flowers stand in the same manner, three or sour together upon a stalk, but are somewhat of a paler white colour; to whom succeed sometimes but one pod, and sometimes two together, thicker and shorter than those of the white kind; straked all along and double-forked at the ends, wherein lie silk and seeds as in the some. The roots have not so strong a smell as the last, and have, as well as the rest of the plant, a scent like box-leaves.

PLACE AND TIME. The two first grow in rough and untilled ground, upon divers mountains in France, about Narbonne, Marseilles, and Montpelier, and in Italy also; the last in Candy. They slower in the months of June and July, and sometimes not until August; and their cods are ripe about a month after; the empty husks abide on the dry branches, when the seed and filk are fallen out.

GOVERNMENT AND VIRTUES. These are solar plants; the roots have a most fovereign faculty against all poisons, particularly against the apocynum, or dogs-bane; and are effectually given to such as are bitten by any venomous beast, or stung by any serpent or other creature; as also against the biting of a mad dog, a drachm and an half thereof taken in carduus-water for many days together. It is taken also, in wine, against the plague and pestilence; a drachm taken in bugloss-water is effectual against all passions of the heart; if the same quantity of citron-seeds be taken therewith, it easeth all the griping pains in the belly; the decoction of the roots made with white wine, taken for feveral days together, a good draught at a time, and fweating thereupon, cureth the dropfy. The same also cureth the jaundice, provoketh urine, and eafeth the cough and all defects of the cheft and lungs. The powder of the roots, taken with peony-feeds, is good against the falling-fickness; or, with bafil-feed, or the rind of pomecitron-feeds, is good against melancholy; and, taken with the roots of dictamnus albus, or bastard-dittany, will kill and expel worms. The decoction hereof, with comfrey-roots, made in wine, is good for those that have a rupture, or are bursten, or have received hurts by bruises. The powder of the roots or leaves is effectual to cleanfe all putrid, rotten, and filthy, ulcers and fores, and may fafely be used in all falves, unquents, and lotions, made for such purposes. The leaves and flowers boiled, and made into a poultice, and applied to the hard tumours or fwellings of women's breafts, cure them speedily.

TOBACCO,

TOBACCO, ENGLISH AND INDIAN.

DESCRIPTION. ENGLISH tobacco rifeth up with a thick round stalk, about two seet high, whereon grow thick fat green leaves, not so large as the Indian, round pointed, and not dented about the edges; at the tops stand divers slowers in green husks, scarce above the brims of the husk, round-pointed also, and of a greenish yellow colour. Its seed is not very bright, but large, contained in great heads. The roots perish every winter, but rise generally of its own sowing.

NAMES. It is called in Latin petum and nicotiana.

PLACE AND TIME. English tobacco groweth much about Winscomb in Gloucestershire, as delighting in a fruitful soil; the other, which we smoke, groweth best in Virginia, and is thence carried to some parts of Spain, and there made up and then brought to us, and named Spanish tobacco.

GOVERNMENT AND VIRTUES. It is a martial plant. It is found by good experience to be available to expectorate tough phlegm from the stomach, chest, and lungs; the juice thereof being made into a fyrup, or the distilled water of the herb drunk; or the fmoke taken by a pipe as is usual, but fasting. The same helpeth to expel worms in the stomach and belly, and to ease the pains in the head, and the griping pains in the bowels: it is profitable for those that are troubled with the stone in the kidneys, to ease pains, and, by provoking urine, to expel gravel and the stone; and hath been found very effectual to expel wind. The feed hereof is very effectual to help the tooth-ach, and the ashes of the burnt herb to cleanse the gums and make the teeth white. The herb bruifed, and applied to the place grieved with the king's evil, helpeth it in nine or ten days effectually. Monardus saith it is a counter-poifon for the biting of any venomous creature, the herb also being outwardly applied to the hurt place. The distilled water is often given with some sugar before the fit of an ague to lessen it, and takes it away in three or four times using. If the distilled fæces of the herb, having been bruifed before the distillation, and not distilled dry, be fet in warm dung for fourteen days, and afterwards hung up in a bag in a wine-cellar, the liquor that distilleth therefrom is fingularly good for cramps, achs, the gout and sciatica, and to heal itches, scabs, and running ulcers. The juice is also good for all the faid griefs, and likewise to kill lice in children's heads. The green herb, bruised and applied, cureth any fresh wound or cut whatsoever: and the juice, put into old fores, both cleanfeth and healeth them. There is also made hereof a fingularly good falve to help imposthumes, hard tumours, and swellings by blows or falls.

TAMARISK-TREE.

IT is fo well known in the place where it groweth, that it needeth no defcriptions. It flowereth about the end of May, or in June, and the feed is ripe and blown away in the beginning of September.

GOVERNMENT AND VIRTUES. It is under the dominion of Saturn. If the root, leaves, or young branches, be boiled in wine or vinegar, and drunk, and applied outwardly, it is very powerful against the hardness of the spleen. The leaves, boiled in wine and drunk, are good to flay the bleeding of the hemorrhoidal veins, spitting of blood, and helpeth the jaundice, the cholic, and the bitings of all venomous ferpents except the afp. The bark is as effectual, if not more, to all the purpofes aforefaid; and both it and the leaves boiled in wine, and the mouth and the teeth washed therewith, help the tooth-ach, the ear-ach, and the redness and watering of the eyes. The faid decoction, with some honey put thereto, is good to stay gangrenes and fretting ulcers, and to wash those that are subject to knits and lice. The wood is very effectual to confume the spleen, and therefore to drink out of cups and cans made thereof is good for splenetic persons. The ashes of the wood are used for all the purposes aforesaid; and, besides, do quickly help the blisters raised by burnings or scaldings by fire or water. Alpinus and Veslingius affirm, that the Egyptians do with as good fuccess use the wood hereof to cure the French disease as others do lignum vitæ or guaiacum, and give it also to such as are possessed with the leprofy, scabs, pushes, ulcers, or the like; and it is available also to help the dropfy arifing from the hardness and obstruction of the spleen, as also for melancholy, and the black-jaundice, that arifeth thereof.

barlen, and on a reput. Let a reput the distribution of A R D E IN T A N S Y

GARDEN TANSEY is so well known, that it needeth no description.

GOVERNMENT AND VIRTUES. Venus governs this herb. The herb bruifed, and applied to the navel, stays miscarriages; boiled in ordinary beer, and the decoction drunk, it doth the like; also it confumes those phlegmatic humours which the cold and moist constitution of winter usually infects the body with, and that was the first reason of eating tansey in the spring. The decoction of the common tansey, or the juice drunk in wine, is a singular remedy for all the griefs that come by stopping of the urine, helpeth the stranguary, and those that have weak reins and kidneys.

It is very profitable to diffolve and expel wind in the stomach, belly, or bowels. If it be bruised, and often smelled to, as also applied to the lower part of the belly, it is very profitable for such women as are given to miscarry in child-bearing, to cause them to go out their full time; it is used also against the stone in the reins, especially to men. The herb fried with eggs, which is called a tansey, helpeth to digest, and carry downward, those bad humours that trouble the stomach. Being boiled in oil, it is good for the sinews shrunk by cramps, or pained with cold. The seed is very profitably given to children for worms, and the juice in drink is as essectival; and it is in this last capacity that it is principally to be regarded. No complaint is so frequent, and sew bring on so much mischies: besides the more common and obvious disorders which they occasion, a wasting, even to death, and putrid severs, sometimes accompany, and indeed arise from, them; and, oftener than is thought, they are the cause of epileptic sits. The medicines given against them are for the most part inessection, and many of them mischievous. Hellebore has brought on convulsions; and every one knows the danger of mercurials.

WILD TANSEY, OR SILVER-WEED.

THIS is fo well known that it needeth no description.

PLACE. It growth almost in every place.

TIME. It flowereth in June and July.

Government and Virtues. This is likewise an herb of Venus. Wild tansey stayeth the lask, and all the fluxes of blood, in men or women, which some say it will do if the green herb be worn in the shoes, so it be next the skin; it stayeth also spitting or vomiting of blood. It is much commended to help children that are bursten, and have a rupture, being boiled in water and salt. Being boiled in wine and drunk, it easeth the griping pains of the bowels, and is good for the sciatica and joint-achs. The same boiled in vinegar with honey and alum, and gargled in the mouth, easeth the pains of the tooth-ach, fasteneth loose teeth, helpeth the gums that are fore, and settleth the palate of the mouth in its place when it is sallen down. It cleanseth and healeth the ulcers in the mouth or secret parts, and is very good for inward wounds, and to close the lips of green wounds; as also to heal old, moist, corrupt, running, fores, in the legs or essentially cooleth the hot sits of agues, be they never so violent. The distilled water cleanseth the skin of all discolourings therein, as morphew, sun-burning, &c. as also pimples, freckles, and the like; and dropped

into the eyes, or cloths wet therein and applied, taketh away the heat and inflammations in them.

THISTLES.

OF these are many kinds growing here in England, which are so well known, that they need no description. Their difference is easily known by the places where they grow, viz.

PLACE. Some grow in fields, some in meadows, and some among the corn; others on heaths, greens, and waste grounds, in many places.

TIME. They all flower in July and August, and their feed is ripe quickly after. GOVERNMENT AND VIRTUES. Mars rules them. Thistles are good to provoke urine, and to amend the rank smell of the arm-pits, or of the whole body, being boiled in wine and drunk, and are said also to help a stinking breath, and to strengthen the stomach. Pliny saith, that the juice bathed on the place that wanteth hair, it being fallen off, will cause it to grow again speedily.

MELANCHOLY THISTLE.

Description. IT rifeth up with a tender fingle hoary green flalk, bearing thereon four or five long hoary green leaves, dented about the edges, the points whereof are little or nothing prickly, and at the top usually but one head, yet sometimes from the boson of the uppermost leaf there shooteth forth another smaller head, scaly and somewhat prickly, with many reddish purple thrums in the middle, which, being gathered fresh, will keep the colour a great while, and sade not from the stalk in a long time, while it perfecteth the seed. The root hath many long strings saftened to the head, or upper parts, which is blackish, and perisheth not.

There is another fort, little differing from the former, but that the leaves are more green above and more hoary underneath, and the stalk, being about two feet high, bearing but one large scaly head, with threads and seeds as the former.

PLACE. They grow in many moist meadows of this land, as well in the fouthern as in the northern parts.

Time. They flower about July or August, and their seed ripeneth quickly after.

GOVERNMENT AND VIRTUES. It is under Capricorn, and therefore under both Saturn and Mars: one rids melancholy by sympathy, the other by antipathy. Their virtues are but sew, but those not to be despised; for the decoction of the thisself.

1.00

thiftle in wine, being drunk, expels the fuperfluous melancholy out of the body, and makes a man merry. Superfluous melancholy caufeth care, fear, fadness, despair, envy, and many evils besides; but religion teacheth to wait upon Providence, and cast our care upon him who careth for us.

OUR LADY'S THISTLE.

DESCRIPTION. OUR lady's thiftle hath divers large and broad leaves, lying on the ground, cut in and as it were crumpled, but rather hairy on the edges; of a white-green shining colour, wherein are many lines and strakes of a milky white colour running all over, and set about with many sharp and stiff prickles, among which riseth up one or more strong, round, and prickly stalks, set sull of the like leaves up to the top, where, at the end of every branch, cometh forth a great, prickly thistle-like, head, strongly armed with pricks, and with bright purple thrums rising out of the middle of them: after they are past, the seed groweth in the said heads, lying in a great deal of soft white down, which is somewhat statissiand shining, large and brown. The root is great, spreading in the ground, with many strings and small sibres sastened thereto. All the whole plant is bitter in taste.


PLACE. It is frequent on the bank of almost every ditch.

TIME. It flowereth and feedeth in June, July, and August.

GOVERNMENT AND VIRTUES. Our lady's thiftle is under Jupiter, and thought to be as good as carduus benedictus for agues, and to prevent and cure the infection of the plague, as also to open obstructions of the liver and spleen, and thereby is good against the jaundice. It provoketh urine, breaketh and expelleth the stone, and is good for the dropfy. It is effectual also for the pains in the sides, and many other inward pains and gripings. The seed and distilled water are held powerful to all the purposes aforesaid: and, besides, it is often applied both inwardly to drink, and outwardly with cloths or spunges to the region of the liver, to cool the distemperature thereof, and to the region of the heart, against swoonings and passions of it. It cleanseth the blood exceedingly: and in spring, if you boil the tender plant, it will change your blood as the season changes, which is a very sure way to preserve health.

WOOLLY, OR COTTON THISTLE.

DESCRIPTION. THIS hath many large leaves lying on the ground, fomewhat eut in, and as it were crumpled, on the edges, of a green colour on the upper-fide, but covered over with a long hairy wool, or cottony down, fet with fharp pricks, from





from the middle of whose heads of flowers come forth many purplish crimson threads, sometimes white, although but seldom. The seed, that followeth in these white downy heads, is somewhat large, long, and round, resembling the seed of our lady's thisse, but paler. The root is great, and thick, spreading much, yet usually dieth after seed-time.

PLACE. It groweth on divers ditch-banks, and in the corn-fields and highways, generally throughout England; and is often found growing in gardens.

TIME. It flowereth and beareth feed about the end of fummer, when other thiftles flower and feed.

GOVERNMENT AND VIRTUES. It is a plant of Mars. Diofcorides and Pliny write, that the leaves and roots hereof, taken in drink, help those that have a crick in their neck, that they cannot turn it unless they turn their whole body. Galen saith, that the roots and leaves hereof are good for such persons as have their bodies drawn together by some spasin or convulsion, or other infirmities, as the rickets in children; being a disease that hindereth their growth, by binding their nerves, ligaments, and whole structures of their body.

FULLERS THISTLE, OR TEASEL.

IT is so well known that it needs no description, being used by the clothworkers.

The wild teafel is in all things like the former, but that the prickles are small, foft, and upright, not hooked or sliff: and the flowers of this are of a fine blush or pale carnation colour, but of the manured kind whitish.

PLACE. The first groweth, being sown, in gardens or fields, for the use of clothworkers. The other near ditches in many places of Great Britain.

TIME. They flower in July, and are ripe near the end of August.

GOVERNMENT AND VIRTUES. It is an herb of Venus. Dioscorides faith, that the root bruifed and boiled in wine until it be thick, and kept in a brazen yessel or pot, and afterwards spread as a salve and applied, doth heal fistulas, and also taketh away warts and wens. The juice of the leaves, dropped into the ears, killeth worms in them. The distilled water of the leaves, dropped into the eyes, taketh away redness and miss in them that hinder the fight, and is often used by women to preserve their beauty, and to take away redness and inflammations, and all other discolourings. The water, that is received in the hollowness of the leaves, is good for inflammations of the eyes. It also takes off spots from the face, and beautifies it. Boiled in wine, it purges by urine.

TREACLE-MUSTARD.

DESCRIPTION. IT rifeth up with a hard round stalk about a foot high, parted into some branches, having divers soft green leaves somewhat long and narrow set thereon, waved, but not cut in on the edges, broadest towards the ends, and somewhat round-pointed; the slowers are white that grow at the tops of the branches, spike-fashion, one above another: after which come large round pouches parted in the middle with a furrow, having one blackish brown seed on either side, somewhat sharp in taste, and smelling of garlic, especially in the fields where it is natural, but not so much in gardens: the roots are small and thready, perishing every year.

BLACK-THORN, OR SLOE-BUSH.

IT is fo well known, that it needeth no description.

PLACE. It groweth in every country, in the hedges and borders of fields.

Time. It flowereth in April, and fometimes in March, but ripeneth after all other plums whatfoever, and is not fit to be eaten until the autumn frost have mellowed it.

GOVERNMENT AND VIRTUES. All the parts of the floe-bush are binding, cooling, and drying, and effectual to flay the bleeding at the nofe and mouth, or any other place; the lask of the belly, or stomach, or the bloody flux; and to ease the pains in the fides or bowels, by drinking the decoction of the bark of the roots, or more usually the decoction of the berries either fresh or dried. The conserve is also of very much use to the purposes aforesaid; but the distilled water of the flowers, first steeped in fack for a night, and drawn therefrom by the heat of a bath, is a most certain remedy, tried and approved, to ease all manner of gnawing in the stomach, fides, and bowels, or any griping pains in any of them, to drink a small quantity when the extremity of pain is upon them. The leaves also are good to make lotions to gargle and wash the mouth and throat, wherein are swellings, fores or kernels, and to flay the defluxions of rheum to the eyes or other parts, as also to cool the heat and inflammations in them, and to ease hot pains of the head, by bathing the forehead and temples therewith. The simple distilled water of the flowers is very effectual for the faid purposes, and the condensate juice of the floes. The distilled water of the green berries is used also for the same purposes.

THOROUGH-

THOROUGH-WAX, OR THOROUGH LEAF.

Description. COMMON thorough-wax fendeth forth one straight round stalk, and sometimes more, two seet high and better, whose lower leaves being of a bluish green colour, are smaller and narrower than those up higher, and stand close thereto, not compassing it, but, as they grow higher, they more and more encompass the stalk, until it wholly (as it were) pass through them, branching towards the top into many parts, where the leaves grow smaller again, every one standing singly. The slowers are very small and yellow, standing in tusts at the heads of the branches, where afterwards grow the seed, which are blackish, many thick thrust together. The root is small, long, and woody, perishing every year after seed-time, and rising again plentifully of its own sowing.

PLACE. It is found growing in many corn fields and pasture grounds in Great Britain.

TIME. It flowereth in July, and the feed is ripe in August.

GOVERNMENT AND VIRTUES. Both this and the former are under the influence of Saturn. Thorough-wax is of fingular good use for all forts of bruises and wounds, either inward or outward, and old ulcers and sores likewise, if the decoction of the herb with water or wine be drunk, and the places washed therewith, or the juice, or green herb bruised or boiled, either by itself or with other herbs, in oil or hog's grease, be made into an ointment to serve all the year. The decoction of the herb, or the powder of the dried herb, taken inwardly, and the same, or the green leaves bruised and applied outwardly, is singularly good to cure ruptures and burstings, especially in children, before they be too old.

THYME.

IT is very unnecessary to describe an herb so commonly known.

GOVERNMENT AND VIRTUES. It is under the government of Venus. This herb is a notable strengthener of the lungs; there is scarcely a better remedy growing for that disease in children which they commonly call the chin-cough. It purgeth the body of phlegm, and is an excellent remedy for shortness of breath: it kills worms in the belly. An ointment made of it takes away hot swellings and warts, helps the sciatica and dulness of sight, takes away pains and hardness of the spleen. It is excellent good for those that are troubled with the gout; it easeth pains in the loins and hips. The herb taken any way inwardly comforts the stomach much, and expels wind.

WILD

WILD THYME, OR MOTHER OF THYME.

THE wild thyme also is so well known, that it needs no description.

PLACE. It may be found in commons and other barren places throughout the nation.

GOVERNMENT AND VIRTUES. This is likewise under the dominion of Venus, though under the fign Aries, and therefore chiefly appropriated to the head: it provoketh urine, and easeth the griping pains of the belly, cramps, ruptures, and inflammations of the liver. If you make a vinegar of the herb, and anoint the head with it, it will soon ease the pain thereof. It is excellent good to be given either in a frenzy or lethargy, although they are two contrary diseases. It helps the spitting of blood, coughing, and vomiting; it comforts and strengthens the head, stomach, reins, and womb; expels wind, and breaks the stone.

TORMENTIL, OR SEPTFOIL.

DESCRIPTION. THIS hath many reddish, slender, weak, branches, rising from the root, lying upon the ground, rather leaning than standing upright, with many short leaves that stand closer to the stalks than cinquesoil doth, (which this is very like,) with the footstalk encompassing the branches in several places; but those that grow next to the ground are set upon long footstalks, each whereof are like the leaves of cinquesoil, but somewhat longer and smaller, and dented about the edges, many of them divided into sive leaves only, but most of them into seven, whence it is also called Septsoil; yet some may have six, and some eight, accordingly to the fertility of the soil. At the tops of the branches stand divers small yellow slowers, consisting of sive leaves, like those of cinquesoil, but smaller. The root is smaller than bistort, somewhat thick, but blacker without, and not so red within, yet sometimes a little crooked, having many blackish fibres.

PLACE. It groweth as well in woods and shadowy places as in the open country, about the borders of fields in many places of England, and almost in every broomfield in Effex.

TIME. It flowereth all the fummer.

GOVERNMENT AND VIRTUES. This is an herb of the Sun. Tormentil is most excellent to stay all kinds of fluxes of blood or humours in man or woman, whether at nose, mouth, belly, or any wound in the veins or elsewhere. The juice of the herb, or root, taken in drink, not only resistent all posson or venom of any creature, but of the plague itself, and pestilential severs, and contagious diseases, as the French disease,

difease, measles, purples, &c. expelling the venom and infection from the heart by perspiration; if the green root be not to be had, the powder of the dry root is as effectual, a drachm thereof being taken every morning. The decoction likewise of the herb and roots made in wine, and drunk, worketh the fame effect; and so doth the diffilled water of the herb and root, being fleeped in wine for a night, and then distilled in balneo maria. The water thus distilled, taken with some Venice treacle, and the party prefently laid to fweat, will expel any venom or poifon, or the plague, fever, &c. for it is an ingredient of especial respect in all antidotes or counter-poifons. There is not found any root more effectual to help any flux of the belly, stomach, spleen, or blood, than this, to be taken inwardly, or applied outwardly. The juice doth wonderfully open obstructions of the liver and lungs, and thereby in short space helpeth the yellow-jaundice: some make cakes hereof, as well to stay all sluxes as to restrain all choleric belchings, and much vomiting, with loathing. Andreas Valefius is of opinion, that the decoction of this root is no less effectual to cure the venereal disease than guaiacum; and it is not unlikely, because it so mightily refifteth putrefaction. Lobel faith, that Rondeletius used it as hermodactils for jointachs: the powder also, or decoction to be drunk, or to sit therein as a bath, is a fine remedy against abortion in women, if it proceed from the weakness of the inward retentive faculty: as also a plaster made therewith and vinegar, applied to the reins of the back, doth much help, not only this, but also those that cannot hold their water, the powder being taken in the juice of plantane; and it is also commended against the worms in children. It is very powerful in ruptures and burstings; as also for bruises and falls, to be used as well outwardly as inwardly. The root hereof, made up with pellitory of Spain and alum, and put into an hollow tooth, not only affuageth pain, but flaveth the flux of humours which caufed it. Tormentil is no less effectual and powerful a remedy for outward wounds, fores, and hurts, than for inward, and is therefore a special ingredient in wound-drinks, lotions, and injections, for foul, corrupt, rotten, fores and ulcers of the mouth, or any other parts of the body; and to put either the juice or powder of the root into such ointments, plasters, and fuch things as are to be applied to wounds and fores. It also diffolyeth all knots, kernels, and hardness, about the ears, throat, and jaws; and the king's evil, if the leaves and roots be bruifed and applied thereto. The same also easeth the pains of the sciatica, or hip-gout, by restraining the sharp humours that flow thereto. The juice of the leaves and roots, used with a little vinegar, is also a special remedy against the running fores of the head or other parts, scabs also, and the itch, or any such eruptions in the skin, proceeding of falt and sharp humours. The same also is effectual for the piles, or hemorroids, if they be washed and bathed therewith, or No. 25. 5 D with

with the distilled water of the herb and roots. It is found also helpful to dry up any sharp rheum that distilleth from the head into the eyes, causing redness, pain, waterings, itchings, or the like, if a little prepared tutia, or white amber, be used with the distilled water thereof. The Sun rules this herb.

TURNSOL, OR HELIOTROPIUM.

Description. The greater turnfol rifeth up with one upright stalk about a foot high or more, dividing itself almost from the bottom into smaller branches of a hoary colour. At each joint of the stalk and branches grows two small broad leaves, somewhat white or hoary also. At the tops of the stalks of the branches stand many small white slowers, consisting of four and sometimes sive very small leaves, set in order one above another, upon a small crooked spike, which turneth inwards, opening by degrees as the slowers blow open; after which in their places come forth small cornered seeds, four for the most part standing together. The root is small and thready, perishing every year; and the seed, shedding every year, raiseth it again the next spring.

PLACE. It groweth in gardens, and flowereth and feedeth with us in England, notwithstanding it is not natural to Great-Britain, but to Italy, Spain, and France, where it groweth plentifully.

Government and Virtues. It is an herb of the Sun. Diofcorides faith, that a good handful of this, which is called the greater turnfol, boiled in water and drunk, purgeth both choler and phlegm; and, boiled with cummin, and drunk, helpeth the stone in the reins, kidneys, or bladder, provoketh urine and the courses, and causeth an easy and speedy delivery in child-birth. The leaves bruised and applied to places pained with the gout, or that have been newly set, do give much ease. The feed and the juice of the leaves also, being rubbed with a little salt upon warts, wens, and other hard kernels, in the face, eye-lids, or any other part of the body, will, by often using, take them away.


MEADOW TREFOIL, OR HONEY-SUCKLES.

IT is fo well known, especially by the name of honey-suckles, white and red, that I need not describe them.

PLACE. They grow almost every where in England.

GOVERNMENT AND VIRTUES. Mercury hath dominion over the common forts. Dodoneus faith, the leaves and flowers are good to ease the griping pains of the

guts,





guts, the herb being boiled and used in a clisser. If the herb be made into a poultice and applied to inflammations, it will ease them. The juice dropped into the eyes is a samiliar medicine with many country people to take away the pin and web (as they call it) in the eyes; it also allayeth the heat and blood-shooting of them. Country people do also in many places drink the juice hereof against the biting of an adder, and, having boiled the herb in water, they first wash the place with the decoction, and then lay some of the herb to the hurt place. The herb also, boiled in swine's grease, and so made into an ointment, is good to apply to the biting of any venomous creature. It is held likewise to be good for wounds. The seed and slowers boiled in water, and after made into a poultice with some oil, and applied, help hard swellings and imposithumes.

HEART TREFOIL.

BESIDES the ordinary forts of trefoil, here are two more remarkable, and one of which may probably be called heart trefoil, not only because the leaf is triangular like the heart of a man, but also because each leaf contains the persect icon of a heart, and that in its proper colour, viz. a sless-colour.

PLACE. It groweth near Bow, and parts adjacent.

GOVERNMENT AND VIRTUES. It is under the dominion of the Sun; and, if it were used, it would be found as great a strengthener of the heart and cherisher of the vital spirit as grows, relieving the body against faintings and swoonings, fortifying it against positions and pestilence, and defending the heart against the noisome vapours of the spleen.

PEARL TREFOIL.

IT differs not from the common fort, fave only in this one particular, that it hath a white fpot in the leaf like a pearl; it is particularly under the dominion of the Moon, and its icon sheweth that it is of singular virtue against the pearl, or pin and web, in the eyes.

TUTSAN, OR PARK-LEAVES.

DESCRIPTION. IT hath brownish shining stalks, crested all the length thereof, rising to be two and sometimes three feet high, branching forth even from the bottom, having divers joints, and at each of them two sair large leaves, of a dark bluish-green colour on the upper side, and of a yellowish-green underneath, turn-

ing reddish towards autumn, but abiding on the branches all the winter. At the tops of the stalks and branches stand large yellow slowers, and heads with seed, which, being greenish at the first, and afterwards reddish, turn to be of a blackish-purple colour when they are thoroughly ripe, with small brownish seed in them, and then yield a reddish juice or liquor, of a reasonable good scent, somewhat resinous, and of an harsh and styptic taste, as the leaves also and the slowers be, although much less. The root is of a brownish colour, somewhat great, hard, and woody, spreading well in the ground.

PLACE. It groweth in many woods, groves, and woody grounds, as parks and forests, and by hedge-fides, in many places in Great-Britain.

TIME. It flowereth later than St. John's or St. Peter's wort.


GOVERNMENT AND VIRTUES. It is an herb of Saturn, and a great antivenerean. Tutlan purgeth choleric humours, as St. Peter's wort is faid to do; for therein it worketh the same effects, both to help the sciatica and gout, and to heal burnings by fire. It stayeth also the bleeding of wounds, if either the green herb be bruised or the powder of the dry be applied thereto. It hath been accounted, and certainly is, a sovereign herb to heal any wound or sore either outwardly or inwardly, and therefore always used in drinks, lotions, balms, oils, ointments for any fort of green wound, or old ulcers and sores, in all which the continual experience of former ages hath confirmed the use thereof to be admirably good, though it be not so much in use now as when physicians and surgeons were so wise as to use herbs more than they do at present.

GARDEN VALERIAN.

DESCRIPTION. THIS hath a thick short greyish root, lying for the most part above ground, shooting forth on all sides other such-like small pieces or roots, which have all of them many long and great strings or sibres under them, in the ground, whereby it draweth nourishment. From the heads of these roots spring up many green leaves, which at first are somewhat broad and long, without any division at all in them, or denting on the edges; but those that rise up after are more and more divided on each side, some to the middle-rib, made of many leaves together on a stalk, and those upon the stalk in like manner more divided, but smaller towards the top than below. The stalk riseth to be a yard high or more, sometimes branched at the top, with many small whitish slowers, sometimes dashed over at the edges with a pale purplish colour, of a little scent; which passing away, there followeth small brownish-white seed that is easily carried away with the wind. The root smelleth more strong than either leaf or slower, and is of more use in medicine.

PLACE.





PLACE. It is generally kept with us in our gardens.

TIME. It flowereth in June and July, and continueth flowering until the frost pull it down.

GOVERNMENT AND VIRTUES. This is under the influence of Mercury. Dioscorides faith, that the garden valerian hath a warming faculty, and that, being dried and given to drink, it provoketh urine, and helpeth the stranguary. The decoction thereof, likewise taken, doth the like also, and taketh away pains of the sides, provoketh urine, and helpeth the stranguary. It is used as a counter-poison. Pliny faith, that the powder of the root, given in drink, or some of the decoction thereof taken, helpeth all stoppings and stranglings in any part of the body, whether they proceed of pains in the cheft or fides, and taketh them away. The root of valerian, boiled with liquorice, raifins, and annife-feed, is good for those that are short winded, and for those that are troubled with a cough, and helpeth to open the passages and to expectorate phlegm easily. It is given to those that are bitten or stung by any venomous creature, being boiled in wine. It is of special virtue against the plague, ... the decoction thereof being drunk, and the root being used to smell to; it helpeth also to expel wind. The green herb with the root taken fresh, being bruised and applied to the head, taketh away the pains and prickings therein, stayeth rheum and thin distillations; and, being boiled in white wine, and a drop thereof put into the eye, taketh away the dimness of the fight, or any pin or web therein. It is of excellent property to heal any inward fores or wounds, as also for outward hurts or wounds, and draweth any splinter or thorns out of the slesh.

VERVAIN.

DESCRIPTION. THE common vervain hath fomewhat long and broad leaves next the ground, gashed about the edges, and some only deeply dented, or cut all alike, of a blackish green colour on the upper side, and somewhat grey underneath. The stalk is square, branched into several parts, rising about two feet high, especially if you reckon the long spike of slowers at the tops of them, which are set on all sides one above another, and sometimes to or three together, being small and gaping of a purplish blue colour, and white intermixed; after which come small round seed in small and somewhat long heads. The root is small and long, but of no use.

PLACE. It groweth generally throughout England, in divers places by the hedges, and way-fides, and other wafte grounds.

TIME. It flowereth about July, and the feed is ripe foon after.

No. 25. GOVERNMENT

382

GOVERNMENT AND VIRTUES. This also is an herb of Venus, and an excellent herb for the womb, to strengthen it, and remedy all the cold griefs of it, as planetane doth the hot. The herb bruifed and hung about the neck, helps the head ach. Vervain is hot and dry, bitter, opening obstructions, cleansing, and healing. It helpeth the yellow jaundice, the dropfy, and the gout, the defects of the reins and lungs, and generally all inward pains and torments of the body, the leaves being boiled and drunk. The fame is held to be good against the biting of ferpents, and other venomous beafts; and against the plague, and both tertian and quartan agues; killeth and expelleth worms in the belly and caufeth a good colour in the face and body; strengtheneth as well as correcteth the diseases of the stomach and lungs, coughs, fhortness of breath and wheelings, and is fingular good against the dropfy, to be drunk with fome peony-feed bruifed and put thereto; and is no less prevalent for the defects of the reins and bladder, to cleanfe them of those humours that ingender the stone; and helpeth to break the stone, and to expel gravel. It consolidateth and healeth alfo all wounds both inward and outward, and stayeth bleedings; and, used with fome honey, healeth all old ulcers and fiftulas in the legs or other parts of the body, as also those ulcers that happen in the mouth; or used with old hogs greafe. it helpeth the swellings and pains of the secret parts in man or woman, as also the piles and hemorrhoids. Applied with fome oil of rofes and vinegar unto the forehead and temples, it easeth the inveterate pains and achs of the head. The leaves bruised, or the juice of them mixed with some vinegar, doth wonderfully cleanse the skin, and taketh away morphew, freckles, and other fuch like inflammations and deformities of the skin in any part of the body. The distilled water of the herb, when it is in its full strength, dropped into the eyes, cleanfeth them from films, clouds, or mists, that darken the fight, and wonderfully strengtheneth the optic nerves. The faid water

VINE.

is very powerful in all the difeases aforesaid either inward or outward, whether they

be old corroding fores or green wounds.

VIRTUES. THE leaves of the English vine, being boiled, make a good lotion for fore mouths; being boiled with barley-meal into a poultice, it cools inflammations of wounds. The droppings of the vine when it is cut in the spring, which country people call tears, being boiled into a syrup with sugar, and taken inwardly, are excellent to stay women's longings; also the tears of the vine drunk, two or three spoonfuls at a time, break the stone in the bladder. This is a very good remedy; but

the

the falt of the leaves is held to be better. The after of the burnt branches will make teeth that are black as a coal to be as white as fnow, if you do but every morning rub them with it. It is a tree of the Sun, very fympathetical with the body of man.

VIOLETS.

BOTH the tame and wild are fo well known, that they need no description.

Time. They flower until the end of July, but are best in March and the beginning of April.

GOVERNMENT AND VIRTUES. They are a fine pleafing plant of Venus, of a mild nature, no way harmful. All the violets are cold and moift while they are fresh and green, and are used to cool any heat or distemperature of the body either inwardly or outwardly, as inflammations in the eyes, &c. imposthumes also, and hot swellings to drink the decoction of the leaves or slowers made with water in wine, or to apply them poultice-wise to the grieved place; it likewise easeth pains in the head caused through want of sleep, being applied in the same manner, or with oil of roses. A drachm-weight of the dried leaves or flowers of violets (but the leaves more strongly) doth purge the body of choleric humours, and assugeth the heat, being taken in a draught of wine or any other drink. The powder of the purple leaves of the flowers only, picked and dried, and drunk in water, is said to help the quinsey, and the falling sickness in children, especially in the beginning of the disease. The flowers of the white violets ripen and dissolve swellings.

VIPERS BUGLOSS.

Description. THIS hath many long rough leaves lying on the ground, from among which rifeth up divers hard round stalks, very rough as if they were thick set with prickles or hairs, whereon are set long, rough, hairy, or prickly, sad-green, leaves, somewhat narrow, the middle rib for the most part being white. The flowers stand at the top of the stalks, branched forth into many long spiked leaves of slowers, bowing or turning like the turnsol, all of them opening for the most part on the one side, which are long and hollow, turning up the brims a little, of a purplish violet colour in them that are sully blown, but more reddish while they are in the bud, as also upon their decay and withering: but in some places of a paler purple colour, with a long pointed in the middle, seathered or parted at the top. After the slowers are fallen, the seeds growing to be ripe, are blackish, cornered, and pointed somewhat

fomewhat like the head of a vine. The root is fomewhat great, and blackifh, and woolly, when it groweth toward feed-time; and perifheth in the winter.

There is another fort, little differing from the former, only in that it beareth white flowers.

PLACE. The first groweth wild almost every where. That with white flowers about Lewes, in Suffex.

TIME. They flower in fummer, and their feed is ripe quickly after.

GOVERNMENT AND VIRTUES. This is an herb of the Sun. It is an especial remedy against the biting of the viper and all other venomous beasts or serpents, as also against poison and poisonous herbs. Dioscorides and others say, that whosover shall take of the herb or root before they be bitten shall not be hurt by the poison of any serpent. The roots or seed are thought to be most essection, and allayeth hot sits of agues. The seed drunk in wine procureth abundance of milk in women's breasts. The same also easeth the pains in the loins, back, and kidneys.

The diffilled water of the herb when it is in flower, is excellent to be applied either inwardly or outwardly, for all the griefs aforesaid. There is a syrup made thereof, very effectual for comforting the heart, and expelling sadness, and melancholy.

WALL-FLOWERS, OR WINTER GILLY-FLOWERS.

THE garden kinds are so well known, that they need no description.


Description. The common fingle wall-flowers, which grow wild abroad, have fundry finall, long, narrow, and dark-green, leaves, fet without order upon fmall round whitish woody stalks, which bear at the tops divers fingle yellow flowers one above another, every one having four leaves apiece, and of a very sweet scent: after which come long pods containing reddish seed. The root is white, hard, and thready.

PLACE. It growsth upon church walls, and other stone walls in divers places. The other forts in gardens only.

TIME. All the fingle kinds do flower in the end of autumn, and, if the winter be mild, especially in the months of February, March, and April, and until the heat of the spring do spend them; but the double kinds continue not flowering in that manner all the year long, although they flower very early sometimes, and in some places very late.

GOVERNMENT





GOVERNMENT AND VIRTUES. The Moon rules them. Galen, in his feventh book of fimple medicines, faith, that the yellow wall-flowers work more powerfully than any of the other kinds, and are therefore of more use in physic. They cleanse the blood and free the liver and reins from obstructions, stay inflammations and swellings, comfort and strengthen any part weak or out of joint; help to cleanse the eyes from mistiness and films, and to cleanse foul and filthy ulcers in the mouth, or any other part, and are a singular remedy for the gout, and all achs and pains in the joints and sinews. A conserve made of the slowers is used as a remedy both for the apoplexy and palsy.

WALNUT-TREE.

IT is fo well known, that it needeth no description.

TIME. It bloffometh early, before the leaves come forth; and the fruit is ripe in September.

GOVERNMENT AND VIRTUES. This is a plant of the Sun; let the fruit of it be gathered accordingly, which you shall find to be of most virtue whilst they are green, before they have shells. The bark of the tree doth bind and dry very much, and the leaves are much of the fame temperature; but the leaves, when they are older, are heating and drying in the second degree, and harder of digestion than when they are fresh, which by reason of their sweetness are more pleasing and better digesting in the flomach; and, taken with fweet wine, they move the belly downwards; but, being old, they grieve the stomach, and in hot bodies cause choler to abound, and the head-ach, and are an enemy to those that have a cough; but are less hurtful to those that have colder stomachs, and are said to kill the broad worms in the belly or flomach. If they be taken with onions, falt, and honey, they help the biting of a mad dog, or the venom or infectious poison of any beast, &c. Coneus Pompeius found in the treasury of Mithridates king of Pontus, when he was overthrown, a fcroll of his own hand writing, containing a medicine against any poison and infection, which is this: Take two dry walnuts, and as many good figs, and twenty leaves of rue, bruifed and beaten together with two or three corns of falt, and twenty juniper-berries; which, taken every morning fasting, preserveth from danger of poison or infection that day it is taken. The juice of the outer green husks, boiled up with honey, is an excellent gargle for fore mouths, the heat and inflammations in the throat and stomach. The kernels, when they grow old, are more oily, and therefore not fo fit to be eaten, but are then used to heal the wounds of the finews, gangrenes, and carbuncles. The faid kernels, being burned, are very aftringent, and will No. 26. 5 F then

then flay lasks and women's courses, being taken in red wine; and slay the falling of the hair, and make it fair, being anointed with oil and wine. The green hufks will do the like, being used in the same manner. The kernels, beaten with rue and wine, being applied, help the quinfey; and, bruifed with honey, and applied to the ears, ease the pains and inflammations of them. A piece of the green husk, put into a hollow tooth, eafeth the pain. The oil that is preffed out of the kernels is very profitably taken inwardly, like oil of almonds, to help the cholic, and to expel wind; an ounce or two thereof may be taken at a time. The young green nuts, taken before they be half-ripe, and preferved with fugar, are of good use for those that have weak stomachs, or defluxions thereon. The distilled water of the unripe green husk is of excellent use to cool the heat of agues, being drunk an ounce or two at a time, as also to refift the infection of the plague, if some of it be also applied to the fores thereof. The fame likewise cooleth the heat of green wounds and old ulcers, and healeth them. The diffilled water of the green hufks, when they are shelled from the nuts, being drunk with a little vinegar, is also found by experience to be good for those that are infected with the plague, fo as before the taking thereof a vein be opened. The faid water is very good against the quinfey, being gargled and bathed therewith, and wonderfully helpheth deafnefs, the noise and other pains in the ears. The distilled water of the young green leaves, in the end of May, performeth a fingular cure on foul running ulcers and fores, to be bathed with wet cloths or fpunges applied to them every morning.

WOLD, WELD, OR DYERS WEED.

Description. THE common kind groweth bushing with many leaves, long, narrow, and flat upon the ground, of a dark bluish-green colour, somewhat like unto woad, but nothing so large; a little crumpled, and as it were round-pointed, which do so abide the first year: and, the next spring, from among them rise divers round stakes two or three feet high, beset with many such-like leaves thereon, but smaller, and shooting forth some small branches, which with the stakes carry many small yellow slowers in a long spiked head at the tops of them, where afterwards come the feed, which is small and black, inclosed in heads that are divided at the tops into sour parts. The root is long, white, and thick, abiding the winter. The whole herb changeth to be yellow after it hath been in flower a while.

PLACE. It groweth every where by the way-fides, in moist grounds as well as dry, in corners of fields and by-lanes, and sometimes all over the field. In Suffex and Kent they call it green-weed:

TIME:

TIME. It flowereth about June.

GOVERNMENT AND VIRTUES. Mathiolus faith, that the root hereof cutteth tough phlegm, digesteth raw phlegm, thinneth gross humours, dissolveth hard tumours, and openeth obstructions. Some highly commend it against the bitings of venomous creatures, to be taken inwardly, and applied outwardly to the hurt place; as also for the plague and pestilence. The people in some parts of England bruise the herb, and lay it to cuts or wounds in the hands or legs.

WHEAT.

ALL the feveral kinds hereof are fo well known unto all people, that a description is unnecessary.

GOVERNMENT AND VIRTUES. It is under Venus. Dioscorides faith, that to eat the corns of green wheat is hurtful to the stomach, and breedeth worms. Pliny faith, that the corns of wheat roasted upon an iron pan, and eaten, are a present remedy for those that are chilled with cold. The oil, preffed from wheat between two thick plates of iron or copper heated, healeth all tetters and ring-worms, being used warm, and hereby Galen faith he hath known many to be cured. Mathiolus commendeth the fame oil to be put into hollow ulcers to heal them up, and it is good for chaps in the hands or feet, and to make a rugged skin smooth. The green corns of wheat being chewed, and applied to the place bitten by a mad dog, heal it; flices of wheat bread foaked in red-rose-water, and applied to the eyes that are hot, red, inflamed, or blood-shotten, help them. Hot bread, applied for an hour at a time for three days together, perfectly healeth the kernels in the throat commonly called the king's evil. . The flour of wheat, mixed with the juice of henbane, flayeth the flux of humours to the joints, being laid thereon. The faid meal boiled in vinegar, helpeth the shrinking of the finews, faith Pliny; and, mixed with vinegar and honey boiled together, healeth all freckles, fpots, and pimples, on the face. Wheat-flour mixed with the yolk of an egg, honey, and turpentine, doth draw, cleanfe, and heal, any bile, plague-fore, or foul ulcer. The bran of wheat-meal steeped in sharp vinegar, and then bound in a linen cloth, and rubbed on those places that have the fourf, morphew, fcabs, or leprofy, will take them away, the body being first well purged and prepared. The decoction of the bran of wheat or barley is of good use to bathe those places that are burflen by a rupture; and the faid bran boiled in good vinegar, and applied to fwollen breafts, helpeth them, and flayeth all inflammations. It helpeth also the bitings of vipers and all other venomous creatures. The leaves of wheat-meal, applied with falt, take away hardness of the skin, warts, and hard knots

knots in the flesh. Wafers, put in water and drunk, stay the lask and bloody slux, and are profitably used both inwardly and outwardly for ruptures in children. Boiled in water unto a thick jelly, it stayeth spitting of blood; and, boiled with mint and butter, it helpeth hoarseness.

WILLOW-TREE.


GOVERNMENT AND VIRTUES. THE Moon owns it. The leaves, bark, and feed, are used to staunch bleeding at nose and mouth, spitting of blood, and all other fluxes of blood in man or woman, and to flay vomiting, and provocation thereunto. if the decoction of them in wine be drunk. It helpeth also to stay thin, hot, sharp, falt, distillations from the head upon the lungs, causing a confumption. The leaves bruifed with fome pepper, and drunk in wine, much help the wind-cholic. The leaves bruifed, and boiled in wine and drunk, flayeth the heat of luft. The water that is gathered from the willow when it flowereth, the bark being flit, is very good for redness and dimness of fight, for films that grow over the eyes, and stay the rheums that fall into them; to provoke urine, being stopped, if it be drunk; and to clear the face and skin from spots and discolourings. Galen saith, the slowers have an admirable faculty in drying up humours, being a medicine without any fharpness or corrofion. The bark works the same effects, if used in the same manner; and the tree hath always bark upon it, though not always flowers. The burnt afhes of the bark, being mixed with vinegar, take away warts, corns, and superfluous flesh. The decoction of the leaves or bark in wine takes away fcurf, or dandriff, by washing the place with it. It is a fine cool tree, the boughs of which are very convenient to be placed in the chamber of one fick of a fever.

W O A D.

DESCRIPTION. IT hath divers large leaves, long, and somewhat broad, like those of the greater plantane, but larger, thicker, of a greenish colour, and somewhat blue; from among which leaves riseth up a lusty stalk, three or four feet high, with divers leaves set thereon; the higher the stalk riseth, the simaller are the leaves; at the top it spreadeth into divers branches, at the end of which appear very pretty littleyellow slowers, which, after they pass away, come husks, long, and somewhat stal; in form they resemble a tongue; in colour they are black, and hang downwards. The seed contained within these husks, if it be a little chewed, gives an azure colour to the saliva. The root is white and long.

PLACE.





PLACE. It is fowed in fields for the benefit of it, where those that fow it cut it three times a-year.

TIME. It flowereth in June, but it is long after before the fee is ripe.

Government and Virtues. It is a cold and dry plant of Saturn. Some people affirm the plant to be destructive to bees. They say it possesses with the slux; but that I can hardly believe, unless bees be contrary to all other creatures; I should rather think it possesses here with the contrary disease, the herb being exceedingly drying and binding. However, if any bees be diseased thereby, the cure is to set urine by them, but set it in such a vessel that they cannot drown themselves, which may be remedied if you put pieces of cork in it. I told you the herb is so drying and binding, that it is not sit to be given inwardly. An ointment made thereof stauncheth bleeding. A plaster made thereof, and applied to the region of the spleen, takes away the hardness and pains thereof. The ointment is excellent good in such ulcers as abound with moisture, and takes away corroding and fretting humours. It cools inflammations, quencheth St. Anthony's fire, and stayeth defluxions of blood to any part of the body.

WOODBINE, OR HONEY-SUCKLES.

TIME. THEY flower in June, and the fruit is ripe in August.

GOVERNMENT AND VIRTUES. It is an herb of Mercury, and appropriated to the lungs; the celeftial Crab claims dominion over it, neither is it a foe to the Lion. It is fitting a conferve, made of the flowers of it, were kept in every house; I know no better cure for an afthma; besides, it takes away the evil of the spleen, provokes urine, procures speedy delivery to women; helps cramps, convulsions, and palseys, and whatsoever griefs come of cold or stopping. Made into an ointment, it will clear the skin of morphew, freckles, and sun-burning, or whatsoever else discolours it.

WORMWOOD.

Kinds. THREE wormwoods are familiar with us. Sea-wormwood hath as many names as virtues, Seriphian, Santonicon, Belgicum, Narbonefe, Xantonicum, Missense, and many more. The seed of this wormwood is that which usually women give their children for the worms: of all wormwoods that grow here, this is the weakest. The seeds of the common wormwood are far more prevalent than No. 26.

the feed of this to expel worms in children, or people of ripe age. Of both fome are weak, some are strong. The Seriphian wormseed is the weakest, and haply may prove to be fittest for weak bodies. Let such as are strong take the common wormseed, for the other will do but little good. Its due praise is this; it is weakest, therefore fitter for weak bodies. The leaves have commonly been used, but the flowery tops are the right part. These, made into a light insusion, strengthen digestion, correct acidities, and supply the place of gall, where, as in many constitutions, that is deficient.

PLACE. It grows familiarly in England by the sea-side.

Description. It starts up out of the earth with many round woody hoary stalks. from one root; its height is four feet, or three at the least. The leaves are long, narrow, white, hoary, like southernwood, only broader and longer, in taste rather salt than bitter, because it grows so near the falt water: at the joints with the leaves, toward the tops, it bears little yellow flowers. The root lies deep, and is woody.

Common wormwood I need not describe.

DESCRIPTION OF ROMAN WORMWOOD. The flalks are flender and fhorter than the common wormwood by one foot at leaft; the leaves are more finely cut and divided than they are, but fomething fmaller; both leaves and stalks are hoary; the flowers of a pale yellow colour; it is altogether like the common wormwood, fave only that it is smaller, not so bitter, and of a sweeter smell.

PLACE. It groweth upon the tops of the mountains; but is usually nursed up in gardens for the use of the apothecaries in London.

TIME. All wormwoods usually flower in August, a little sooner or later.

Government and Virtues. Wormwood is an herb of Mars. It is hot and dry in the first degree, viz. just as hot as your blood, and no hotter. It remedies the evils choler can inflict on the body of man by sympathy; it helps the evils Venus produces by antipathy; and it cleanseth the body of choler. It provokes urine, helps surfeits, swellings in the belly; it causeth an appetite to meat, because Mars rules the attractive faculty in man. The Sun never shone upon a better herb for the yellow jaundice than this. Take the slowers of wormwood, rosemary, and blackthorn, of each a like quantity, half that quantity of faffron, boil this in Rhenishwine, but put not in the saffron till it is almost boiled: this is the way to keep a man's body in health, appointed by Camerarius, in his book, intitled Hortus Medicus. Besides all this, wormwood provokes the terms. Wormwood, being an herb of Mars, is a present remedy for the biting of rats and mice. Mustrooms are under the dominion of Saturn; if any have poisoned himself by eating them,

them, wormwood, an herb of Mars, cures him, because Mars is exalted in Capricorn the house of Saturn; and this it doth by sympathy. Wheals, pushes, black and blue spots, coming either by bruises or beatings, wormwood, the herb of Mars, helps. Mars eradicates all diseases in the throat by his herbs, (of which wormwood is one,) and this by antipathy. The eyes are under the luminaries: the right eye of a man, and the lest eye of a woman, the Sun claims dominion over; the lest eye of a man, and the right of a woman, are the privilege of the Moon: wormwood, an herb of Mars, cures both. Suppose a man be bitten or stung by a martial creature, imagine a wasp, a hornet, or scorpion; wormwood, an herb of Mars, gives you a present cure. Mix a little wormwood with your ink, and neither rats nor mice will touch the paper that is written with it. Wormwood is a present cure for the cholic. Moths are under the dominion of Mars; his herb, wormwood, being laid amongst clothes, will hinder moths from hurting them. Wormwood is good for an ague. A draught of wormwood beer, taken every morning, is a certain remedy for a stinking breath. It likewise cures dimness of sight by antipathy.

WOLF-BANE.

Description. It hath a root shining within like alabaster. There are many kinds, all extremely pernicious and poisonous; for, if a man or beast be wounded with arrow, knife, sword, or any other instrument, dipped in the juice of this herb, they die incurable within half an hour. The reason this herb goes by the name of wolf-bane was this: men in some ages hunting for wolves used to poison pieces of raw sless with the juice of this herb and lay them as baits, on which the wolves died presently.

YARROW.

NAMES. CALLED also nose-bleed, mil-foil, and thousand-leaf.

Description. It hath many long leaves spread upon the ground, and finely cut and divided into many small parts. Its slowers are white, upon divers green stalks which rise from among the leaves.

PLACE. It is frequent in all pastures.

TIME. It flowereth not until the latter end of August.

GOVERNMENT AND VIRTUES. It is under the influence of Venus. An ointment of it cures wounds, and it most fit for such as have inflammations. It stops the bloody bloody flux; the ointment of it is not only good for green wounds, but also for ulcers and fistulas, especially such as abound with moisture. It stayeth the shedding of hair, the head being bathed with the decoction of it. Inwardly taken, it helps the retentive saculty of the stomach, and such as cannot hold their water. The leaves, chewed, ease the tooth-ach; and these virtues put together shew the herb to be drying and binding. There is an ancient charm for curing tertian agues with yarrow. A leaf of it is to be pulled off with the less hand, pronouncing at the same time the sick man's name; and this leaf is to be taken. The same thing has been said of seversew; for, in old times, names of plants, as well as now, were too much consounded. The seversew seems best for the purpose.

YUCCA, OR JUCCA.

Description. THIS Indian plant hath a thick tuberous root, foreading in time into many tuberous heads, whence shoot forth many long, hard, and hollow, leaves, very sharp pointed, compassing one another at the bottom, of a greyish green colour, abiding continually, or seldom falling away, with fundry hard threads running in them, and, being withered, become pliant to bind things. From the midst thereof springeth forth a strong round stalk, divided into sundry branches, whereon stand divers somewhat-large white slowers, hanging downwards, consisting of six leaves with divers veins, of a weak reddish or blueish colour, spread on the back of three outer leaves, from the middle to the bottom, not reaching to the edge of any leaf; which abide not long, but quickly fall away.

PLACE AND TIME. It groweth in divers places of the West-Indies, as in Virginia and New England, and slowers about the latter end of July.

VIRTUES. There hath no property hereof conducible to physical uses has yet been heard of, but some of its vices. The natives in Virginia use, for bread, the roots hereof. The raw juice is dangerous, if not deadly. It is very probable that the Indians used to poison the heads of their darts with this juice, which they usually keep by them for that purpose.

OF GATHERING, DRYING, AND PRESERVING, PLANTS, HERBS, AND FLOWERS.

THE LEAVES OF HERBS OR TREES.

HUSE only fuch as are green and full of juice, pick them carefully, and cast away such as are declining, for they will putrefy the rest.

Note in what place they most delight to grow, and gather them there; for betony that grows in the shade is far better than that which grows in the sun, because it delights in the shade; so also such herbs as delight to grow near the water should be gathered near the water, though you may find some of them upon dry ground.

The leaves of fuch herbs as run up to feed are not fo good when they are in flower as before, (fome few excepted, the leaves of which are feldom or never used:) in such cases, if through ignorance they were not known, or through negligence-forgotten, you had better take the top and the flower than the leaf.

Dry them well in the fun, and not in the shade, for, if the fun draw away the virtues of herbs, it must needs do the like by hay; which the experience of every country farmer will explode as a vulgar error.

Let the planet that governs the herb be angular, and the stronger the better. In herbs of Saturn, let Saturn be in the ascendant; in herbs of Mars, let Mars be in the mid-heaven, for in those houses they delight: let the Moon apply to them by good aspect, and let her not be in the houses of their enemies; if you cannot well stay till she apply to them, let her be with a fixed star of their nature.

Having well dried them, put them up in brown paper bags, and press them not too hard together, and keep them in a dry place near the fire. As for the duration of dried herbs, a just time cannot be given, for, first, such as grow upon dry grounds will keep better than such as grow on moist; secondly, such herbs as are sull of juice will not keep so long as such as are drier; thirdly, such herbs as are well dried will keep longer than such as are ill dried. Yet by this you may know when they are corrupted, viz. by their loss of colour, or smell, or both; and, if they be corrupted, reason will tell you that they must needs corrupt the bodies of those people that take them. Remember to gather all the leaves in the hour of that planet that governs them.

* For this most wonderful operation of the planetary system on planets, herbs, &cc. and indeed upon all things sublunary, see my Illustration of the Occult Sciences, or Doctrine of the Stars.

OF FLOWERS.

THE flower, which is the beauty of the plant, and of none of the least use in physic, groweth yearly, and it is to be gathered when it is in its prime.

As for the time of gathering them, let the planetary hour, and the plant they come of, be observed, as above directed; as for the time of day, let it be when the fun shines upon them, that they may be dry; for, if you gather either flowers or herbs when they are wet or dewy, they will not keep. Dry them well in the fun, and keep them in papers near the fire. So long as they retain their colour and smell they are good; either of them being gone, so is their virtue also.

OF SEEDS.

THE feed is that part of the plant which is endued with faculty to bring forth its like, and it contains potentially the whole plant itself.

As for place, let them be gathered from the places where they delight to grow. Let them be fully ripe when they are gathered, and forget not the celeftial harmony before-mentioned, for I have found by experience that their virtues are twice as great at fuch times as others: there is an appointed time for every thing under the fun. When you have gathered them, dry them a little in the fun before you lay them up. You need not be fo careful of keeping them fo near the fire as the other before-mentioned, because they are fuller of spirit, and therefore not subject to corrupt. As for the time of their duration, it is palpable they will keep a great many years: yet, they are best the first year, and this I make appear by a good argument, they will grow soonest the first year they be set, therefore then are they in their prime, and it is an easy matter to renew them yearly.

OF ROOTS.

OF roots, chuse such as are neither rotten nor worm-eaten, but proper in their taste, colour, and smell; such as exceed neither in softness nor hardness.

Give me leave here to deny the vulgar opinion, that the fap falls down into the root in the autumn, and rifes again in the spring, as men go to bed at night, and rife again in the morning; which idle tale of untruth is so grounded in the heads, not only of the vulgar, but also of the learned, that men cannot drive it out by reason. If the sap fall into the root in the fall of the leas, and lie there all the win-

ter, then must the root grow only in the winter, as experience witnessed: but the root grows not at all in winter, as the same experience teacheth, but only in the summer; for example: If you set an apple-kernel in the spring, it will grow to a pretty bigness in that summer, and be no bigger next spring: the truth is, when the Sun declines from the tropic of Cancer, the sap begins to congeal both in root and branch; when he toucheth the tropic of Capricorn, and ascends to us-ward, it begins to get thin again by degrees, as it congealed.

The drier time you gather your roots in, the better they are; for they have the less excrementitious moisture in them. Such roots as are fost should be dried in the sun, or else hang them in the chimney-corner upon a string: as for such as are hard, you may dry them any where. Such roots as are large will keep longer than such as are small: yet most of them will keep a-year. Such roots as are soft should be always kept near the fire; and take this general rule for it, if in winter you find any of your roots, herbs, or slowers, begin to grow moist, as many times they will, (for it is best to look to them once a-mouth,) dry them by a very gentle fire; or, if you can with convenience keep them near the fire, you may save this trouble.

OF BARKS.

BARKS which phyficians use in medicines are of three forts: of fruits, of roots, of boughs.

The barks of fruits are to be taken when the fruits are full ripe, as oranges, lemons, &c. The barks of trees are best gathered in the spring, if it be of great trees, as oaks, or the like; because then they come easiest off, and so you may dry them if you please: but your best way is to gather all barks only for present use.

As for the bark of roots, it is thus to be gotten: Take the roots of fuch herbs as have pith in them, as parfley, fennel, &c. flit them in the middle, and when you have taken out the pith (which you may eafily and quickly do) that which remains is called the bark, and is only to be used.

OF JUICES.

JUICES are to be preffed out of herbs when they are young and tender, and also of some stalks and tender tops of herbs and plants, and also of some slowers.

Having gathered the herb you would preserve the juice of, when it is very dry, bruise it well in a stone mortar with a wooden pessel; then, having put it into a canvas bag, press it hard in a press, then take the juice and clarify it.

When

396

When you have clarified it, and it is cold, put it into a glass, and put so much oil on it as will cover it the thickness of two fingers; the oil will swim at top, and so keep the air from coming to putrefy it; or, instead of oil, when you have clarified the juice as before, boil it over the fire till (when cold) it be the thickness of honey: then tie it down close, and keep it for use.

Whatever you gather of plants, herbs, fruits, flowers, roots, barks, feeds, &c. for medicinal purposes, either for distillation, syrups, juleps, decostions, oils, electuaries, conserves, preserves, ointments, and the like, must be gathered when they are in the greatest vigour and fullest perfection; for in that state only are they fit to be applied for the restoration and preservation of our health; and, when they are applied, let it be done under the sympathetic influence of planets participating in the fame nature; the benefits of which are so amply demonstrated in my Display. of the Occult Science.

INDEX TO THE HERBS AND PLANTS.

1	Page.	Pa	ige. 1	*	Page.
A CONITUM	70	Carob-Tree	152	Dunch Down	161
Adder's Tongue	52	Carraway	115	Dwarf Plane-Tree -	161
Agrimony	- 53		112	Eglantine	174
Agrimony, Water	54		152	Elder Tree	170
Alder, Black	- 57		146	Elder, Dwarf	171
Alder, Common	58		115	Elecampane	_ 168
Alehoof	- 55	Celandine, Smaller -	117	Elm Tree	167
Alexander	56		118	Endive	167
Alheal	50	Cherries, Winter	120	Eringo	169
Alkanet	- 51		119	Eryfimum	172
Almond-Tree	70		121	Euphorbium	173
Aloes	71	Chervil, Sweet	122	Eyebright	170
Amara Dulcis	49 61		123	Fennel	176
	62		122	Fennel, Sow	177
Anemone			124	Fentigreek	
Angelica	59 64		123	Fern Fern, Water	174
Archangel	63		124	Feverfew	175
Arrach, Garden Arrach, Wild	63		148	Fig Tree	179
Arfefmart	65		125	Figwort	177
Artichokes	200		126	Filapendula	178
Ash. Tree	68		127	Fir-Tree	188
Asparagus,	67		128	Fiftic-Nuts	187
Afparagus, Prickly	68	6	149	Flax	187
Affarabacca	66		129	Flax Weed	181
Avens	69		144	Fleabane	182
Balfam-Tree	104		145	Fleawort	181
Barberry	73		106	Flower-de-luce	179
Barley	73		50	Fluellin	183
Bafil	74		131	Flux Weed	182
Bawm	72		129	Fox Gloves	184
Bay-Tree	75		131	Fumitory	184
Beans	76		153	Furze-Bush	185
Beans, French	77.		33	Galangal	196
Bed-Straw	78		50	Galloak	199
Beech-Tree	82		51	Garlic	189
Beets	79		32	Gentian	189
Betony, Water	80	Cowflips 1	35	Germander	191
Betony, Wood	81	Crabs' Claws 1	36	Gilly Flowers, Clove	191
Bilberries	83	Cresses, Black 1	36	Gilly Flowers, Stock, -	197
Birch-Tree	34	Cresses, Sciatica 1	37	Gilly Flowers, Yellow -	198
Bird's Foot	85		38	Gladwin, Stinking - Golden Rod	191
Bishop's Weed	86			Golden Rod	192
Biffort	86			Goofeberry Bush -	195
Blackbind Weed	103			Gout Herb	193
Blights	89			Green, Winter	195
Blue-bottle	91			Gromel	194
Borage and Bugloss	90			Groundfel	196
Bramble	88			Hart's Tongue	200
Brank Urfine	92			Hawthorn	201
Briony	92			Hazel-Nut	202
Brooklime Broom and Broomrape -	94			Heart's Eafe	201
Buckshorn	96	D 111	99	Hellebore, Black	
Buckshorn Plantain -	98	D 1		Hemlock	205
Buck Wheat	97	Date-Tree 16		Hemp	203
Bugle	98	Devil's Bit 15		Henbane	204
	101	Dictamnum of Candy - 16		Herb Robert	206
Burnet	99	Dictamnum, False - 16		Herb Truelove	206
Butcher's Broom	95	Dill 15		Horehound	209
	101	Dock 15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Holly	211
Byfoil	84	Dodder 15		Honeywort	217
	105	Dog Grafs 15		Hops	208
Calamint	107	Double Tongue - 16	Si I	Horfetail	210
Caltrops, Water	109	Dove's Foot 15	59 I	Hound's Tongue	212
Camomile	108	Down, or Cotton Thistle 16	50 I	Houfeleek	211
Campions, Wild :	109	Dragons 16	10 I	Hyfop	207
	110	Duck's Meat 16	0 1	Hysop, Hedge	204
No. 42.	4	ş I	4	19	Lvy

- 1	n 1	
Ivy 214 1	Nightshade, Woody - 271	Saunders - Page.
	Nightshade, Woody - 271 Nipplewort 272	6 . 337
	Nutmeg-Tree 273	Savory, Winter and Summer 342
	Dak 274	Saxifrage, Burnet - 343
	Dats 274	Saxifrage, White 342
	Olive-Tree 278	Scabious 344.
	One-Blade - 88 and 275	Scammony 359
	Onions 276 Orange-Tree 280	Scurvy Grafs - 345 Sebesten - 361
	Orchis 276	Sebesten, Wild 361
	Orpine 277	Self-heal - 347
Larch-Tree 230	Parfley 282	Sena 363
	Parfley, Pert 283	Service-Tree 347
	Parfnip 283	Shepherd's Purfe 348
	Parinip, Cow 284 Peach-Tree 285	Smallage 348 Solomon's Seal 338
	Pear-Tree 286	Solomon's Seat
Lily of the Valley - 225	Pellitory of Spain 287	Sorrel 340
Lily, Water 224 Lily, White 225	Pellitory of the Wall - 288	Sorrel, Wood 350
	Penny Royal 289	Southernwood 352
Linden-Tree 233	Pepper 305	Sow-thiftle 351
Liquorice 226 Liver Wort 226	Pepper, Guinea 307 Pepper Wort 291	Spignel 352 Spikenard 364
Loofestrife - 227	Perwinkle 292	I di lasa mant
Loofestrife with spiked Heads 228	Peter's Wort, St 293	Star-thiftle 353
Lovage 229	Pimpernel 293	Stonecrop 356
Love-Apple 229	Pine, Ground 294	Storax-1 ree 365
Lung-Flower 234	Piony, Masculine and Feminine 290	Strawberries 354
Lungwort 230 Lupines 237	Pitch-Tree 310 Plantain 295	Succory 355 Swallow Wort 366
Lupines 237 Madder 238	Plantain 295 Plumbs 296	Swallow Wort 366. Sycamore-Tree 363
Madwort 265	Polipody 297	Tamarisk-Tree - 369
Maiden Hair 239	Pomecitron-Tree 303	Tanfy, Garden 369
Maiden Hair, Golden - 240	Pomegranate-Tree 312	Tanfy, Wild 370
Maiden Hair, White - 239	Poplar-Tree 298	Thiftle 37r
Mallows 240 Mandrake 265	Prinirofes 299	
Mandrake 265 Maple-Tree - 242	Prinroles 303	
Marigolds 244	Purslain 302	Thiftle, Woolly or Cotton - 372
Marjoram, Sweet - 243	Queen of the Meadows - 313	Thorn, Black 374
Marjoram, Wild 242	Quick Grass 315	
Masterwort 244 Mastic-Tree 262	Quince-Tree 314	Thyme 375 Thyme, Wild 376
Maudlin, Sweet 245	Radish 316	
Mayweed 264	Rattlegrafs 318	
Mealy-Tree - 263	Reed, Aromatical 33:	Treacle Mustard 374
Medlar 246	Rest-harrow 319	Trefoil, Heart - 379
Melilot 247	Rhubarb 320	
Mercury, Dog 248 Mercury, French - 247	Rhubarb, Bastard 32' Rhubarb, Monk's 32'	
Mint 249	Rice 33:	1 = 6 = 5
Miffeltoe 251	Rocket 320	
Moneywort 257	Rocket, Winter 32	Vervain 381
Moonwort 253	Rofa Solis 32.	
Moffes 254 Motherwort 255	Rofemary 32 Rofes 32	
Moufe-ear 255	Rofes 32 Rue, Garden 33	of Wall Flowers or
Mugwort 257	Rue, Meadow 32	
Mulberry-Tree 259	Rupture Wort 33	Walnut-Tree 385
Mullien 259	Rushes 33	Wheat 387
Mustard 260 Mustard, Hedge - 262	Rye 33	
Mustard, Hedge 262 Mustroom 266	10	
Nailwort 267	Sage, Wood 33	
Navelwort 271	Samphire 33	9 Wood-bind, or Honeyfuckles 389.
Nep 268	Sanicle 33	9 Wormwood 389
Nettle 268	Saracen's Confound 34	o Yarrow 391
Nightshade 270 Nightshade, Deadly - 271	Sarfaparilla 35 Sauce-alone 34	
Nightshade, Deadly - 271	Sauce-alone 34	1

INDEX OF DISEASES CURED BY THE FOREGOING HERBS AND PLANTS.

Dandriff, 80, 262, 344. A BORTION, 93, 336, Brain, 69, 107, 125, 136, 171, 191, 222, 225, 287. 296, 303, 314, 315, 319, Dead Child, 50, 92, 230, 171, 191, 222, 225, 287. Breathing, Difficulty of, 49, 322, 337, 338, 388. Freckles, 92, 139, 141, 142, Aconites, or Refisters of 246, 296. 72, 75, 77, 92, 168, 330. Bloody-Flux, 53, 54, 72, Deafnels, 59, 157, 242, 342, 160, 169, 178, 180, 202, Poifon, 75, 259, 295. 229, 260, 274, 288, 371. Aches, 260, 295, 318, 369. 350, 385. Adders, 128, 379. 88, 97. Deformity, 175, 178, 293 French Pox, 170, 200, 204, Adust Choler, 111, 158. Blifters, 79, 313, 350. 208, 322, 337, 369. Defluxions, 299, 317, 389. After-birth, .75, 93, 122, Bowels, 115, 125, 224, 240, Frenzy, 177, 211, 285, 295, 127, 175, 209, 225, 257, 277, 321. Diabetes, 154, 376. 302, 376, 382. Digestion, 321, 339, 341. Difficulty of Breathing, Fundament, 178, 322. Bots, 189. 295. Agues, 54, 55, 67, 82, 84, 97, 119, 158, 168, 190, Boils, 73, 81, 125, 259, 331. Gall, 108, 154, 158, 159, 101, 140, 268. Dimnefs of Sight, 59, 214, Bones broken, 92, 96, 98, 160. Galled Feet, 59. 101, 156, 182, 211, 341. 201, 214, 224, 229, 240, 249, 261, 301, 328, 330, Bruifes, 52, 55, 69, 81, 89, 247, 289, 298, 373, 382. Gangrenes, 99, 131, 155, 220, 268, 369, 385. 341, 352, 356, 372, 382, 98, 115, 213, 221, 239, Difeafe, fudden, 49. Diflocations, 63, 96. 240, 327, 338, 347, 375. 386. Gout, 57, 64, 68, 73, 76, 81, Agues in the Breaft, 163, Burning, 50, 64, 79, 92, Dogs, 81, 189, 208. 92, 105, 119, 124, 129, Dreams, 224, 249, 300. 140, 160, 167, 169, 191, 229. 131, 171, 201, 212, 214, Almonds in the Ears, 109, Dropfy, 57, 67, 69, 81, 96, 204, 214, 225, 245, 260, 225, 291. Cachexia, 54, 58, 132, 154. 269. 169, 171, 179, 189, 201, 262, 268, 270, 288, 289, Andicomes, 76, 268. Anthony's Fire, St. 34, 83. Cancers, 54, 92, 115, 124, 202, 206, 212, 221, 245, 292, 295, 298, 303, 330, 126, 180. 257, 283, 295, 329, 340, 375, 378, 379, 384. Gnats, 227. Green Sickness, 224. Cankers, 80, 86, 98, 101, 349, 369, 372, 376. Drowfinefs, 325. 131, 136, 160, 211, 219, 241, 321. Apoplexy, 222, 226, 247, 109, 211, 183, 219, 282, Drunkenness, 214. Dullness of Spirit, 191, Gravel, 52, 68, 89, 92, 95, 318, 342, Cantharides, 86, 274. 109, 110, 120, 131, 160, Arm-pits, ill Scent, 371. 179, 185, 192, 195, 220, 245, 249, 268, 283, 288, 336. Carbuncles, 342, 345, 385. Arteries, 73, 76. Castings, 58, 347. Difury, 75, 76, 86, 92, 95, Cattle, poisoned, 206. Catarrhs, 240, 354. Afthina, 389. 101, 121, 131, 136, 154, 294, 317, 321, 339, 342, Back, eafing Pains, and 157, 169, 171, 177, 185, 349, 382. 191, 201, 208, 213, 218, Griping, 159, 240. strengthening of the, 52, Child-birth, 81, 177. Chilblains, 204, 219. Groin, 270. 229, 239, 260, 277, 283, 132, 262, 385. Chin-cough, 321, 375. Baldness, 80, 167, 386. Barrenness, 63, 113, 222, Gums, 89, 109, 201, 289, 317, 369. Ears, 53, 65, 73, 82, 118, Choler, 73, 109, 132, 171, 321, 371. 268. 174, 176, 179, 191, 204, 213, 224, 242, 249, 297, 128, 172, 177, 179, 220, Hair, to make yellow, 73. -, to restore, 225, 260, Beauty, 116, 136, 167, 222. 242, 249, 274, 286, 289, Beafts, venomous, 69, 82, 288, 314. 314, 321, 327, 356, 378, 296, 321, 327, 342, 373, Head, 66, 88, 115, 119, 136, 379. Choler Pushes, 131. 385. 86, 190. Earwig, 203. Epidemical Diseases, Belching, 100. 184, 191, 242, 247, 249, Choleric Fluxes, 302. Epidemical Diseases, 59, 81, 91, 99, 275, 276. Ephialtes, or Night-mare, 321, 330. Belly-ach, 229, 241, 256, 262. Choleric Humours, 293, Head-ach, 79, 96, 132, 160, Belly, Binders of the, 321. Belly, Openers of the, 68, 167, 176, 177, 214, 222, 355. Cholic, 50, 53, 59, 69, 86, 224, 252, 255, 282, 290, 98, 135, 290. Excoriations, 168, 210, 240. 107, 115, 118, 171, 175, 316, 325, 347, 355, 381, 295, 314. Bees, 211, 241, 342. Biting of mad Dogs, 73, 179, 196, 201, 214, 222, Eyes, 57, 62, 67, 73, 76, 81, 382, 383, 385. Hearing, 57. See also Ears. 259, 262, 296, 324, 329, 88, 97, 118, 125, 141, 160, 81,179,190, 212,296,210. 341, 343, 369, 385. Chaps, 189, 249, 335, 386. 167, 170, 179, 184, 202, Heat, 154, 211, 220, 302, Birth, 50, 51. Biting of Serpents, 69, 73, 209, 212, 214, 228, 248, Cods, 76, 204, 219, 240, 382, 386. Cold, 81, 107, 244, 256, 285, 287, 322, 351, 378, Heart, 99, 127, 191, 225, 201. 384. 244, 324, 339, 355, 379, Face, 69, 373, 388. Bindings, 57, 85, 210, 274, 383. Fainting, 157, 189. Hemorrhoids, 118,123,131, 296. 294. Bleedings, 78, 81, 98, 99, Cough, 53, 75, 81, 92, 108, Falls, 49, 51, 98, 122, 125, 177, 181, 211, 214, 259, 109, 123, 128, 135, 210, 211, 220, 227, 239, 246, 119, 131, 212, 214, 262, 268, 284, 294, 297, 302, 156, 219, 241, 338. Falling Sickness, 49, 51, 351. Hiccough, 156, 176, 201, 254, 259, 268, 295, 313, 325, 329, 336, 376, 380, 125, 135, 184, 213, 214, 249. High Colour, 86. 241, 251, 260, 282, 284, 335, 338, 339, 342, 356, 381. Conception, 112, 221, 336. Congealed Blood, 49, 65, 287, 289, 290, 295, 298, Hips, 375. Bleeding by Leaches, to 336, 383. Hoarfenels, 179, 181, 226, flay, 75. Blood, to cool the, 73, 89, 126, 131, 178. Fat, a decrease, 177. 262, 299, 336. Felons, 65, 75, 267. Humours, 95, 120, 207, 242, 248, 322, 324, 387. Hypochondria, 154, 158. Confumption, 90, 101, 105, 90, 203. 191, 209, 214, 242, 287, Fevers, 73, 88, 91, 156, 179. Films in the Eyes, 126, Blood, Spitting of, 295. Bloody Stools, 94. 295, 389. Convultions, 68, 81, 107, 171, 179, 274, 354. Fiftulas, 66, 99, 180, 195, Jaundice, Black, 50, 52, 62. Bloody Urine, 53.
Blaftings by Lightning, 302.
Black and Blue Spots, 86, 118, 136, 168, 189, 191, Yellow, 52, 66,72, 96, 107, 108, 158, 184, 200, 202, 214, 222, 240, 220, 268, 274, 284, 289, 331, 343, 352, 373, 389. 318, 342, 373, 382. Forgetfulness, 325. 200, 214, 240, 282, 285, Cottiveness, 126. 115, 125, 259. Bladder, 68, 101, 136, 175, 239, 322, 327, 350, 368. Corrofion, 181. Fleas, 58, 65. Flies, to keep from Sores, Jaws, 55. Iliac Passion, 342. Counter-poifon, 214, 240. 178, 195, 201, 226, 241, Imposthumes, 50, 73, 252, 383. Blemishes, 179. 267, 318, 331, 336, 339. Cramp, 50, 68, 92, 107, 118, Flagging Breafts, 221. Blindness, 228, 328. Flux of Blood, 79, 84, 98, 136, 168, 179, 189, 191,

99, 125, 157, 179, 181,

184, 211, 214, 217, 221,

2401 2471 254, 257, 274,

204, 214, 222, 240, 253,

257, 289, 294, 336, 343,

352, 368, 376, 389.

Inflammations, 56, 59, 73,

120, 124, 125, 131, 195,

2031 2041 207, 211; 218,

Blows, 240, 243.

Breaft, 52, 55, 132, 1541

179, 189, 249, 294.

400 220, 221, 224, 226, 228, 240, 247, 248, 254, 259, 270, 274, 288, 295, 302, 303, 322, 349, 354, 355, 373, 382, 385. Infection, to preferve from it, 59, 322, 344, 385. Indigestion, 81, 115, 191, 224, 322. Joints, 75, 79, 119, 124, 131, 169, 179, 191, 200, 244, 262, 292, 321, 326, 330, 338, 352. Itch, 55, 73, 89, 90, 124, 140, 157, 169, 184, 191, 207, 209, 223, 242, 268, 295, 350, 368. Kernels, 153, 240, 368, 379. Kibes, 179, 204, 219. Kidneys, 96, 136, 196, 218, 240, 384. King's Evil, 64,86,109,117, 178, 191, 219, 240, 249, 274, 318, 342, 368. Knots in the Fleth, 124, 129. Lasks, 59, 129, 259, 314, 321, 327, 340. Letchery, 202. Leprofy, 52, 62, 73, 107, 167, 178, 179, 214, 242, 260, 274, 321, 344, 369. Lethargy, 52, 62, 185, 222, 260, 285, 288, 325, 336, 342, 376. Lice, 58, 97, 204, 208, 260. Limbs, 214. Liver, 54, 83, 98, 99, 107, 124, 142, 157, 159, 167, 179, 184, 191, 200, 201, 209, 222, 227, 240, 249, 274, 282, 316, 325, 327, 347, 354, 372, 376. Loathing of Meat, 157,176, 246, 327. Longings, 246, 381. Loofe Teeth, 302, 322, 369. Lofs of Voice, 222. Lungs, 54, 75, 131, 136, 178, 230, 239, 242, 262, 288, 297, 375, 376, 387. Lust, to provoke, 66, 77, 122, 125, 126, 249, 260, 276, 282. Luft, to stop, 201, 224, 287, Madness, 204. Mad Dogs, 50, 59, 72, 81, 171, 178, 184, 189, 268. Mare. See Ephialtes. Marks in the Skin, 75, 228, 243, 289, 324, 338. Matrix, 88, 321. Meafles, 88, 244, 376. Megrims, 75, 181, 356. Melancholy, 56, 69, 90, 99, 154, 169, 175, 191, 204, 238, 248, 254, 289, 322, 353, 368, 371, 383. Members disjointed, 181, 212, 297. Memory, 66, 109, 165, 225, 247, 324, 336. Milk in Nurses, 90, 175, 224, 240, 298, 320, 384. Milk curdling, 75. Milk in Cattle, 129. Mind, 54.


Mineral Vapour, 189. Mifcarriage, 246. Morphew, 51, 92, 140, 155, 157, 160, 168, 178, 201, 207, 224, 259, 260, 288, 329, 370, 388. . Mother, 63, 68, 81, 86, 92, 99, 168, 174, 244, 248, 253, 268, 270, 284, 294, 329, 342, 343, 368, 385. Mouth, 56, 82, 84, 124, 240, 268, 289, 295, 303, 317, 336, 345, 354, 374, 382. Mufcles cut, 128, 240. Nails in the Flesh, 53, 252. Navels of Children, 303, 375. Neck, 170, 373. Nerves, 75, 88. Nits, 369. Nipples, 181. Nocturnal Pollutions, 200. Noise in the Ears, 80, 204, 207, 242, 348. Nose, 212, 219. Obstructions of the Gall, 118, 154, 158, 239, 340, 355. 55, 75, 80, 170, 177, 184, 208, 239, 242, 244, 288, 369. 368. 223.

293, 316, 330, 340, 348, 354, 355, 372. Spleen, 55, 66, 80, 184, 208, 239, 242, 244, 288, 316, 348, 355, 372, 384. Pains, 59, 73, 155, 257, 299, - Bowels, 356, 388. - Sides, 73, 96, 124, 242, 329, 344, Reins, 49, 68, 259, 276, 384. - Back Belly, 57, 59, 135. - Ears, 242, 298, 322, 327, 330, 348, Head, 299, 322, 332, 376. Palfy, 125, 124, 171, 177, 191, 213, 214, 225, 238, 251, 294, 342. Pestilence, or Plague, 59, 69, 90, 99, 115, 121, 140, 156, 159, 184, 214, Phthylic, 59, 115, 200, 226, 256, 277, 286, 295, 327. Phlegm, 90, 101, 108, 125, 140, 160, 175, 178, 189, 204, 222, 248, 284, 314, 343, 375, 380, 388. Piles, 88, 131, 140, 218, 246, 288, 295. Pimples, 138, 180, 184, 210, 218, 322, 329, 344, 355. Pin and Web, &c. 200, Pifling Blood, 54, 85, 97, 121, 135, 209. Pleurify, 229, 240, 299, 343. Poilon, 69, 73, 88, 90, 91,99, 109, 140, 156, 160, 168,

242, 249, 274, 294, 314, 329, 352, 355, 374, 383. Polypus, 140, 268, 297. Privities, 131, 220, 224. Purples, 86, 376. Pushes, 123, 131, 181, 298, 352, 355, 389. Quartan Agues, 64, 205, 283, 297, 313. Quotidian Agues, 131, 169. Quinfy, 88, 124, 132, 206, 229, 277, 318, 383, 385. Rheum, 131, 132, 181, 209, 214, 219, 244, 248, 268. Reins, 61, 66, 169, 174, 177, 218, 223, 240, 293, 299, 322, 327, 329, 330, 342, 369, 376, 383. Reds, 64, 321. Rickets, 160, 347. Ringworms, 90, 92, 109, 116, 155, 202, 207, 226, 270, 329, 342. Ruptures, 69, 92, 106, 124, 128, 131, 153, 167, 174, 189, 210, 220, 240, 277, 319, 330, 338, 339, 369. Sadnefs. See Melancholy. - Liver, 50, Scabby-heads, 68, 88, 118, 184, 225, 268, 374. Scabs, 54, 57, 72, 75, 97, 101, 123, 137, 156, 184, 191, 214, 223, 248, 268, 270, 356, 386. Scars, 106, 137, 324. Sciatica, 64, 66, 75, 124, 136, 155, 177, 213, 214, 238, 260, 291, 294, 314, 351, 335. Scurvy, 95, 138, 214, 242, 314, 320. Seed, to increase, 124, 160. Serpents biting, 52, 56, 218, 295, 378. Shingles, 124, 284, 295. Sinews, 68, 75, 101, 123, 159, 177, 196, 243, 257, 274, 344, 387. Skin, 140, 191, 291, 345. Small Pox, 51, 86, 244, 320, 332. Smell loft, helpeth, 63. Sneezing, 59, 243, 286. Sores, 52, 88, 101, 109, 199, 248, 294, 336, 342, 345, 354, 376, 385. Speech loft, 225. Spleen, 50, 64, 95, 137, 157, 167, 169, 174, 214, 238, 240, 251, 277, 297, 345, 368, 376, 387. Splinters, 54, 64, 155, 169, 200, 381. Stitches, 68, 81, 96, 108, 167, 189, 336. Stomach, 59, 73, 81, 121, 140, 167, 189, 207, 211, 214, 228, 242, 248, 285, 321, 324, 354, 376. Stoppings, 57, 66, 158. Stone, 68, 77, 83, 94, 101, 124, 175, 189, 195, 214, 223, 244, 253, 274, 282 293, 320, 327, 349, 374. Stranguary, 56, 59, 218, 226, 248, 282, 320, 351, 369, Sun-burning, 80, 135, 160.

Thorns, 53, 115, 125, 170. Tooth-ach, 51, 182, 206, 260, 299, 319, 368, 385. Travail in Women, 194. Trembling, 135, 157, 222. Tumours. See Swellings. Venoni, 342, 374. Vermin, 72. Veins broken, 218, 336. Venery, 77, 224, 270, 320. Vertigo, 49, 50, 75, 78, 109. Vomiting, 52, 66, 1.55, 220, 248, 253, 314, 322, 336, 376, 387. Ulcers, 50, 53, 55, 59, 64, 91, 99, 106, 115, 118, 123, 131, 153, 155, 159, 167, 173, 177, 179, 182, 192, 201, 205, 209, 244, 251, 268, 293, 295, 313, 321, 330, 337, 342, 347, 348, 354, 368, 375, 381. Uvula, 219, 257, 260, 268. Warts and Wens, 178, 212, 282, 372. Watchings, 154, 201, 204, 211, 224. Wearinefs, 78, 81, 208, 268. Wheals, 92, 181, 298, 351. Wheezings, 99, 176, 206, 240, 320, 350, 381. Whitloes, 92, 262. Whites, 52, 65, 89, 226, Wind, breaking, 57, 119, 156, 174, 178, 268, 356. Womb, 63, 92, 132, 177, 243, 268, 369. Wornis, 51, 54, 64, 121, 158, 181, 214, 223, 268, 336, 349, 372. Wounds, 64, 81, 88, 96, 99, 274, 285, 227, 244, 254, 274, 285, 293, 339, 344, 269, 376, 381, 386. Wrinkles rinkles, 135. Vallow Jaundice, 92, 95, 191, 169, 179, 189, 206, 226, 239, 248, 324, 332, 348, 355, 376, 389.

Surfeits, 101, 226, 299. Swellings, 94, 107, 131, 153, 155, 167, 213, 225, 244, 248, 294, 317, 332, 339, 343, 352, 375, 383, 389. Swoonings, 69, 90, 189, 254 Teeth, 58, 177, 238, 286, 354. Tenefmus, 132. Terms, to provoke, 59, 62, 63, 94, 99, 117, 155, 168, 174, 185, 214, 238, 242, 268, 277, 342, 374, 384. to ftop, 59, 86, 115, 124, 136, 195, 200, 211, 226, 256, 270, 285, 303, 339, 349, 368, 376. Tendons, 288. Tetters, 81, 109, 202, 208; 248, 295, 330, 342, 349. Testicles, 256. Thirft, 224, 295, 349, 383. Throat, 63, 90, 109, 140, 1.56, 219, 383. Thrufts, 52.





noderto Viewofthe Clostial Sufficient the Budy of Manus illustrated Grown both in Calpeper's Tamily Suprician, and Abbeys Occult Sciences.

CULPEPER's

ENGLISH PHYSICIAN;

AND COMPLETE

HERBAL.

TO WHICH ARE NOW FIRST ADDED.

Upwards of One Hundred Additional HERBS,

WITH A DISPLAY OF THEIR

MEDICINAL AND OCCULT PROPERTIES,

PHYSICALLY APPLIED TO

The CURE of all DISORDERS incident to MANKIND.

TO WHICH ARE ANNEXED,

RULES for compounding MEDICINE according to the true SYSTEM of NATURE;

FAMILY DISPENSATORY,

And Natural SYTSEM of PHYSIC.

BEAUTIFIED AND ENRICHED WITH

ENGRAVINGS of upwards of Four Hundred and Fifty different PLANTS,
And a SET of ANATOMICAL FIGURES.

ALSO, AN ASTRONOMICAL ILLUSTRATION OF THE CELESTIAL INFLUX ON THE HUMAN FRAME.

VOLUME THE SECOND.

By E. SIBLY, M.D. F.R. H.S. and Author of the Complete ILLUSTRATION of the OCCULT SCIENCES.

"THE PROPER STUDY OF MANKIND --- IS MAN!" POPE.

LONDON:

Printed, by J. Adlard, Duke-street, Smithfield, London, for the Proprietor; and sold at the Encyclopædia Office, Ave-Maria-Lane; and by Champante and Whitrow, Jewry-street, Aldgate,—1307.

CULPEPER's ENGLISH PHYSICIAN,

CONTAINING THE

MEDICAL PART.

A PHYSICAL AND ASTRONOMICAL DESCRIPTION OF MAN.

OD, the omnipotent and wife Creator, having made all things out of nothing, and from a crude and undigested mass, according to his will, and by his word, brought all things into a decent frame and majestic structure: out of a consused chaos made the heavens and the earth; out of that which was dark and void he created light, he separated the waters from the earth, and gave bounds to the unruly waves; and indued the dry and barren earth with prolific virtue, richly adorning it with grass, herbs, and fruit-trees; he made the sun, moon, and stars, to divide the light from the darkness, to enlighten and rule both day and night, to be for signs, and to dissinguish seasons, days, and years: by his word he created every living thing that moveth.

Having thus far proceeded in his so excellent and admirable workmanship of creation, he made MAN a summary of the world's fabric, a small draught of the divine nature: he was made after all other creatures, not only as the most perfect, but as the superintendant and master, of all things: created Quod dominetur in piscis maris, et in volucres cali, et in pecudes, et in universam terram, atque in omnia reptilia reptantia super terram: "To rule over the fish in the sea, and over the sows of the air, and over cattle, and over the earth, and over every creeping thing." Gen. i. 28.

In man he ended his work; on man he stamped his seal and sign of his power, on him he has imprinted his own image and superscription, his arms and his portraiture. Dixit Deus, facianus hominum ad imaginem nostram, secundum similitu dinem nostram: "God said, let us make man in our image, after our likeness." Gen. i. 26. In the creation of man, God seemed to deliberate and take counsel with himself, how to epitomize and gather together all his works in so small a compass, to contract his book of creation into so small a volume. Hence he is called the microcossm, or little world, the recapitulation of all things, the ligament of angels and beasts, heavenly and earthly, spiritual and corporeal, the persection of the whole work, the honour and miracle of nature. He created him naked, being a pure, neat, and delicate, creature, made up of thin, subtile, well-tempered and seasoned, humours, innocent, and far more beautiful than the rest.

He was created upright, but little touching the earth, quite opposite to the vegetable plant, whose root is therein fixed; far different also from the beast, who is a mean between a plant and himself, and goeth downward, his two extremes tending to the bounds of the horizon: this upright gait belonging only unto the human species, as the holiest and most divine creature, his head tending to the heavens, on which he looks, and contemplates with grateful adoration the omnipotence of his Creator.

His body being thus formed of pure fubtile earth, as a house and habitation for the foul, God breathed into him the breath of life, and he became a living foul. Gen. ii. 7. So in the ordinary generation and formation, which is made of the feed in the womb, nature observeth the self-same order; the body is first formed, as well by the elementary force, which is in the feed and the heat of the matrix, as by the celeftial influence of the fun; according to the adage, Sol et homo generant hominem: "The fun and man do engender man;" which is done according to the opinion of the most eminent naturalists and physicians, in such order, that the first seven days the feed of the man and the ova of the woman mingle and curdle like cream, which is the beginning of conception; the second seven days, the seed is changed into a formless bloody substance, and concoded into a thick and undigested mass of slesh, the proper matter of the child; the next feven days, from this mass is produced and fashioned a gross body, with the three most noble parts, viz. the liver, heart, and brain; the fourth feven days, or near thirty, the whole body is perfected, jointed, and organized, and is fit to entertain the foul, which invests itself into the body (according to the best authority) about the seven-and-thirtieth or fortieth day: at the third month, or thereabout, the infant has motion and fense; and at the ninth month is brought forth. These times cannot be so exactly prefixed, but that by the ftrength or debility of the feed or matrix they may be either haftened or prolonged.

But I shall not enter minutely upon this subject now, but give a more particular description of it hereaster.

The body of man confifts of a number of bones and cartilages, which are the bafis and upholding pillars of the whole fabric; the joints are compacted with many ligaments, and are covered with innumerable membranes: the members are supplied with about thirty pair of sensitive nerves, as with little cords; and all filled with as many arteries, like water-pipes, conveying vital spirits to all parts; the empty places are filled up with above four hundred muscles of different sorts, all covered with a skin.

Man, for whom all things were made, is nourished by the balsamic spirits of vegetables, and therefore doth confift of all these faculties, that spring up as a token of health or fickness. The celestial planets have also great influence over him; the moistening power of the Moon is represented by the marrow which flows from the brain; in the genital part is Venus feated; eloquence and comeliness are the effects of nimble-witted Mercury; the Sun hath a near affinity to the heart; benevolent Jupiter hath his feat in the liver, the fountain of nutritive blood; the fiery fury of Mars is lodged in the gall; the fpungy and hollow melt, the feat and receptacle of melancholic humours, is a perfect representation of the cold planet Saturn. Indeed, the spirits of the body do manifest and hold forth the quintessence of all things. The four humours in man answer to the four elements: as the bile, which is hot and dry, representeth the fire; hot and moist blood, the air; phlegm, cold and moist, the water; cold and dry melancholy, the earth. Man is an admirable creature, the universe and epitome of the world, and the horizon of coporeal and incorporeal things. I shall conclude this part with the faying of Zoroaster: "O man: the workmanship of most powerful nature, the most artificial master-piece of God's hands!"

A DESCRIPTION OF THE HEAD.

THE head of man possesses the highest place in the body, and represents the uppermost and angelical region: it is the fort of man's mind, the seat of reason, the habitation of wisdom, the place of memory, judgment, and cogitation: it containes the brain, cold and spungious by nature, inclosed with two skins, the one, more hard and thick, joining itself to the dura mater; the other, more thin and easy, wherein lieth the brain inclosed, called pia mater; it is soft and tender to the brain, and nourisheth it, as a loving mother doth her young and tender babe; from the pia mater issue the since said mater were the brain is the seat and throne of the rational soul, in which are a very great number of veins and arteries running through all the

fubstance thereof, administering to the brain both spirit and life, vital and nutrimental nourishment, which comes from the heart and liver by very minute or small veins and arteries; and concocted and re-concocted, elaborated, and made very subtile, passing through those woven and interlaced, turning and winding, in which labyrinth the vital spirit, often passing and re passing, is perfected and refined, and becomes animal.

The pia mater divides the fubftance of the brain into three certain cells and divifions, the foremost part of which contains the most, the middle part less, and the
hindmost part the least. In the foremost part of the brain imagination is seated; in
the middle, judgment; in the hindmost part, memory. Imagination is hot and dry in
quality, quick and active, from whence it cometh that frantic men, and such as are
sick of hot maladies, are excellent in that which belongs to imagination; many, upon such a distemper, have been excellent in poetry and divination; it never sleepeth,
but is always working, whether the man be sleeping or waking; and, by the vapours
that arise from the heart, form variety of cogitations, which, wanting the regulation
of judgment, when man sleepeth, becomes a dream.

Hence it appears that subtilty, promptitude, and that which they commonly call wit, belongeth to a hot imagination: it is active, stirring, undertaketh all, and sets all the rest to work; it gathers the kinds of sigures of things, both present, by the use of the sive senses, and absent, by the common sense.

Judgment is feated in the midst of the brain, there to bear rule over the other faculties; it is the feat of the rational foul, and the judge of men's actions: if you would know the mean whereby it knoweth and judgeth of things, fome authors have been of opinion, that the spirit knoweth by the help of the fenses, and that the understanding without the senses is but as white paper. Nil est in intellectu, quod non fuerit prius in fenfu: "There is nothing in the understanding which was not first in the fense." But this opinion is false, because the seeds of science and virtue are infinuated into our spirits, else is the state of the reasonable soul worse than the vegetative or fensitive, which of themselves are able to exercise their functions. It were absurd to think that so noble and divine a faculty should beg affishance of so vile and corruptible a one as the fenses, which apprehend only the simple accidents, not the natures or effence, of things: and were it so, it must follow, that they who have their fenses most persect should be most witty, whereas we see many times the contrary. Yet let no one think that the spirit hath no service from the senses; for, in the beginning or discovery and invention of things, the senses do much service to the spirit, but the spirit dependeth not upon the senses. Some are of opinion, that it is hot and moist in quality; others say, that a dry temperature is proper to the understanding, whereby whereby it came to pass that aged persons excel those in understanding that are young, because, as years increase, moisture doth decrease in the brain; hence it followeth, that melancholic persons, that are afflicted with want, and fast much, are wise and ingenious, for heaviness and fasting are great driers: Splendor ficcus, animus sapientissimus, vexatio dat intellectum; "Heat and draught refine the wit, affliction giveth understanding;" and that is the reason that great persons, who seed high, and take little or no care, that have nothing to vex them, are for the most part not very wise.

Beafts that are of a dry temperature, as ants, bees elephants, &c. are cunning and ingenious; on the contrary, they that are of a moist constitution are stupid and without spirit. Memory is seated in the hinder cell of the brain, as the grand accountant or register; some say its temperature is cold and dry, and that is thought to be the reason why melancholic people have good memories; others are of opinion that it is moist, because children have better memories than old men; men are more apt for memory in the morning, by reason of the moisture gained by sleep in the night; but, let it be as it may, it is most certain that those who have a good memory are not in general very wise.

It is true, that many have been excellent in this faculty. Seneca repeated two thoufand names as they were first spoken; he also, hearing two hundred verses, rehearsed them, and began at the last. Cyrus and Scipio knew every foldier's name in their armies. Mithridates learned the languages of two-and twenty nations. Esdras the priest had the whole Jewish doctrine by heart. Julius Cæsar would dictate to four at the same time; and that which is more strange, Pliny would dictate to one, hear another, and read at the same instant. As these were so excellent and acute in memory, others were as dull: Atticus could never learn the letters of the alphabet by heart; others could not count above four. It is faid, that Theodore Beza, two years before he died, as he languished, his mind grew so feeble that he forgot things present, yet held those things which were printed in his mind before-time, when his understanding and memory were good. What shall we say of Messalla Cornivus, who forgot his own name? or Franciscus Barbarus, of Athens, a very learned man in the Greek tongue, who having received a blow on the head with a stone, forgot his learning which he had spent the greatest part of his life time upon, yet remembered all things else? These things are brought to pass either by the strength or debility of men's genitures, and from directions and accidents thence proceeding; Wit and understanding, and all the faculties of the foul, depend on a certain temperament; and hence it comes to pass that those who are acute and wife in some things are stupid and dull in others.

OF THE I-NTERIOR PARTS OF THE HEAD.

The fensitive faculty has its residence in the pia mater; it is that which gives virtue to all the particular senses, and keeps a harmony amongst them: they are five in number, viz. seeing, hearing, smelling, tasting, and feeling; although these are all united in one in the brain, yet operatively they are distinguished in their several seats and places of residence.

The STORIT refides in the eyes, and particularly in the chrystalline humour; they are two in number, and collateral, planted in the highest stage, as centinels; they are the luminaries of the microcosim; Galen says, the brain and head were made for the eye, that they might be in the highest, as a beholder in a tower; they are next in nature unto the soul; for in the eye is seen and known the disturbances and griefs, gladness and joys, of the soul, as love, wrath, and other passions. They are compounded and made of seven tunicles, or coats, and three humours; they proceed out of the substance, they take a pannicle to defend it from annoyance. They meet, and are united into one sinew, about half an inch in length before they enter the skull and after divide into two, each going into one eye; they are called nervi optici, the optic nerves, and through these are brought visible spirits to the eye.

These are the most noble outward parts of the body, in beauty, utility, and activity. They are to the visage that which the visage is to the body; they are the face of the face, and, because they are tender, delicate, and precious, they are fenced on all sides with skins, lids, brows, and hair. The object of the eye or sight is colour, (according to the common opinion,) which is an adherent quality in bodies, whereof there are six simples, as white, yellow, red, purple, green, and blue; the compounds are infinite; to speak more fully, the true object is light, which is never without colour, and without which the colours are invisible.

The sense of seeing excelleth all the rest in many things; it apprehendeth farther off, and extendeth itself even to the stars. It is certainly reported, that Strabo had such acute eyes, that from Lilybæum he could discern ships going forth of the Carthaginian haven, and could number them; the distance was one hundred and thirty-sive miles. It hath more variety of objects, for to all things, and generally in all, there is a light and colour, the objects of the eyes, as I hinted before. It is most exquisite, for it is most exact, in the least and finest thing that presents itself. It is more prompt and sudden, for it apprehendeth even in a moment, and without motion, when the other senses require motion and time. It enjoyeth a liberty incomparable to others; the eye seeth, or seeth not, and therefore hath lids

to open or shut; it is active; all the rest purely passive. But that which is most noble in this sense is, that the privation of the object thereof, which is darkness, brings sear, and that naturally, because then a man findeth himself robbed of so excellent a guide; the sight in the light is instead of company, wherein man much delighteth.

HEARING is the next sense to be considered, whose residence is in the ears; it is in quality cold and dry, under the dominion of Saturn. They are placed on the outfide of the head, in the felf-same height as the eyes are, as the scouts of the body, porters of the spirit, the receivers and judges of the founds, which always afcend. They have their entrance oblique and crooked, that fo the found may not enter all at once, whereby the fenfe of hearing might be hindered, and not fo well able to judge; and again, that the founds, being fugitive, might there lurk, and abide under his shadow, till the instruments of hearing have gotten possession thereof. The finews, that are the organs of hearing, fpring each from the brain, and, when they come to the hole of the ear, they are wreathed together; the end is like a worm, or little teat, into which is received the found, and from thence carried to the common wits, to diffinguish. The object of the ear, or hearing, is a found or noise proceeding from the encounter of two bodies; a pleasant and melodious found sweeteneth and appealeth the spirit, consequently the body too, and drives maladies from them both; the sharp and penetrant doth trouble and wound the spirit. This sense hath may singularities; for the service of the body, the fight is most necessary, but, for the spirit, hearing hath the superiority; it is spiritual, the agent of understanding; many that have been blind have been great and wife philosophers, bur never any that were deaf. In brief, science, truth, and virtue, have no entrance into the foul but by the ear. Christianity teaches, that faith cometh by hearing, which the fight doth rather hurt than help. Faith is the belief of those things which are not seen, which belief is acquired by hearing. For all these reasons, and many more that might be inserted, the wifest have so much commended hearing, the pure guardian from all corruption, the health of the inward man.

SMELLING is feated in the nofe, governed by Mars, and is hot and dry in quality, and therefore martial creatures, or fuch as are hot and dry of conftitution, excel in this faculty, as dogs, &c. From the brain cometh two finews to the holes of the brain-pan, where beginneth the concavity of the nofe, and these two are the proper organs or instruments of smelling; they have heads like paps, into which is received the virtue of smelling, and presenting it to the common sense. Over these two organs is placed collatorium, or the nostrils, which concavity or ditch was made

for two causes: First, that the air, that bringeth the spirit of smelling, might rest therein, till it was received by its proper organs. Secondly, that the excrement the brain might be hidden under it till it be fit to be ejected. From this concavity go two holes into the mouth, of which we may take notice of three conveniences: first, that when a man's mouth is closed, either by eating or sleeping, air might come through them to the lungs, or he would be forced to keep his mouth open always. Secondly, they are helpful to a man's speech; for, when one or both of those passages are stopped, a man speaketh in the nose, as we commonly say. Thirdly, they are useful in the cleansing the concavities of the nose, either by snussing or drawing it through the mouth. The object of smell is an odour, or scent, which is a sume rising from an odoriferous object, ascending through the nose to the ventricles of the brain; the strong and violent hurteth the brain; the temperate and good doth rejoice, delight, and comfort. This sense is oftentimes very useful in discovering meats and drinks of an evil odour, which otherwise would much prejudice the stomach, and work evil effects in the body of the man.

The TASTE is hot and moist, and under the influence of Jupiter: this fense hath its residence in the palate of the mouth and tongue. Its office is to choose what food is congruous to the stomach, and what not. The skin of the palate of the mouth is the same with the inward part of the stomach, and the same with the way of the meat to the stomach; and hence it cometh to pass, that when a man is touched upon the palate of the mouth, it tickleth the flomach; and fo much the nearer to the throat, so much more the stomach abhorreth. The object of tasting is a savour or fmack, whereof there are fix fimple kinds, as fweet, four, fharp, tart, falt, and bitter; the compounds are many. And, being led to the mouth, it is not amifs if I speak a few words of the composition thereof. In the mouth are five parts to be confidered, the lips, the teeth, the tongue, the uvula, and the palate of the mouth, of which I have already spoken. The lips are made of a musculous slesh; their office is, first, as the door to the house, to keep the mouth close till the meat be chewed; fecondly, they help to pronounce the fpeech. The teeth, the hardest members, are fastened into the mandible: their office is, first, to grind the meat before it gooth into the stomach, that so it may the better digest; secondly, that it might be a help to the speech, for they that want any of their teeth are defective therein. The number is uncertain, some have more, some have less; they who have their full number have thirty-two. The tongue is a carnous member, compound, and made of many nerves, ligaments, veins, and arteries, ordained principally for three purpofes; first, that when a man eateth, the tongue might turn the meat in the mouth till it be chewed; fecondly, by the tongue, and the palate of the mouth near the root of the tongue, is received

ceived the tafte of fweet or four, and thence prefented to common fenses to pass judgment thereof: thirdly, and principally, the tongue is ordained for the pronunciation of fpeech, of which faculty I must crave leave to insist on, and that as briefly as may be. Speech is an excellent prefent, and very necessary, given only unto man, animi index & speculum; it is the interpreter and image of the foul; the heart's messenger: the gate through which doth pass all that lieth within the dark and hidden corners of man: by this the spirit becomes visible. Of all the external and visible parts of the body, that which cometh nearest to the heart is the root thereof, and that which cometh nearest the thoughts is speech: " Out of the abundance of the heart the mouth speaketh." It is a powerful master, and imperious commander; it stirreth up, animateth, exasperateth, appealeth, maketh sad, merry; it imprinteth whatever paffion it handleth; feedeth the foul of the hearer; it maketh him blufh, wax pale, laugh, cry, tremble, mad with choler, leap for joy, what not? It is the agent of all our concerns; by it we traffic, peace is handled, affairs are managed; it is the band of human fociety: hearing and speech answer and are accommodated the one to the other; by these two the fouls are poured the one into the other; so that, if these two gates be flut (as it is in those that are deaf and dumb), the spirit remaineth solitary and miserable. Hearing is the gate to enter, by it the spirit receiveth all things from without. Speech is the gate to go out, through it the spirit sendeth forth that which was within. From the communication of these two, as from the stroke of two flints, there cometh forth the fire of truth, and fo by the polifhing and rubbing of these two, knowledge cometh to perfection; but hearing is the first and principal, for there can nothing come forth which did not first enter; and therefore he that is deaf altogether by nature is also dumb.

I might enlarge a great deal more in the description of the head, but, my purpose being to declare nothing but what may be pertinent in the manifestation of the human faculties and virtues, I shall conclude this discourse with a word or two of the fense of feeling, which is of no particular quality, but of all, hot, cold, dry, and moist; it is deputed to no particular organ, but is spread abroad over the whole body; it is the index of all tangible things, its object then must be heat or cold, drought or moisture, things pleasant and polite, sharp and smarting, motion, rest, tickling. It is known that man and other creatures may live without some particular sense; it is the opinion of most, that a man cannot live without this sense of feeling, being only necessary unto life; yet Augustine proveth the contrary, in the sourceth book, De Civitate Dei, by example of a presbyter, that lay as though he were dead, and did not feel those that pulled him, nor would he stir though they burned him with sire; yet consessed that he could then hear men speak (if they spoke aloud) as though they were

were far from him, by which it appears, that this he did, not by refifting, but for want of the fenfe of feeling, which afterwards was reftored to him again. I shall pass by what the English history relates of one Elizabeth Barton, a maid of Canterbury, who oftentimes was deprived of her senses by reason of a disease she had.

I shall also wave disputes concerning the number of the senses, some supposing there are no more in nature than are apparent in us. There may very well be more, yet it is greatly to be doubted that there are; it is impossible for us to know them, to affirm them, or to deny them, because a man shall never know the want of that sense which he never had: one-sense cannot discover another; and, if a man want one by nature, yet he knows not which way to affirm it. A man that is born blind, and hath not heard what fight is, cannot conceive that he feeth not, nor defire to fee. So man, being not able to imagine more than the five that he hath, cannot know how to judge whether there be more in nature. Who knoweth whether the difficulties that we find in many of the works of nature, and the effects of many creatures which we cannot understand, do proceed from the want of some sense that we have not? There are hidden properties which we see in many things, and a man may say that there are fenfible faculties in nature, proper to judge and apprehend them, yet must conclude we have them not; who knoweth whether it be some particular sense that discovereth the hour of midnight to the cock, and moves him to crow, or how beafts are taught to chuse certain herbs for their cure, and many such-like wonders?

OF THE STOMACH.

THE STOMACH is a member compound and spermatic, sinewy and sensible, wherein is made the first persect digestion of chyle: it is a necessary member to the body, for, if it sails in its operations, the whole sabric is corrupted. It is in the little world the same as the terrestrial globe is in the great world; in it is expressed the sublunary part of the world; in it are contained the parts that serve for nutrition, concoction, and procreation. And this leads me to discourse of the administering virtues in man, which are here seated, and to wind up all with a touch of the office of the microcosmical stars with as much brevity as may be. The stomach is framed of two panicles, the outer is carnous, the inner nervous, from which is stretched to the mouth the asophagus, or the way of the meat, by which the stomach draweth to itself meat and drink as with hands. By the virtue of the subtile will, which is in this muscus longitudinalis, is made the attractive virtue, which is hot and dry, by a quality active, or principal, which appears by the sun, the sountain of all heat, which is of an attractive quality, which is evident by his attracting and exhaling the humidity from

from this inferior globe into the airy region, as into the neck or higher part of an alembic; and, being refolved into water, (by reason of their weight,) fall down again upon the earth, which is the vessel receiving: so, through continued distillations, by sublimation of the water, by cohabation, by drawing off the liquor, (being often poured on,) and fortified by the influence of the celestial and central sun, the body becomes endued with a concocive, nutritive, and procreative, virtue. So in the stomach, by the active quality of the microcosmical sun, his benevolent rays, and friendly heat, meat and drink are desired, and attracted into the stomach, for the nourishment of the whole body.

In the stomach is a transverse muscle, to withhold or make retention; by this retentive virtue, those things that are brought into the stomach are kept and withholden until nature bath wrought her end, and every faculty hath executed its office. It is in quality cold and dry: cold, because the nature of cold is to compress or hold together, as you may see in ice; dry, because it is the nature of driness to keep and hold what is compressed. It is under the influence of Saturn, and that is the reason why, for the most part, men that are cold and dry of temperature, or, as astronomers say, Saturnine people, are covetous and tenacious; and that is the reason that old men are naturally covetous, because Saturn ruleth old age, and, by the decay of nature, the temperature becomes cold and dry. It hath the spleen, the representative of Saturn, lying toward the less fide, and furnished the stomach with humours necessary to fortify the retentive virtue.

The digeffive faculty, which is the chief and most principal, (the others like hand-maids attending it,) is hot and most, nature's cook and principal workman, the archæus and central fire which in this philosophical vessel, viz. the stomach, digesteth the victuals into a chaos, or confused mass, that so a natural separation may be made. It is under the influence of Jupiter, who surnishes it with friendly heat and most ture, by the liver, (the microcosmical Jupiter,) chasing and heating the right side of the stomach.

The stomach hath also a latitudinal muscle, or will, which makes the expulsive faculty; it is naturally cold and moist; cold, to compress the superfluity; moist, to make the matter slippery and fit for ejection, also to work a suitable disposition in the body. It is a necessary operation by it, after the separation of the pure from the impure, the elements from the caput mortuum, or rather faces, is removed and carried away, all that is needless or prejudicial to nature. It is under the dominion of the Moon, (with whom you may join Venus, being of the same nature,) whose epitome or microcossimical substitute, viz. the brain, sendeth a branch of nerves to the stomach, and thereby furnisheth it with humours, cold and moist, fit for expulsion.

OF THE HEART.

THE HEART hath two ventricles or concavities, and the left is higher than the right; the cause of its hollowness is to keep the blood for his nourishing, and the air to abate and temper the great heat which is included and shut up in the concavities.

As he is fol corporis, and centre of the rest of the members and ruler of the samily, he communicates to them life and motion; yet by his heat he attracts what is needful for himself from the other members, as a subsidy or tax imposed upon his subjects. And therefore to the right ventricle of the heart cometh a vein from the great vein, which receiveth all the substance of the blood from the liver; this vein passet to the right ventricle of the heart, and bringeth a great portion of the thickest and purest blood to nourish the heart. The residue that is lest of this is made more subtile through the virtue and heat of the heart, and then sent into a concavity or pit, in the midst of the heart, between the two ventricles; therein it is made hot and pure, and from thence it passet to the lest ventricle, and there is engendered in a spirit that is clearer, brighter, and subtiler, than any corporeal or bodily thing which is engendered of the four elements, for it is a mean between the body and the soul; wherefore, of the philosophers, it is likened more to heavenly than earthly things.

From the left ventricle of the heart fpring two arteries, the one having but one coat, and therefore is called *arteria venalis*, which carries blood from the heart to the lungs, which blood is vaporous and fit for its nourishment, and carrieth back

air from the lungs to refresh the heart.

The other artery hath two coats: it is called, vena arterialis, or the great artery, of which springeth all the other arteries, that spread to every member of the body, which carry the spirits, which are the treasures of the soul's virtue; thus it passeth till it come to the brain, and be made an animal spirit; at the liver it is made nutrimental, and at the testicles generative. Thus by the heart is made a spirit of every kind, and (like the sun in the heavens) by his royal presence he doth confer life and liberty on his suppliants.

The motion of the heart is wonderful; it continues to the utmost period of life, day and night, without a fingle moment's interruption or intermission; and is performed more than an hundred thousand times every day. Here is, indeed, something like what the mechanists want, under the name of a perpetual motion; and the stupendous wisdom of the Creator is in nothing expressed more gloriously.

OF THE LUNGS, LIVER, &c.

THE LUNGS are made of a fubfiance very foft and fpongious; fupple to draw and inforce from, like a pair of bellows; they are an inftrument of respiration, whereby the heart is refreshed, drawing unto it the blood, the spirits, and the air, and disburthening itself of those summer and excrements which oppress it. They are naturally cold and dry, accidentally cold and moist; naturally cold and dry, waving about the heart, abating its heat by a refreshing blast; they are accidentally moist, by reason of catarrhs and rheums, which they receive from the brain.

There are three principal parts in the lungs: One is a vein coming from the liver, which bringeth with it the crude and undigefled part of the chyle to feed the lungs. Another is arteria venalis, coming from the heart, bringing the spirit of life to nourish the lungs. The third is trachia arteria, that bringeth air to the lungs, and it passet through all the left part of them to do its office.

The lungs are divided into five portions or pellicles, three on the right fide and two on the left fide; that, in case any impediment or hurt should happen in any one part, the other should be ready to supply the office.

I shall give no farther description of the lungs, but describe the liver, which is a principal member in the little world, representing the planet Jupiter, quast juvans pater, hot and moist, inclining towards the right side, under the short ribs. The form of the liver is gibbous, or bunchy, on the back side; on the other side hollow, like the inside of a hand, that it might be pliable to the stomach (as a man's hand is to an apple, or any thing that is round) to further its digestion; for its heat is to the stomach as the heat of a fire is to the pot which hangeth over it. It is the store-house of the blood, the sountain of the veins, the seat of the natural nourishing faculty, or vegetative soul, engendered of the blood of that chyle which it draweth from the meseraic veins, and received by the vena porta, which entereth into the cavities thereof, and afterwards is sent and distributed through the whole body by the help of vena cava, which arise from the bunch or branches thereof, which are in great numbers as the rivers from the ocean.

The natural and nutrimental faculty hath its refidence in the liver, and is difperfed through the whole body with the veins, from which are bred four particular humours, viz. blood, choler, phlegm, and melancholy.

Blood is made of meat perfectly concocted, in quality hot and moift, Jupiter's darling, the most perfect and necessary humour (the other three being superfluities, yet necessary too.) The blood thus concocted is drawn out by the vena cava, whose branches, ramifying upwards and downwards, carry and convey it to all the

other members of the body for their nourishment, where, by a third digestion, it is transmuted into the slesh.

Choler, or bile, is made of meat more than perfectly concocted; it is the fpume or froth of blood; it clarifieth all the humours, heats the body, and nourisheth the apprehension. It is in quality hot and dry; it fortifieth the attractive faculty, as blood doth the digestive; it moveth man to activity and valour: it is under the planet Mars, whose residence is in the gall, which is an official member, a purse or panicular vessele placed in the hollowness of the liver, whose office is to receive the choleric superfluities, which are engendered in the liver as aforesaid. This purse, or bag, hath three holes, or necks. By the first it draweth to itself the choler from the liver, that so the blood be not hurt by the bile, or choler. By the second it sendeth choler to the bottom of the stomach, to fortify the attractive faculty. And, lastly, it fendeth choler regularly to every gut, from one gut to another, to cleanse them from superfluities and dross.

Phlegm is made of meat not perfectly digefted: it fortifieth the virtue expulsive, and maketh the body fit for ejection; it is kind to, and fortifieth, the brain by its confimilitude with it; it is antipathetical to the apprehension, and doth much injure it, therefore phlegmatic persons have but weak apprehensions: it is cold and moist in quality, its receptacle is in the lungs, it is governed by the Moon and Venus; therefore it qualifies the bile, cools and moistens the heart, thereby suffaining it and the whole body from the fiery effects which continual motion would produce.

Melancholy is the fediment of blood: it is cold and dry in quality; it maketh men fober, folid, and staid, fit for study, or any ferious employments; it curbs the unbridled passions incident to the fanguine complexion: it stayeth wandering and idle thoughts, and reduces them home to the centre; it is like a grave counsellor to the whole body. It is governed by the planet Saturn, it strengtheneth the retentive faculty, and its receptacle is in the spleen; which in the body is placed on the lest side transversely linked to the stomach.

OF THE REINS AND KIDNEYS.

THE REINS and KIDNEYS are placed within the region of the nutrites backwards, and they are ordained to cleafe the blood from the watery superfluities; they have two passages: by the one is drawn the water from the vena kelis, by two veins, which are called venæ emulgentes, the emulgent veins; and by the other is sent the same water to the bladder, and this is called poros urithedes.

The kidneys are made of a hard fubstance, and full of hard concavities, and therefore the fores of them are hard to cure; they are harder in substance than any other

fleshy

fleshy member, and that for two causes; the first is, that they be not much hurt by the sharpness of the urine; the other is, that the urine that passeth from them might be the better cleansed. The heart sendeth an artery to convey to them blood, heat, spirit, and life. And from the liver there cometh a vein, which bringeth nutrimental blood. Their sates is as of other members, made of thin blood congealed by cold, there is the greater quantity in this place, because it should temper the heat of the kidneys, which they have from the biting sharpness of the urine.

The next thing is the bladder, which is compounded of two nervous panieles; in complexion it is cold and dry; its neck is carnous, and hath two muscles to withhold and to let it go; in man it is long, and is contained with the yard passing through the peritoneum; but in women it is shorter, and is contained with the vulva. The place of the bladder is between the share-bone and longaon. In women it is between the aforesaid bone and the matrix. In the bladder are implanted the uterus, which bring the urine or water from the kidneys thither, and enter into the holes and panicles thereof, which is done by a natural motion between tunicle and tunicle, till the urine findeth the hole of the nether tunicle, where it entereth privily into the concavity. And the more the bladder is filled with urine, the straiter are the panicles compressed together; the holes are not set one against the other, so that, if the bladder be never so full, none can go back again.

This is the microcofinical ocean, into which all the rivers of the body discharge themselves. There must needs be more than a watery substance in it, for many times in discases, it is plentifully made, though the patient drinketh little or nothing; and it is observed that creatures that drink nothing will make water. Physicians oftentimes foretel many things by its colour, thinness, and thickness. Salt you know is hid in meats, and that plants have very much falt in them you may find by distilling them: and it is very well known, that by the chemical art many kinds of falt may be fetched out of urine. The artificial crysocolla is made of urine. Nitre is made of earth moistened with urine and dung of living creatures.

OF THE GENERATIVE PARTS.

THE inftruments of generation are of two forts, male and female; their use is the procreation of mankind, the operation is by action and passion, the agent is the seed, the patient the blood. Although this cometh to be spoken of in the last place, yet it might have deservedly been put in the first; for nature regards not only the conservation of itself, but to beget its like and conceive its species. Venus hath the principal government of the members of generation, in which members there are many parts deserving our attention.

First;

First; of the genitals of men:—The first thing to be considered is, that which anatomists call vasa preparantia, or preparing vessels, which bring blood and vital spirit to the testicles; they are four in number, and before they come to the testicle they make a curious implication, intertexture, or twisting, the one with the other, the arteries into the veins, and the veins into the arteries, which physicians call corpus varicosum; some call it pompinisormis: this interweaving reacheth down even into the substance of them; their use is to mix the blood and vital spirit together, that so they may have a fit matter to work on.

The tefticles are of a white, foft, and fpongy, fubstance, full of small veins and arteries; or else, when humours flow to them, they could not swell to such a bigness: their form is oval; of their bigness sew are ignorant. Each testicle hath a muscle, which the learned call cremaster, which serveth to pull them up in the act of generation, as its name in the Greek signifieth, that so the vessels, being slackened, may better void the seed.

The feed being thoroughly concocted by the testicles, there are two other small pipes called vasa deferentia; they are also called spermatic pores: their office is to carry the feed to the seminary vessels, which are to keep it till need requireth its expulsion. From the stones they arise very near to the preparing vessels into the cavity of the belly; then, going back again, they turn to the back side of the bladder, between it and the right gut, where they are joined to the seminal vessels, which are soft and spongy, somewhat like kernels, through which passet the urethra, or common passage in the yard both for feed and urine.

Histories make mention, and experience evinceth, that some are born without testicles, some with one. Philip, Landgrave of Hessia, had three; he was so sull of seed, and prone to venerous actions, that his wife could not suffer him so often as necessity urged him to it, he otherwise being chaste and honest; he, relating his mind to the priests, with the consent of his wife, took a concubine.

It is unnecessary for me here to describe the yard, and all the parts thereof, as their form, office, texture, sympathy, &c. will hereafter be more particularly treated of in the anatomical analysis: in this place therefore I only mean to give a brief touch of the most considerable parts.

I now come to the generative parts of women; and first of the clitoris, which is a finewy and hard body, much like the yard of a man, and suffers erection and falling, causeth lust in women, and giveth delight in copulation: Avicenna calleth it the wand, or albathara; and Albucasis calleth it tentigo; and Fallopius saith, that this hath sometimes grown so big, that women would copulate with others like men: This observe, that the passage of the urine is not through the neck of the womb;

near

near the passage of the urine are sour caruncles or slessly knobs; they are called myrtiformes, because they resemble myrtle-berries; the uppermost of them is largest and
forked, to receive the neck of the passage of the urine; the others lie below this on
the sides, and are to keep back the air or any hurtful thing from the womb. In virgins these knobs are joined together by a thin skin, interlarded with small veins, with
a hole in the middle about the bigness of one's little singer, through which passeth the
menstruous blood: this skin is a note of virginity, for the first act of copulation
breaketh it. I believe that this was that note of virginity which God gave to the
Hebrews. These knobs joined together do much resemble a rose not quite blown,
therefore called a flower, whence comes the word to deslower a virgin. If I should
take upon me to declare the opinions of authors, it would prove (almost) an endless
task; this I shall add, that I conceive it not a certain note of virginity, because it
may be broken without the act of copulation; as, namely, by applying pessages to
provoke the menstrues, or by a defluxion of sharp humours, &c. but it is probable
that the Jewish virgins were more careful of it, their reputation depending thereon.

The womb in figure is almost perfectly round, in virgins about the bigness of a walnut, yet, when a woman is conceived with child, it dilates itself to such a capacity, that it is able to contain the child; the mouth of it is no bigger than to receive the glans of the yard, yet at the delivery makes room for the child to come out, be it ever so big: this made Galen admire, and it may be a great admiration to all, if we consider the wonderful works of God in the creation of man: he who knows himself may know there is an all-powerful God! and therefore it was engraven with letters of gold over the porch of the temple of Apollo, the god (according to the Panims) of knowledge and wisdom, this sentence—Know thyself—as a salutation unto all; signifying, that he that would have access unto that divinity, and entrance into that temple, must first know himself.

The womb before conception is fmall, because the seed, being but little in quantity, might be close embraced and cherished. Women have testicles or stones as men have, but they differ from men's in these particulars: they are within the belly in women, in men without; they are not so smooth in women as in men; they are less than the stones of men; they are not staid by muscles, but by ligaments; men's are oval, but women's are flattish; they have but one skin, men's have sour, because they are without the body, and exposed to the cold; they are more soft and cold than men's are. But they are ordained both in men and women for the same use, viz. to concost seed; and, though Aristotle denied seed in women, yet Hippocrates, one of the ancients of physic, was of this judgment; and reason and experience confirm it.

The vafa preparantia, preparing veffels, and vafa deferentia, carrying veffels, are of the fame nature and office as they are in men; they differ only in this, that they are fomewhat fhorter, having a fhorter way to go, the testicles being within the belly in women: but, lest the shortness of the passage should hinder their operation, God and nature have so provided, that they are more twisted and interwoven than they are in men, that they may the better mingle the blood and vital spirit.

Thus have I given you a short description of man, the master-piece of God's workmanship; and in whom is comprised a small draught of all things in the universe. In man, as in a perspective glass, may our mother-earth with her innumerable offspring be discovered; in him may the unruly and restless waves of the ocean be delineated: nor doth he only epitomize the elemental world, but also the celeftial; in him are discovered the prudent, majestical, sumptuous, magnificent, honourable, affable, and humane, folar quality: the unfteadfast, timorous, foon-daunted, oftchanging, and shifting, temper, among men, answers to the various motions of the low and oft-changing Luna. Others in profundity of imagination, refervedness of words, austerity of actions, &c. are a fit portrait of the melancholy planet Saturn. There are yet a few in the world who are faithful lovers of fair dealing, beneficent to all men, doing glorious, honourable, and religious, actions; just, wife, prudent, virtuous, &c. of the temper of benevolent Jupiter. There are (in our apprehenfions) too many of the martial temper, who are valiant lovers of wars, frays, and commotions, fubject to no reason, bold, confident, willingly obeying nobody, &c. Nor is Venus excluded those people's affections who love mirth in words and actions, mufical, delighting in venery, drinking, and merry meetings, who trouble not themselves with state-affairs, nor are inquisitive after armies or navies. Nor is Mercury without his party among us, who are fubtile and politic, excellent difputants and logicians, fharp-witted, and able to learn any thing, men of unwearied fancies, and fit for any employment, yet unconstant. The planetary influence in the good or ill disposition of the air is lively represented in man. A healthy fanguine constitution, or a delicate composure of heat and moisture, answers to a ferene and temperate air, with feafonable moistening dews and showers, which are the sweet influence of the Sun, Jupiter, and Venus. The feverish, hot, and parching, diftempers of the body answer to the hot and scorching weather occasioned by the fiery beams of Mars. Nor is the cold, chilly, melancholy, weeping, and lamenting, difposition of many people, less represented by the melancholy, dark, cold, and wet, weather, proceeding from Saturn's influx. The intellectual world hath also in man its portraiture; witness the soaring contemplations of the soul of man, which cannot (like the body) be confined to any place, but in a moment furrounds this terrestrial globe:

globe; nor there content, but as foon mounts itself to the heavens, and searcheth their secret corners; nor there satisfied till he comes to the highest, for by his contemplations (having its original from the uncreated light) he reslects thither, viz. to the divine Majesty of heaven!

ANATOMICAL ANALYSIS OF THE HUMAN FRAME.

OF THE SKIN.

THE SKIN is a membranous covering of the body, fimilar, spermatic, having blood mixed with it, reddish, white, loofe, and the instrument of feeling. It hath cutaneous veins and arteries, as also nerves; from the last of which, it receives its quickness of sense. From the capillary veins and arteries it receives blood for nourishment and vital spirit for quickening. Its temperature is cold and dry, or rather exquilitively temperate, yet so that it may be the judge of feeling. The skin on the top of the head is thickest, that on the fide thin, that on the face and palms of the hands thinner, that on the lips thinnest of all; that on the tops of the fingers is mean, fo that the fense of touching may be the more perfect: its texture is flight and very full of small holes or pores, for the insensible transpiration of sumes, vapours, and sweat. It takes its colour from the predominant humour, unless it be fuch from the birth, as in Æthiopia. It has a double substance: the one is external, called cuticula, or the fcarf skin, because it is placed upon the skin, as a cover or defence, every-where perforated with pores, without blood and without feeling: its connexion is to the true skin, from whence it has its figure and colour; but in blackmoors, the cuticula being pulled off, the skin itself is white. It has no action, only use, which is to shut the pores of the skin, that the ichorus substance may not iffue from the veins and arteries; to defend the skin from immoderate heat or cold: and to make it fanooth, beautiful, polished, and even. It is generated of a viscous and oleaginous vapour of the blood. The other is the true skin of which we have first spoken, which is fix times thicker than the scarf-skin; its pores will appear in winter time, if it be made bare, and exposed to the cold: for where they are, the cuticula will appear like a goofe skin. The skin receives two cutaneous veins, through the head and neck, from the jugulars: two through the arms, breaft, and back, from the axillaries: two through the lower belly, loins, and legs, from the groins, which are conspicuous in women after hard labour, and in such as have the varices in many branches. It has few arteries, and those very small, in the temples and forehead, fingers, scrotum, and yard.

OF THE FLESH.

THE FLESH is a fimilar, fost, thick, substance, well compacted, made of blood alone, if it be red; but of blood and feed, if it be white. It is four-fold, viz. musculous, viscerous, membranous, and glandulous; of which the two first are very red, but the two latter white. Musculous slesh is fost and red, and that which is properly termed flesh. Viscerous flesh is that of the bowels, which is the proper substance of the lungs, heart, liver, spleen, and kidneys; it is red, hard, fitted to prop up the veffels, and to affift them in their particular and various operations. Membranous flesh is the fleshy substance of every membranous part, as in the gullet, stomach, guts, womb, bladder. Glandulous sless is the sless of kernels: it is white, thick, and fpongy, formed of feed, (and therefore cannot properly be called flesh), of which some anatomists make many diversities; but the true searcher may find the glandules differ not fo much in substance as in their use and humour; which are, first, to support the divisions of the vessels; secondly, to drink up superfluous humours, because they are of a hollow spongy substance, and are therefore vulgarly termed emunctories, or cleanfers of the noble parts, those in the neck being accounted cleanfers of the head, those in the arm-pits of the heart, and those in the groin of the liver; thirdly, to moisten the parts for their more easy motion, or to prohibit drinefs, fuch are those which are fituated by the tongue, larynx, eyecorners, &c.

OF THE MEMBRANES.

A MEMBRANE is a fimilar, spermatic, part; broad, soft, dilatable, white, containing and investing the parts, and carrying sense to them. If, being a hollow body, it receives something, as the stomach, bladder gall, eye, it is called sunica, a coat; but, if it embraces and covers a solid body, it is called membrana, a covering: and those which cover the brain are called menings. It is endued with sense from itself. Membranes are the only true organs of seeling, serving the animal spirits to this purpose. Their use is, to invest the parts of the body, to defend it from injuries by reason of their hardness and compastness, to give them the sense of seeling, to strengthen them, to join parts to parts, and to keep them united; to separate also the parts, and to close the mouths of the vessels. Some membranes are thin, some thick: the thin membranes also differ; for the periossion of the ribs is thinner than the pleura; the periossion of the head is thinner than the perioranium; the pia mater is thinner than the dura mater. The proper membrane of the muscles

OF

is thin, and is knit unto the muscles by most thin filaments; its use is to clothe the muscles, to separate them one from another, and to impart to them sense and feeling. The thick membrane is called by fome a membraneous muscle, by others a nervous or fatty coat; it is called fleshy, because in some places, as about the loins, neck, ears, forehead, &c. it retains a fleshy substance; but, in the abdomen of a man ripe in years, it has no fleshy appearance at all. Its temperature is hot and moift, having its origin from blood: it is fituated under the fat, and stretched out over the whole body univerfally, and is the fourth covering of the body, (but in beafts it is next to the fkin:) it has no figure but that of the body which it covers: its colour is various in divers places: in the neck, forehead, and privities, it is redder than elsewhere: in some places it is joined to the fat inseparably, in other places it may be separated; and it communicates with the principal parts by the extremities of the veins, arteries, and nerves. It is very fenfible, fo that the rigour and trembling of the body depend thereupon: its use is to give foundation to the collecting and generating the fat, and to keep the fat in its due place, as also to divide one muscle from another, and all of them from the other flesh; to clothe the body, cherish the internal heat, and to defend it from external injuries; it slicks close to the fat, to the muscles, and to the ligaments of the bones, and is firmly joined to the back. in fashion of a membrane, from whence it is said to arise; it is so closely joined to the musculus latus, that in the neck and forehead it can scarcely be separated from it, whereby it is thought to constitute the same: to the skin it sticks by very many veins, some few arteries, branches of nerves, and an innumerable quantity of membranous fibres.

OF A FIBRE.

A FIBRE is a similar spermatic part, dispersed through the skin, sless, and membranes, to make them the more firm, and, being naturally distended, to contract again in the same manner. By reason of the various situations thereof, it is said to be either right, oblique, transverse, or round, whereby it may not only help the membrane, but strengthen it, as also the skin and sless of muscles; and, when dilated, reduce them to their natural state. Each fort of sibre is said to perform a several action: as, the right to attract or draw to; the oblique to expel or thrust forth; the transverse to retain or hold; and the round to constrain or bind. But these actions of the sibres are not made so much by their own singular virtue as by the virtue of the member which they serve, or belong unto, from which they have their sense and nourishment; for of themselves they are senseless.

OF A LIGAMENT.

A LIGAMENT, or band, is a fimilar, spermatic, dry, part, adhering firmly to the bones, tying the parts of the body mutually together. Its fubstance is folid, white, bloodless, softer than a griffle, and harder than nerves and membranes; being of a middle fubstance between them. It is without cavity, fense, or motion: their substance is in some places softer and more membranous than others, as in all ligaments which go about the joints. Their use is like a cord to connect or bind the parts of the body one to another, chiefly the bones, and to keep them fo together, that they may not be luxated or disjointed. As to fituation, fome are within or among the bones, as the griftly ligaments, which are thick and round: fome are externally wound about the bones, which are thin and membranous. As to figure, fome are broad, which are called membranous: others round and nervous: but they are called membranous and nervous only in respect to their external form or resemblance, not to their internal essence; for they are all void of sense, which they would not be were they composed of the true substance of a nerve or membrane. All the ligaments are folid, none hollow, except the flender ligaments of the womb.

OF A CARTILAGE OR GRISTLE.

A GRISTLE is a fimilar, spermatic, part, drier and harder than a ligament, but moister and softer than a bone, rendering the articulation the more pliable, and defending feveral parts from external injuries. Some are fofter, especially about the joints; others harder, and not much differing from the nature of a bone; and fome are in process of time turned into bones, especially in aged people. It is without marrow, cavities, or fenfe, being endowed neither with nerves nor membranes. Its matter is the same with that of the bones, being a moist earthy part of the seed, partly clammy and gluey, and partly fat, but more viscous than fat: its use is to facilitate motion, that the bones rubbing one against another should not wear and fret; to defend some parts from external injuries, itself being scarcely subject to any: to shape parts prominent or hollow, as in the ears, larynx, &c. to fill up hollowness in the joints, as in the knees; to serve for a cover, as in the epiglottis; to sustain or underprop fomewhat, as the griftles of the eye-lids to bear the hairs; and to make a connection or joining of the bones. Their fituation, magnitude, and figure, are various, according to the bones they are joined with; their fubstance is fometimes harder, as those which in time become bony: fometimes fofter, resembling a ligament.

ment, and are therefore called griftly ligaments; yet, though hard, they are flexible and tough, because encompassed with viscous slimy matter. As to their connection, some constitute parts in themselves, as that of the nose; others grow to the bones which knit them together, without any other medium, as in the share or breast bones; or by common ligaments coming between, as in that joining called loose articulation.

OF A TENDON.

A TENDON is a fimilar, spermatic, solid, part, cold and dry, having a peculiar fubstance, continued from the beginning to the end of a muscle, and the chiefest part thereof upon which the action of the muscle depends, and no where to be found out of a muscle. It has a nervous-like substance, yet extremely differing from a nerve; white, thick, hard, fmooth, and extended according to the length of the muscle, being ten times bigger than a nerve. Its figure is either solid and round. as in the musculus biceps; or plain and membranous, as in the muscles of the abdomen; being also either short or long, and of a uniform substance in all its parts; so that, if it is nervous at the beginning, so it is at the end; but sometimes it is nervous at the end, when the head of it is fleshy; and, if its beginning is like small strings, they are united to form the tendon afterwards. The hard and stiff tendons have much fat about them, to foften them, that they may be the more pleafantly moved: and therefore those fibres dispersed among the sless are nothing else but the tendon divided, and the tendon nothing else but fibres united; and therefore a tendon is either folid, compact, and united, or else difgregated, severed, and divided into fibres. United is where the whole tendinous part appears white, and hard, either in the beginning, end, or middle, or in all those parts. Severed or divided, when produced into innumerable fmall fibres, fcarcely difcernible to the fight; being compaffed about with flesh.

OF THE FAT.

FAT is a fimilar, foft, oily, white, infenfible, part: made to preferve the natural heat, to help chylification, to facilitate motion, to moisten other parts, and to nourish the body in famine. Its substance is two-fold, viz. grease and suet, which, although it is somewhat solid, yet is soft and oily, as may be perceived by handling: grease or axungia is easily melted, but not so easily congealed; savum or suet is not so easily melted, but more easily hardened. Its origin is from the thinner parts of the blood, sweating through the veins like dew, and congealing about the sless this is the essential matter of sat; its efficient cause is a moist and temperate heat, (which is also the quality thereof;) the cause of its congealing is the coldness of the membranes

membranes from whence it has its white colour: but this coldness is not simple, but respective to other parts. Melted lead or wax will congeal in hot places if the heat be less than that heat which will melt'them; hence Galen determines fat to proceed from coldness; so that the fat, thin, and light, part of the blood, in colder conflitutions is referved; whilst in hotter bodies it is turned to nutriment, so that hot and dry bodies are hardly ever fat. Its fituation is immediately under the skin, univerfally over the whole body, the forehead, eyelids, and privities, excepted: whence it is, that the fatty membrane is as large as the fkin, and flicks firmly to it, neither can it be divided from it without fcraping; and fo also it sticks to the sleshy membrane. It cannot communicate with the principal parts, because it is not truly nourished; nor yet lives, unless by opposition, as stones do, nor is it indeed senfible; therefore it wants both veins, arteries, and nerves, yet all three of them pass through it to the skin. The fat of the belly has three veins: the external mammillary, descending from above; the vena epigastrica, arising from beneath, or out of the crural vein, through the groin; and that coming out of the loins, having many veins accompanied with arteries: through these, and the vessels of the skin, cupping-glaffes, and fcarifications, draw humours out of the inward parts. It has a great number of kernels, which receive excrements out of the body into themselves. and they are more numerous in fickly perfons, and fuch as abound with excrementitious mosture. Its uses are to cherish the natural heat; to help the concoction of the stomach; to moisten hot and dry parts, such as the heart; to facilitate motion in the principal parts, as in the griftles and jointings of the greater bones, and about certain ligaments, as also in the socket of the eye, lest by its continual motion it should become dry and withered; to serve as a pillow or bulwark against blows, bruifes, and contusions, and therefore the palms of the hands, buttocks, and foles of the feet, have plenty of fat; to nourish the body in time of long fasting; to fill up the empty places in the muscles, and to underprop the vessels, that they may pass safely; and lastly, to fill up all the vacuities of the other parts, vessels, and ikin, that the body may be rendered smooth, white, fost, fair, and beautiful.

Hitherto we have treated of parts absolutely similar; those which are so only in appearance or to sense are in number sive, viz. veins, arteries, nerves, muscles, and bones; of all which we shall now treat in order.

OF VEINS.

A VEIN is a fimilar, spermatic, membranous, round, long, hollow, part, every where joined by anastomoses to the arteries; allotted to receive and contain the blood from them, to be farther concoded, and to be carried to the heart and liver, and to distribute

distribute it over the whole body. The original of their dispensations, or place from whence they rife, is the liver, where blood is made; and that the first fanguification is made there, and not in the heart, is apparent, because there are no passages to convey the chylus to the heart, nor any receptacles for the excrements of the first concoction placed by the heart; all which requifites are found in the liver. Moreover blood is carried from the liver to the heart, but not from the heart to the liver: for it cannot go out of the heart into the liver, because of the valves, though immediately, when it runs back out of the arteries, it may be carried thither. Also the vena cava and porta enter not into the heart, but the liver; and, in a child in the womb, the navel-vein with blood (which nourishes the child) goes not into the heart, but into the liver; nor is fanguification ever hurt but when the liver is hurt. veins have only one tunicle, with many valves within, especially in the external joints; they are nourished with blood, not with that contained within themselves, but with that from the little arteries; for their connection is such with the arteries, that every vein is for the most part attended with an artery, over which it lies, and which it touches. Galen faith, a vein is feldom found without arteries: but no artery is ever found without a vein. Their form is that of a conduit pipe: their magnitude according to their place: in the liver, and their original, they are great, because they are hot, fost, and in perpetual motion, and because all the blood in the body passes this way, out of the right into the left ventricle of the heart: in the heart they are great, by reason of its heat, and because it is to furnish the whole body with arterial blood, received in, and fent out, by continual pulfations. The emulgent veins are great, because of the plenty of blood, and serosities, brought back from the kidneys to the vena cava: but, where the substance of the part is lasting, and the heat small, the veins are less, as in the brain, bones, &c. and in all parts towards their ends they are very small, and called capillary veins, being divided minutely, sprinkled into, and for the most part confounded with, the flesh; by this way the arterial blood is mediately passed through the porous sless to the veins; and, by the same way also, blood made of chyle in the liver is infused into the little branches of the vena cava. The veins and arteries confpire together, and the veins receive out of the arteries spirit and blood; and this is apparent, because, if the veins be quite emptied, the arteries are empty also: moreover, by a vein opened in the arm or hand, all the blood in the body may be drawn out: also it is necessary in respect of the circular motion of the blood; and in many places it may be demonstrated to the eye-fight, where the conjunctions of the veins with the arteries are visible. The veins are endowed with feeling both from the nerves that are near them, and from their own membrane, which is one only, where they are inferted into fome bowel; otherwise they are besides invested with a common membrane, or 28. fome H

fome external thick one, borrowed from the neighbouring parts, when either they are suspended and carried a long way without the bowels and muscles, or when they rest upon hard bodies. This happens, in the abdomen, to the veins and arteries from the peritonaum; and, in the cheft, from the pleura. Their use is to receive the blood not sufficiently elaborated from the arteries, and to return it to the liver and heart, there to be more perfectly concocted. For neither is the venal blood, nor do the veins carry any thing, useful for nutrition; but they bring back all the blood to the heart, only by circulation, either mediately by the liver, as the meferaic veins, or immediately, as the cava; and that either from the whole body, from the smallest branches to the greatest, by the upper and lower branch, or from the liver, whether it be there generated, or is derived from the meseraics and arteries. Hence it appears, that the veins carry and re-carry the blood to the liver, and to this end the valves of the veins do conspire, which are so contrived, that they stand all wide open towards the heart, and afford an easy passage from the smallest veins to the greatest, and from thence to the heart; but, from the heart and great veins being flut, they fuffer nothing to go back. The liver fends only to the heart, the heart only to the lungs and all the arteries. Seeing therefore the blood is thus fent into all parts, and cannot now be instantly repaired by diet, nor return back to the heart by the mitre-fashioned valves of the aorta; nor abide still in the arteries, which are continually moving forward the fame; nor lastly, that there can be fo much spent by the parts to be nourished: it necessarily follows, that what remains over and above is brought back again to the heart, and enters the veins by circulation. fubstance of the veins is membranous, that they may the more easily stretch and fhrink in again: they have only one tunicle which is proper to them, which is thin and rare: it is so thin, that through it the blood may be received after the parts are nourished, and so be re-carried to the heart, to be there again perfected. The valves of the veins are little foldings, or gates; they are made of most thin little membranes in the inner cavities of the veins, and certain particles as it were of the coats of the veins; they are fituated in the cavities of the veins chiefly of the limbs, viz. of the arms and legs, after the glandules of the arm-holes and groins, beginning presently after the rises of the branches, but not in the rises themselves; nor is there any of them in the external small veins, because they need them not; nor in the jugulars (except two in the inner orifice, looking from above downwards,) because the blood doth hardly ascend upwards; nor in the vena cava, because the valves in the divarications do sufficiently hinder the regress of the blood: they are also found in the emulgents, and the branches of the mesentery, looking towards the vena cava and porta, as also in the milky veins. They all of them look the fame way, one after another, towards the heart; and are placed at convenient diftances

internal.

tances, as two, three, four, or five, fingers between each, according to the length of the veffel. As to their magnitude, they are greater where the plenty and recourse of the blood is most vehement, being in form like the nail on a man's finger, or the horned moon, as the sigma-shaped valves of the heart; and in their substance exceeding thin, but very compact, lest they should break by a strong intercourse of the blood. The uses of the valves are, 1. To strengthen the veins, whereas the arteries are otherwise made strong by the double coats. 2. To stop the too violent motion of the blood, lest it should move violently out of the great veins into the little ones, and tear them. 3. To hinder the blood from regurgitating, or going backwards. Hence the cause of a varix is apparent, because thick heavy blood long retained against the valves makes a dilatation; for without the valves the veinswould swell uniformly and all of an equal bigness, and not in the manner of varices.

The chief veins of the whole body are of three kinds; first, the vena cava; secondly, vena porta; thirdly, vena lattea; from which several other eminent veins arise, having particular denominations. The vena cava or magna is so called because of its largeness, being the greatest in the whole body, and the original of all other veins which do not proceed from the vena porta. It takes its beginning from the liver, where, having spread many veins through the upper parts thereof, they are about the top collected into one trunk, which is presently divided into two parts, viz. the upper or ascending trunk, and the lower or descending trunk.

The afcending trunk of the vena cava, which is the greater, perforates the diaphragma or midriff, and is spread through the breast, neck, head, and arms. It is carried undivided as far as the jugulum, and has four branches; viz. 1. Phrenica vena diaphragmatica; the midriff veins, on each fide one, which fend their branches to the pericardium and diaphragma. 2. The vena coronaria, which is fometimes double, encompaffing the basis of the heart, at whose rise a little valve is placed to hinder the blood returning to the trunk; and with a continued passage it is joined to the artery, that it may therefrom receive the blood, which is to return to the cava. 3, Azygos fine pari, the folitary vein, fends chief intercostal branches to the eight lower ribs, arifing about the fifth vertebra of the breaft, from the hinder part of the vena cava; then about the fleshy appendices of the diaphragma, it enters the cavity of the abdomen, where on the left fide it is inferted in the emulgent yein; on the right fide into the trunk of the cava. 4. Subclavii, or branches of the cava by the channel bones, are divided into only two branches, one on each fide; each of which is divided into two others, called the fubclavii, and axillaris. From the fubclavii, come forth two several branches, a superior and inserior. From the superior proceeds, first, the mufcula superior, spread out into the skin and muscles of the hinder part of the neck: fecondly, the jugular veins, by the fides of the neck; and they are either external or

internal. The external jugular creeps up to the neck, chin, head, and face: under the root of the earit is divided into internal and external branches: the internal goes to the muscles of the mouth, fauces, hyoides, &c. from this branch spring the veins which are opened under the tongue. The external is propped with kernels, and is divided into two parts: the one is carried to the fore-parts of the face, cheek, and nose; and in the middle of the forehead, being joined with a branch of the other side, it makes the vein of the forehead; the other is carried through the sides, the temples, and the occiput. The internal jugular is called apopletia, and ascends to the side of trachea, to which it sends branches: and, going to the basis of the skull in its hinder part, it is divided into two branches: the greater of which is carried backward through the hole of the os occipitis, and enters into the cavity of the dura mater or thick meninx of the brain: the last enters in at the hole or sinus of the third and fourth pair, and is carried also to the dura mater. From the inferior branch, proceed five veins, the mammaria, intercostalis superior, mediastina cervicalis, and muscula inferior.

The vena axillaris, or arm-vein, when it comes to the arm-pit, is divided into two veins, viz. the vena cephalica, or upper branch; and the vena bafilica, or lower branch, to which is added the mediana. The cephalica, or head vein, is carried in the furface of the body between the fleshy membranes and coat of the muscles. The basilica, or liver-vein, is placed near a nerve of the third and fourth pair; and therefore furgeons in opening of it ought to be careful, lest they wound it, from whence follow great pain, fever, convultions, and death. From the bafilica, or lower branch, arise two veins: first, thoracica superior; which goes into the muscles of the cheft, and into women's breafts: fecondly, thoracica inferior, which fometimes grows out of the fuperior, creeping all over the fide of the cheft; its branches are joined by anaflomofis with the branches of the azygos, which proceed out of the chest. The basilica is divided (under the tendon of the pectoral muscle) into three branches: the first goes with the nerve of the arm, the second is divided into an external, which fends veins to the thumb, fore and middle fingers; and an internal, running along the middle bone of the cubit, fending branches along the fingers to the internal muscle of the hand; the third called subcutaneus, at the inner swelling of the arm, is the inner branch of the cephalica, which constitutes in part the mediana.

The descending trunk of the vena cava, which is smaller and narrower, proceeds undivided as far as the sourth vertebra of the loins; and sends forth the four following branches. 1. Venæ adipofæ, which surnish the coats of the kidneys, and their fat, the sinister being commonly higher than the dexter. 2. The cmulgens, or emulgent veins, descending to the kidneys by a short and crocked passage,

passage, bringing back the blood, being purished, from the kidneys to the vena cava. 3. The spermatice, or spermatic veins, the right arising a little below the rise of the emulgent; and the lest arising from the emulgent, seldom from the cava, sometimes from both. 5. Lumbares, or loin-veins; sometimes two, three, or sour, which are carried between the sour vertebræ of the loins. 6. After these branches the trunk goes towards the os facrum, and at the sour vertebræ of the loins it goes under the aorta, and is divided into two branches, called rami ilii or iliaci, because they go over the os ilii and os pubis, to the thigh: these iliac branches, as soon as they have lest the cavity of the belly, are called venæ crurales, or the leg-veins.

From the rami ilii arise two veins: first, muscula superior, which sends veins to the peritoneum, and muscles of the loins and belly; secondly, vena sacra, which is sometimes fingle, fometimes double, for the marrow of the os facrum. From thence the ramus iliacus is forked out on each side into the external greater and internal smaller. From the internal fmaller proceed two veins: first, muscula media without, which fends veins to the muscles on the outside of the hip, and skin of the buttocks; fecondly, hypogastrica, which is fometimes double, fending veins to many parts of the hypogastricum, as to the bladder and its neck, to the penis or yard, to the muscles of the intestinum rectum, whence are the hemorrhoides externæ, and to the lower fide and neck of the womb, whence are those veins by which the courses flow in maidens and women with child; but when the courses are naturally voided, they flow from the arteries, as appears from their excellent colour and the common office of the arteries. From the external greater proceed three veins: 1. Epigastrica, which fends branches to the peritoneum and muscles of the abdomen; the principal parts afcend under the right muscles to the mammariæ, with whom they are often joined about the navel. 2. Pudenda, which fends to the privities in men and women, and goes across to the middle of the os pubis. 3. Muscula inferior, which, paffing over the hip, ferves the muscle and skin of the part; from hence downwards the iliac branches, as foon as they have left the belly, are called crurals.

The crural veins are interwoven with little glandules in the bending of the thigh, and from them proceed fix branches.

1. The ifchias or ifchiatica minor, which is opposite to the faphana, and serves the skin and muscles of the hip.

2. Ischias, or ischiatica major, sends branches to the hip, and a part of the muscles of the cals, and then divides itself into ten branches, bestowing a couple upon each toe.

3. Poplitea, the ham-vein, made of a double crural branch, mixed together: it runs straight under the skin behind, through the midst of the bending of the ham to the heel, and sometimes to the skin of the external ancle.

4. Suralis, a great vein, and is divided into the external and smaller and internal and greater; and each of them again

into exterior and interior: all which fend veins to the muscles of the calves of the legs. Those on the back of the foot, being mixed with the poplitea, make the same various texture of veins, which are seen under the skin. 5. Sepana, (so termed from its apparency,) or vena maleoli, the ancle-vein, is long and large, carried on through the inside of the thigh, between the skin and membrana carnosa, to the knee; and from thence, by the inner part of the leg, it runs to the inner ancle and to the upper part of the foot and toes. 6. The muscula, a vein arising from the trunk or branch hidden among the muscles: it is double and remarkable, giving veins to the muscles of the thigh. As to the veins of both arms and legs, it is to be noted: first, that their various branches send diverse twigs outward to the skin, called cutaneous veins: secondly, that even the grand branches are variously distributed in every person, being seldom in one man as they are in another: and that the right arms or legs rarely agree with the lest. In opening the veins of the foot, you may indifferently make choice of any, seeing they are all derived from one and the same trunk.

The vena porta, or gate-vein, is the next great vein to the cava; its prime original is the vena umbilicalis, or navel-vein, the first of all the veins arifing from feed, and that by which the child is nourished in the womb; afterwards it rifes out of the hollow part of the liver, where with many roots it is inserted. The trunk, before it is divided into lower branches, fends two small veins to the gallbladder, called venæ cyfticæ; and another vein to the stomach, called gastrica dextra, which is divided about the lower orifice of the stomach. Afterwards the trunk is divided into two eminent lower branches, viz. the sp lenetic, and the mefenteric. Ramus spleneticus goes into the spleen. Before it is divided, it sends from itself two upper branches to the stomach: first, gastrica sinistra, or major, (the largest of all the stomach veins,) which afterwards constitute the coronaria; then it sends lower branches, one to the omentum or caul, and one to the pancreas. Afterwards the trunk of the ramus splenicus is divided into the upper and lower branches: the former produces the vas breve, and other little branches carried into the spleen; the latter produce, 1. Gastroepiploica sinistra, which runs out upon the bottom of the stomach, and gives many branches both to the stomach itself and to the omentum. 2. Vena epiplois, which runs out upon the fame parts; and a multitude of other small branches which are sent up and down all over the spleen. The mefenteric branches of the vena porta, called ramus dexter, whose principal part goes into the mesentery, sends forth two veins: one to the middle of the duodenum, from whence certain capillary twigs go through the pancreas and omentum upwards; and another to the right fide of the ftomach and omentum. Afterwards the trunk

of the ramus mesentericus is divided into two parts, the right and the left. right-hand branch is two-fold: 1. Gastroepiploica dextra, which runs to the bottom of the stomach, and joins with the gastroepiploica sinistra, sending branches through the omentum and stomach. 2. The right mesenteric branch itself, which is divided into fourteen nameless little branches, and those again into innumerable other little veins, which are called meseraic veins, and are dispersed into the jejunum, ilean, cæcum, and part of the colon. The left-hand mesenteric branch, first, sends out the vena hæmorrhoidalis interna, which diffuses itself through the mesentery, and sends forth branches to the spleen, womb, and intestinum rectum, which is the internal hæmorrhoidal vein: hence appears a communion between the womb and the hæmorrhoidal of the anus, and that possibly the courses or terms may be conveyed also this way. Afterwards this left mesenteric branch spreads itself abroad into the left and centrical part of the mesentery, whence come vena cacalis, which goes to the blind gut; and ramus mesocolicus, which from the lest side of the stomach goes to the colon. Vena cava first receives the cruder blood from the arteries, and remits it to the heart: the vena porta takes the blood not sufficiently elaborated from the arteries, and carries it to the liver, for the more perfect concoction and separation of the choler.

The hæmorrhoidal veins are fituate in the fundament or intestinum retsum, and are of two kinds, either internal or external. The internal proceed from the venæ porta; the external from the vena cava, with which the hæmorrhoidal arteries are affociated, and through which the humours to be evacuated are carried off. In their evacuation, the internal have a flux, not very plentiful, attended with a great deal of pain; the external emit a flux so large as may sometimes cause death, or some grievous disease, but without any pain at all. The internal descend alone, not affociated with arteries; however, the arteries are either hidden, or they depend on arteries not far off: the external descend with arteries to the muscles of the anus; and therefore the external hæmorrhoids may more properly be called vasa hæmorrhoidalia, whereby the arteries are included with the veins.

The venæ latteæ, or milky veins, are peculiar passages, much differing from the meseraics: they are called latteæ from milk, which they resemble in whiteness, fostness, and fatness. Their fituation is in the abdomen, where they are for the most part accompanied with fat, to cherish the natural heat for the attraction and concoction of the chylus. The great lactean vein, lying between the arteria aorta and the vertebræ of the loss, covered with fat, runs upward, and, above the heart, ascends by the gullet to the left subclavian vein, where it ends in one, two, or three, branches: here a most thin valve occurs at the very end of the vein, looking inwardly,

inwardly, that the chyle might not run back again, or run farther into the arm: out of this subclavial they descend by the ascending trunk of the vena cava into the right ventricle of the heart, that there, by the help of the heat and the natural faculty, they may be changed into blood. Their fubstance is the same with that of a vein itself, which it resembles in all things, the milky juice only excepted; having but a fingle membrane, though in the mesentery they receive from it another external coat. They grow continually one to another, of an unequal magnitude; being for the most part small, lest the thick and unprofitable parts of the chyle should go into them, or lest they should make a distribution thereof too suddenly: they are also infinite in number, dispersed through the liver, mesentery, pancreas, and bowels. They are colder and moifter than the ordinary veins; very thin, exceeding fubtil, (where they enter into the body of the liver,) tender, fmooth outwardly, rare, but rough by reason of the fibres within them. Their action and use are, 1. To carry or convey the chyle to the liver. 2. To digest and better concost the chyle, to make it more fit to receive the form of blood in the liver: for the chyle is not changed at all till it comes into the liver, where it grows red by little and little. 2. To show a ready way for the distribution of the chyle: that the blood is made in the liver, not in the veins; and that the fucking of the veins is no cause of hunger, because none are carried to the stomach. To shew the causes of some diseases, before obscure: as, of the chylous flux: of hypochondriac melancholy; of an atrophia, or pining away of the body for want of nourishment, by reason of the glandules of the mesentery being filled with scirrhous swellings; of intermitting agues quartered in the mesaræum &c. The best method of tracing the general course of the veins, is to begin with the main trunks or primary veins, and end with their ramifications and capillary extremities, according to their feveral divisions and subdivisions. In this manner they are traced in the annexed Plate, where fig. 1 represents the veins as attached to the body; fig. 2, the veins abstracted from the body; and fig. 3, the pulmonary vein: of each of which the following is an explanation.

- 1. Vena cava, (fig. 1 and 2)
- 2. Cava descendens
- 2. Cava ascendens
- 4. Vena azygos
- 5. 5. Subclavian veins
- 6. 6. Jugular veins external
- 7. 7. Jugular veins internal
- 8. The intercostals
- 9. 9. The mammary

- 10. 10. Axillary veins
- 11. 11. Cephalic veins
- 12. 12. Bafilic veins
- 13. 13. Vena mediana
- 14. 14. Diaphragmatci, hepatic, and
- renal or emulgent, veins
 - 15. 15. Spermatic and iliac veins
- 16. 16. Hypogastric, epigastric, and crural, veins.

Fig.

Fig 3. represents the pulmonary vein in the time of expiration; a being its trunk, cut close to the base of the heart; b, b, its divisions to the right and less lobe of the lungs; c, the canalis arteriosus; d, d, the extremities of the arteries freed from the vessels of the lungs, and their inosculations with the pulmonary veins.

OF THE ARTERIES.

AN ARTERY is a fimilar, fpermatic, membranous, long, round, hollow, part, a common pipe-like organ, confisting of a double coat proceeding from the heart, joined every where to the veins, by the affiltance of many ofculations, containing and carrying the nutritious blood and vital spirits to all parts of the body. It is called arteria, from its containing and preferving air or spirit, and therefore the ancients, as, Hippocrates, Plato, and Aristotle, call the wind-pipe arteria magna: but Galen makes a distinction, and calls the wind-pipe aspera arteria, the rough artery, and those of which we here speak arteriæ leves, the smooth arteries, which Aristotle calls fometimes venam aortam, and fometimes fimply aorta. Their matter is a cold clammy part of the feed: the original of their dispensation is the heart, and they proceed out of the left ventricle thereof, and not the middle (as Aristotle would have it); and therefore the aorta, or arteria magna, proceeds particularly from the left ventricle; but the pulmoniae arteria (falfely called by the ancients vena arteriofa) from the right ventricle. Their use is, first, to carry the vital blood and spirits, made in the heart, to all parts of the body: fecondly, to breed animal spirits in the noble ventricle of the marrow, (to wit) the brain; thirdly, for the nourishment of the body, and all its parts, which are only nourished by the arterial blood, and not by the venal: fourthly, to carry the excrements of the body and blood, either to the outward parts of the body, or to the kidneys, or mesentery or womb, or hæmorrhoidal veins, &c. The arteries flow only by pulsation: whereby, first, the heat of the parts is cooled and tempered; fecondly, the nourishing arterial blood is cast continually into the smallest and most remote arteries: which is proved by the continual pulfation of the heart, which drives the blood into the greater arteries: thirdly, the stagnation of the venal blood is hereby prevented: for the pulsation keeps it always in motion, by forcibly casting the more than necessary arterial blood for nourishment into the veins, which convey it to the heart for supply, lest it should be destitute of its sanguine humour by its continual expulsion. The cause of the pulfation, or pulfe, is, according to Bartholine, from both the blood filling, and the faculty of the arteries directing. But I judge the cause to be from spirit, wind, air, or breath; for if you blow with a reed or pipe being put into water, it 28. will will make an apparent pulfation, or bubbling, much more if the water was contained in long narrow vessels with valves, that it might not return back; but, if you fuck with the pipe, then it runs smoothly, without pulfation or leaping: therefore the blood in the arteries flows with pulfation, from the expulfive faculty of the heart, caufed by its spirits; but it flows in the veins smoothly, or without pulfation, because it is sucked or drawn back again by the attractive faculty, caused by want of spirits, or blood, or by their being wasted by the heart's perpetual expulsation. The fituation of the arteries is deep, always under the veins both in the external and internal parts, the abdomen, a little below the kidneys, only excepted; for, after that the vena cava and aorta descending from the diaphragma have passed the region of the kidneys, the cava hides itfelf under the aorta, through all that region, till they pass out of the abdomen; and then the artery again hides itself under the cava. The magnitude of the aorta is very great, but the descendant part is greater than the ascendant, because the number of the internal parts is greater than of the external. The number of arteries is less than of veins, because the passage of the blood is quick through the arteries, but flow through the veins; but there are more arteries than we can well discern, because the capillary arteries are very much like the veins. Their fubflance is membranous, fo that they can be both diftended and contracted more than the veins: and it confifts of two peculiar tunicles; the exterior is thin, foft, and rare, like the tunicle of a vein; the interior is compact, hard, and very thick, five times thicker than the tunicle of the veins; that thereby the arteries may be strong to endure their perpetual motion, and to keep in their thin and spirituous blood, which would soon vanish and sly away.

The arteria magna, or aorta, the great and chiefest artery, comes from the lest ventricle of the heart, with a wide orifice; it has a double tunicle, the innermost of which is five times thicker, lest, by continual pulsation about the hard and solid parts, it might incur an incurable rupture. From the ventricle of the heart, before it personates the pericardium, it sends forth to the heart itself the coronary artery, which compasses the basis of the heart, sometimes single, sometimes double. Asterwards coming through the pericardium or heart-bag, it is divided into two trunks, the smaller ascending and the greater descending.

The smaller or ascending trunk of the aorta, or arteria magna, resting upon the wind-pipe, provides for all the parts about the heart, and is divided into two subclavial branches, the latter rising lower, and going more obliquely to the arm; the others, before they go out of the thorax, (for asterwards they are called axillares,) produce the intercostales superiores, proper to three or sour upper ribs: from their upper part arise four arteries: 1. mammariæ, which go to the paps; 2. cervicales, which

which go to the muscles of the neck; 3. arteria musculæ, which are approximate to the jugular veins; 4. the carotides, or sleep arteries, which are two, unequal, and ascend upwards to the head by the sides of the wind-pipe, being knit to the internal jugulars: when they come to the fauces, before they enter the scull, they give branches to the larynx and tongue, and then they divide themselves into the carotis externa and carotis interna. The carotis externa, being the smaller, furnishes the cheeks and muscles of the face: at the root of the ears it is divided into two branches: the first is fent to the hinder part of the ear, whence arise two other branches, which go to the lower jaw, and the root of all the lower teeth; the second goes to the temples, the forehead, and muscles of the face. The carotis interna at the saddle of the os sphanoides, under the dura mater, makes the reta mirabile, then passes through the dura mater, and sends forth two branches: the first, which is the smaller, goes with the optic nerve to the eyes: the second, which is the greater, ascends to the side of the glandula pituitaria, and is distributed through the pia mater and the substance of the brain.

When the subclavial branches have left the breast or thorax, they are called axillares, and carry nourishment to the outward part of the breast, and to the whole arm. From the axillares arise the thoracica superior, or upper breast-artery; thoracica inferior, or lower breaft-artery; the feapularis, or shoulder blade artery. From the upper part of the axillares arises the humeraria: the remainder goes from the axillary on each fide to the arm; where it is carried along through the arm, defcending between the muscle, with a vein and nerve of the arm. Under the bending of the elbow, it is divided into two branches, the upper and the lower, which accompany the branches of the vena cava, and are called by the fame names. The upper goes right forwards through the middle to the wrift, where the pulse is commonly felt: from thence, proceeding under the ring-shaped ligament, it bestows branches upon the thumb, fore-finger, and middle-finger. The lower branch runs through the ulna to the wrist, and sends twigs to the ring or little finger, and so proceeds to the wrift beneath, where the pulse may also be felt, especially in such as are lean, and have a strong pulse; but the beating of the pulse is much better felt in the upper branch, that being less covered or hid by the tendon.

The descending trunk of the aorta sends out branches from itself unto the thorax, abdomen, and thighs. From the thorax it sends forth two arteries: 1. the intercostales inferiores, which runs to the intervals of the eight lower ribs, and the neighbouring muscles; 2. the phrenica, which sends to the diaphragma or midriff, and pericardium or heart-bag. The rest of the trunk pierces through the clift of the


feptum,

feptum, and fends ramifications through the abdomen; fome of which go along with branches of the vena porta; others the branches of the vena cava.

Afterwards the arteria magna, or aorta, hastens the beginning of the os sacrum, where it goes above the vena cava, and no longer under, lest, by reason of its continual motion, it should be hurt against some bone; and here it is called the iliac artery. It is divided like the vena cava into two iliac trunks, and each trunk into an inner and less branch, and into an outward and greater, which go to the thigh. These trunks send out on each side six branches: 1. the facra, immediately after the bipartition: 2. muscula inserior: 3. hypogastrica: 4. umbilicalis: which last three come from the inner trunk: 5. epigastrica: 6. pudenda: which two last come from the exterior trunk.

The rest of the artery (out of the abdomen), being carried to the thigh, changes its name, and there makes the crural arteries; from whence on each side spring branches above and under the ham. Above the ham, from the outward part of the trunk: 1. muscula cruralis externa, to the foremost muscles of the thighs, from the inner: 2. muscula cruralis interna, which go to the inner muscles of the thigh; and this is mixed at the knee with a little twig of the hypogastrica. Under the ham arise, 1. popliteus, which goes to the hinder muscle of the thigh: 2. suralis, which is divided into, first, tibicus exterior; second, posterior altus; third, posterior humilis, for the muscles of the leg: 3. the last of them is sent to the foot and toes, all along accompanied with the veins, from which they borrow their names. To enter into a more minute detail of their subdivisions would be useles; the arteries being all delineated on the annexed plate, with reserences to their several names, as follows:

1. Aorta, cut from its origin, at the left ventricle of the heart. 2. 2. Trunks of the coronal arteries. 3. The three femilunar valves. 4. 4. Subclavian arteries. 5. 5. Carotid arteries. 6. 6. Vertebral arteries. 7. 7. Arteries of the tongue, &c. 8. 9. 10. Temporal arteries. 11. 11. Occipital arteries. 13. 13. Contorfions of the carotides. 15. 15. Ophthalmic arteries. 16. 16. Arteries of the cerebellum. 18. 18. Ramifications of the arteries within the fcull. 19. 19. Arteries of the larynx. 21. 21. Mammery arteries. 23. 24. 25. 26. Arteries of the arm. 27. Arteries of the hand and fingers. 28. 28. Descending trunk of the aorta. 29. Bronchial artery. 31. 31. Intercostal arteries. 32. Trunk of the collac artery. 33. 33. 33. Hepatic arteries. 34. Arteria cystica. 35. 36. 37. 38. 39. Arteries of the stomach, pylorus, and epiplois. 40. 40. Phrenic arteries. 41. Trunk of the splenic artery. 43. 44. 45. 46. 47. Mesenteric arteries. 49. 49. Emulgent arteries. 51. 51. Spermatic arteries. 52. Arteria sacra. 53. 53. Iliac arteries. 54. 54. 58. 58. Iliaci externi. 55. 55.



The Arteries of the Human Body



59. 59. Iliaci interni. 56. 56. Umbilical arteries. 57. 57. Epigaftric arteries. 60.
62. Arteries of the penis and pudendum. 61. 61. Arteries of the bladder. 69:
69. 70. 70. Crural arteries. 72. Arteries of the leg. 73. Arteries of the foot.

OF THE NERVES.

A NERVE or finew is a fimilar, fpermatic, membranous, long, and white, hollow, part; a common organ, ferving to carry the animal spirits into all parts of the body for fense and motion. Its efficient cause is the vis nervifica, the nerve-making power or faculty: its matter is a cold and clammy part of the feed. The original dispensation is from the medulla oblongata, partly as it is within the skull, and partly as it is in the back-bone. Their end and use is to carry the animal faculty with the animal spirits from the brain, for the fense and motion of the whole body. And therefore the nerves inferted into the parts give either fense alone, or both sense and motion, there being neither without help of a nerve: for, a nerve being cut, the fense and motion of the part is loft. But this fense or motion is according to the parts where they are diffeminated, because the nerves of themselves are neither sensitive nor motive; if they are inferted into muscles, (the organs of motion,) they are termed nervi motorii, motive nerves; if into the instrument of sense, nervi sentientia, the sensetive. Their fituation is, for fecurity, deeper than that of an artery: their magnitude is various, according to the nature of the organ, and dignity of the action. Those of the eyes are large, because of the action; those of the limbs very large and thick, because of their distance and magnitude; those of the sensory parts are in a middle proportion; those of the nearest parts, as in the muscles of the face, are the smallest of all. The number of the nerves is taken from their conjugations or pairs, and are so called from their coupling or being double; for they fprout out on both fides, except the last or lowest, proceeding from the fpinal marrow. The form or figure of the nerve is long, round, and fmooth, like conduit pipes: folid to appearance, having no fuch hollowness as the veins and arteries have; but they have cavities or pores, for the carrying off the animal spirits, though not perceptible to the eyes. The substance of all the nerves is composed of many nervous fibres, which grow mutually together by little membranes; and this substance is thought to be threefold: 1. The internal white and marrowish, from the marrow of the brain, but more compact and thickened: 2, an inner coat, from the pia mater; 3, an outward coat, from the dura mater; but these things sense cannot discover. The substance of the nerves is also either harder or softer: the harder are such as either go a great way, or through some hard body, or by a crooked way, or are ordained for motion. which 29.

which requires ftrength; and all parts which have voluntary motion have hard nerves; for that which is hard is fitted to act, that which is foft to fuffer: the fofter nerves are fuch as are the fhortest, and which belong to the organs of the fenses, as the seeing tasting, hearing, and smelling, which last are the softest of all; and these require soft nerves, as being the objects of suffering. As their use is to carry the animal spirits and faculties into all parts for sense and motion; fo, if they be obstructed in their original, or beginning, or totally, they both perish, and an apoplexy is caused: if the obstruction be but in part, then one part is deprived of fense and motion: if they are cut afunder, the motion of the part into which they are inferted is lost: moreover, the nerves diffuse animal light into the parts, by which they are directed in their operations. Hence it appears how necessary it is for a physician to know the nerves, their original, differences, and diffribution, that he may understand to what part of · the spina dorst topic medicaments are to be applied, when sense or motion is hurt in the face, neck, arms, hands, mufcles of the belly, womb, bladder, anus, yard, thighs, legs, or feet. Moreover, the cause of the gout seems chiefly to be the extravalating of the nervous juice; for the nervous juice, being overheated or rarified by too much heat, cannot be contained in its proper place; but feeking more room flies out of the folid capacity of the nerve (its proper domicil) into the hollow of the nerve, the channel of the animal fpirits, thereby interfering withthem, caufing an extension of the nerve, opposition, and confequently pain: In the annexed plate all the nerves are delineated agreeable to the following description and arrangement.

The nerves of the brain are nine pair. 1. The olfactory pair, (fig. 2.) $\alpha \alpha$, which, passing through the os cribrosum, are spread over the membrane of the 2. The optic pair, b b, which by their expansion form the retina of the eye. 3. The motary pair of the eyes, cc, each of which is divided, near the orbit, into fix parts, or branches; of which, in human fubjects, the first branch goes to the elevator palpebræ; the fecond, to the elevator of the eye; the third, to the depreffor; the fourth, to the adducent; the fifth, to the inferior oblique muscle; and the fixth into the tunics of the eye; but, in other animals, they are divided much otherwife. 4. The pathetic pair, dd, which are very fmall, and run to the trochlear muscle of the eye. 5. The gustatory pair, which are very large, and divided within the cranium into three branches, ff, immediately under the dura mater: of these the first branch, called the ophthalmic, runs to various parts of and about the eye, the eye-lids, the muscles of the forehead and nosc, and the integuments of the face. The second branch may be called the fuperior maxillary one, as being finally distributed through all parts of the upper jaw, the lips, nofe, palate, uyula, gums, teeth: a branch of it also

runs to the ear, and, joining with a branch of the seventh pair, forms the chorda tympani. The third branch may be called the maxillaris inferior, as being diftributed over the feveral parts of the lower jaw, the tongue, and other parts of the mouth; whence the whole pair of nerves has obtained the name of par suftatorium; though a great part of them ferves to very different purposes, and is carried to parts that have nothing to do with tasting. 6. The abducent pair, g g, except a branch for the formation of the intercostal nerve, is wholly carried to the abducent muscle of the eye; whence its name. The intercostal nerve (fig. 1 and 2), iii, ll. m, &c. is formed either of ramifications of the two preceding nerves or only of those of the fixth pair. It makes its way out of the cranium by the paffage of the internal carotid, and descends near the eighth pair through the neck; and thence through the breaft and abdomen, even to the pelvis; and, in its way, makes various plexuses and ganglia, and fends branches to almost all the parts contained in the breast and abdomen. 7. The ruditory pair, h h, arise with two trunks; the one of which is called the portio dura, or hard portion: the other the hortio mollis, or foft portion. The last enters the foramen of the os petrofum, and thence through various little apertures gets into the labyrinth of the ear, where it is expanded over all its parts, and conflitutes the primary organ of hearing. The harder portion, passing the aquæduct of Fallopius. fends back one branch into the cavity of the cranium; it also fends off another branch, which helps to form the chorda tympani; and others to the mufcles of the tympanum. The rest of this pair goes to the external ear; the pericranium. the muscles of the os hyoides, the lips, the eye-lids, and the parotids. 8. The par vagum, kkk, with the accessorius of Willis, pass out near the lateral sinuses of the dura mater; and, descending through the neck and thorax to the abdomen, fend out branches by the way to the larynx, the pharynx, the heart, the lungs, and especially to the stomach. It also sends off from the upper part of the thorax large branches, which are variously implicated in the neck, thorax, and abdomen, with the linguals, the cervicals and the intercoftals. o. The lingual pair go immediately to the tongue, and are called by fome the motory nerves of the tongue; but, by others, with more justice, the gustatory nerves.

We are to observe, says Heister, that the pair of nerves, which the generality of writers have called the tenth pair of the head, are, for many unanswerable reasons, to be properly called the first pair of nerves of the neck. Of the nerves which arise from the spinal marrow there are properly thirty-two pair. Those of the neck are no less than eight pair; and from them are innumerable branches distributed through the muscles of the head, the neck, the scapula, and the humerus, marked A, B, C, D, &c. to O O, the eighth and last pair:

from

from the third, fourth, and fifth, pair, are formed the nerves of the diaphragm; and the fixth, seventh, and eighth, pair, together with PP, the first pair of the back, from the fix robust nerves of the arm and hands. To this division is the accessory spinal nerve of Willis to be referred, which arises about the origin of the third or fourth pair.

The nerves of the back are twelve pair, marked PP, QQ, R, S, &c. to Z, and z, β , &c. which, befides the branch they give to the brachial nerves, run entirely in the same surrow along the course of the ribs, and are dispersed over the pleura, the intercostal, pectoral, and abdominal, muscles, the breast, and other parts of the thorax.


The nerves of the loins are five pair, marked τ , φ , ϖ , Γ , Θ , with their branches v, χ , ψ , &c. These are in general dispersed over the loins, the peritonæum, and the integuments and muscles of the abdomen: and, besides this, the first pair often gives, on each side, a branch of the diaphragm. The second pair, after inosculating with the branches of the first, third, and fourth, pair, forms the crural nerves, 66, 77, 88, &c. which are distributed over the anterior part of the thigh: and, in the same manner, a branch is formed of the conjunctions of the second, third, and fourth, pair, which passeth through the great foramen of the os pubis to the second, the testicles, and the adjoining parts. The fourth and fifth pair of the nerves of the loins, joining with the first, second, third, and fourth, pair of the os sacrum, compose the nerve called ischiatic, which is the largest in the body, being marked 33, in fig. 2. it descends along the hinder part of the thigh, and its branches are distributed over the whole leg, the foot, and toes; being marked 15, 17, 18, &c.

The nerves of the facrum form five or fix pair, though not always determinately and regularly fo: they pass through the foramina of this bone, and the superior ones of them, as already observed, compose the ischiatic nerve; and what remains is dispersed, in a multiude of ramifications, over the parts contained in the pelvis, the intestinum rectum, the bladder, the parts of generation, and the parts adjacent. They are marked, in the figure, $\Lambda, \Xi, \Pi, \Sigma, &c.$

We shall only add, that 11, fig. 2, represent the brachial nerves; 22, &c. the communications of the vertebral nerves with the intercostals; ll, remarkable communications between the phrenic nerves and the intercostals; t, u, u, &c. he accessory nerve of the eighth pair; x x, the phrenic nerves; and zz, the nerves which go to the testes, uterus, &c.

OF THE MUSCLES.

A MUSCLE is a fimilar, spermatic, fanguinous, membranous, fleshy, fibrous, part, and the instrument of voluntary or free motion. It is composed of fibres, for the intention of the motion; or flesh, for the substance; of tendons, which perform



The Nerves of the Human Body



the action; of arteries, by which it is nourished; of veins; which carry back the funerfluous nourishment; of nerves, which give sense, and convey the motive faculty to the brain; of membranes, which encompass and keep the muscles together; of fat, which moistens them and keeps them from being dried by too much motion. The fibres and flesh are only extended according to the ftraight position of the fibres; the tendon is in the beginning and end; the artéries and veins run through the substance of the muscle; the nerve, as soon as it is entered into the substance, is dispersed into a great number of twigs, which end in it, and become inconspicuous; the membrane is proper to the muscle only, and springs either from the tendons, or is framed by nature in the first conformation of the parts; the fat lies in void spaces to prevent a vacuum or emptiness. The action of a mulcle is voluntary or free motion. This action or motion is three-fold: first, when the muscle is contracted towards its head within itself, thereby relaxing the opposite muscle; secondly, when the motion is tonic, fo that being contracted it remains fo; thefe two motions are primary, per fe, and not accidental; thirdly, when (after contraction) it is relaxed; or reftored to its former polition, which motion is accidental and proceeds from another; and therefore muscles are always placed one against another as antagonists. The manner of this action or motion varies according to the variety of parts; for, in the throat, it is swallowing; in the arm, bending and firetching forth; in the anus, expulsion and retention, &c. This motion is voluntary or free; for we can haften or flacken, make or flop, this motion, as we please: but there are some singular muscles, as of the infide of the ear, the midriff, the muscles of the chest, and of the eye-lids, whose motion is partly voluntary, partly natural, because they often perform their actions when we have no thought or will thereto. Those muscles which only perform continual or ftrong motions, which are all fuch as are appointed for moving the bones, have tendons: but those which move other parts, as the tongue, lips, forehead, face, bladder, anus, &c. feldom have any; for the muscles move themselves only, as those of the anus and bladder; or they move with themselves and the skin also, as in the lips, forehead, and face; or they move a bone, and fuch, by reason of the strong motion, require tendons. The diverfity of this motion comes from the diverfity of the fituation: fo a straight muscle has a straight motion; a transverse, a transverse motion; an oblique, an oblique motion; and that which compaffes a part has an orbicular motion, as the sphincters. The efficient cause of these actions, or motions, is the soul of the creature, inclined thereto by the appetite or will: now the foul uses three instruments to perform the action : first, the brain, to receive the charge; secondly. 20. M

condly, the nerve, to carry it to the muscle; thirdly, the muscle, to perform the action itself. The differences of muscles are various: first from their substance; fome are fleshy, as several of the tongue and larynx; some membranous, as the confirictores of the nofe; fome partly fleshy, partly nervous, as the temporal muscles: secondly, from their quantity; the greatest of all is the first of those which extend over the breaft; for it ascends from the end of the os sacrum, to the first vertebra of the thorax: the least of all is the internal muscle of the ear: thirdly, from their fituation, fourthly from their figure, or form, or number, as the muscle deltoides; the muscle bicipites, having two heads; also some have two tails: fifthly, from their beginnings: fome proceed from bones, fome from cartilages, as those of the larvnx; some from tendons, as the lumbricales; sixthly, from the action; fome move by sympathy, as the fraterni, or congeneres; or by antipathy, as the antagoniftæ; fome move themselves only, as the sphincters; some move other parts; fome have only one motion, as most of the muscles; some have more than one, as the maffeter and trapezius; fome are flexores, fome extenfores, some rotatores, some supinatores. As to its being a similar part, it is only faid to be fo according to fense or appearance; and that it is such, it appears, forafmuch as it forms not of itself alone the most simple organical part, as a finger or toe, &c. but they take into their composition, with a muscle, several other similar parts, as bones, cartilages, membranes, ikin, &c. Moreover, a truly diffimilar or organical part is only found in itself, not in other parts: but a muscle, as it is but a part of all diffimilar parts, fo it goes univerfally or every where to the conftitution of all organical parts, which even the most simple organical parts do not.

The muscles of the head are either proper, from which come the primary motion upon the first vertebra, to which they are immediately and closely joined, being bent forward and backward, or turned round; and they are in number eighteen fingle, or nine pair: or common, which are those, which together with the head move the neck, and these are the muscles of the neck, of which in their proper place. The first pair is called splenius or splenicus, or triangularis; it proceeds from the first vertebra of the breast, is spread out on each side upon the vertebra, reaching to the third vertebra of the neck, from whence it is carried to the middle of the occiput; its use is to draw the head directly backwards: but, if only one of the muscles act, the motion is circular to one side. The fecond pair is called complexus or trigeminus; it is a large muscle affisting the other. It has divers beginnings at the feventh vertebra of the neck, and at the first, third, and fourth, of the breast, and is after a different manner terminated in the occiput. The third pair is called fub-fecundo, and inferted into the hindermost root of the processus mammillaris: its use is lightly to bring the head

head backwards; or backwards to one fide, if but one muscle acts. The fourth pair, called recti majores, are fmall, fleshy, and lean, and spring from the edge of the fecond foondil or vertebra of the neck, ending in the middle of the occiput. The fifth pair, called recti minores, lie concealed under the former, proceeding from the back part of the first splondil, or vertebra of the neck, and is inferted into the occiput; its use is the same with the third and sourth pair. The fixth pair is called obliqui majores; it lies beneath and fprings from the process of the first vertebra, and ends in the occiput, by the outside of the recti. The feventh pair, is called obliqui minores; it arises from the second vertebra of the neck, is inferted into the transverse process of the first vertebra, and terminates in the occiput: the use of these two oblique pair is to bring the head about to the fides. The eighth pair, called mastoides, is placed in the forepart: they arise for the most part double, long, and round, in the forepart of the neck, from the upper part of the flernum or breast-bone, and midst of the clavicula, and is obliquely inferted into the mamillary process, which it embraces: its use is to turn the head. The ninth pair, called fallopiani, lies under the throat in the forepart of the neck, and near the first pair of the neck; it arises nervous from the ligaments of the vertebra of the neck, and is inferted into the basis of the head, which it turns in like manner as the former.

The muscles of the forehead have their original from the upper parts of the forehead and skull, near the coronal suture, and, being spread out upon the bone thereof, they end at the eye-brows, that they might lift them up, being severed in the midst of the forehead, right above the nose: but knit at the sides to the temporal muscles.

The muscles of the occiput, or hind part of the head, are rather membranes, which draw backwards the skin of the head, in such persons as have the skin moveable.

The two eye-lids are moved by four muscles: the first is the frontalis, which is straight, belonging to the upper eye-lid, to lift up the brow. The second is the musculus ciliaris primus, which compasses about each of the eye-lids. The third is the musculus ciliaris secundus, which is drawn out under the eye-lids, and arising from the circumference of the orbita, or socket of the eye; the use of these ciliares is to shut the eye-lids. The fourth is orbicularis major; it is of a singer's breadth, encompasses the surface of the orbita, or socket, and being placed under each eye-lid, and reaching as far as the eye-brow, it closely shuts the eye-lids, by lifting up the lower, and drawing down the eye-brow.

The eye hath fix muscles, of which four are straight, and two oblique or circular; they are all seated within the cavity of the skull, and accompany the optic nerve. The first muscle is called attolens or superbus; it is the upper

and

and thicker, and is the lifter up of the eye, being the proud or fcornful muscle. 'The fecond is called deprimens (the depresser) and musculus humilis; it is placed opposite to the other, and draws the eyes downwards towards the cheeks. The third is called adducens, the drawer to; also lectorius, the reading muscle, because it moves theeye inwards towards the nofe. The fourth is called abducens, the drawer from, because it draws the eye to the outward corner; it is also termed the indignatorius, as being the muscle of indignation. All these four muscles have the fame original, progress, and end; the beginning of them all is acute, near the hole where the optic nerve enters into the focket of the eye, from the membrane whereof they arife; their belly is fleshy and round, and their end a very small tendon: by all these four acting together, the eye is kept from stirring. The fifth muscle, called obliquus major, or fuperior, arifes from a common beginning with the first four, is carried right out to the inner corner of the eye, where it passes out and afcends in a right angle to the upper fide of the cornea: this mufcle is the fmallest of all, and has the longest tendon, by which it wheels the eye about unto the inner corner. The fixth muscle, called obliquus internus minor et inferior. is a fhort, lean, round, and oblique, muscle, seated between the eyes and tendons of the second and third muscle: it springs from the lower and almost outward part of the orbit of the eye, and ascending by the outward corner to the upper part of the eye, is inferted into the cornea by the region of the iris. It whirls about the eye obliquely downwards to its external or outward corner.

The muscles of the external part of the ear are four pair: of the internal part. two pair; but in most people the ears are immoveable, because of the smallness of the muscles and little heed of their motion. Of the four first muscles, three are common with other parts; the fourth is proper to itself. The first muscle is called deprimens, common to the ear and each lip, and is a part of the first muscle which moves the cheeks and skin of the face, and is called quadratus, the square muscle, very thin and broad, and is implanted into the root of the ear, and pulls it down. The fecond is called antrorfum ducens, or the drawer forwards; it is a part of the frontal muscle, which is carried above the temporal muscle; and is inserted into the upper part of the ear. The third muscle is called retrorfum ducens, or abducens ad posteriora, the drawback, and arises from a part of the occipital muscle, above the proceffus mammillaris, with a narrow beginning, from whence, growing broader, it is carried downwards transversely, and inserted into the hinder part of the ear. The fourth muscle is called triparitus, or attolens, the lifter up; it arises from the processus mammillaris, and being broad it grows narrow by little and little, till at last it ends in a tendon, and is inferted into the root of the ear. This is the only proper mufcle to the ear, and is rather three-fold, because it has three insertions, though all spring from

from one place. The fifth muscle which belongs to the internal part of the ear is called externus; it is very small, springing from the skin and membrane which cover the passage of the ear; then, becoming slessly, it passets by a short tendon to the outward part of the tympanum, and is inserted about the centre of it. The fixth muscle which belongs to the internal part of the ear, is called internus, it is small, and placed within the os petrosum, with a double tendon, one part of which is fixed to the higher process of the malleolus or hammer, the other to its neck. It arises from the basis of the wedge-like bone, then becomes somewhat slessly, afterwards narrower, and ends in a double tendon. Its use is to draw the head of the hammer obliquely inward.

The nose has eight muscles, or four pair, especially in large nosed people, but they are fmall, because the motion of the nose is little. The first pair are called openers or wideners; they are fleshy, arise from the cheek-bone near the muscle of the lips and fides of the nose; they are inserted partly into a part of the upper lip, partly into the lower wing, and end in the top of the nofe. The fecond pair are called erectores, or aperientes, openers: they are mostly triangular, and with a sharp and fleshy beginning spring from the suture of the forehead by the foramen lachrumale, under the tear-glandule, and, cleaving to the bone, are outwardly inferted and carried to the pinnæ, wings, or fides of the nofe. The third pair are called constringentes, or pulling together: they are little, arise fleshy about the roots of the pinna, are carried along transversely, and inserted into the corners of the wings: their use is a little to shut the nostrils. The fourth pair are called deprimentes: these are exceeding firm, and membranous, lie hid under the coat of the nostrils in the inner part: they arise from the extremity of the os nah, and are implanted into the pinnæ or wings; their use is to depress the nose, or pull it downwards.

The muscles common to both cheeks and lips are, 1. Zigomaticus, or quadratus detrahens: it is a thin muscle like a membrane, interlaced with fleshy fibres. It arises from the vertebræ of the neck, in the outward side, and ascending up by the oblique fibres to the sace is implanted in the chin, and terminated in the meeting of the two lips: this pair draws the lips backwards. 2. Buccinator, the trumpeter, or cheek-driver or mover: this pair lieth under the former in the upper part of it; and makes all that part of the cheek which is blown up when a trumpet is sounded. It arises from the top of the gums near the farthest grinders, and ends in each lip. The muscles proper to the lips, are either proper to each lip, or common to both. The upper lip has two pair of muscles proper to it; the lower has but one. The first pair is attolens surfum trahens, which draws the lip upwards: it springs from the corner between the eyes and the nose, and is inserted

into the fubstance of the upper lip. The fecond pair, called deorsum movens, arises from the upper jaw-bone, just in the cavity of the cheeks, under the focket of the eye, thin, but broad and fleshy. The third pair, called deorsum trahens, proper to the lower lip only, arises from the middle of the chin, with a broad beginning, and ascends directly to the middle of the lower lip, which it moves upwards. The muscles common or belonging to both lips are also three pair; First, oblique fursum trahens, that which obliquely draws upwards. The second pair common is oblique deorsum trahens, or deprimens, moving the lips obliquely downwards. The third, common to both lips, is circular, encompassing and constituting the whole mouth, making the proper substance of the lips: by help whereof, the mouth is pursed up, or drawn together.

The muscles of the lower jaw are in number twelve, viz. fix pair, being fix on either fide. 1. Temporalis, crotaphites, the temporal muscle, so called from its situation, because it possesses the cavities of the temples: it is the greatest of all the jaw-muscles, being very firm and strong, it runs along under the os zigoma, and is by a very ftrong and nervous tendon inferted into the sharp process of the jawbonc. Its use is forcibly to pull up the lower jaw, and to shut the mouth. 2. Masfeter, the chewing-muscle, or first chewer: it is placed in the cheeks, and arises from a double head. It is inferted into the inferior jaw-bone, by a very broad and strong connection. 3. Alare externum, the outward wing muscle. It arises from the os sphxnoides and the external processus alaris, with a beginning partly nervous and partly fleshy, and is inserted into the neck of the lower jawbone, and in the inner feat of the head. Its use is to move forward and thrust out. 4. Maffeter internus, the other chewer, is thick and short, and is implanted into the inner and hinder part of the jaw, with a broad and firong tendon. Its use is to affift the temporal muscle. 5. Musculus latus, the double-bellied muscle, or broad muscle. It is nervous in the middle, and sleshy at the ends, and is inferted into the chin, under the bending of the jaw, fastened to a ligament, left it should go too far back. Its use is to draw the jaw downwards to open the mouth. 6. Musculus latus, the broad or broadest muscle. It arises from the upper part of the sternum, the clavicula, and shoulder point, and covering the whole neck and face, it cleaves firmly to the inferior jaw, and is fixed in the middle of the chin. The four last muscles draw the jaw upwards, and are exceeding strong; the last two only draw it downwards, because it would be apt to depress itself.

The muscles of the os hyoides, or tongue-bone, which is the foundation of the tongue, are in number four pair. 1. Sterno-hyoides: it arises from the inner but upper part of the sternum, and resting upon the windpipe lies concealed in the fore part under the skin. 2. Genio-hyoides, which arises from the inner part of the chin.

fleshy,

fleshy, broad, short, and is inserted into the middle or hollow of the os hyoides. Third, Stylocerato-hyoides: it arises from the root of the proceffus supplied, being lean, round, and seated under the chin. 4. Ceraca hyoides: it arises at the first, sinall lean, and long, from the upper side of the scapula, becomes sleshy about the neck, and passing under the levator of the shoulder-blade, is inserted into the point of the hyoides. This pair is long, and has two bellies, being extenuated in the middle like a tendon.

The muscles moving the tongue are in number five pair: 1. Stylogloffum, arising from the outfide of the appendix flyloides, and ending with transverse fibres, in both fides of the tongue; it moves the tongue inwards; and by reason of the interwoven fibres, they lift the tongue upwards, if they act both together; or upwards only on one fide, if only one acts. 2. Mylogoffum, arifing from the fides of the lower jaw, at the roots of the grinding teeth, and ending under the bafis of the tongue in the ligament: when both act, they move the tongue to the palate and upper teeth: but when one acts the tongue is moved obliquely upwards. 3. Gentogloffum, arifing inwardly from the middle of the chin, and terminating almost in the middle of the tongue inwardly. Its use is to thrust the tongue out of the mouth, and also to draw it in again, so that it seems to perform contrary actions. 4. Hypfilogloffum, arifing fleshy out of the upper and middle region of the os hyoides, runs along according to the length of the tongue; and is terminated into the middle of it: this pair draws the tongue inward. 5. Ceratoglossum, which arises from the upper horns of the hyoides, and is obliquely inferted into the fides of the tongue, near the root thereof. It moves the tongue downward toward the inward parts, when both act; but to the right or left fide, if only one be contracted.

The muscles of the larynx, or windpipe, are either common or proper; the common are two pair, flernothyroides and hyothyroides. 1. Sternothyroides arises from the inner fide of the sternum, runs along by the larynx, and is inserted beneath into the sides of the scutiformis, or shield-sastened gristle. This straitens the chink of the larynx, by drawing down the scutiformis. Hyothyroides, arises from the lower side of the os hyoides, being broad and sleshy, and touches the scutiformis, and is inserted into its basis; it widens the chink, by listing up the scutiformis. These common muscles are implanted into the larynx, but do not arise therefrom. The proper muscles are five pair: 1. Thyrocrycoides, arises from the lowest part of the scutiformis, and ends at the annularis, and is inserted into the lateral parts of the thyroides. 2. Crycothyroides rises from the hinder side of the annularis, sleshy; and is inserted into the lower part of the glottalis, with a nervous end, opening the larynx, by drawing asunder the two gristles called arytenoides. 3. Crycoarytenoides

tenoides laterale, springs above from the side of the annularis, and is implanted at the fides of the glottalis into the joint, and opens the larynx with the fame oblique motion of the griftles. 4. Thyroarytenoides, or glottoides; this helps the former, and, fpringing from the inner and forepart of the thyroides, is terminated into the lateral part or fides of the glottalis, or arytenoides, which fluts the larynx by a ftraight paffage; if this pair is inflamed in a quinfy, it is mortal, because it exactly shuts the chink. 5. Arytenoides is a round muscle, compassing the ewer-like cartilage; it arises from the hinder line of the guttalis, and, being carried along with transverse fibres, is inserted into the fides thereof.

The uvula has two pair of muscles, two on either side, viz. an external and internal pair. 1 Ptery-flaphylinus externus rifes from the upper jaw, and under the last grinding tooth, ends in a finall tendon, which passes through a chink on the upper fide of the pterygoides. 2. Ptery-flaphylinus internus proceeds from the lower part of the internal wing of the pterygoides, and afcending according to the longitude of the wing is inferted in like manner into the uvula.

The pharynx or throat, which is the beginning of the @fophagus or gullet, has feven muscles belonging to it, viz. three pair, and one without a fellow. 1. Spharopharing aus, which fprings from the sharp point of the sphanoideus, and, passing downwards, is inferted into the lateral parts of the pharynx or throat, to pull up the mouth of the stomach, that it may receive the meat. 2. Chephalepharyng eus, which fprings from the part where the head is joined to the neck, and running down, is fpread about the pharynx or œfophagus, feeming to make the membrane of it. 3. Stylopharing xus, which fprings from the ftyloides process, and is inferted into the fides of the pharynx, both to dilate and amplify it. 4. E/ophagus, the muscle without a fellow, being only a spincter-like muscle, encompasfing the gullet. It fprings from one fide of the thyroides, and circularly encompaffing the hinder part of the pharynx is tied to both the fides of the thyroides, to contract the mouth of the ftomach as the spincter doth the anus.

The muscles of the neck are four pair. The two first pair, to wit, musculus longus and musculus scalenus, bend the neck; the two latter pair, viz musculus transversalis and metfculus spinatus, extendit. 1. Longus, lies under the asophagus or gullet, springs from the fifth vertebra of the breaft, with a beginning fleshy and sharp, ascends laterally, annexed to all the bodies of the vertebræ, terminating in the extuberant procefs of the vertebræ, with an acute tendon, and fometimes is inferted into the occiput near its great hole. 2. Scalenus, it arifes fleshy, at the side of the neck, from the first rib, and is inferted inwardly, by oblique fibres, into all the transverse processes of the vertebræ of the neck; through this pair the veins and arteries enter into the arm. 3. Transversalis, arising from the transverse eminences or processes of the fix upper-

most vertebra of the breast, and is inserted into all the external transverse eminences of the neck. A. Spinatus, arising from the roots of the seven uppermost vertebra of the breast, five of the neck, and is inserted into the spine or point of the second vertebra of the neck.

The muscles of the breast or thorax are in number sixteen, viz. eight on either fide, of which the first five widen or lift up the breast; the last three contract it; to these add, as a ninth, one peculiar muscle, called diaphragma or the midriff. 1. Subclavius, it arises from the inner part of the clavicula, is of the fleshy substance, and is drawn upwards and outwards, and inferted into the upper part of the first rib. 2. Serratus major, the greater faw-like muscle; it reaches from the inner basis of the scapula unto fix and sometimes seven of the ribs. 3. Serratus posicus superior, which grows out of the fharp points or fpines of the three lower vertebræ of the neck, and the first of the back, and inserted into the three upper ribs, and sometimes into the fourth. 4. Musculi intercostales externi, these are eleven pair in num. ber, but perform the office of one muscle only; are interwoven, totally fleshy, and arise from the lower parts of the upper ribs, and descending obliquely towards the back parts, are inferted into the upper parts of the lower ribs, terminating on the cartilages. 5. Triangularis, it is small and thin in lean persons, springs out of the inner and lower part of the sternum, and is inserted into the cartilages of the lower ribs, as far as the third or fourth of the baftard ribs. 6. Sacrolumbus, which fprings from the os facrum, and the spinous processes of the loins, and is inferted into the upper ribs near their roots, bestowing upon each rib a double tendon, one external, the other internal. 7. Serratus pofficus inferior; it is oppofite to the superior; and both of them, by a broad and membranous tendon, so grow together, that they serve instead of a band to keep the hinder muscle of the back-bone together: it grows out of the spines or processes of the three lowest vertebræ of the back, and first of the loins, is terminated into three or four of the lower ribs. 8. Musculi intercostales interni; these are the same in number and place with the externi, and lie directly under them; they are carried obliquely from the nether rib to the uppermost, and have fibres contrary to those of the external, croffwise intersected. g. Diaphragma or midriff, called also precordia, because it is stretched out before the heart; and phrenes, because, being affected, the mind and fenfes are diffurbed, by reason of the consent it has with the brain: fo that, when the midriff is inflamed, a phrenzy is caused. It is one in number, an inftrument of free motion, and an admirable kind of muscle, both in regard of its composition and continual action or motion, serving also as a wall of partition to fever the vital and natural parts one from another. The head of it is in the nervous centre, but the tail in the circumference of the lower short ribs, from whence 20.

whence it arifes, and through which it is obliquely drawn about, as far as to the vertebra of the loins. It has a double membrane for ftrength-fake: the upper is from the pleura, to which the pericardium is firmly faftened, and fometimes also the lobes of the lungs; the lower is from the peritonæum.

The muscles of the back and loins are four pair: the first pair is quadratum, adhering to the transverse processes of the vertebra of the loins, arising inwardly from the os ilium and os sacrum, broad and sleshy. Its use is to bend the vertebra of the loins. 2. Longissimum, arises with an acute and strong tendon from the extremity of the os sacrum, the vertebra of the loins, and os ilii, having the same beginning with the sacrolumbus; to the vertebra of the back it gives tendons like class, terminating sometimes in the first vertebra of the breast, and sometimes at the mamillary processes. 3. Sacrum arises from the os sacrum behind, being sleshy, and terminates in the twelsth vertebra of the breast. 4. Semissimatum, which arises where the former ends, and embracing all the spines of the vertebra of the breast, and giving them tendons, it terminates in the spine of the sirst vertebra of the breast. The uses of these three last are to extend the breast, loins, and their vertebra: if all the eight muscles act, they hold the back straight, and as it were uphold a man.

The muscles of the abdomen or belly cover the lower belly, and have their names partly from their fituation and rife, and partly from their figure. They are in number ten, or five pair, whose principal uses are to impel the internal parts, and to move the os facrum and ilium; or to make a proper retention and compression of the parts in the belly: to provoke voiding the excrements, or help the expulsive faculty of the womb and bladder. Their temperament is hot and moist, to cherish natural heat and concoction; they are moderately thick, to defend the parts, and when very fleshy, they add much to the comeliness of the body. The first pair is obliquus descendens, so called by reason of its fibres, which defcend obliquely; it rifes in the breaft from the lower part of the fixth, feventh, and eighth, ribs, and terminates in the white line by a broad tendon. 2.0bliquus afcendens is fituated next the former, in a triangular figure, rifing fleshy from the rib of the os ilii, but membranous from the sharp processes of the vertebræ of the loins, and from the sharp points of the os facrum; it ascends obliquely; and terminates in a double tendon, embracing the musculus rectus like a sheath; but the duplicity appears only above the navel, for below it is united inseparably. 3. Musculus rectus; its original is fleshy, from the sternum, on each fide the fword-like cartilage, and from the cartilages of the four baftard ribs: it has three nervous infertions which ftrengthen it; and veins which run along the longitude of it, viz. the mammariæ descendentes from the breasts, and the

the epigafiricæ afcendentes from the womb in women, but from the vena cavain men; which meet about the middle of this muscle, extending as far as the region of the navel, and are there terminated. These two veins are joined by anafomosis, from whence the consent of the womb with the breasts is caused; which, being handled, excites women to venery.

4. Musculi piramidales, the pyramidal muscles, lie upon the extremities of the musculi recti, and rise with a slessly beginning from the external share-bone, where all the nerves enter; and, growing narrower by degrees, they terminate with a sharp point in the tendon of the transverse muscle. Their office is to compress the bladder, and therefore they send their tendons, between the musculi recti, into that part of the peritonæum which includes the bladder. 5. Musculi transverse, the cross muscles, arising from a certain ligament which springs out of the os facrum; and, terminating by a broad membranous tendon in the linea alba, stick extremely saft to the peritonæum every where except about the pubis. Their proper use is to compress the colon.

The muscles of the os ilium and sacrum are moved forward in coition by the musculi recti and obliqui descendentes of the belly, the breast resting and the thigh remaining unmoved. They are moved backwards by the musculus sacra and se-

mispinatus, which arise from the vertebræ of the back, &c.

The muscles of the penis or yard are two pair; the first pair is called erector, or director; the latter, accelerator. 1. Erector, or penem erigens, is a short and thick pair, arising nervous under the beginning of the yard, from the innermost bunching out of the ischium, and, being knit unto the ligament of the yard, growing slessly, it reaches sideways as far as the middle of the body thereof: their uses are to erect and keep up the yard in coition. 2. Musculi acceleratores, or par urethrum dilatans, are longer than the former, but thinner or leaner; they arise both from the sphincter of the anus and internal tuberosity of the ischium or huckle-bone, are spread out under the urethra, carried beneath, and inserted into the sides thereof, about its middle: their use is to dilate or widen the urethra both for the passage of the urine and for the seed in coition. These are the muscles where an apertion is commonly made in cutting for the stone.

The muscles of the clitoris, proper to semale subjects, are like those in a man's yard, the same in number, and to the same intent. The two uppermost, being round, rise from the internal knob of the ischium, and, being placed by the lateral ligaments, cause the erection of it. The two lower are broad and smooth, and proceed from the sphincter of the anus.

The muscles of the testicles are either proper or common. The proper muscles are only the pair called *cremaster*, arising from a strong ligament in the os pubis, where the transverse muscles of the belly end, of which they seem to be parts:

they.

they pass through the production of the peritonæum, which they compassnearly about, and pass with the spermatic vessels to the stones; they are shorter in women than in men, and are placed above the production of the peritonæum; their use is to sustain or hold up the stones. The common muscle is the membrane of the serotum called dartos, being a continuation of the slessly membrane: and this musculous membrane suspends both testicles.

The bladder has but one muscle, called *fphincler*, which encompasses the neck of the bladder, in an orbicular form, as also do the fibres. It is fleshy, drawn back over the *proflatæ* or auxiliary testicles; it ejaculates the seed in coition. In women it reaches to the hole by which the urine passes, and it seems to form it.

The muscles of the anus, or fundament, are either the sphinster or the levatores; the sphinster muscle, called ani constrictor, the shutter or contractor, is stefny, (and without the straight gut two inches broad;) arises from the lower vertebra of the os facrum; and is encompassed with the transverse sibres all along the anus: it is sastened on the forepart to the passage of the bladder by sibrous couplings; to the yard, to whose muscles it gives beginning; and to the neck of the womb: on the hinder part it is inserted into the coccyx or crupper-bone, and at the sides it is sastened into the os coxe. The musculi levatores are four, to two pair; one pair of which are broad, and one narrow. Musculi levatores lati, arise from the os facrum and os ilium, and are inserted into the larger sphincter. Musculi levatores tenues, the narrow muscles: of which the foremost arises from the transverse ligament; the hindermost from the coccyx, whereunto they are terminated.

The mufcles of the fhoulder-blade, or fcapula, are four, according to the number of its motions, viz. forward and backward, upward and downward: 1. Serratus minor, the smaller saw-like muscle, arising from the four upper ribs, and ascending obliquely upwards, with an end partly fleshy, partly tendinous, and is inferted into the scapula; its use is to draw forwards into the breast. 2. Trabezius, cuculares, arifes fleshy from the hinder part of the head towards the ear. from whence it descends to the eighth vertebra of the breast, and, from thence growing small by degrees, it is inferted into the back-bone, top of the shoulder, and clavicula; it moves the fcapula variously, according to its oblique fibres. 3. Rhomboides, or diamond-like muscle, situate under the cucularis, thin and broad, arifes from the three lower vertebræ of the neck and the three upper vertebræ of the breaft, and in the same breadth is inserted into the external basis of the scapula; it draws back a little obliquely upwards. 4. Levator musculus patientia, arises from the transverse apophysis of the second, third, and fourth, vertebræ of the neck, and is inferted into the higher and lower corners of the scapula; its use is to lift the shoulder up.

The arm is variously moved, therefore has it many muscles, to wit, nine in number. 1. Pettoralis is great and fleshy, arising from the whole breast-bone, and griftle thereof, the sternum, and above half the clavicula, and is by a sharp tendon inferted into the shoulder-bone, between the deltoides and the biceps. 2. Deltoides, from likeness to the letter A, springs from the middle of the clavicula, and the acromium, and is inferted into the middle of the arm or shoulder bone. 3. Latisfimus, springs from the vertebræ of the loins, and of nine vertebræ of the back, and is inferted into a part of the arm, between the pectoral and round muscle, with a ftrong, fhort, and broad, tendon: this with its fellow of the other arm covers almost the whole back: it is called ani fealptor, because it draws the arm backwards and downwards. 4. Rotundus major is fleshy, thicker and rounder than the reft, obliquely feated behind under the axilla, and arifes from the lower rib of the scapula, which, ascending a little with its tendon, short, broad, and strong, is inferted (with the pectoral muscle) into the middle of the arm. 5. Rotundus minor, is short, round, quite sleshy, and arises with a sharp beginning out of the lower corner of the scapula, terminating with an acute end in that ligament, with which the head of the shoulder is involved. 6. Infra-spinatus, arises in the middle between the smaller round muscle and the spina, covers the whole external bunching part of the scapula; then becoming more narrow, it is inferted into the neck of the arm, or shoulder. 7. Supra-spinatus is sleshy, and arises out of the spine of the upper rib of the scapula, then being conveyed under the acromium, it is inferted with a broad and strong tendon into the neck of the arm, at the ligament of the joint. 8. Subscapularis, or immersus, is very sleshy, and passes between the scapula and ribs, possessing the hollow and inward part of the shoulderblade, then is carried out, and inferted, with a broad tendon, internally into the fecond ligament of the humerus. Q. Coracoides, is inferted into the inner part of the shoulder, about the middle of the arm, by the tendon of the deltoides. Its beginning is nervous and fhort: and its belly has an hole in it (whence its name) to give a passage to the nerves running to the muscles of the cubit.

The cubit or elbow has two bones, the ulna and radius: the ulna serves for slexion and extension; but the radius for pronation and supination. The ulna is bended by two muscles, the biceps and brachieus internus, and extended by sour, viz. longus, brevis, cubitalis, and brachieus externus.

1. Biceps, arises from the scapula, round and tendinous, which is inserted into the inner part of the radius.

2. Brachieus internus is placed beneath the biceps, smaller than the former, and arising from the middle of the os brachii, and is inserted before into the common beginning of the radius and ulna.

3. Longus, or extendens primus, arises from the lower rib of the shoulder-blade, near the neck, with a double begin-

54

ning, and is terminated in the elbow. 4. Brevis extendens fecundus, springs from the hinder neck of the arm, mixed with the foregoing muscle, clothes the humeri, and terminates on the outside of the elbow. 5. Anconeus extendens tertius, is situate in the bending of the cubit, on the hinder side; it arises out of the lower and hinder part of the arm, between the ulna and radius, and is inserted by a nervous tendor into the side of the cubit. 6. Brachieus externus, being spread out upon the outside of the brachium: it is a sleshy lump, made of the two former, and is placed under them, being inserted into the same place.

The radius has four muscles, two of which are pronatores, or pullers down; and two supinatores, or pullers up. 1. Pronator superior arises from the inner apophysis of the arm, by a strong and sleshy beginning, and ends with a membranous tendon, obliquely running into the middle of the radius. 2. Pronator inferior, from the lower part of the cubit ulna, unto the lower part of the radius, and is there inferted. 3. Supinator longior, from the top of the brachium, above the external knob, and, being drawn out upon the radius, is inferted on the inside of the lower epiphysis thereof. 4. Supinator brevior, springs from the outward apophysis of the arm, sleshy within, membranous without, and is inserted nearly into the middle of the radius.

To the wrist belong four muscles, of which the first two bend it and the latter two extend it. 1. Cubiteus internus, the first bender, arises from the internal apophysis of the arm, and being stretched over the elbow is inserted with a thick tendon into the fourth bone of the wrist. 2. Radieus internus, the second bender, is drawn along the radius, arises from the beginning with the former, and terminates in the first bone of the metacarpium, under the fore-singer. 3. Radieus externus, arises with a broad beginning, from the external apophysis of the arm, and terminates in a double tendon at the first and second bones of the os metacarpi. 4. Cubiteus externus arises from the same beginning, through the length of the cubit; when it comes to the wrist, it becomes a strong round tendon, and is inserted into the upper part of the sourch bone of the metacordus, under the little singer.

In the palm or hollow of the hand are two muscles, called palmares, of which the one is long, the other short.

1. Palmaris longus, arises from the inward apophysis of the arm, with a round and tendinous beginning, is spread into the hollow of the hand, cleaving exceeding sast to the skin, where, under the skin, in the hollow of the palm, is a broad tendon, giving exquisite sense to that part; it is terminated into the first intervals between the joints of the singers.

2. Palmaris brevis, is a certain four-square slessly substance, springing from the membrana carnosa, from whence it is carried under the former muscle to the middle of the palm of the hand, and is inserted into the outside of that tendon, which bears the little singer from the rest.

The

The thumb is bent by two muscles, extended by two, and drawn side-ways by six. Flexor primus, arifing from the upper part of the radius, is inferted into one of the joints. 2. Flexor fecundus, arising from the wrist-bone, is inserted into the middle of the thumb, and lies wholly under the former. 3. Extensor primus, arising out of the upper and outward fide of the cubit, runs along the radius, is carried beyond the wrift, and is inferted into the first and second joint of the thumb, by a double and sometimes triple tendon. 4. Extensor alter, arises from the same part of the cubit, but lower near the wrift, and is inferted into the third joint of the thumb. 5. Adducens primus, is joined unto and feated beneath the thenar, arifing out of the three lower bones of the metacarpium, and is inferted into the fecond joint of the thumb; this draws the thumb to the fore-finger. 6. Adducens fecundus? the fecond drawer of the thumb to the fore-finger: it arises out of the metacarpiums and is inferted as the other. 7. Adducens tertius, drawing also the thumb to the fore-finger, arises out of the external fide of the metacarpium, which sustains the thumb, and is inferted into the first joint. 8. Abducens primus, or thenar, the first drawer away, arifes from the infide of the wrift, and is inferted into the fecond joint of the thumb, to draw it from the fingers. 9, 10. Abducens fecundus and tertius arise and are inserted as the former, to draw the thumb also from the fore-finger.

The fingers are bent, extended, and moved laterally, for the performance of which are seventeen muscles; they are as follows: Sublimis, or perforatus, it arises from the inner apophysis of the arm; it is divided into four tendons inclosed in a ligament, as it were in a ring, which are inferted into the fecond jointing of the fingers, a cleft being first made, through which the tendons of the following mufcles pass. Profundus or perforans, is spread out under the former, and is inserted through the clifts of the former tendons, into the third jointings of the fingers; it arises from the upper parts of the ulna or radius under the joint, and is divided into four tendons. Hypothenar digita minimi proprius auricularis, the muscle proper to the little finger; it arises in the hollow of the hand, from the third and fourth wrist-bones of the fecond rank, and is inserted externally into the fide of the first joint of the faid finger. Extensor magnus, arises from the exterior apophysis of the arm, about the wrift, and the ring-fashioned ligament; is divided into four ten dons, which end in the lowermost joints of the fingers. Indicator indicas extensor; it arises from the middle and external part of the cubit or ulna, and is terminated with a double tendon into the fecond interjointure of the fore-finger. Auricularis, the extensor of the little finger; it arises from the upper part of the radius, and, being carried along with the ulna and radius, is externally inferted into the little finger with a double tendon. Lumbricales, adducens primus, secundus, tertius, quartus, the four worm-like muscles; they arise from the tendons of the mufculus

musculus profundus by the wrist; and, being drawn out along the sides of the singers, are obliquely carried and inserted in the third joint of every singer. Abductores interosses interosses of the bones of the metacarpium near the wrist, and in the first internodum or space between the joints, with a very small tendon, which, joining with the vermiculares, run along the sides of the singers, over the three bones, till they come to the roots of the nails; in the former and upper part whereos, the tendons being first united, are terminated. Abdustor indicis; it arises from the first interjointing of the thumb, and is inserted into the bones of the fore-singer, by which it is drawn from the rest of the singers towards the thumb.

The thighs are capable of being bent, extended, drawn to or wheeled inward, or turned about outwards; for the performance of which, they have the following fixteen muscles. 1. Ploas primus lumbaris, the first loin muscle; it arises from the vertebræ of the loins, and is inferted into the fore part of the small trochanter, with a round and strong tendon. 2. Psoas minor, it is sometimes spread over, fometimes under, the former; its beginning is fleshy, fometimes one, two, or three, fingers broad in its middle; its original, with a finall and flat tendon, being carried over or under the pfoas, comes to the iliac, and with a very broad and strong tendon is inserted into the upper brim of the os ilii. 3. Iliacus musculus, rifes out of the internal cavity of the os ilium, is joined by its tendon with the lumbal muscle, and is terminated between the great and little trochanter. 4. Musculus pettineus, the comb muscle, springs out of the upper part of the os pubis, and is inserted with a short tendon into the inner side of the thigh. 5. Triceps primus, arises from the upper jointing of the os pubis, and passing by the inner head of the thigh-bone, is inferted into the middle of the thigh. 6. Triceps fecundus, arifes from the lowest jointing of the os pubis, and, passing by the inner head of the thigh, runs along to the end of the thigh. 7. Triceps tertius, arises from the middle of the os pubis, and is inserted just below the neck of the thigh-bone. These three muscles many reckon but one, and call it triceus, from its threefold beginning; but, fo accounted, it is the greatest of all the muscles of the body, and often ends in one musculous tendon, inserted into the hinder part of the bone. 8. Gluteus major, arises from the coccyx or crupper (the spine of the ilii and os facrum,) and is inferted into the os femoris, under the great trochanter. 9. Gluteus medius, the middlemost both in situation and magnitude, arises from the inner fide of the spine of the os ilii, and is inferted into the great trochanter with a broad and strong tendon. 10. Gluteus minimus internus, springs from the back of the os ilii, near the acetabulum, with a broad and strong tendon, and is inferted into the great trochanter: these last three make up the sleshy substance of

the

The

the buttocks. 11. Quadrigeminus primus, it arises from the lower part of the os facrum, and is placed upon the articulation of the thigh, in the hinder part thereof. 12. Quadrigeminus fecundus, arifes from the tuberofity of the hucklebone, and covers the articulation of the thigh, as aforesaid. 13. Quadrigeminus tertius, is contiguous to the former, and arifes from the fame part; thefe three are last inferted into the cavity of the great trochanter. 14. Quadrigeminorum quartus, is broader and more fleshy than the other three, being distant from the third of the quadrigemini two fingers' breadth; it springs from the inner fide of the apophysis of the ischium, or huckle-bone, and is inserted into the external part of the great trochanter. 15. Obturator externus takes up the wide hole between the os pubis and the os ischii, and arises from the outward circle of the os pubis, is circumducted through the neck of the thigh, and carried into the cavity of the great trochanter, under the fourth quadrigeminal muscle. 16. Obturator internus rifes from the inward circle of the os pubis, and by a tripartite tendon is inferted into the cavity of the great trochanter.

To the legs belong eleven muscles, viz. 1, Biceps, having two heads; the first fprings from the joining of the os pubis, the second from the outward part of the thigh; both of them are inferted with one tendon into the hinder or inward part of the leg. 2. Semimembranofus, arises from the swelling in the ischium, and is inserted into the inner side of the leg backwards. 3. Seminervosus, has the same original and infertion with the former, only in the hinder part is carried a little forwards obliquely, before it terminates at the infide of the leg. 6. Gracilis and gracilis posticus, rises from that line where the hip-bone and share-bones join together, and, descending along the inside of the thigh, is inserted into the inner part of the leg. 5. Retlus gracilis springs with an acute tendon out of the outward and lower spine of the os ilium, is carried along the thigh, and terminates in the fore part of the leg. 6. Vastus externus borders upon the rectus gracilis, and arises out of the great trochanter, and is inserted into the leg, a little below the patella on the outfide. 7. Vastus internus, borders as the former on the rectus gracilis, and arises out of the root of the small trochanter; and falls into the inner. side of the leg, a little below the patella. 8: Crureus, arises out of the thigh-bone between the two trochanters, and, cleaving to the thigh, produces its tendon over the epigonatis, unto the fore-part of the leg; the four last muscles are inserted all into one tendon, which terminate in the beginning of the leg. q. Musculus longus, it is nearly the longest of all the muscles; arises from the former spine of the os ilii, and descends obliquely into the inner and fore-part of the leg. 10. Poplitœus; it arises from the lower and exterior tubercle of the thigh, and is inserted fourfquare into the inner and upper part of the leg, obliquely. 11. Membranofus fascia lata, rifes from the spine of the os ilii, runs obliquely into the outward part of the leg, and, with a broad and long tendon, invests almost all the muscles of the thigh.

No. 30.

The foot, or instep, has eight muscles. 1. Tibiæus anticus, it is fastened to the leg, and arises near the fibula, and, cleaving to the tibia all along, it degenerates into a tendon, which beneath the ring-like ligament of the foot is divided into two tendons. 2. Peronæus anticus, joined to the peronæus posticus, and has its rise with two heads, one from the middle and external part of the perone or finaller focile; the other from the upper epiphysis of the fibula: these, being carried through the chink of the ancle, terminate in a double tendon, the smaller of which is carried into the bone of the little toe; the greater running obliquely under the fole of the foot. 3. Gemellus externus; this has two heads; they both arise from under the ham, the one from the inner, the other from the outward, parts of the end of the thighbone, and pass down the back part of the leg, then become tendinous, and, being united, make one strong, broad, and nervous, tendon, which is inserted into the heel. 4. Gemellus internus; this with the other conflitutes the ancle, and lies under the former, of a livid colour; it arises under the ham, by a strong nervous substance; having passed the middle of the tibia, it becomes narrower and tendinous: it is inferted into the heel. These make the belly or calf of the leg. 5. Soleus, it is a broad and thick muscle arising from the upper and hindermore appendix of the fibula, and is inferted by a tendon into the heel. 6. Tibiœus posticus adducens pedem; it arises from the upper part of the tibia, or greater and smaller focile, and from the ligament which ties them together, runs along the tibia, and through the cleft of the ancle-bone, where it produces two tendons. 7. Peroneus posticus, it arises from the upper but hinder part of the small socile, by a nervous and strong beginning, and, cleaving to the outside of the perone, it runs down round and fleshy: it is inserted under the sole of the foot, into the bone set before the great toe. 8. Plantaris covers the whole fole of the foot; and fpringing from the outer part of the thigh-bone under the ham, by a round and fleshy beginning, paffing within the leg, between the gemelli, it goes thence to the fole, and is inferted into the five toes.

The great toe has five muscles. 1. Primus or flexor pollicis, arises from the upper part of the fibula, and is inserted into the third joint of the great toe. 2. Secundus, or extensor pollicis, arises from the middle of the fibula, or from the outside of the tibia, where it is separate from the fibula, creeps along the surface of the foot, and ends in two tendons, the one of which is inserted into the upper side, the other into the lower side, of the great toe. 3. Tertius pollicis, adductor primus, that which draws the toe inward, and springs from the ligament which ties the heel bone and the taulis, is sastened inwardly to the bone set before the great toe, and by a round tendon is inserted into the first joint of the same. 4. Quartus pollicis, adductor fecundus, it arises from the ligament of the first interjuncture of the little toe, then, becoming sleshy, runs over the first joint of the toes, and with a short

and broad tendon is inferted a little inwards into the first joint of the great toe.


5. Quintus pollicis, abductor ejustiem, it arises sleshy, from the inner part of the heel, and is inserted extrinsically into the first bone of the great toe.

The muscles of the four little toes are eighteen, having tendons comprehended with a circular and transverse ligament, which encompasses them beneath the ancles, just as in the wrist. Musculus major, arising from the upper apophysis of the tibia under the ham, by a long and fleshy beginning, passes under the inner ancle, and by the hollowness of the heel goes to the sole of the foot, where it is divided into four tendons, inferted into the third and last joint of the four toes. Flexor miner, lies in the midst of the sole of the foot, arising from the inner part of the heel-bone, and is divided into four round tendons, which are carried and inferted into the fecond articulation of the four toes. Extensor longus, arises with a nervous and short beginning from the upper appendix of the tibia, and, cleaving to the ligament which unites the foscils, runs down to the foot, passing first under the transverse ligament; then, being divided into four tendons, they are inferted into the fecond and third joints of the four toes. Extensor brevis, lies under the former, arises from the transverse ligament, fleshy and broad, and is by four tendons inserted into the first joints of the four toes. Lumbricalis quatuor, they arise from the tendons of the persorans, small and round, and are inserted by so many small tendons into the sides of the first joints of the four toes. Interoffei decem, they arise from the bones of the pedium, and are placed between the bones of the foot, filling the void spaces of the metapedium, being ten in number, five external and five internal. They arise by the fides of the bones of the instep, the former to the first interjointings; the ninth of the interoffei is the abductor of the great toe, the tenth and last is the special abductor of the little toe.

As to the number of the muscles in the human body, authors are strangely disagreed about it; however they are certainly more than five hundred; the principal whereof are represented in the two annexed plates; those confpicuous in the fore-part of the human body being expressed in Plate I, where 1, 1, are the frontal muscles; 2, 2, the orbiculares palbebrarum; 3, the attollens auriculum; 4, the temporalis; 5, the masser; 6, represents the muscle called constrictor, or depressor prince narium; 7, the dilatator alænasi; 8, the zigomaticus; 9, the place of the elevator labiorum communis, called by Lancisi, gracilis; 10, the elevator labii superioris proprius; 11, 11, the constrictor, or sphinster labiorum, or orbicularis labiorum; by some called osculatorius; 12, the buccinator; 13, 13, the musculi massoidei; 14, 14, the sternohyoidei; 15, 15, those parts of the muscles which arise from the clavicle; 16, 16, the coracohyoidei; 15, the scaleni; 18, represents part of the cucula-

cuculiaris on the right fide; 18, on the left fide, is the levator or elevator scapulæ, otherwise called musculus patientiæ; 19, 19, the place where the fibres of the pectoralis unite in some measure with those of the deltoides; 20, 20, the deltoides; 21, the place in the carpus where the palmaris longus paffes through a ring in the annular ligament; 22, a remarkable union of the tendons of the extensors of the three last fingers; 23, 23, the productions of the peritonæum, which perforating the muscles of the abdomen at the rings, descend to the fcrotum; 24, 24, the place where the three tendons of the fartorius, gracilis, and feminervofus, are inferted into the interior part of the tibia, just under the knee; 25, 25, the tendons of the extenfors of the toes, which are fecured by a ligament at the ancle, as appears on both fides; but on the right fide, internally, another ligament is represented, which fixes the tendons of the extensor longus digitorum, the tibiæus posticus, and the flexor pollicis; 26, 26, the musculus pectoralis; 27, the triceps extensor cubiti on the right side; 28, and 30, the biceps on the left fide, according to Lancisi's explication; 29, part of the triceps extenfor on the left fide; 30, the biceps on the right fide; 31, the branchiæus internus; 32, the anconæus; 33, the pronator rotundus; 34, 34, the supinator longus; 35, 35, the radius externus, according to Lancisi; 36, the extenfor carpi ulnaris; 37, 37, the cubitæus internus, according to Lancisi; 38, the radius internus, according to Lancifi; 39, the palmaris with its tendinous expansion; 40, 40, the tendons of the muscles of the thumb; 41, the tendon of the abductor Pollicis; 42, the extenfor magnus digitorum; 43, ligamentum carpi; 44, 44, the tendons of the iliaci interni; 45, the pectinæus; 46, one of the heads of the triceps; 47, 47, the reclus femoris on each fide; 48, 48, the vastus externus on each side; 49, 49, the vastus internus on each side; 50, the gracilis; 51, the seminervosus; 52, the fartorius on each side; 53, a part of the origin of the vastus externus; 54, 54, the membranosus; 55, the tibialis anticus; 56, the gemelli; 57, 57, the folæi; 58, the tendon Achilles; 59, according to Lancisi, is the extensor digitorum longus; 60, the tendons of the extensors of the toes; 61, the tendons of the extensor longus, tibizus posticus, and flexor pollicis; A, A, portions of the latiffinius dorfi on each fide; B, B, the indentations of the ferratus major anticus; C, C, the sternum.

Plate II. represents the muscles of the back part of the human body; where 1, 1, express the two muscles upon the occiput, called by Eustachius, quadrati; 2, the musculus cucullaris; 3, the splenius; 4, the musculus mastoides; 5, the musculus patientiæ, or levator scapulæ proprius; 6. the rhomboides; 7, the articulation of the clavicle with the scapula on the right side; 8, the deltoides; 9, the teres minor; 10, the teres major; 11, 11, the latissimus dorsi on each side; 12, the glutæus major; 13, the glutæus



The Muscles of the Human Body.



the

glutæus medius; 14, the musculus pyriformis; 15, the quadratus semoris; 16, the biceps semoris; 17, the semimembranosus; 18, the membranosus, according to Lancis; 19, 19, the vasi externi; 20, the gastrocnemii; 21, the soleus; 22, the plantaris.

OF THE BONES, OR HUMAN SKELETON.

A BONE is a fimilar, fpermatic, part, cold and dry, endowed with hardness, thrength, and solidity, that it might give force to the body, sustain it, and help its motion. Its substance is naturally hard and solid, covered with a membrane, called periostion, white, with some redness; hollow in the middle, (except the ribs, &c.) mooth; covered in its extremities with a cartilage, and moistened with a fat humour, called medulla, or marrow. Some bones are persetly generated in the womb, as those in the ear, being the smallest in the whole body; they are nourished by arterial blood, as may appear in the bones of young animals, whose marrow is yet bloody, as also by blood contained in the marrow: but the proximate and immediate nutriment of hollow bones is the marrow; but of bones not hollowed, thick blood sent in through the pores. The proper matter therefore of a bone is feed, which consists of humours and spirits. The efficient cause is the vis offisica, or an innate faculty, acting by the affistance of heat.

The bones are joined together, either by fimphyfis, for firmness, and union; or by arthrôsis, articulation, or jointing. Natural union or growing together, is when the connection or joining of bones is without motion: and this is with, or without, a medium. Symphysis without a medium is three-fold, viz. by futura, harmonia, and gomphosis. Sutura, a suture, is the joining of bones by indenture, as if the teeth of two saws were thrust one into another, as in the bones of the cranium, or skull. Harmonia, is the joining of bones by a single line, whether straight, oblique, or circular, as in the bones of the nose and upper-jaw; and so all epiphyses in a manner are joined. Gomphosis, or nailing, when one bone is fastened into another, as a nail in a post, so the teeth are sastened in the jaw-bones.

The whole structure of the bones of the head is called *cranium*, the skull, because it is as it were an helmet; it is also called *calva* and *calvaria*: its substance is bony, to secure the brain, but, in new-born children, it is softer than ordinary.

The bones of the head are either proper or common; the proper are in number fix: 1, 0s frontis; 2, 3, offa fincipitis; 4, occipitis; 5, 6, offa temporum. The common bones are only two in number: os fphanoides, and os ethmoides. Os frontis, the fore-head-bone, called also coronale, is bounded before by the coronal and first common future, and in the sides by the temporal bones; it is but one in those of ripe age, but in children it is double, being divided by a suture passing from the coronal to

30.

the nose; it also has a two-fold table, an internal and an external: on each fide of this bone, above the eye-brows, there are large cavities, commonly two in number, between the two tables, clothed sometimes with a green membrane, and containing a soft, clammy, and marrowish, substance; from whence two holes pass into the wide spaces of the nostrils; and another, which ends into the skull above the septum of the os ethmoides, to distinguish the organs of smelling.

Offa fincipitis, the bones of the fore-part of the head: these cover the moistest part of the brain, are in shape four-square and unequal, and of a more rare or spongy substance than the other bones, whence the wounds of the finciput are deadly: they are joined before with the bones of the forehead, with the coronal future; to the os occipitis, by the lambdoide future; and to the offa temporum, by the futura squamosa: without they are smooth, but within unequal, by reason of the prints which the jugular veins of the dura mater leave behind them.

Os occipitis, the bone of the hinder part of the head, constitutes almost all the hinder part of the skull; and is in children three or four bones, but in grown persons but one. Its form is that of a spherical triangle, and is joined to the crown-bones by the future lambdoides. It is the thickest and most compact of all the bones of the head, chiefly at the basis of the skull; (because there the noble ventricle is seated, and from thence the nerves arife as from a fountain;) but at the edges it is the thinnest of all. It is smooth without, but within it has many finuosities to receive the mennings fafely. It has five holes, through the greatest whereof the spinalis medulla paffes to the back-bone. The smaller serve for the going forth of the nerves. and entrance of veins and arteries. It has nine cavities, feven within and two without; and two broad processes at the basis, covered with a griftle, which is more eminent, and inferted into the cavities of the first vertebra for the motion of the head; as also another small process behind joined to the first vertebra. Offa temporum, the bones of the temple. Their form is uneven, almost circular, because of their various substance, which is like rocks and craggy clifts, for which cause they are also called offa petrofa, the stony or rocky bones. In their upper part they are attenuated like a scale, so as to be transparent, and are joined to the bones of the finciput like scales; before they are joined to the first bone of the upper jaw, by its first process; and to the os occipitis, by the bastard suture: they have six holes without, two within: the first external hole is large, viz. the auditory passage; the other five are fmall, for veffels to pass through. They have two cavities, an outer, covered with a griftle, which receives the lower jaw-bone; and an inner, which is rather long, and common to the os occipitis. The auricularis is internal, with a long protuberancy, wherein there is a three-fold cavity, viz. the drum, the labyrinth, and the cochlea.

The

The typanum or drum, called also pelvis, which contains the internal or inbred air, and the four bones, called malleolus, incus, stapes, and orbiculare; as also a ligament, two fenestra, or windows, (which are little holes in the cavity,) and a water passage; from this cavity goes a channel into the palate of the mouth. The labyrinthus, called also fodina, is a cavity full of crooked and manifold turnings; the entrance hereinto is the oval fenestra, and joins itself to the following cavity; it has four holes besides the oval, and a fifth, which is terminated in the cochlea or third cavity. The cochlea has three or four windings, (with a wreathed or snail-like figure.) the windings mutually receiving one another: those that are thick of hearing have only one or two of those windings; this cavity is clothed with an exceeding thin and soft membrane, and adorned with multitudes of little veins, which turn themselves about the wreathings of the cochlea, and by many branches creep into the secret turnings of the labyrinth.

Os sphenoides, or the wedge-fashioned bone, because it is seated as a wedge in the middle of the bones of the skull; at the sides it goes along with the os petrofum, from whence it is separated by a rough chink; above it touches the stirst, fourth, and sixth, bones, of the upper jaw; below it touches the bone of the palate of the mouth, and is placed under the brain, as a foundation, so that it touches almost all the bones of the head and upper jaw: in children it is made of four bones, but in grown persons it is but one. It is solid, and the thickest of all the bones of the head, where it makes the basis of the skull. In the external table are two remarkable apophyses, near the sides of the holes of the nose, sormed like the wings of a bat. In the internal table are four little processes, in shape of a Turkish saddle, called sella Turcica, full of little holes, whose uses are to elaborate the in-breathed air, to make spirits, and to pass out pituitous excrements through the funnel, out of the ventricles of the brain. It has sundry perforations, by which the optic and motory nerves of the eye, and other nerves for the motion of other parts, as also veins and arteries for nourishment, pass.

Os ethmoides, the sponge or sieve-fashioned bone, having in it many holes, (by which smells pass to the brain,) especially in the inner side of it, where it joins the head, and this part is properly called cribrosa: from this within the skull arises a sharp apophysis, resembling a cock's comb, by which the ethmoides is divided into two parts; from this process is opposed another, without the nostrils, and distinguishing them, called the divider of the nostrils, as also septum nass. The chief use of the ethmoides is to alter the air drawn in with smells, that the species of odours may, with the air, be carried to the organs of smelling, which end in these holes; and therefore in a coryza, this bone being obstructed, the smelling is lost: also here-

by the brain is purged, for phlegm is not only evacuated by the glandula pituitaris into the palate, but also by the os cribrofum into the nostrils.

The bones of the upper jaw are in number eleven, five on either fide, and one without a fellow: first pair, offa zygomatica, the yoke-bones, is in a manner triangular, and conflitutes the greater part of the os zygomatis or jugale, and a great part of the orbita and outward angles of the eye, on the lower fide. Second pair, os lachrymale, is a round, little, and thin, bone, in the inner corner of the eye: by this a branch of the fifth pair of nerves of the brain pass to the inner membrane of the nofe. Third pair, os maxillare, the cheek-bone, the greatest and thickest of them all; it contains all the upper teeth, and makes up the holes of the nofe, and most of these bones which belong to the upper part of the face; it has large cavities on both fides very remarkable, both that it might be lefs ponderous, and that it might contain marrow to nourish the bones and upper teeth. Fourth pair, os nash, the bone that constitutes the external and prominent bony part of the nose; it is thin, hard, folid, and quadrangular: these two bones are joined with a suture; within they are rough, that the griftles of the nofe may be the better fastened. Fifth pair, os palati, feated at the end of the palate, where the holes of the nostrils go into the fauces or throat; they are thin, folid, and broad, and constitute the hinder part of the cavity of the palate and nostrils. Sixth, vomer, the bone without a fellow, like a plough; it is the inmost and middlemost under the sphenoides, and above the palate: it holds up the bridge of the nofe like a partition wall, to which it is joined by the future, harmonia. Six bones constitute the orbit of the eye: 1. The frontale, which makes the upper vaulted part; 2. zygomaticum that on the outfide where the fmaller corner is, and a portion of the os sphanoides; 3. another on the outlide, concurring with the former part of the os sphænoides; 4. maxillare, and 5. lachrymale, which conflitute the inner part; 6. the fealy table of the os ethmoides, which makes up the lower fide, all united partly by common, partly by proper, futures.

In children, till about feven years of age, the lower jaw confists of two bones, which are joined together by fyncondrosis; but in grown persons it is but one. The arched part of this bone is the chin; at each end of the shanks are two processes, whereof one is sharp, called corone, going forward, into which the tendon of the temporal muscle is implanted; the other articularis, because it serves for articulation with the temple bones, which articulation is covered with a common membranous ligament. Its substance is exceeding hard and strong, that it may hold out in biting and chewing; within it, there is a long cavity, where marrow is contained to nourish the teeth, and by which a branch of our fifth pair of nerves of the brain run unto the roots of the teeth with a little vein and artery: this cavity goes quite through the jaw-bone like a pipe, so that a copper wire, put in at one end,

will

will come out at the other. It is moveable, and contains fockets for the teeth; and in old age, when the teeth fall out, the fockets draw together, and become sharp.

The teeth are bones properly so called, white, smooth, hard, and folid, being indeed harder than other bones, that they might bite and chew hard things, not much inferior in hardness to stones. They are naked, without any periostion, yet endowed with a kind of sense, as may be perceived by cold drink, or when set on edge; which sense is lodged in the inner, softer, and more nervous, part. They receive into their cavities nerves, which other bones do not, and by which they are tied to the mandible with a sinneurosis. The teeth continually grow, all a man's life, because they are daily worn by biting and grinding. The cavities of the teeth are clothed with a little membrane of exquisite sense, whence it is that pains of the teeth are so exceeding vehement; they have sive little nerves from our first pair; which are spread abroad within, and by small twigs mixed with the mucilaginous substance in the middle of the teeth; as also little arteries to give natural heat and nourishment, and little veins to carry back the blood after nutrition.

The tongue bones are feated under the lower jaw, and in the uppermost part of the larynx. They are commonly accounted but one bone, though made up of three. The use of these bones is to keep the throat open, both for the passage of the sood, and for receiving in of air in speaking or breathing.

The bones of the ears are the least of all, being the bones subservient to hearing, and are sour on each side. They are all placed in the sirst cavity; their substance is hard and dense, but hollow within, that they might be lighter, and contain marrow for their nourishment; they are as big in new-born babes as in men, but not so hard. The principal of these bones are called malleus, the hammer; incus, the anvil; stapes, the stirrup; and os orbiculare, which is round and small, joined by a small ligament to the stirrup side, where it is joined to the anvil. The uses of these bones are to serve the sense of hearing, and to make a passage for the excrements of the ears; for the stirrup, shutting the oval, is moved by the anvil, and the anvil being smitten by the hammer, and the hammer by the membrane of the drum, through the impulse of the external air, the membrane of the drum is in the mean while driven inwards, whereby the inbred air is affected, which, passing through the cochlea, causes the branches of the auditory nerve to receive the species of sounds, and to communicate the same to the brain.

The bones of the neck, and the whole vertebræ of the back, from the cranium or skull to the os coccygis or crupper-bone, are termed *fpina*, the thorn, because the hinder part of it is sharp pointed like a thorn-branch. The parts of the spine are called *vertebræ*, whirl-bones, because by their means the body is turned several

ways. All these vertebræ are hollowed, to contain the spinal marrow; they are many, for the conveniency of motion. The sigure is sometimes inclining inwards, as the vertebræ of the neck, to sustain the gullet; and aspera arteria; and the vertebræ of the loins, to uphold the trunks of the aorta, and cava descending; sometimes outwards, as the vertebræ of the back, and a little of the os sacrum, that there may be a larger space for the heart, lungs, bladder, anus, womb, &c. The sigure of each vertebra, above and below, is plain and broad, that luxation may not easily be made: round within, convex, and bunching out; but in the neck broader, and more even.

The vertebræ of the back are in number twelve, to which as many ribs answer. These vertebræ are round on the fore-part, but behind somewhat hollow. They are thicker than those of the neck, less solid, and full of little holes, for the passage of the nourishing vessels.

The vertebræ of the loins are five in number, and belong to the abdomen or lower belly: they are thicker and greater than those of the breast, because they uphold them, and the lowermost are biggest. Their figure is long and semicircular; their substance spongy, and full of holes, to give passage to the veins; their connection is looser than that of the back, that we might the more easily stoop to the ground.

The os facrum is broad and immoveable, being the basis or foundation of the back, upholding the whole frame of the vertebræ. In infants it is commonly composed of six bones united by a cartilage, but in men of ripe years it seems but one bone at the first view, yet, being boiled a long time in oil, it is divided for the most part into six several vertebræ; for each of them has a body, and processes, and has a large hole to receive the medulla spinalis. But in this they differ from the other vertebræ, because in those the lower part is the bigger, but in these the smaller; wherefore, the uppermost is the biggest, and the lowest the least. Its sigure is almost triangular: in its fore-part hollow, smooth, and even; in its hinder-part bunching and rough, with little holes to fend out nerves.

The os coccygis, the crupper or rump-bone, is under the former, confisting of three bones and two griftles, and is called os coccygis, the cuckoo's bill, from the likeness thereof. It is joined by a cartilage; for the first bone of it has a small hollowness which receives the last vertebræ of the os sacrum. Of these three bones, the lower is still the smaller; and in men, they are bent inwards to stay the great gut, and the sphincter muscle, which are tied to it: but in women they bend outward, to give way to the womb in the time of travail. These bones are of a spongy, and soft substance, and have neither process nor any hollowness. Their union with the os sacrum is loose, to give way for the exclusion of large excre-

ments:

ments; for otherwife a luxation might happen, caufing exceeding great pains; as in hard labour it now sometimes happens.

The os innominatum, the hoop-bone, or flank bone, confilts of three bones, viz. os ilium, os ifchien, and os pubis, all which are joined together by griftles till about the feventh year: afterwards, especially in those of ripe years, the cartilages being dried, they feem to be but one bone. These three bones, together with the os facrum, make that cavity which is called pelvis, the bason or bowl, which is bigger in a woman than in a man, that the womb of a woman with child may the better rest upon it. In hard-labour, the share-bone, or os pubis, and the os facrum, will part, the cartilages and ligaments (being bedewed with superfluous humidity) giving way. 1. Os ilium, the buckle-bone, fo called because it contains the gut ilium, is the first part, the highest, the broadest, and the greatest, in figure semi circular, arched without and hollow within: the femi-circle is called fpina, the arched part dorfum, and the hollow part costa. 2. Os pubis, the share-bone, is seated in the fore-part, and is parted in the middle by a cartilage not very hard: it is joined to the bone of the other fide by fyncondrofis, which in women is twice as thick and as wide as in men, that these bones in child-bearing may not be luxated or disjointed, but only loofened and made wide for the coming forth of the child. 3. Os ifchion, the hip-bone, is the lower and more outward part, wherein is a large and deep cavity, called acetabulum, the faucer, or pixis, the box, which receives the large head of the thigh-bone; the cartilaginous process of this cavity is called fupercilium; the brow. The coxendix is placed between the huckle and share-haves, and is knit to the os facrum by a double ligament; the one is inferted into the flrarp process of the hip, the other behind, into its appendix, that the intellinum rectum and its muscles may be sustained.

The cofte, or ribs, in figure refemble a bow, or fegment of a circle; their original from the vertebræ is narrower and rounder, growing broader as they come to the breat: in their upper fides they are blunt and thick; in their under part fharp and thin; the uppermost ribs are more crooked and shorter; the middlemost are longer, and broader; the lower are cut again shorter. Their substance is partly cartilaginous and partly bony, the bony part being towards the vertebræ; where they are furnished with two little apophyses or knobs; the sirst of which is articulated with the hollow of the vertebræ; the second is joined to the transverse process of the vertebræ; but the five lower ribs by a simple knob. The number of the ribs is twelve on each side; seldom thirteen, more rarely eleven: and when they are so found, you may account their numbers either supernumerary or descient. They are two-sold, viz. either legitimate and true, or illegitimate and false. The true or legitimate are the seven upper ribs, because they touch the breast.

breast-bone by their length, and make as it were a circle; they also make a persest articulation with the breast-bone. The illegitimate or bastard ribs are the sive lower ribs, which are shorter, smaller, and softer, not reaching to the breast-bone: they are semi-circular and arched without, hollow within: they terminate into longer gristles than the true ribs, which, being turned back upwards, stick one to another, the last excepted, which is the least, and sticks to none. The eleventh rib, and sometimes the twelsth, are tied to the septum transversum; and sometimes the last grows to the oblique descendent muscles of the belly, without the midriss; or has the circumscription of its proper muscle. The use of the ribs is to defend the breast, and the heart, lungs, and other bowels, therein contained; as also to help the motion of the breast and parts adjacent, in sustaining the muscles and sleshy parts thereof.

The flernum, or breast-bone, is placed upon the fore-part of the chest, and rests upon the ribs: its substance is partly bony, but spongy and red; partly gristly; its figure is convex, broad, and long. It is composed of three bones, as may be seen in young people; but in old men it commonly appears but one: they are distinguished by transverse lines, and are knit together by synchondrosis, for gristles are interposed like ligaments. Under this is the pit of the stomach, where the upper and lest orifice is called storoliculus cordis. The use of the sternum is, first, to defend the heart (like a shield) from outward dangers; secondly, to uphold the medialsinum; thirdly, to collect and saften the ribs.

The collar-poles, being in number two, are called claviculæ, keys, because they shut up the breast or thorax, and as it were lock the scapula, or shoulder-blades, to the sternum. They are situated cross-wise, under the lower part of the neck, on the top of the thorax on each side: externally they are convex, on the inside a little concave: their substance is thick, but sistuous and spongy, and therefore easily broken; their superficies are rough and uneven. Their use is to assist in the various motions of the arms; as also to uphold the shoulder-blades, that they should not sall upon the breast, together with the shoulder-bone: moreover the bone of the arm rests upon this bone, as upon a prop, that it may be the more easily moved upwards and backwards. Hence brutes have no collar bone, the ape, squirrel, hedge-hog, and mouse, excepted.

The shoulder-blade is a broad and thin bone, resting upon the upper ribs behind, like a shield. Its substance is hard and solid; its figure almost triangular, the outside somewhat arched, but the inside hollow: it has also a spine or sharp point, looking both above and beneath the cavities, called interscapulia. In the inside of this bone, about the middle, there is a hole, by which a vein doth pass for its nourishment. It has five epiphyses, three at the inside, and two at the basis: it has also

also ligaments, which join its head to the humerus and the acromion, or shoulder to the clavicula; and common, thin, and membranous, ligaments, which compass the joint of the shoulder-blade and arm. Its uses are, 1. to strengthen the ribs; 2. for the articulation of the humerus and clavicula; 3. for the insertion of the muscles; 4. to cover the heart, and defend the back from being hurt.

Os brachii, or bone of the arm, called also the shoulder bone, is but one, great, strong, long, roundish, and uneven. Its substance is hard and solid; it is hollow all along within, containing marrow, but at the two ends more broad, and a little spongy. In its upper part it has an appendix, epiphysis, or great head, growing to it; which is round, covered with a griftle, and articulated with the scapula or diarthrosis. In the top of it is also a long chink, through which the nervous head of the musculus biccps doth pass. The longer part is articulated to the ulna and radius, where there are two apophyses; an external which is less, and crusted with a griftle; and an internal, having two cavities, representing a pulley, with which the cubit is joined by ginglymus, so that it may be bent to a most acute angle, but not extended beyond a right line.

The bones of the cubit, or elbow, are two: the smaller above, called radius, and a larger below, called ulna. They are shorter than the shoulder, have epiphyses on either side, and, resting mutually one upon another, are joined by a membranous ligament: above, the ulna receives the radius; but below, the radius receives it. Their substance is firm and solid; they are long, and contain a marrowy substance; but their surface is somewhat rough, by reason of the lines appointed for the muscles.

Carpus, the wrist, hath eight distinct bones, all of them unequal, and differing in shape and magnitude. At first they are gristles, afterwards spongy bones, covered with very strong gristly ligaments, which fasten them together as if they were but one bone: these ligaments, arising from the lower processes of the ulna and radius, serve for articulation: but there are angular or ring-shaped ligaments, which are transverse, and compass the wrist, to comprehend, strengthen, and safely carry, the tendons, which pass through the carpus; these are many, though they seem to be but one ligament, the internal comprehend the tendons of the muscles which bend the singers; the external, the tendons of the muscles which extend them.

The metacarpus, or palm of the hand, has four bones, of a hard and folid fubflance, and hollow, containing marrow; they are round, and bigger than those of the fingers; that which answers to the fore-finger is biggest, and so fill the lowermost are smaller. Between each bone a distance is lest for the musculi interosize of the fingers: and in the palm there is a transverse ligament, which ties the bones of the fingers to the metacarpium. Above and beneath they have epiphyses: by the upper, they are joined to the carpus, or wrist; by the lower, they enter into the hollowness of the fingers.

The boncs of the fingers are in number fifteen, each of them having three bones, and answering the boncs of the metacarpus, the thumb excepted. The thumb has no connection with the bones of the metacarpium, because it is articulate with the wrist, with a manifest motion; whereas the bones of the palm are joined to the wrist without manifest motion; as also because the upper joint of the thumb is shorter than the bones of the metacarpium, and not answerable to them. Each singer has ligaments on their insides, according to their length, like channels, whereby they are sastened one to another.

The thigh has but one bone, which is the greatest and longest in the whole body. In its superior extremity, the head is round, to which a slender part is added, called the neck; from the neck are two apophyses produced, to which the muscles called rotatores are fastened, and therefore they are called trochanters. The lower part of the thigh has two low prominences or heads, called condysi, a cavity being left between of a thumb's breadth, through which the vessels pass, with a nerve of the fourth pair, which cavity also admits the middle and eminent apophysis of the tibia or leg: in like manner the condysi are received by the cavities of the leg, by a loose articulation, called ginglymus: the inner of these heads is more thick, the outer more broad and flat. The upper part of this articulation is called the knee, the hindermost the ham.

The patella, or knee-pan, is somewhat round, about two inches broad; plain, without having many holes, but within bunched, and there covered with a cartilage; its substance in young children is cartilaginous, but in grown persons bony; its figure is almost like a buckler or shield; its situation is upon the jointing of the thigh and leg, where the knee is compassed with a membranous ligament, the patella excepted. It grows to, and is sastened by, certain thick tendons of some muscles of the thigh; as the second, third, and sourth, muscles, which extend the tibia, and pass by the knee to it, and are inserted into the fore knob of it: its use is taken from its situation, being set before the thighbone and tibia, to strengthen the articulation, lest the thigh-bone, in going down any hill, should slip out forwards; as also to defend the tendons of the muscles.

The shank, or leg, is composed of two bones; the one, being the inner and the greater, is called tibia; the other fibula. Tibia, the shank-bone, has in its upper part a process in the middle, which is received by the cavity of the thigh-bone. It is joined to the thigh-bone by ginglymus: the fibula only cleaves to the tibia, and

touches

touches not the thigh-bone. In the lower part there is an apophysis void of flesh, slicking out with a bunch near the foot, which is called malleolus internus, the inner ancle-bone; as the process of the fibula is called malleolus externus, the outward ancle-bone. Fibula, the button (because it seems to button together the muscles of the shank,) which is also called fura, the cals, is a firm bone, being drawn along before the tibia without, as the radius before the cubit. The upper end with its round head subsists beneath the knee: but with its hollowness, it receives the lateral knob, which is under the epiphysis in the upper end of the tibia. In the middle there is a distance between the tibia and sibula; in which space is a thin broad ligament, joining these bones in longitude, and where also the muscles of the feet are placed.

The bones of the tarfus, or instep, are seven. Astragalos, the game bone, to which are joined the great and small focile. Pterna, the spur of the foot, or heel-bone, into which the greatest and strongest chord or tendon in the whole body is inserted. Os naviculare, from its likeness to a boat; it is long, bunched without, and hollow within, and covered with a cartilage. Os tesser, or diessaped bone, because it hath six sides; it is greater than the rest, and placed before the heel, joined to the fourth and sifth bone of the metatarsus: in the hinder with the heel-bone: the other sides are joined to no bones. Cuneiformia, calcoidea, the wedge-like bones, or bones of the foot, and are articulated with the scaphoides, or os naviculare: being joined, they represent a vault: for above they are convex, beneath hollow, to receive the tendons and muscles.

The metatarfus, or fole of the foot, has five bones, which are folid without, hollow within, longer than the bones of the back of the hand, and knit to the bones of the tarfus. That which flays the great toe is the thickest, that which flays the next toe is the longest, the next is shorter, and the rest each shorter in order. The lower end of that which slays the great toe, is received by the cunciforme majus: the second by the cuneiforme minus: the third, by the third wedge like bone: the other two, by the two tops of the os cubiforme.

The bones of the toes are in number fourteen: the great toe has only two, the rest three apiece. They are solid without, hollow within; and have three joints and two processes, answering in all things to the bones of the hand. The lowermost joints have two knobs, received by the ends of the middlemost joints; the uppermost joints have also a deep hollowness, because they receive the ends of the bones of the foot.

1. There are certain little bones called fefaminia or fefamoidea, being almost fike feeds, both in form and magnitude, being for the most part in number fiftyeight. They are round and a little flat, and less in the feet than in the hands, excepting

excepting those in the great toe. 2. They are most commonly twelve in each hand, or twenty-four in both hands, and so many in each foot. They grow to the tendons of the muscles which move the fingers and toes, under which they lie, wrapped up in the ligaments, and come away in cleansing the bones, unless great care be used. The uses of these fefamoidean bones are to defend the tendons; to strengthen the joints, and preserve them from luxation.

The annexed Plate demonstrates the Skeleton, or Bones, of the Human Body, which confiss of 239, exclusive of the fefamoideans, os hyoides, and bones of

the ears; which, being added, would make the total number 308.

1, Os frontis, or frontal bone; 2, sutura coronalis, or coronal suture; 3, vertex sinister; 4, satura squamosa; 5, processus offis sphenoides; 6, os temporis, or temporal bone; 7, processus mastoideus; 8, os mali; 9, ossa nasi, or bones of the nose; 10, 11, the superior and inferior maxillary bones; a, vertebræ of the neck; b, vertebræ of the back; c, vertebræ of the loins; 12, os sacrum; 13, the sternum, or breast bone; +, the costæ; 14, the clavicula, or clavicles; 15, the scapula; 16, the humerus, or arm-bones; 17, the ulna; 18, the radius; 19, the carpus, or wrist; d, the metacarpus; e, the pollex; i, ossa digitorum manus; 20, the os ilium; o, the os ischium; 22, the os pubis; 23, tuber ischii; 24, foramen magnum; 25, os semoris; r, collum offis, semoris; s, caput offis semoris; 26, the trochanter major; 27, the trochanter minor; t, the patella; 28, the tibia; 29, the fibula; u, the talus; 30, the calcaneus; 31, the metatarsus; z, offa digitorum pedes.

OF THE ABDOMEN, OR BELLY IN GENERAL.

THE abdomen is all that part, diftinguished within (by the midriff) from the cheft to the os pubis. It is bounded by the cartilago mucronata, vertebræ of the loins, os facrum, hip-bones, os pubis, and the bastard ribs on either side. It is divided into three regions or parts: First, the uppermost, called epigastrium, each side of which is called hypochondrium, lying under the gristles of the short ribs: it is bounded between the cartilago mucronata. Secondly, the middle part, called regio umbilicalis, which extends from three inches above the navel to three inches below it: the lower part, called hypogastrium; the lateral parts are called inguina, the groins; in the right sides of which, are parts of the colon and cœcum, which are tied together; in the lest, a great part of the colon and intestinum rectum; the fore-part of it is called aqualiculus, and the lowest part, which is covered with hair, is called pubis, the share; the hair begins to appear here in girls about the twelfth year, but in boys about the fourteenth year, of age. Under this region in women are contained the bladder, matrix, and intestinum rectum.

The

The periton cum is fo called from stretching and spreading about, being drawn over all the parts between the midriff and thighs. Its original is from the first formation, at the third vertebra of the loins, where it is thicker, fo that it cannot, in that place, be separated without breaking. The muscles of the belly being taken away, the peritonæum comes to view: it is tied above to the midriff; below to the share and flank bones; in the fore-part firmly to the transverse muscles, but chiefly to their tendons about the linea alba; behind to the fleshy heads of these muscles. It is spermatical, cold and dry by nature, and of a fubstance not fimple and uniform, but double, and unequal in thickness. It is a membrane double in all places, but it is most apparent about the vertebra of the loins, where, between the duplications, lie the vena cava, the aorta, and the kidneys. Its use is to fend connections to all the parts; to bestow coats upon all the bowels of the abdomen: to give a covering to the diaphragm, liver, and spleen; to produce the ligament which upholds the liver; to make a communion with all the principal parts by veins, arteries, and nerves; to produce the omentum; and, by its reduplication, the mefentery.

The omentum, or caul, so called, because it floats or swims upon the guts: it lies under the peritoneum, and is situated at the liver, spleen, and bottom of the slomach: in some it ceases at the navel, in others it falls below the navel, and sometimes it reaches to the os pubis, where it is inserted. It is a thin membrane, endowed with much fat, double, and disjoined. In men, when it descends into the scrotum, it causes the rupture epiplocle, which happens most commonly on the left side, because it is extended rather to the left than to the right side. Its substance is membranous, that it might admit dilatation and extension; it is compact, to hinder the diffipation of the internal heat, and to expel the external cold: it is tied to the stomach, being a middle part between the colon and the spleen. Its uses are to cherish and strengthen the internal heat of the stomach and intessines; to give nourishment to the parts in time of famine; to contain the humours flowing from the intestines, which the glandulous cannot receive wholly at one time; to prop up the branches of the veins and arteries of the stomach, duodenum, colon, and spleen; and to generate the fat.

The stomach, called ventriculus, from its cavity, is situated in the epigastrium, a place encompassed with no bones, that it might stretch the more easily, immediately under the midriff, which it touches, so that, if it be too full, it causeth a difficulty of breathing, by hindering the motion of it. In the fore-part and on the right side, it is covered with the hollow of the liver; in the left by the spleen; so that the stomach is as it were between two fires, bending a little towards the left hypochondrium, and towards the back part it leans on the aorta, the cava, and the pancreas, which helps its heat. It is less in women than in men, to give way to

the diffention of the matrix, and it is composed of three tunicles; the outwardmost is common from the peritonæum, and is the thickest; the middlemost is proper to itself, and fleshy; the innermost is from the dura menina, and wrinkled, as also hairy like a piece of filk: this is continued with the tunicle of the cefophagus, mouth, and lips, that nothing may be received in which is ungrateful to the flomach: hence it is, that, when choler is in the stomach, the tongue is bitter and yellow. It is spongy, and has passages like short fibres, from this inner surface to the outward, that the thinner chylus may be the better detained. The inmost coat serves chiefly for fense; the middlemost for the office of motion; and the third, that it might be as a covering for the whole. The stomach has two orifices, and both of them in the upper region thereof; the left is called os flomachi; the right the pylorus, or porter: the os flomachi, or left orifice, has orbicular fibres, that, the meat and drink being once received within the capacity of the stomach, it may, by a natural inflinct, exactly flut up the mouth of the stomach, lest the sumes and heat should break out, which might not only go into the brain and breed diseases there, but also hinder concoction. The right orifice is of equal height with the other; left the meat and drink should slip through before they are digested. It is not wide like the former, because it is to transmit the elaborated chyle, which is done by the strength of the stomach, in contracting itself. Wherefore the pylorus, besides its transverse fibres, has a thick and compact circle, representing the sphincter muscle, that it might the more easily shut and open. The stomach has arteries from the ramus coliacus, which accompany every vein, that blood may be supplied from the heart for nourishment of the part: it has likewise many nerves; viz. two in its orifice from the flomach branches, which being produced, after they have run back in the thorax, and furnished the lungs and pericardium, are covered with strong membranes. These so cross one another, that they are carried obliquely, and without doubt with greater fafety. The right branch compaffes the fore and left part of the mouth of the stomach; the left branch, the hinder and right part of the same: from these branches of nerves are sent downwards, to the very bottom; a branch goes from the left nerve, along the upper part of the stomach, to the pylorus, which it infolds with certain branches, and goes to the hollow of the liver: other two nerves also go to the bottom of the stomach, from the branches which run along by the roots of the ribs. Hence it is, that when the brain is hurt, the flomach is fick, and falls a vomiting, as in a vertigo hemicrania, &c. alfo, when the stomach is affected, the head and brain are ill, or afflicted with pain; and by reason that the orifice of the stomach is so compassed with nerves, as if it were altogether made of nerves, it becomes of a most exquisite sense; and hence it is that vomiting fo often fucceeds in many difeases, where there is a confent of parts with the stomach. The stomach is the feat of hunger, and does

does the first of all parts feel the want of food; (asterwards the other parts by faintness and universal debility;) for, the blood being spent upon the nourishment of the body, the fibres of the internal membrane of the stomach are contracted, and so this pain, which is called hunger and thirst, is caused.

The intestines, or guts, begin at the pylorus and end in the anus or fundament. They are called intestina, or inwards, because they are in the inmost seat of the body. They are of a round figure, that they might the better contain the nonrishment; of a membranous substance, the better to have constriction and dilatation; and indeed their substance is almost the same with the stomach, having three coats, one common and external, being bred immediately from the mefenterium, but mediately from the peritonaum. The fecond, which is the middlemost, is proper, being membranous, strong, and furnished with sleshy fibres. The third, which is the innermost, is also proper, nervous, and lined with the crusty substance, framed of the excrements of the third concoction of the guts. glazed as it were with a mucus or phlegmatic fubfiance, bred in the first concoction, by which excoriation is not only bindered, when tharp humours pass through the guts, but also by its affistance the expulsion of the fæces is furthered. This internal membrane has fuch a crusty substance, that the mouths of the meseraic veins might not be stopped, and that neither they nor the coat itself might be made callous by the continual thoroughfare of the chyle. The fibres of the internal membrane of the small guts are oblique, but of the external coat transverse; because these are appointed for the retention and expulsion of the chyle; but, in the thick guts, the inner coat has transverse fibres, the outward has oblique and straight, because they are appointed for the expulsion of the excrements: the inner membrane also of the small guts is full of wrinkles to flay the chylus from paffing too foon. As to the length of the intestines, they are in general fix times as long as the whole body: it is wonderful that the guts (of fo great a length) should be comprehended in fo finall a compass, fo as that they are not above a span distant from the centre. They have a motion which is periftaltic, or the worm-like motion, by which they move themselves all over by a contraction from the upper parts downwards; moreover they have many turnings and windings, or bendings, which ferve to keep the nutriment, till the concoction is perfectly finished, and chyle distributed.

The mesentery is so called, because it is the middle of the guts. It is one in number, but divided into two parts, the mesareum and mesocolon. By the mesareum, the simall guts are knit together; by the mesocolon, the thick guts are tied together. The substance of the mesentery is a double membrane, one above another. Its situation is in the middle of the abdomen, sticking to the transverse processes of

the vertebræ by ligaments, whence it is original: for it arises from the first and third vertebræ of the loins, where membranous fibres are produced from the pe-Intoneum, which turn into strong membranes. The vessels of the mesentery are veins, arteries, and nerves, which pass to and from the guts, between the membranes. The veins are called meseraica, and they are two fold, viz. fanguinea and lactee, both which are almost innumerable. The venæ fanguinea, or meseraica, receive the blood from the arteries, after nourishing of the parts, and fo convey it back again to the liver. The venæ lacteæ, afcending from the guts, and carrying the chyle, do centre in the glandules, or receptacles of the chyle. Thefe glandules of the mefentery, are to prop up and support sundry distributions of the branches to the vena porta and arteria magna; and hence it is, that about the centre of the mesentery are the greatest kernels, because there is the distribution of the greater and more collected veffels: if those become feirrhous, an atrophy, or extenuation of the whole body, viz. a wasting, leanness, and pining, follows, because the passing of the chyle is hindered, whereby the nourishment of the body is loft. Their fubftance in men is glandulous and folid, like other glands of the mefentery, watered as it were with the venæ lacleæ, yet capable of chyle in their leaft corners. Their connection is in the hinder part to the vertebre lumbares: in the fore-part they are joined to the mesentery by small milky branches, which carry the chyle to these fountains or receptacles. The use of these milky glandules is to receive and contain the chyle coming from the vene latter of the mesentery: as also to digest and prepare it by the help of the neighbouring hot veffels, viz. the artery and vein, and then, being prepared, to thrust it out into the thoraices, and other parts, as the liver, which is easily proved by ligature; for, if these lactee, whether in the thorax or going to the liver, be bound, they always fwell on that fide next to the glandules or mesentery, and grow empty on the other fides: they also squeeze out the ferum, being separated from the chyle in that light preparation, and, expel it either into the reins adjacent to them; or into the emulgent arteries, to which they fend branches; or into the capfulæ atribilariæ, appointed for melancholy; or, laftly, into the doubling of the peritoneum, in which they abide, which is fometimes the cause of the dropsy ascites: and herein we have reason why a dropsy is many times ended by diaretics and diffolved by urine; and how those, who are extreme drinkers, do so immediately evacuate what they have drunk; for that the ordinary way through the liver, heart, arteries, emulgent veins, ureters, and bladder, is vaftly longer, and more tedious: hence also the cause is seen, why, in a real diabetes, the drink is fo voided through the bladder in a very fhort space, as it is received, without change of confiftency, colour, tafte, or fmell; hence too ap-

pears the reason of an atrophia of the parts, especially those of the thorax, which draw the chyle out of the milky receptacles; for that they are fometimes preffed together, whereby the distribution of the chyle is obstructed: fometimes also they are inflamed, tumified, and afflicted with a scirrhus. Hence it is that lithontriptic or nephritic medicaments do presently ease such as have a pain in their reins: as likewife cantharides, and fuch as incite to luft, do immediately, without stopping the passage, come to the arteries emulgent and spermatic; because that, in the accustomed journey, (much the longer way,) the virtue of the medicaments would eafily be encryated. And here the reason is obvious why diuretic and nephritic medicaments make fuch an impression of smell and colour in urine, as is manifest in cassia, turpentine, juniper, asparagus, and other like things. Many of the lacteæ of the mesentery, coming through the greater glandules, and the fides of the portæ, are grafted into the liver. Their entrance is about the third lobe, to which many of the lacteæ from the mesentery and appendices of the stomach do come. From the upper part of the milky glandules, immediately under the diaphragma, there arise as many milky branches as there are glandules, which, through the middle of the spina, pierce the diaphragma, and, by mutual infertion, two of them are joined about the first vertebra of the joins; another branch, coming out of the fecond glandule, about the twelfth vertebra of the back, enters a little above the other infertion; but the third, rifing from the third glandule, is to be feen near the eleventh vertebra, from whence it arises as a solitary branch, through the middle of the back, by the fide of the aorta, and the vein azygos, between both, under the cefophagus, to which it is firmly knit by its membranes. These milky thoracics, departing from the spinal, (about the third or fifth vertebra of the back,) through the midst of which they crept all this way, turn a little to the left, and creeping up under the cefophagus and aorta, and under the fubclavial artery and the glandules of the thymus, they go forward to the left clavicula and left axillary vein; they enter the vein just where the outward jugular pours itself forth into the axillary aforementioned. From hence we learn, that these thoracies carry the chyle out of the milky glandules or receptacles of the mesentery to the subclavials; but the lacter meferaicæ carry the chyle from the intestines either to the receptacle or to the liver. also that the chyle goes not to the head nor to the joints, but is carried to the heart with the blood that runs down in circulation, where it is changed into the fanguineous humour: and hence the lacteæ of the thorax receive their reftorative force from nutriment, cordials, and medicaments, out of the ftomach or cefophagus, by the glandulæ lacteæ, and carry them straightway to the heart: whence it is, that drinking vinegar, wine, cordials, and other like things, fo immediately

cause the strength to be restored; and presently at meat a man is strengthened, and his hunger stayed; this virtue is conveyed by the milky branch which is near the cosphagus, and the short passage of the rest of the lactex, to the heart: also vulnerary potions and pectoral drinks come a shorter and surer way to the heart and lungs, to which, by the long way about through the bowels and veins, they could not come so safe and secure; and by the same reason possons as swiftly overcome the heart, insect the vital spirits, and destroy their harmony.

The liver is an organic part, and an inftrument of the blood, (both for generating and perfecting it,) seated in the abdomen, just under the diaphragma, or midriff, in the right hypochondrium, about a finger's breadth diffance therefrom; is covered by the ribs for fafety, but covers, or lightly refts upon, a great part of the ftomach. It is divided as it were into two parts by the umbilical vein, which after the birth ferves it for a ligament. It is faid to be the original or beginning of the veins, because therein the roots of the two greatest veins appear dispersed, viz. of the cava and porta, as roots implanted in the earth; also here are to be feen inferted, trunks and branches of the vena lacter, arifing from the pancreas mesenterii. It is a great, thick, and hard, body; of a red colour, confisting of a subftance proper to itself, fitted and ordained for that end. It differs from the livers of beafts, in that it has feldom any lobes, yet the hollow part of it has a fiffure or chink, where the umbilical vein is implanted. Its magnitude is exceeding great. beyond all the other vifcera; and bigger in man than in any other living creature, the proportion of body being confidered; and this feems to be necessary, confidering the noble uses and functions to which it is ordained. The action of the liver is fanguification; for the chyle, being conveyed to the liver by the vena lacteæ, is there fanguified, or made chymus; for the fubstance of the liver doth not only fuftain the veins, but is also the efficient of fanguisication, and of perfecting the blood by its circular motion; and, together with the blood, it generates natural spirits.

The gall-bladder and choler-channel are fituated on the right fide of the liver, in the under or hollow part thereof. The branches of both these, together with the branches of the vena portæ, are comprehended in a common bladder, called capfula. These branches of the vesicafellis, and ductus choledochus, or biliarius, being detained in the liver, are dispersed through its whole parenchyma, every where included in the aforenamed capfula, which is red, about the thickness of an artery, and takes its original from the peritonæum. The gall-bladder is a vessel long and round, much like a pear, hollow, furnished with a double membrane. Its magnitude is small, compared to the spleen or kidneys, being about two inches in length, and in some persons nearly three inches. The use of the gall is, 1. to cause a new and more persect fermentation of the chyle: 2. to prick the guts by its sharpness,

to fir up their periftaltic motion, that they may drive down the chyle, and expel the excrements: 3. to mix with the chyle in such proportion, that, being converted into blood, the blood might thereby be kept from congelation.

To illustrate this subject more amply, we have subjoined a representation of the liver of a new-born child, where AAAA represents the circumference of the liver; BBBB, the lower part of the liver, in which there are feveral irregularities; C, the gall-bladder; D, the umbilical vein, running with a fingle trunk from the navel to the liver; EEE, the finuses of the vena portæ, into which alone the umbilical vein inferts itself, with a fingle trunk; F, the trunk of the vena portæ cut off; GGGG, the principal branches of the finus of the vena portæ diffributed through the liver, which become conspicuous when asmall part of the superficies of the liver is abraded off; H, the trunk of the vena cava; II, the canalis venofus, or ductus venofus, arifing from the finus of the vena portæ; over against the ingress of the umbilical vein, and inserting itself into the vena cava: this, in the uterus, carries a great part, and probably the greater part, of the blood, carried through the umbilical vein to the liver of the fœtus, by a large passage to the vena cava and the heart; but this, after the birth of the fœtus, gradually grows narrower and closes; K, the entrance of the umbilical vein into the finus of the vena portæ. To this description of the external part of the liver, it may not be improper to add that of its blood veffels, together with their numerous ramifications, freed from the parenchymatous fubftance. Fig. 1. represents the under fide of these vessels; A, being that part of the liver which lies next to the back; B, its right fide; C, its anterior edge D, its left fide; E, the vena cava, where it passes through the diaphragm; E 1, E 2, E 3, its three principal branches, distributed almost through the whole liver; F, the vena portæ turned upwards, that other vessels may be more easily feen; F1, F2, F3, F4, four branches of the vena portæ distributed to feveral quarters of the flat part of the liver, but the fifth branch is not observed on this fide; G, the gall-bladder; H, H, the vena umbilicalis become a ligament; I, the ductus communis choledochus; K, the canalis venofus, now performing the office of a ligament; L, the trunk of the vena cava descendens; a, a small portion of the membrane investing the liver; b, that part of the diaphragm which furrounds the vena cava; c, the biliary duct; d, the cyffic duct; e, the place where these vessels meet; f, the hepatic artery; o, o, the hepatic nerves; p, p, p, p, the common capfula laid open; q, q, the lymphæducts; m, m, m, &c. the smaller branches of the vena portæ, n, n, n, the fmall branches of the vena cava.

The spleen, or milt, is fituated in the left side under the short ribs, over

against the liver, and under the midriff, between the ribs and the stomach, near to the back part. Its colour in new-born infants is red, because they have been fed with elaborate blood; but in those of ripe age it is of a darkish red colour, and fometimes almost blackish. It is connected by thin membranes arifing from the peritonæum, to the peritonæum itself, caul, and to the left kidney, and fometimes also to the septum or diaphragma. The action and office of the spleen is not to be either the receptacle or the place of the generation of melancholy, (as feveral learned men have thought,) nor to make blood (as many others have imagined,) but to highly perfect the blood already made, that it may serve as a fermentum, both to the daily generated chyle and all the rest of the blood in the body: the excrementitious blood which cannot be separated from the spleen, if it be thin and watery, is purged out, first by the arteries, not only to the guts, but also to the kidneys, by the emulgent veins; hence, in difeates of the spleen, the urine is many times black, in which case we commonly administer diuretics. Secondly, by the stomach; whence, in the fourty and a quartan ague, the fick fpits exceedingly; but, if this excrementitious blood be thick and carthy, it is voided directly by the anus by proper arteries from the guts, by which means the ordure is black, as also by the internal hæmorrhoidal veins, as the great Hippocrates have often shewn.

The reins, or kidneys, are fituated under the liver and spleen, by the loins, between the two coats of the peritonæum, at the fides of the cava and aorta, under which very great nerves lie hid, and reft upon the muscles of the thigh: whence it is that, a ftone being in the kidneys, a numbness is felt in the thigh and leg of that fide. The left kidney is for the most part highest: the right is lowest to give way to the liver, reaching by its end the third vertebra of the loins. They confift of a fubstance folid, fleshy, thick, hard, and compact, almost as the heart, but not fo fibrous. They are connected by an external membrane from the peritonæum to the loins and diaphragm; by the emulgent veffels to the cava and aorta; and · by the ureters to the bladder. The right kidney is tied to the cocum, fometimes also to the liver: the left to the spleen and colon; hence pains of the reins are exasperated by plenty of wind and excrements. The colour of the flesh of the kidneys is red; and through their hollowed fides are carried the emulgent veins and arteries, proceeding from the trunks of the cava and aorta: they have also emulgent arteries, which are large, and derived from the trunk of the aorta, which carry blood for nourishment, and that therefrom the ferum (which is plentiful in the arterial blood) may be separated; they have also one very small nerve on each fide, which springs from the ramus stemachicus, proceeding from the par vagum, and is inferted into the proper membrane of the kidney;

whence

whence arifes the fympathy between the stomach and reins; and that they who are diseased in the kidneys, by the stone or some other distemper, are for the most part sick at stomach, and troubled with vomiting. The use of the kidneys is to attract the sanguineous serosity by the emulgent arteries, that so the mass of blood may be cleansed: which blood, going through these vessels, is always carried through the branches of the emulgents, disseminated abroad through the whole parenchyma of the kidneys, and runs at length into very small passages, so that at last the wheyish humour is thrust quite out into the sless of the kidneys, the good blood remaining partly to nourish them, and partly to return by the little emulgent veins, which are open into the cava, and so to the heart. The serous part is strained through the papillary caruncles, which have holes into the branches of the ureters, and after grow together into one cavity or expansion of the ureter, into which the serum is emptied: through the ureters it passes into the bladder, where it becomes urine.

The deputy kidneys, or black choler cases, are so seated, that they rest upon the upper part of the kidneys, on the outside, where they look towards the vena cava, being covered with fat membranes. In figure and substance they for the most part resemble the kidneys, save that their sless is a little looser: so that they seem like little kidneys resting upon the great ones. They have an apparent internal cavity surnished with a dreggy and black humour: and are strongly connected, where they rest, to the external membrane of the reins, and to the septum transversum, to which they commonly stick in diffection.

The ureters are white veffels, like veins, but thicker, whiter, and more nervous; confisting of a fingle membranous substance, inclosed in a duplication of the peritonæum. They are as long as between the kidneys and bladder, and commonly as thick or wide as goofe-quills: but, in diffection of persons troubled with the stone, they have been so wide as to admit of two fingers. Their origin is in the kidneys, within whose cavities they are divided into nine or ten little pipes or channels, which are fitted to the little fleshy teats or carunculæ papillares, that they may distil the serum into the pelvis, or bason, or large cavities of the ureters within the kidneys. The ureters defcending within the duplicature of the peritonæum, upon the muscles of the loins, to the bladder, are inserted obliquely into its neck; then, ascending upwards between its membranes, they perforate the innermost coat together, and through the same hole they both enter the bladder: in the implantation of the ureters, two little membranes or valves are placed, like the valves in bellows, shutting up the passages of the ureters, fo that the urine cannot go back. They receive finall veins and arteries from the neighbouring parts, and nerves from the par vagum, and marrow of the loins. Their use is to convey the urine from the kidneys into the bladder.

The bladder, or receptacle of urine, is feated between the duplicature of the peritonæum, in the cavity of the hypogastrium, which is called pelvis, or the bason; which in a man lies between the os pubis and intestinum rectum; in a woman, between the os pubis and the neck of the womb. Its figure is oval or globical, that it might hold the more; from the bottom it is by little and little ftraightened into a narrow neck. Its magnitude is various; and, according to the greatness of the lungs, such is the greatness of the bladder; and such animals as have no lungs have no bladder: man, according to his magnitude, has of all living creatures the greatest bladder. Its substance is partly membranous, for ftrength fake, as also that it might extend and wrinkle together. It has two membranes and one muscle, which most anatomists make to be a third membrane, and not a muscle. The bottom is fastened to the peritonæum, and to the navel by a middle ligament called urachus, and the two navel arteries dried up. The neck of the bladder is tied in men to the intestinum rectum; but in women to the vagina uteri, or neck of the womb, and to the neighbouring hipbones. The bladder has three holes; two a little before the neck, where the ureters are inferted, and a third in the neck, through which the urine is voided. The neck is fleshy and fibrous, furnished with a sphincter muscle to purse it up, that the urine may not pass out against our will; in men this neck is long, narrow, and wreathed, because, being placed under the bodies which constitute the yard, it runs upwards under the share-bones, from the fundament to the origin of the yard. In women it is short and broad, stretched forth downwards, and implanted above into the neck of the womb. The bladder has arteries from the hypogastrica in men, and from those which go from the neck of the womb in. women; by these it is nourished; it has veins also from the vena hypogastrica implanted into the fides of its neck, variously differinated through the bladder, which are mutually conjoined one with another and with the arteries by open holes, that nutritive blood may return; and it has nerves from the par vaguin, and from the medulla of the os facrum.

The fpermatic veffels, in men called vafa preparantia, are two-fold, viz. the two fpermatic veins, and the two fpermatic arteries. The right-fide vein fprings from the trunk of the vena cava, a little below the rife of the emulgent, otherwife it must go over the aorta, and then there would be danger of breaking; or, at least, by reason of the pulsation of the artery, the venal blood might be hindered. Both the seminal arteries arise from the trunk of the aorta, about two inches distant from the emulgents: these vessels, being a little distant one from another, are tied together by a thin membrane from the peritonæum. These spermatic preparers are greater in men than in women, and the arteries are greater than the veins, because very much heat, vital spirit, and arterial blood,

are requifite to make feed. These vessels are carried obliquely above the ureters to the groins; but in their progress they are joined by infinite anastomoses or inofculations: fo that the arteries are fo coupled within the coats of the veins, as if they were but one veffel, and they are knit together by a membrane arifing from the peritonæum, and afterwards carried to the beginning of the testicles, like a tendril of a vine, being fo interwoven that a curious eye cannot diftinguish a vein from an artery. This intertexture of veins and arteries being the twiftings of the vafa preparantia, makes a long, thick, glandulous, but hard, cord, called corpus varicofum, which is without any remarkable cavity. These vessels do not pass through the peritonæum, as in dogs, but are carried between its double coat, with a finall nerve from the par vagum and the muscle cremaster, and, passing to the bottom of the testicle, end at the vas deferens. These arteries carry blood and spirits (in whose admirable windings they are more elaborated) to the testicles, from whom they have a virtue feminal: with this blood the stones are nourished, and part of it becomes feed: the veins are closely interwoven with the arteries about the testicle, and joined to them by mutual anastomose; that they may carry back the blood which remains unto the left emulgent, or to the vena cava on the right fide, from whence the spermatic vein commonly springs. If one or both the spermatic arteries be injured, or wanting, as they are sometimes fuch perfons doubtless cannot get children, but must necessarily be barren.

The testicles in men, are glandulous bodies, flaggy, spongy, foft, and white, without any cavity, full of fmall veins and arteries, fuch as are not in any other part of the body. Their figure is oval, but it fometimes varies, according to the turgency of any of the neighbouring veffels. The right tefficle is hotter, and better concocts the feed, than the left: because the former receives the arterial blood immediately from the aorta, the latter from the emulgent. They are feated externally without the abdomen, under the belly, at the root of the yard, in the fcrotum or covering: being commonly in men answerable to the bigness of a fmall hen's egg. The membranes being taken away, the fubstance of the tefficle comes in fight, upon which, athwart, is placed a fmall body, called corpusvermiforme, to the one end whereof cleaves the vas spermaticum deferens, the carrying spermatic vessel, which enters into the substance of the testicle, and empties the feminal matter thereinto: from the other end arises the vas ejaculatorium, which in the beginning is full of turnings and windings, and cleaves firmly to the testicle, by its ends, being loose, and separate in its middle. They have veffels of all forts, veins and arteries from the feminal veffels, and a large nerve from the par vagum: fometimes also they have two nerves from the twenty-first pair of the spinal marrow, which being conjoined with the spermatic vessels, are carried with them through the production of the peritonæum, and diffeminated

diffeminated into the tunicles. They have on each fide one proper muscle, called cremaster or suspensor: and a common muscle, from the membrane of the fcrotum, called dartos. The tefticles have also several tunicles, coats, or coverings; of which two are common: three proper to themselves only. The first coat (which is to defend the part) is constituted of the skin and scarf-skin, and is called ferotum, or burfa feroti, because it is like a purse or bag: it is soft. wrinkled, and void of fat: having in its lower part a line, according to the length thereof; which divides into a right and left part, and is called futura, or a feam. The fecond common coat confifts of a fleshy membrane, springing from the membrana carnofa, which is here thinner than in other places, and full of veins and arteries, and is called dartos: this by many is comprehended under the term scrotum. The first proper coat is called vaginalis, the scabbardcoat; and elicoides, from its thinness, which is yet strong and full of veins, arising from the processes of the peritonæum, and cleaving to the dartos by many membranous fibres, whence its exterior part is rough, its interior fmooth. The fecond proper coat is called erythroides, because of its redness: it has some fleshy fibres from the cremafter, from which it is propagated, and is fpread over the vaginglis. The third and innermost, called albiginea, arising from the coat of the fpermatic veffels, immediately encompaffes the substance of the stones, and as it were binds the fame, being white, thick, and strong. The use of the testicles is to elaborate the feed, and to make it, by their heat and inbred faculty: for the efficient cause of the seed is the proper parenchyma of the testicles, both in regard of their hot and moist temper, and of their specific property; for, the blood being prepared, they convert it into feed; what remains over and above ferves for nourishment of the part, and the remainder is conveyed back, by the spermatic veins, to the heart.

The vafa deferentia are the veffels carrying away the feed; and thefe begin at the tefticles, and end at the root of the yard, whither they carry and ejaculate the feminal humour; being in number two, on each fide one. Now these vafa deferentia, called also meatus feminales, are divided into three parts; the beginning, middle, and end; under which are comprehended, the paraftate, the vasa ejaculatoria, the vesiculæ feminales, and the proslate. The parastate, or affistants, are the beginnings of the vasa deferentia. Their substance is of the middle nature, between that of the testicles and that of the vasa ejaculatoria, being within glandulous and spongy, but without membranous. They have their origin in the stones, making many anastomoses there, with the vasa preparantia, by means of innumerable simal pipes, or white sibres. The use of the parastate is to perfect and finish the feed, by a virtue which they receive from the testicles; and, while the feed is lodged in them,

frequent lust is not provoked. The vasa ejaculatoria are the middle of the vasa deferentia, properly fo called; these convey the seed from the parastatæ or corpora varicosa to the vesiculæ seminales. Their substance is white and nervous: their figure long and round, with an obscure cavity or hollowness: their situation is partly in the testicles, partly in the cavity of the abdomen, above the os pubis or share-bone; for they run upwards, and are knit to the vasa preparantia by a thin membrane, and fo are carried along to the flanks and share-bone, which for that purpose have a slight cavity. After being turned back downwards, they pass above the ureters, and under the hinder part of the bladder; above the intestinum rectum, at the neck of the bladder, they are on each fide widened, and there constitute the feminal bladders. Veficulæ feminales, the feminal bladders, are the end or termination of the vafa deferentia: after the conflitution of these bladders. these carrying veffels are united into one small passage, and are inserted into the prostatæ. These bladders are many in number like little cells, and seem to make on each fide one remarkable great and winding one, for that they go one into another, much refembling a bunch of grapes. Their fubstance is nervous, and they are feated between the digaments of the bladder and the rectum, by the fides of the vafa ejaculatoria, a little before the faid veffels grow thick and unite. Their use is to contain the seed being perfected, and to reserve the same till the time of coition, that so there may be a sufficiency for generation. The prostate, standers before, stoppers, or conductors, are two certain caruncles (in which the vafa deferentia terminate) manifestly differing from the vesiculæ seminales in use, form, fituation, and magnitude. Their fituation is at the root of the yard, above the fphincter of the bladder, on each fide at the neck thereof. Their substance is fpongy, yet harder and whiter than other kernels, and they are also covered with a thicker membrane, being of exquisite sense, that they might cause pleasure in coition. They are flat before and behind, but round on the fides; their magnitude is usually as big as a walnut, and they are open by certain pores into the urethra or urinal paffage, which is evidently apparent in fuch as have died of a gonorrhoa, where they have been dilated, and in whom the feat of that difease did lodge. Their use is to contain a viscous and slippery humour, to moisten the urethra, for the more easy and speedy passage of the seed; and they also serve to stay the involuntary effusion of the seed, and to hinder its regurgitation being once emitted. They terminate in a small caruncle upon the urethra, which as a valve serves to hinder the coming of urine into them: under and by this caruncle, on each fide, there are inconspicuous holes, or pores, through which the seed passes into the urethra, just as quickfilver passes through leather, which it does by virtue of its being replete with a vast quantity of subtil and penetrating spirits. In these pores

of the proflatæ, and in the feminal bladders, the feat of a virulent gonorrhæalics; and therefore, if they be broken, hurt, or dilated, either by a catheter putting into the bladder, or by any other means, there follows immediately an incurable gonorrhæa. The diffance between the root of the ferotum and the podex is called perinæum: this, as well as the pubes and ferotum, is furnished with hair, because glandules are placed here which abound with plenty of humidity, a part of which they fend to the skin for the generating thereof.

The penis, or yard, is an organical part, long, and roundish, but broader on the upper fide than where the urethra is, being the male instrument of generation, and appointed for the evacuation of the feed and urine. It is feated under the os pubis, exactly in the middle, because it is only one in number. Its magnitude is extremely various in different subjects, being for the most part larger than ordinary in little men; also in such as have large noses, for the proportion of the yard very much answers that of the nose; in such as have thick, full, large beards; and in Ethiopians, or blackamoors. It confifts of a fcarf-skin. fleshy membrane, and a proper substance of its own; but it is void of fat even in the fattest men, lest thereby its most exquisite sense should be dulled. Its proper fubstance is four-fold: first, the urethra; secondly, the glans; thirdly and fourthly, the two nervous bodies, one on each fide. The urethra, or passage of the urine and feed, is a pipe of a nervous fubstance, of the same bigness from the neck of the bladder (to which it is joined) to the end of the yard, or beginning of the glans, for in the middle of the glans it has a greater hollowness. Its substance also is thick, loose, and foft, like that of the two lateral ligaments or neryous bodies. This urethra has also two membranes, and a substance proper to itself. The one membrane is internal, thin, and of exquisite sense, with which . also the glans is covered; this springs from the thin membrane which clothes the nerves of the yard: the other is external, more thick and fleshy, and furnished with nerves: the middle part, which is its proper substance, is loose, spongy, and black, that it may be diffended or contracted with the other parts. In the beginning of its channel are the pores through which the feed is ejaculated, as also a little membrane or caruncle like a valve stretched before it, to keep the feed and urine from returning into the spermatic vessels: if it be broken or eroded by sharp humours, or the unskilful use of a catheter, there follows an incurable gonorrhæa. Its use is to be the common passage of the urine and feed. Balanus, glans, the head or nut of the yard, is a hollowed kernel, wider in the middle than at the exa ternal orifice: of a globular form, even, and compassed with a circle or crown. Its substance is flesh, more solid than the rest of the yard, of a most exquisite sense, and covered with an exceeding thin membrane, foft and red. It is covered with the reduplication

plication of the external skin of the yard called preputium, (a putanda, from cutting off,) the foreskin: this is that which the Jews cut off in circumcision. This skin is tied at the root of the glans, by a certain ligament, called franum; the bridle, arifing from a combination of the tendons of the muscles of the yard and a nerve, terminating in the extreme hollowness of the nut. The two nervous bodies, or hollow ligaments, one on each fide, conflitute the remaining and greatest part of the yard; the whole substance whereof being like a thick spongy artery, stuffed with flesh. Their external substance is long, thick, compact, hard, and nervous; their internal fubstance is spongy, thin, hollow, of a net-like texture, framed of innumerable twigs of veins and arteries, of a dark-red colour, inclining to black, and filled with a great abundance of black blood, very full of spirits, which, waxing hot, causes a distention and erection of the yard; these two bodies (where they are thick and round) fpring from the lower parts of the share-bone, or hipbones, to which they are strongly tied with two ligaments. In their beginnings they keep some distance, being separate one from another, almost like a Y, that the urethra may pass between them; but, when they cease to remain perfectly feparate, viz. when they come to the joining at the share-bone, they lose near a third part of their nervous substance; yet they still remain distinct by the coming between of a fingle membranous partition, called feptum lucidum. This membrane is white, thin, transparent, and full of nervous fibres; it arises from the upper part of the commissure of the os pubis, and upholds the said two lateral ligaments, and the urethra, as a stay, the like of which is also found in women. The yard has all forts of vessels, as veins, 1. external, running up and down in the skin. from the pudenda; 2. internal ones, from the venæ hypogastricæ, which are fpread through its whole body. It has arteries, two internal remarkable ones, arifing from the hypogastrica, which are inserted into the beginning of the growing together of the two nervous bodies, which are scattered up and down according to the length of the part: but in the middle, where the feptum lucidum is thinnell, they fend branches through the spaces of the fibres, the right artery into the left nervous body, and the left into the right, carrying spirits and blood to fill up, erecl. and nourish, the yard. It has two nerves from the marrow of the os facrum, which diffeminate themselves through all parts of the yard, both internal and external: afcending through the middle of the forked division, they spread themselves into the muscles, the whole body of the yard, and the glans, that there might be an exquisite fense and delectation. It has also four muscles, two erectors, and two accelerators or ejaculators, under which muscles lie hid the two nervous bodies.

The spermatic vessels in women are the same with those in men, and agree in their number, nature, original, and office; but they differ from those in men in the following

following things: First, they differ in their longitude; in women they are shorter. by reason of the shortness of the passage, but they have more wreathings, windings, and turnings, where they make the corpus varicofum about the testicle, that the feed may have a sufficient stay for its due preparation. Secondly, in their infertion: in women they pass not whole to the testicles, as in a man, but are divided in the midway; whence the greater part goes to the testicles, to form the corpus varicofum; the smaller part to the womb, into whose sides it is differentiated, especially to the upper part of the bottom, to nourish the womb, and the child therein; and that by those veffels some part of the menstrual blood may be purged forth in fuch as are not with child. This fmaller part is tripartite, being divided below the testicle into three branches, of which one runs out into the womb, as aforesaid: the fecond is distributed to the vas deferens, or trumpet of the womb, and to the round ligament: the third creeps along the fides of the womb, infinuating itself among the venæ hypogastricæ, with which and the arteries they are joined by anastomoses: thirdly, the spermatic veins receive the hypogastric arteries as they pass by the sides of the uterus, that the blood might be the better elaborated; and they are intermixed with many wonderful anaftomofes for the preparation of feed.

The testicles in women differ from those in men in these following things: 1. in fituation, for they are placed within the hypogastrium, about two inches above the bottom of the matrix, in such women as are not with child, being tied by certain ligaments: 2. in magnitude, for they are less than the testicles in men; and by reason of their heat they are contracted after the woman is fourteen years of age; whereas, before that age, they are more large, being full of white juice: a. in their furface, for they are more uneven than those of a man: 4. in their figure, for they are more broad and flat on the fore and hinder parts; they are also more hollow. and fuller of spermatic moisture: 5. in their substance, being softer, and if you take off the membrane, you will find them conglomerated or knobbed together of divers little kernels or bladders, five or fix, or more, which contain the thick feed: 6. in their membranes or coats, for, whereas men's have four tunicles, these have but one, because they are in a closer and warmer place: this fingle coat is called by Galen dartos; but, where they receive the feminal veffels, they are half covered over with the peritonæum: 7. in their connection, for they are knit to the fides of the uterus by two manifest passages, viz. by the two upper ligaments, which are loofe and membranous, and out of which, in the time of coition, the feed is cast: 8. in their appendices, these having no parastatæ, nor any cremasters, but are stayed by the broad lateral ligaments, called the bat's wings. Their use is, the same as inman, to make, elaborate, and perfect, the feed.

The

The vafa deferentia, in women, spring from the lower part of the testicles, and are either inferted with a very short passage into the bottom of the womb, or disseminated at the trumpets of the womb, with fundry exceeding small sprigs, not much unlike the venæ lacteæ, arifing from the vafa preparantia, and continued with them, though here changing their name and use. Their substance is firm, white, and nervous. They pass by the membranous ligaments to the matrix, not straight, but wreathed or twining, with a multitude of windings; that the shortness of the way might be recompensed by such a labyrinth. Near the testicles they are broad, afterwards they become narrower, and smaller, and about the womb they become broad again, and are inferted into the cornua, and capacity of it. Their use is partly to carry the feed to the trumpets of the womb, to be there farther perfected, and better elaborated, and to be kept for use: and partly to carry it to the bottom of the womb, where another branch runs into the neck, by which way also the feed is voided, causing (by reason of the length of the way) the greater delectation. The tuba fallopianæ (so called from their likeness to a trumpet of war) are two in number, one on each fide, of a nervous, white, thick, and hard, substance; and of a figure long, round, and hollow. These Spigelius calls vasa caca, because they have but one orifice. They arise from the bottom of the womb, at one end; and, when they have gone a little therefrom, they grow broader by little and little, crifping themfelves like the tendrils of a vine, till they come towards their ends. Then difmiffing their wrinkled crispations, and becoming very broad, they end in a certain extremity which feems membranous and fleshy by reason of their red colour, and at last become very torn and jagged, having large holes which lie always flut, those jagged ends ever falling in upon them, which notwithstanding, if they be opened and widened, represent the broad end of a brazen trumpet. They pass obliquely from the cornua over against the testicles, being carried by the membranous ligament, and (as it were) half compass the testicles, but are distant from them every where about half an inch, they neither proceeding from the stones norbeing inferted into them; and, as in their beginnings they are open, fo in their endings they are shut up and blind, not reaching to or being inferted into any other part. They are commonly fastened by very thin membranes, not much unlike the wings of bats or flitter-mice, through which many veins and arteries are diffeminated from the tellicles into their hollownesses; by which the feed is conveyed from the testicles into these tubæ or trumpets. Their infertion at the bottom of the womb is large, whence springs a nervous pipe, ftretched out nearly to the middle of the trumpet, that by it the feed may be fent. into the bottom of the womb: their middle is capacious, with certain little cells or bladders, containing white feed; after which they are wreathed and criffeed: their

end is narrower again, and blind as aforefaid. Now what the veficæ feminales are in men to preferve the feed, such are these blind passages in women: for they are annexed to the testicles by the aforesaid little membranes, through which many little veins pass, and by which the concocled seed is carried, and here laid up as in a storehouse, where also, by the irradiation of the virtue of the testicles, it is yet better digested, and made more persect; from whence, in the time of coition, it is by the cornua sent into the cavity of the womb.

The uterus, matrix, or womb, is an organical part, the receptacle both of the feed and of the child: and it is fituate in the middle of the hypogastrium, called pelvis, the bason, by the os facrum and flank-bones, between the intestinum rettum and the bladder. Its magnitude, even in virgins of big stature, exceeds not the fize of a walnut: but in women with child it dilates itself into such a capacity as to contain the child: nature made it at first small, that it might embrace the yard, and cherish the feed, because it is but little in quantity. Its figure is said to resemble a pear; but the neck thereof refembles an oblong and round pipe or channel. Its connection is either by the neck or the bottom: the neck is knit by its own substance, and by membranes; but the bottom by peculiar ligaments. On the fore fide the neck is joined to the vesica and the os pubis, by membranes from the peritonæum; on the hind fide, to the os facrum and intestinum rettum; but about the vulva it grows together with the anus; on the fides it is loofely joined by membranes to the periton aum. The fundus, or bottom, is not tied by its substance, but is free; but in its sides it is fastened by two pair of ligaments, which keep the womb suspended or hanging loofe. The upper pair is broad and membranous, which are joined to the os ilium, and end in the bottom, near the cornua: they are foft and loofe, that they may diftend or contract; and by Aretæus they are likened to the wings of bats: if thefe ligaments or muscles be loosened or broken, by difficult labour or other violence, it may cause the falling down of the womb. The two lower ligaments are red like muscles, and round like earth-worms, and pervious to the clitoris, from whence, (like a goofe's foot,) destitute altogether of their hollowness, they spread themselves upon the fore part of the thigh. These arise from the sides of the bottom of the womb, touching at their beginning the vafa deferentia; then, ascending to the groins, they pass through the productions of the peritonæum and the tendons of the oblique descendant muscles of the belly, and are partly obliterated in the membranes of the bones near the clitoris, where they are joined, degenerating into a broad nervous thinnefs, almost like a goose's foot, as asoresaid; and partly run through the inner part of the thigh to the knee: hence it is that women in their first months going with child complain of a pain in the infide of their thighs. The fubstance of the womb is membranous,

membranous, that it may be distended or contracted as need shall require: it is full of wrinkles, which in women impregnated are extended to widen the womb, which after exclusion of the child, as also in age, are again contracted. The membranes of the womb are two, one common, the other proper. The common is doubled, and grows to the fides on each hand: it arifes from the peritonæum, and is exceeding thick, firm, strong, smooth every where except where the spermatic vessels enter, or the ligaments go out. The proper and internal membrane is also double, between both which there are fleshy fibres, such as are found in the stomach, with also here and there a kind of spongy substance. The womb has veins and arteries accompanying one another, which are carried between the tunicles or coats thereof, and cast out their blood into its membranous pipes, but not into its innermost cavity: these vessels arise from above and beneath, viz. from the upper and lower parts of the body; for the blood ought to come from the whole body, that the whole may by the monthly terms be purged, and that, in the time when a woman is impregnated, the child might be nourished. Those which descend from above run all the womb over, especially in the fundus or bottom, being derived from the spermatic veffels, or those by which the vasa preparantia are constituted, as also from the hæmorrhoidal branch, whence is the great confent between the womb and the spleen: the left ends also of the veins and arteries are joined with the right ends, that the right fide may be supplied with plenty of blood. Through the arteries (in women not with child) the menstrual blood always flows: what is not thus evacuated returns back again to the heart by the veins, which are joined to the arteries by many anaftomoses. The veins and arteries that come from beneath, which are larger than the former, spring from the ramus hypogastricus of the cava and aorta, and, running through the neck of the womb and lower part of the bottom, are every where joined with the superior ones by manifold anastomoses. The mouths of these veffels enter into the cavity of the fundus, which, in the time of the flowing of the terms, are opened, and gape, and, because they resemble cups or saucers, are called acetabula or cotylidones: to these, when a woman is with child, the placenta is joined, which receives the blood for nourishment thereof. And, because these branches are carried to the neck of the womb, by them women which are with child fometimes also void their courses. It is furnished with many nerves from the par vagum, and the nerves of the os facrum, which run to the os uteri and parts about the vulva for delectation fake, and to the lower part of the fundus, as also to the upper part thereof, where they are interwoven like a net; hence arises the great sympathy between the womb and the brain. The use of the womb is to attract, receive, retain, preserve, and cherish, the feed, in order to conception: and after conception to contain and

nourish the sœtus till the time of birth. The short neck of the womb, which is its inner neck, is that which contains the orifice leading immediately into the cavity of the womb; this orifice is a hole not large, but fuch as may admit a probe or large quill, and like a mouth may be dilated or purfed in; this entrance is but a transverse line, which when it is exactly opened becometh round: this hole after conception is fo closely shut, that it will not admit the point of a bodkin; but at the time of delivery, it opens itself wide according to the magnitude of the infant, be it ever so great. The cavity of the neck is rough, arifing from wrinkles, whose edges tend inwards, lest the feed which has been cast in should flow out again, as is feen in such barren women as have the flipperiness of the womb. The fundus, or bottom, is the most capacious part of the womb, feated above the os pubis, that it may be there diffended. The external surface of the womb is smooth and even, covered as it were with a kind of humidity: its inner furface is full of porofities, which are mouths through which, in time of a woman's breeding, blood passes out of the vefsels of the womb, to nourish the child. Within the orifice of the inner neck grows a caruncle, which exactly shuts the hole; in which caruncle are to be seen pores which feem to be at the end of the vafa deferentia, terminating at the neck. This neck of the womb is opened in superfætation, in an abortion, in an ejection of a falfe conception, but especially after a wonderful manner at the time of child-birth, when it is widened according to the magnitude of the child: at this (faith Galen) we may wonder, but we cannot understand it: therefore it is our duty to acknowledge the wisdom and power of him that made us. The external or greater neck of the womb, called finus pudoris, is a long channel, hollow, (even while the child is in the womb,) and fituate between the vulva and internal orifice of the womb, being that passage which receives the penis in coition. Its figure is long, (nearly feven inches,) bollow, (large enough to entertain the penis,) and wrinkled within: but its length and wideness are hardly determinable; some fay it is as wide as the intestinum rectum, but it is longer or shorter, wider or narrower, according to the lust of the woman, the penis being always in coition closely embraced by it. Its fubstance is a hard and nervous kind of flesh, and a little spongy like the yard, wrinkled within (chiefly in its upper part) that it might be occasionally dilated. Lastly, towards the middle or external part of this greater neck, in the fore and upper part, near the vulva, is the infertion of the bladder into fight, that from thence the urine may be voided by the meatus urinarius, which is short and straight, but dilatable; it is without covered with a sleshy sphincter, but within black, and of the same substance with the urethra in men.

The membrane called the hymen is the fign or flower of virginity, because it can be found in none but virgins: it is called the flower of virginity from the

blood which flows in the first act of coition. That there is such a thing is not to be doubted; it was the legal fign of a virgin among the ancient Hebrews, as Moses has at large declared, Deut. xxii. 13-21. Secondly, it was a received and known thing in all the eastern countries, as Leo Africanus affirms; and the greatest anatomists conclude, that in virgins who have used no violence to the part, nor have it fretted, eaten, or broken, by any defluxion of sharp humours, it is never wanting. What it is, we now come to enquire into. First, some say, it is a transverse membrane, and they are indeed in the right: but they who would have holes in it, like a fieve, are deceived. Secondly, others fay, it is a transverse membrane, going across the neck of the womb, a little above the neck of the bladder, which refifts the first entrance of the penis. Thirdly, Sebizius faith. that, if this membrane is absent, we must rest in the straitness of the neck and other marks, which being widened in the first coition, pain and effusion of blood follow, by reason of the solution of the continuity. Fourthly, Severinus Pinæus (whose opinion is the newest of all) saith, that the four myrtle-shaped caruncles, tied together by a small membrane, placed in the outer part of the neck of the womb, are the true hymen fo much fought after; and without doubt Pinæus is in. the right: to this Bauhinus agrees; and Bartholinus faith, that he could find noother in a young girl carefully diffected. It is fituate in the neck of the womb, just behind the insertion of the neck of the bladder, or a little more inwards: but its fituation does now and then vary a little: there this membrane goes across. the cavity, much like the diaphragma, or midriff. As to its figure, it has an hole in its middle, big enough to receive a pea, by which the menstrual blood passes: if it be without any hole, so that the courses cannot flow, thence come diseases, and (if it be not opened) at last death. It is connected orbicularly to the neck of the womb, as if it grew out of the same, where it is thicker than in the middle: its fubstance is partly membranous, partly fleshy, yet not very thick: it is interlaced with many little veins, which being broken in the first coition, pain and bloodshed follow, even as they do in some men, where the frænum or bridle of the penis (being exceeding short and straight) is torn or rent afunder. Its use is to defend the internal parts from injury; as also to be the fign of virginity.

The vulva is the external privity, which is that which offers itself to fight before diffection, being located under the fore-region of the os pubis. The more principal internal parts are the wrinkled chinks, the four myrtle-shaped caruncles, the orifice of the urinal passage, and the clitoris: the more external parts are the wings, the lips, the great chink, and the pubes or hairy part. The wrinkled and inward chink is the immediate mouth of the larger neck of the womb, lying behind the myrtle-shaped caruncles: it is of a reasonable largeness, and framed by nature to stay the

feed call into, the neck from too quickly slipping out. The myrtle-shaped carencles are placed to as to appear in a quadrangular form, one at each corner: one of them is placed before or above in the circumference of the hole of the urinary passage to that the same, it being largest and forked, that it might receive the end of the meacus urinarius, and hinder external things from entering: the second is opposite to the former, and is situate below; the two remaining ones are placed collaterally: their figure resembles a myrtle-berry; their magnitude is various in different subjects: their substance is framed of the reduplication of the slessly neck of the womb being partly slessly, partly membranous; they are connected with membranes or valves: their uses are for titillation in the time of coition, and also immediately to shut the orifice of the neck, that air, dust, nor any other matter, may enter. The orifice of the urinal passage, is a hole under the clitoris above the neck: through this women make water, and it seems to be shut with a kind of slessly valve.


The clitoris is called by some nympha, by others tentigo, by others the woman's yard, because it resembles a man's yard in figure, substance, composition, repletion with spirits, crection, and situation. Its figure is somewhat like the glans and præputium of the penis; but it is commonly small, being seated in the middle of the os pubis in the upper and former end of the foffa magna, where the alæ or nymphæ meet; but in its beginning for the most part it lies hid under the nymphæ, and afterwards flicks out a little. Its fubitance is like that of a man's yard, confisting of two nervous bodies, hard and thick, but within full of a black spungious matter, as in the lateral ligaments of the yard. The two lateral ligaments arise from the internal knob of the ischium: the third is between thefe, fpringing from the joining of the os pubis. Its muscles are the same in nature and number with those in a man. Its extremity is the glans, which has a fuperficial hollowness, but not bored through; this is covered with a very thin skin as a preputium, which springs from the joining of the nymphæ. It has veins and arteries, common to it and the privity, and a nerve from the par vagum, larger than its body might feem to require, to give it an exquisite sense, and cause erection. In this is the feat of delectation and lust. The alæ or nymphæ, commonly called wings, appear when the two lips are fevered, being two productions made of a fost and spongy slesh, and the reduplication of the cutis, and situated at the fides of the neck between the two lips: being joined above, they compass the clitoris: they are in number two; in colour red like a cock's gills; in figure almost triangular, but much refembling a cock's comb: in fubstance partly membranous partly fleshy. Their use is the same with the caruncles, as also to convey the urine straight out, that it might not wet the lips. The labia, or lips, are two in number, by which the internal parts are covered: they are constituted to the common teguments

ments of the body, and a great deal of fpungious fat: the lower joining of these lips is in virgins somewhat straight, and seems of a ligamentous substance for firmness, but in married women it is loose, and in such as have had a child still looser. The fossia, or rima magna, begins at the os pubis, and is not much above an inch distant from the lanus, which being much larger than the inner chink, or cavity of the neck of the womb, this is seen as soon as ever the lips are drawn aside: in the softa the lips being opened, two holes appear, (but scarcely visible,) out of which a whitish or wheyish juice issues. In this sossa, are also two collateral chinks, the right and lest, which are between the lips and the wings. The substance the sire of monticuli veneris, is the part where the hair grows, and is properly termed the privity: being longish hillocks, soft, and of a substance the like whereof is not to be sound again in the whole body, being partly skin, partly spongy flesh, placed upon a portion of hard fat.

The membranes infolding the child in the womb, are the first things which are bred in the womb after conception, to defend the more excellent part of the feed: their efficient cause is the formative faculty, joined with the heat of the womb: these in human kind are in number only two, viz. the amnios and the chorion, to which latter belongs the placenta or womb-cake. All these together make that which we call fecundine, or after birth. It is so called, because it is the second habitation of the child next the womb; and also because it comes away by a second birth, after the child or first birth. Annios (from its softness and thinness) is the first membrane; it is the thinnest of the tunicles, white, fost, transparent, and furnished with some few small veins and arteries, which are dispersed within its foldings. It compasses the child immediately, and cleaves almost every where to the chorion, especially at the ends; and is united in the middle thereof, about the placenta, where the vafa umbilicalia come forth, but is eafily separated from the chorion. It contains within it plenty of humidity and humours, in which the child does as it were swim, that so, 1. The child, floating therein, may be the higher, and less burthensome to the mother. 2. That the child may not strike against any of the neighbouring hard parts. 3. That the membranes being broke, and this humour running out at the time of birth, may make the child's way, through the neck of the womb, fmooth, flippery, and eafy. This humour, thus falling, is what midwives call the breaking of the water. Part of the amnios does now and then hang about the head of the child, and then the infant is faid to be born with a caul: fome take this for a prefage of good, fome of evil, fome of short life, some of long; but it has a relation to none of these things, for it has been found on the heads of both happy and miserable, and of both short and longlived, persons. Chorion is the second membrane, and compasses the child like

a circle; this immediately compasses the former, and lies beneath it, whose inner and hollow part it envelopes, extending itself according to the magnitude thereof: it is with fome difficulty separated from the amnios, and strongly bears and unites the veffels to the placenta. That fide next to the child is smooth and slippery; the other fide is fixed immediately to the womb by the faid placenta, which is commonly on the upper and fore fide: it does not encompass the whole child, being constituted of an innumerable company of veins and arteries, between which blood out of the vessels seems to be shed. The placenta uteri, or womb-cake, (because of its shape,) is a wound mass of slesh, furnished with divers vessels, through which the child receives its nutriment. Its substance seems to be constituted of an infinite number of little fibres, with congealed blood interpofed. It has veins and arteries running through it from the umbilical veffels, which are at length loft about the edges of the placenta, making wonderful contextures, and closely knit to the fubflance thereof, being joined together by various anaftomofes, through which the blood in the child runs back out of the arteries into the veins. It is, first, to be a support to the navel vessels under which it lies: secondly, to prepare blood to nourish the child, as the true liver does in grown persons. This blood it sucks out of the veins of the womb, and, preparing it for use, sends it through the greater umbilical vein to the liver of the child, that so it may be carried to the heart, out of which it is fent by the arteries into the whole body of the child for nourishment.

The umbilical or navel veffels (fo called, because, the child being excluded, they are all found to centre in its navel) are in number four, viz. one vein, two arteries, and the urachus; all which are covered with one common membrane or coat, which both encloses all those vessels, and distinguishes them one from another, that they might neither be entangled or broken. The navel vein, paffing through the two-coats of the peritonæum, is inferted into the liver by a cleft, going through the navel, fometimes fingle and fometimes double. It is about five feet and a half in length, being measured to the placenta: it is varioully rolled or twifted about, that its length might not prove troublesome: from the navel it goes over the breaft, from whence it is obliquely carried over the right and left fide of the throat and neck, turning itself back at the hinder part of the head, and so over the middle of the forehead to the placenta: sometimes also it encompasses the neck like a chain, all which you are to understand of the whole cord or navel-string, with the rest of the vessels contained therein. Its use is to convey the maternal blood from the placenta, through the navel, to the child for its nourishment. In this navel-string there are knots transparent in the veins, but not in the arteries, which are nothing but a more thick and fleshy constitution of the membrana carnosa in those parts: from





from the number of these knots midwives pretend to foretel how many children a woman shall have; but these are vain divinations, for there are often more knots in the navel of the last child than of the first. It is about five feet and a half or fix feet long, and about the thickness of a man's finger: when it is dry it becomes fmaller, and is kept as a precious thing to hasten the birth in other persons. The child being born, this navel string must be tied with a strong thread wound often about, the diffance of two or three inches from the belly of the infant, and about three inches from the binding it must be cut off: afterwards the navel is to be carefully looked to till it is dry, and falls off of its own accord. These vessels, after the child is born, do, within the abdomen, degenerate into ligaments: the vein to a ligament of the liver, and the arteries into lateral ligaments of the bladder, because their use is now abolished, there being no longer any paffage of the mother's blood. The urachus is a little cord or ligament, by which the bladder is fustained and fastened to the peritonæum, that, deing diftended with urine, its neck might not be compressed, which thing also is done by the arteries. Hence it appears, that the urine of a child in the womb is certainly voided by its yard into the membrane amnios, (whence it is that it is fo full of water,) a great part of it yet remaining in the bladder, which is the cause that always new-born children are for the first days continually making water. If the urine were not in part thus voided, the bladder would not only be over-stretched, but broken.

To illustrate what has been said, the annexed plate exhibits the kidneys, bladder, and organs of generation, of the human species, both male and semale. Fig. 1. represents the male. A A, are the kidneys; B B, the glandulæ succenturiatæ: C C, the emulgent vessels, together with those distributed over the membranes of the kidneys; D D, the hypogastric vessels, which, branching off from the iliacs, are distributed into the urinary bladder and penis; E E, the course of the uterers; F F, the course of the spermatic vessels, in which several appear cut off, being those distributed in the peritonæum; G, the urinary bladder; H H, the vasa deferentia; I I, the testicles; K, the urachus cut off; L, the penis erected or distended; M M, the erector muscles.

Fig. 2 reprefents the female; in which A, B, denote the capfulæ atribiliariæ; C C, the kidneys: D D, right emulgent veins; E E, right emulgent arteries; F F, vena cava, divided into the iliac branches; G, left emulgent vein; H, left emulgent arteries; I I, right spermatic vein; K, right spermatic artery; L, left spermatic artery; M, left spermatic vein; N N, aorta, divided into its iliac branches; O O, women's testicles; P P, a part of the broad ligament, or bat's wings; Q Q, the trumpets of the womb on both sides; R R, bottom of the womb, shewing the placenta formed, and the embryo perfected; S S, round 32.

ligaments of the womb cut off at the share; T. T., neck of the womb; V. V., venæ hypogastricæ; Y. Y., the passage of the womb; Z., the clitoris and præputium; a, a, a portion of the ureters cut off; b, a portion of the ureters descending cut off; c, c, vasa preparantia dilated; d, vasa deserentia; e, e, the nymphæ; f, the meatus urinarius; g, g, the vagina laid open, with its plicæ; h, the uterus, as stretched in the third month of pregnancy, with the placenta adhering to the fundus.

OF THE THORAX.

THE thorax, chest, or breast, is that which is called the middle ventricle, being circumscribed above by the claviculæ; beneath by the diaphragma; on the fore side by the sternum; on the hinder part by the back-bone; and on each side by the costæ or ribs. Its situation is between the upper ventricle or head, and the abdomen, being the seat of the vital spirits, and consisting of the parts appointed for cherishing the natural heat. Its sigure is almost oval, somewhat slat before and behind, whereas in beasts it is somewhat sharp, so that mankind only lies on the back. Its substance is partly bony, partly sleshy; bony, because it contains not any parts much to be distended; sleshy, because it contains parts which ought to be moved, as the heart and lungs.

The breafts, or dugs, are common to both fexes; in men they are framed of the cutis, the membrana carnofa, fat, and the nipple, and are called mammille. The dugs in women have befides many remarkable veffels, glandules, and pipes, to make and contain milk. The nipple or teat, called papilla, is spongy, like the glans of a man's yard, and perforated through the middle with many small holes for the milk to pass through. It is rougher than the other parts, that the infant may the more firmly hold it, and of an exquifite sense, that the nurse should find pleasure when she gives suck: round about it there is a circle, called arcola; in virgins it is pale and knotty; in nurses, brown; and in old women, black. The veins are two-fold, viz. external and internal: the external arise from the axillary, and are placed under the skin which moves the dugs, and are, called thoracicæ superiores, the upper breast-veins: these, in women with child and fuch as give fuck, are often feen very blue. The internal arife or descend from the trunk of the axillary vein, or ramus subclavius; and are called mammariæ venæ, or dug veins: these are met by other ascendant veins from the womb. and therefore, the child being born, the blood is carried no longer to the womb. but to the breafts; and hence it is that women which give fuck feldom have their courses. How milk is generated and made, the opinions of men are various: fome think it to be made of the venal blood, but they are abfolutely deceived: some think it to be made only of arterial blood, and these err also from

the truth: others fay, it is made of blood and chyle: but our opinion is, that it proceeds from, and is generated of, the chylous juice, and a ferous part of the arterial blood: for that the ferofity of the arterial blood (and not the fubfiance of the blood itfelf) does help to generate and conflittet the milk, we are induced to believe, not only from the foregoing reason, but because no anastomoses of the arteries with the lacteal pipes of the dugs could ever yet be found out: and truly this opinion Bartholine seems to savour, where he saith, that all the blood which is poured out of the arteries into the breasts is not turned into milk, but only the more serous or wheysish part thereof; the rest (that which serves for nourishment excepted) running back again, by the veins, into the heart.

The pleura, or inner covering of the ribs, is a membrane white, thin, hard, and refembling the peritonæum, but thicker and stronger. It arises from the tunicles which cover the intercostal nerves proceeding from the back-bone, by means of which it is continued with the coats of the brain; and therefore it is thicker in the back, to whose vertebræit cleaves as it were inseparably. It is every where double, that the veffels may be carried within the foldings thereof: the inner part, looking towards the lungs and inwards, is thickest, smoothests and as it were bedewed with a waterish humour, that it should not hurt the lungs by any roughness; the outer part is thinner and rougher, that it might cleave the more firmly to the ribs: between these the matter of the pleurify is many times collected, and not only between the pleura and mufcles. wi As! to its figure, it is arched without, bollow within; above it is narrowers below broader, principally towards the fides. From it arise some nervous fibres, by which the lungs are tied to it; if thefe be too strait, the motion of the lungs is hindered, which causes an incurable difficulty of breathing. Its fulles are to cover the whole cavity of the thorax, and render it smooth, that the lungs might not be hurt; and to wrap in all the vital parts, and to defend them from all external injuries. The mediastinum is a membrane standing in the middle of the breaft, dividing the right fide from the left. It arifes from the pleural being a double membrane. Its substance is membranous, yet softer than the pleura; its exterior part is rougher, because of the fibreschy, which it is knit to the pleura: but its inner fide, towards the lungs, is fmooth; and about the veffels' it is commonly full of fat like the caul. The uses of the mediathinum are, First, to divide the thorax into two parts, that, the breaft and lungs being hurt or wounded on one fide, the other might be fafe. Secondly, to hold up the pericardium! firmly, wherein the heart is contained, that it should not rest upon the back-bone when we lie upon our back; neither fall upon the breaft-bone when we bend ourselves towards the ground; nor touch the ribs when we lie upon our fides. Thirdly, to give a fafe passage to the vessels which run through it, as also

to fuffain the midriff, left it should, by the weight of the bowels, be drawn too much downwards.


The pericardium, or cyftis of the heart, is a membrane encompaffing the whole heart, whose pyramidal figure it hath. It is so far distant from the heart as is sufficient to give way for the motion of the same, and to contain the waterish humour. It has two membranes, one exterior from the mediastinum, tied before and behind to the pleura, and is fibrous: and one interior, from the external tunicles of the vessels of the heart: for, within the pericardium, the vessels want their common tunicle, it having been spent upon the pericardium. The original therefore of the pericardium is at the basis from the tunicles which compass the vessels of the heart, which proceed from the pleura. It is connected circularly to the mediaftinum, and the neighbouring parts, with many fibres; but especially to the neryous circle of the diaphragma, to which it cleaves fo exceedingly fast, that it cannot be separated from it without rending, whereby the motion of the heart is directed. Within this pericardium (besides the heart) is contained a serous or watery humour, transparently clear, and in some like water wherein sless been washed: in taste it is neither sharp, falt, nor acid. It proceeds out of the vessels of the heart, being a watery part of the blood; as lympha, and other juices, which go to their proper receptacles. The use of the juice is to cool and moisten the heart, and to make it flippery, thereby to facilitate its motion: also, that the heart, by swimming therein, may be less ponderous, and not strike against any part. Those who have this humour confumed have their hearts dry: if it be in too great a quantity, it causes a palpitation of the heart, and suffocation, and death follows therefrom; if it be quite confumed, a confumption of the body happens.

The heart is a muscular body, included in the pericardium, and situated nearly in the middle of the breast, between the lobes of the lungs; being the primary organ of the circulation of the blood, and consequently of life. Its figure is nearly conic, the larger end being called its base, and the smaller end its apex. Its lower part is plain, and the upper part convex. Its situation is nearly transverse or horizontal; so that its base is in the right, and its apex, with the greatest part of its bulk, is in the lest side of the thorax: and consequently it is there that the pulsation is selt. The plain surface of the heart lies on the diaphragm; the convex one is turned upwards. The heart is connected, 1st, By the intervention of the pericardium with the mediastinum, and with a large part of the middle of the diaphragm; this is contrived by nature, to prevent its being displaced, inverted, or turned too rudely about, in consequence of the various motions of the body. 2. Its base is connected to its common vessels: but its apex is free, and is received in a kind of cavity in the lest lobe of the lungs. The length of the human heart is about six singers' breadth; its breadth at the base is about five singers; and its circumserence about thirteen.

It is both externally and internally forrounded with a smooth membrane. There is a quantity of fat about it, which covers its base and its apex, and serves for Inbrigating it, and for facilitating its motion. Its blood welfels are of two kinds, common and proper a vits common or peculiar veffels being the coronary arteries and veins. The common yelfe's of the heart are two veins, called the bena cava and the vena pulmonalists and two arteries, the pulmonary one and aorta. The nerves of the heart; are finall, and arife from the par vagum and intercollais: the auricles are two. There are also two cavitles in the heart, called its ventricles : of thefe the right is thinner and weaker in its circumference, but ufually much, more capacious, than the left a it receives the blood from the vena cava and the night auricle, and delivers it into the pulmonary artery, to be carried to the lungs. The left ventricle is much fronger and thicker in its fides, but it is narrower and imaller than the rights it receives the blood from the pullifonary vein, and the left auricles, and extrudes it very forcibly into the aorta, "The right veniricle is in the anterior part of the thorax; fo that they might be called the anterior and policion ventricles, much more properly than the right and left. There are, in the fides of both the ventricles of the heart, and of both its duricles, feveral columna garneas or lacertuli, with furrows between them, feeming to many Small and distinct muscles a and from the concourse of the tendinous fibres of these in the heart, othere are formed peguliar membranes situated at the orifices of the auricles of the heart and there are also other columns of this kind, which run transversely from one fide of the ventricles to the other thefe ferve partly to affift the contraction of the heart in itsely fole, and partly to prevent its too great dilatation in its diastole. The valvule of the heart are of three kinds. 1. The triculpidales; these are three in number, and are fituated at the lingress of the vena cava in the right ventricle, 21 The mitrales; thefe are two, and are fieldated in the left ventricle at the ingress of the pulmonary vein: these serve to hinder the ingress of the blood from the heart into the veins again, while they are con-Aricted. 3. The femilunar ones; thefe are three, and are fituated at the organ of the aorta and pulmonary artery, and ferve to prevent the reflux of the blood from them into the heart; these, for the sake of strength, are furnished with a number of fleshy fibres and spheroidal corpuscles. The orifices of the veins of Thebefius and Verheyen, in the hollows of the heart; are for carrying back the blood from the substance of the heart to its cavities. The fibres of the heart are of a muscular substance, and of a most amazing fabric. They are of two kinds, 1. straight ones in the left ventricle; and, 2. spiral ones, common to both ventricles, and of two orders. The exterior ones run to the left, from the base of the heart; the interior ones run to the right; and interfect the others; and, when they act, they closely confringe the cavities of the heart, and drive out the blood Ddfrom - 1389

from them. According to this fabric, the heart may be refolved into two mufcles, each of which constitutes one of its ventricles. The use of the heart is for the circulation of the blood; it receives the blood from the veins, running from all parts of the body; and propels it again, by its own motion, to all those parts, through the arteries. On this depend life itself, the preservation of the frame, and the motions and actions of all its parts. But that the reader may have as distinct an idea as possible of this primary organ of life, we shall lay before him feveral views of it in the plate annexed; where No. 2. represents the human heart feen in its convex part, and in its natural fituation; B marks the branches of the coronary vein; C, the coronary artery; D, the right auricle; E, branches of veins going from the right auricle; G, the trunk of the aorta; H, the trunk of the pulmonary artery; I, the ascending trunk of the vena cava, LL, &c. branches of the aorta, rifing upwards; M, one of the branches of the pulmonary artery; N, N, &c. branches of the pulmonary vein. No. 2. reprefents the heart opened, to shew the structure and form of its ventricles; where A expresses the muscular septum, or partition, which divides the ventricles: B. the right ventricle opening into the right auricle, and into the trunk of the pulmonary artery; C, the left ventricle, opening into the left auricle, and into the great trunk of the aorta. No. 3. and No. 4. represent the heart in different positions; where A marks the ascending trunk of the vena cava; B, the trunk of the aorta; C, branches of the pulmonary vein; D, the descending trunk of the vena cava; and E, part of the right auricle, cut away, to shew the different arrangement of the internal fibres and venous ducts.

The lungs, or lights, are the instruments of breathing, and are the largest vifcus of the thorax: they are fituated in the two fides of it, with the heart, as it were, between them: and are connected, by means of the mediastinum with sternum and vertebræ; with the heart, by means of the pulmonary vessels. and immediately with the afpera arteria. The colour of the lungs, in infants, is a fine florid red; in adults, it is darker; and in old people, livid, or variegated with black and white. When inflated they have fome refemblance to the hoof of an ox; and are convex on the upper fide, and concave underneath. They are divided into two large lobes, the right and left; the left, which is the fmaller, is divided again into two; and the right, which is larger, into three small ones. The membrane with which the lungs are furrounded is continuous with The substance of the lungs is spongious, or vesiculous, and they feem, indeed, entirely composed of a number of small vesicles of a flethy texture. and of a variety of vessels. The vessels of the lungs are the bronchia, the bronchial artery and vein, the nerves, and the lymphatics. The uses of the lungs are. I. To perform the office of respiration, by which the blood is attenuated in the plexus



The Human Heart.



of

plexus of the arteries called the rete vafculofum. 2. To be affifiant to the voice in speaking, and to the sense of simelling. They are also emunctories of the blood, and are of many other important services. The principal diseases to which the lungs are subject, are the assumance of supplementary, &c.

OF THE GENERATION AND CIRCULATION OF THE BLOOD.

THE origin of the blood is in the chyle, which, paffing the lacteals, is delivered into the fubclavian; where, mixing with the blood, they proceed together to the right ventricle of the heart; and there, being yet more intimately mixed, they circulate together through the whole body: till, after feveral circulations, and fecretions at the feveral ftrainers of the body, they are affimilated fo as to make one uniform compound mass, which appears to be nothing else but chyle altered by the artifice of nature, and exalted into blood; there being no appearance of any thing extraneous mixed with the liquor circulating in the blood-veffels, but chyle; excepting what had been before separated from it for some particular purposes, which being once ferved, it is returned to it again; unless, perhaps, it may receive some portion of air in the lungs.

The blood, while in its veffels, appears to the naked eve uniform and homogeneous; but, when let out and cold, it separates spontaneously into two different parts, the one red and fibrous, which coheres into a mass, and is called the cruor; the other thin and transparent, which retains fluidity when cold, and, being supposed specifically heavier than the other, sustains and bears it up, and is called the ferum. If the red part of the blood bears too great a proportion to the ferum, which is the case of athletic persons, and others who do not take a fufficient quantity of drink with their meat, the fault may be corrected by leffening the meat, or by increasing their drink. In the beginning of fevers, the proportion of the red part of the blood to the ferum is greater, and at the end of them lefs, than it is in health. The change of this proportion is owing to perfons under this diforder living wholly on drink and liquid nourishment; and bodies loaded with ferous moisture, being an argument of too small a proportion of the red part of the blood to the ferum, have been freed from their load by abstaining wholly from drink. There are other causes besides the bare quantities of meat and drink, which vary the proportion of the red part of the blood to the ferum: for this proportion is greater in country-people than in citizens, in persons who use exercise than in persons who are inactive, and in persons who live upon flesh meats and fermented liquors than in persons who live upon vegetables and water. In short, this proportion is increased by things which dry the body and strengthen the fibres; and lessened by things of a contrary nature. Too great a proportion of the red part of the blood to the ferum renders bodies fubject to inflammatory fevers on taking cold. The blood is found to confift chiefly

of phlegm, as the basis or vehicle; for from the best experiments it appears, that in seven ounces of human blood there are sive ounces two drachms of phlegm, three drachms of a subtile spirituous oil, a small quantity of a thicker oil, two drachms of salt, and about two of earth. From these constituent parts of the blood, variously combined and distributed by the circulatory motion impressed by the heart, and by the oscillatory expansive motion of the interspersed air, and the re-action of the contractile vessels, show all the properties and operations of the blood. From this mixture of elements, and their lax composition, it becomes susceptible of various alterations and impressions; the principal whereof are, coagulation, which usually attends it out of the body, sometimes in it, and scarcely ever without an artificial procurement, but always mortal; and dissolution, which is just opposite to the former, and consists in such a comminution of the sibrous parts of the blood as indisposes it for the separation of the cruor from the serum. This is frequently the consequence of malignant and pessellential severs, &c. and is likewise occasioned by some kinds of possesses

The circulation of the vital blood is performed through the arteries: and its course is from the heart towards the extremes of the body; and this from every part of the body, internal and external; still out of a wider part into a narrower, out of the trunk into the branches. And it is on this principle alone, that all the blood may be derived into an artery, and evacuated at it. For it is evident that all the arteries of the body are continually bringing the blood from the left part of the heart, through the trunks of the arteries, into the branches; and on the contrary that all the veins, excepting the porta, are perpetually bringing back the blood from the extreme parts into the heart. The blood being arrived here, its motion or circulation is continued as follows. The auricles of the heart, being large hollow muscles, are surnished with a double series of strong fibres proceeding with a contrary direction to two opposite tendons, the one adhering to the right ventricle, the o her to the finus venofus; as also with innumerable veins and atteries; by the contractile force of these auricles, the blood is vigorously expressed, and driven into the right ventricle; which, upon this contraction, is rendered flaceid, empty, and disposed to admit it. If now the right ventricle, thus full of blood. by the contraction of its fibres, presses the blood towards the aperture again, venous blood, at the fame time pouring in, will drive it back again into the cavity and mix it more intimately; till rifing up against the parietes, it rai es the valvulæ tricuspides, which are so connected to the sleshy columns extended on the opposite side, as that when laid quite down they cannot close the pariets of the right ventricle; these it thrusts towards the right auricle, till being there joined they stop the passage very closely, and prevent any return. By the same means the same blood rises up into the three semilunar valves, placed

placed in the extremity of the other mouth, and lying open to the pulmonary artery; these it stuts close against the sides of the artery, and leaves a puffage into the artery alone. The venous blood, therefore, that is, the blood of the whole body, continually moves out of the finus, or trunk of the vena cava, through the right auricle and right ventricle, into the pulmonary artery, in a continued and forcible ftream. The blood carried by this artery into the lungs, and diffributed by its branches through the whole substance thereof, is first admitted into the extremities of the pulmonary vein, called arteria venofa; whence, passing into four large veffels, which unite together, it is brought to the left finus venofus, or trunk of the pulmonary vein; by the force of whose musculous firucture it is driven into the left ventricle, which on this occasion is relaxed, and by that means prepared to receive it. Hence, as before, it is driven into the left ventricle, which is relaxed by the same means; and the valvulæ mitrales, opening, admit it into the left ventricle, and hinder its reflux into the pulmonary vein. From hence it is forced into the aorta; at whose orifice there are three semilunar valves, which also prevent a reflux by closing the same. And thus is circulation effected; all the blood fent into the lungs, and received in the arteria venofa, finus venofus, left auricle, and ventricle, being here continually propelled into the gorta, whose ramifications are spread throughout all the rest of the body, with a violent motion. Thus is all the blood, in its return from every part of the body, internal and external, and from every part of the heart and its auricles, impelled into the right ventricle; out of that into the lungs; thence into the left ventricle, and thence through the whole extent of the body; and thence again brought back to the heart.

In a fætus, the apparatus for the circulation is somewhat different from that above described. The feptum, which separates the two auricles of the heart, is pierced through with an aperture called the foramen ovale; and the trunk of the pulmonary artery, a little after it has left the heart, sends out a tube in the descending aorta, called the communicating canal. The blood in the lungs of the fætus has none of the advantages of air or respiration; which yet being necessary, nature, it is supposed, takes care that it receives a portion of air, mixed together with its mother's blood, and transmitted to it by the umbilical vessels, to be diffused through the body. This is confirmed hence; that, by constringing the navel-string very tight, the child dies like a man strangled; which appears to be owing to nothing but the want of air. Add to this, that, as soon the mother ceases to respire, the fætus expires.

As to the velocity of the circulating blood, and the time wherein the circulation is completed, feveral computations have been made. By Dr. Keill's account, the blood is driven out of the heart into the aorta, with a velocity which would carry

it fifty-two feet in a minute; but this velocity is continually abated in the progress of the blood through the numerous sections, or branches, of the arteries; to that, before it arrives at the extremities of the body, its motion is infinitely diminished. The space of time wherein the whole mass of blood may ordinarily circulate, is variously determined. Some of the latest writers state it thus: Supposing the heart to make two hundred pulses in an hour, and that at every pulse there is expelled an ounce of blood; as the whole mass is not ordinarily computed to exceed twenty-four pounds, it must be circulated seven or eight times over in the space of an hour. The imp etus, occasioning the circulation. is great enough in some animals to raise the blood six, seven, or eight, feet high from the orifice it spins out at; which, however, is far exceeded by that of the fap of a vine in bleeding-time, which will fometimes rife upwards of forty feet high. The heat and motion of the blood are always greater, from a greater activity in the foul, in the day than in the night; and they are likewise ever greater from the food taken in the day-time: for the pulse is always quicker after eating than before it; after a full meal than after a spare one; and after a meal of drier and stronger food, than after a meal of food that is moister and weaker.

OF THE PULSES.

THE pulse is that reciprocal motion of the heart, and arteries, whereby the warm blood, thrown out of the left ventricle of the heart, is so impelled into the arteries, and so distributed throughout the whole body, as to be perceived by the finger. It is certain, that life, health, and the due order of the whole body, depend upon a proper and equable circulation of the blood and humours through the folid parts; fo that, the better regulated and the more equable the circulation is, the more perfectly nature preferves herfelf, and cures the difeases incident to her; and, on the contrary, the more this circulation recedes from a due and equable state, the weaker nature is found to be, and the more subject to misfortunes and diseases. Now every one must own, that the circulation of the blood cannot be better investigated than by feeling the pulse, not in a superficial manner, but for a sufficient time: for the pulse not only discovers the imperfections and strength of the whole body, but also the nature of the blood and the state of the various fecretions. And, as a pendulum of a clock, by its equable and regular vibrations, manifests the worth of a clock, so the pulse discovers the habit of the patient, and the vigour or deprivation of all the functions.

A moderate, constant, and equal, pulse, is the rule and measure by which we are to judge of the rest. A moderate pulse, is that which is large, but neither quick nor slow, hard nor unequal: this is the pulse with which all others ought to be compared, and which denotes the best state of health, the absence of all preter-

natural

natural and foreign things, and a due and temperate degree of heat; for, when fuch a pulse is present, the fluids are duly spiritous, the fibres possessed of their natural tone, the blood temperate and fluid, and confequently the transpiration free, the nutrition good, the animal functions vigorous, the fecretions duly carried on, and the patient in a flate of good health. But, when the pulse is quicker, and consequently more frequent than usual, it indicates, a preternatural irritation of the heart, as the ancients express it, unless it proceeds from external causes. But, if fuch a pulse continues long, it infallibly denotes a disorder accompanied with an increase, and even a fever. It is generally produced by an intestine motion of the blood, and a change induced on the crafts of the spirits, by an admixture of heterogeneous and often caustic particles. When the pulse is vehement, and at the same time quick, it indicates a severish intemperature, an admixture of fomething heterogeneous with the blood, lymph, and spirits; but at the fame time a large quantity of health and spirits. If a vehement and quick pulse is also large, the circulation of the blood is brisk, the heat and thirst great, and the whole habit red and turgid. Where the pulse is small, and little blood is conveyed from the heart to the arteries, and from the veins to the heart, the circulation of the blood is faint and languid. Hence the transpiration and fecretions are but small, and the strength little; but, if a small pulse is at the same time weak, frequent, and thick, it denotes a great languor of the strength, a preternatural intestine motion, and a weak circulation of the blood; and, if this species of pulse continues long, it indicates malignity and great danger.

A flow pulse generally denotes a viscidity, thickness, and weak circulation, of the blood, together with a languor of the fecretions; but, if it is at the fame time weak, it is dangerous, and raifes a fulpicion of a total loss of strength. But a pulse which is flow and large denotes sufficient remains of strength, tension, and thickness, of the fibres of the heart and arteries; and a viscid and tenacious blood? All unequal pulses are very bad, fince they denote that there is neither a due influx of the spirits, nor a proper and equal mixture of the blood; but particularly fuch pulses always prognosticate unlucky events, when they are weak. Intermittent pulses are also of a bad kind, or generally accounted the presages of death. But it is not universally so; for an intermittent pulse frequently happens without danger, where, for instance, the symptoms are of a bad kind, and the patient's strength still entire. Hence this species of pulse frequently happens in hypochondriac and melancholic patients, where the intestine motion of the blood is diminished by its thickness. But, when the pulse is weak and quick at the fame time, it generally prognofficates death. A hard pulse generally indicates pains, spasms, and convulsions, because the fibres of the heart and arteries are spasmodically constricted. The irregular, caprizating, and disconti-

95

nued, pulfes, denote a very bad state of the body, both with respect to the fluid and solid parts.

It is carefully to be observed, that one kind of pulse is not found in all perfons; for the pulle depends on the tone of the mulcular fibres, on the influx of the spirits, and the nature and temperament of the blood; and as all these are suprifingly various in human bodies, with respect to age, sex, the season of the year, the climate, the method of life, the fleep, and the passions of the mind. fo also the pulses differ from each other according as these circumstances differ. Thus men generally have a large and vehement pulse, and women one of a more flow and weak kind; for the former have stronger fibres and a hotter blood than the latter. For this reason also, the circulation of the blood is brifker in men than in women; and the former do not generate such loads of redundant blood and humours as women, who are generally weaker, and more fubject to diseases. Choleric persons, and those of sanguineo-choleric constitutions, have a larger, quicker, and more vehement, pulse, than phlequatic and melancholic persons; for which reason the fluids move more quickly, the excretions are made more expeditiously, and the blood is more fluid, in the former than in the latter; for the blood of the former is impregnated with a larger quantity of oleous and fulphurcous parts, which are the fource and matrix of heat and spirituous quantity. Thus also, those of a slender habit, who have strong fibres, and large veffels, have a larger and stronger pulse than those who are fat; and more capable of enduring fatigue. This is also the reason why those who are naturally thick and fat are more readily feized with fickness, and destroyed by it, than those of slender habits. In infants and children, the pulse is frequent and foft, whereas, in old persons, it is slow and large, whilst in young persons, and those full grown, it is large and vehement; for generally infants and children generate a larger quantity of humours (which are necessary to their growth), and collect a great deal of fordes, which is the reason why infants and children are more generally feized with fickness, and more readily die of it, than youths and adults. Old persons have thick blood, but rigid fibres: for which reason their pulse is hard, and makes a forcible impression on the touch; but in infants and children the pulse is foft, on account of the tenderness and laxity of the fibres. The pulse is also changed by the season of the year, the exercise of the body, the aliments, and the affections the mind. In the middle of the fpring, the pulse is large and vehement; at this season also the strength is greatest; for which reason persons are at that time most rarely fick, and recover most eafily: in the middle of the summer the pulse is quicker and weaker, because by the intense heat the strength is impaired, while the intestine motion of the fluids is greater than it usually is. In autumn the pulse is flower, fofter, and weaker, than

at the middle of the fummer. Exercise increases the pulse, and consequently the circulation of the blood, whilst an idle and inactive state renders the pulse slow, weak, and languid, and diminishes the circulation of the sluids. Spiritous aliments renders the pulse large, vehement, and frequent. The pulse of such as are asseep is slow, small, and languid; but, as soon as they awake, it forthwith becomes larger, quicker, and stronger; the pulse of those who are angry is large, vehement, and quick; that of such as are frightened, frequent, small, and inactive; and of those who are forrowful, small, languid, and slow; hence the common and ordinary affections of the body change the pulse, so that, without duly adverting to these affections, the pulse cannot be certainly understood, nor can it be determined how far it recedes from a natural state in consequence of diseases.

The natural pulse is therefore to be selt and to be observed, not immediately after exercise, bathing, immoderate eating, drinking wine, or other causes which agitate the heart and spirits; for we are to determine nothing about the pulse till the force of external causes has ceased, and all perturbations of the body are allayed; for the pulse is the most certain sign and criterion for judging of the motion of the heart and blood; but, if the pulse alone is observed, without paying a due regard to other circumstances, it may lay a soundation for forming a sale judgement; since the pulse may be disturbed by a thousand abstract causes.

All authors, both ancient and modern, agree, that a frequent pulse, in every species of fever, whether continual or intermittent, whether benign or malignant, whether in its beginning or at its height, proves such a fever to be prefent; hence the quick or frequent pulse is considered as the true essential fign of fevers; but this frequency is either greater or less, and affociates itself with the great or vehement, or with the small and weak, according to the diversity of fevers, and the times of the difease. A frequent pulse, when weak and small, is scarcely ever good; fince it denotes a languid and flow circulation of the blood; but a frequent, large, and vehement, pulse, such as is generally observed in the height of continual fevers, denotes a brisk circulation of the blood, and an increased heat of the body. In investigating the cause of a frequent pulse, which is generally preternatural, and accompanies feveral diforders, we shall follow the accurate Bellini, who accounts for the motion of the heart from the influx of the blood through the coronary arteries, and of the nervous fluid through the nerves, into the fibres of the heart; whence he concludes, that the mufcles of the heart are most frequently moved when the nervous fluid is most frequently conveyed into them, which happens, when it is forced into them by a fufficient quantity of blood flowing forcibly into the brain. Now by a frequent contraction of the heart a frequent pulse is produced, which indicates that a proper quantity of blood is conveyed to the brain, and that the brain is forcibly

TIO CULPEPER'S ENGLISH PHYSICIAN,

preffed, which will happen, either when the blood stagnates therein, in consequence of an obstruction of its veins, or when the blood contained in these veins cannot flow in other parts, or in the lungs; or when the blood is thrown into a state of effervescence, by which it assumes a tendency to move in every direction with a greater impetus, and by that means presses the brain more powerfully; the muscles of the heart also move more frequently when irritated by any stimulus. If, therefore, the blood is too acid or hot, soas to stimulate the sinuses of the heart, the heart will be more frequently contracted, and the frequency of the pulse will indicate a stimulating quality in the blood.

Since from the pulse we thus form a judgement not only of the circulation and temperature of the blood, but also of the motion of the spirits, and the strength of the patient so the knowledge of the pulse, and a due attention to it, become of fingular fervice, not only in investigating the nature of disorders, and forming a right judgement concerning them, but also in prescribing medicines for their cure. But they must be carefully, not superficially, consulted. The physicans of China are far more careful in this respect than those of Europe; for the Chinese often fpend a whole hour in feeling the pulse, whilst the English physicians have hardly patience to feel above two pulfations; a practice highly culpable, fince, after ten strokes of the artery, an inequality or intermission often occurs, which happens when the unequally-mixed blood passes through the heart. The pulse is also to be felt in both wrifts, in the neck, and in the temples; fince it it is certain from experience, that the pulse in the wrifts frequently varies, and may be more commodiously felt in one than another. We ought also to advert to the pulses of other parts; thus, fometimes hypochondriac patients perceive a large pulse under the ribs on the left fide, which happens when a quick and viscid blood, exagitated by heat, or any other cause, endeavours to procure a quick passage through the pancreas and spleen, but, stopping in their narrow vessels, produces a pulsation, and a kind of pricking pain.

In continual and malignant fevers a large internal pullation in the veins of the head generally denotes a fubfequent delirium; fince it is a fign that the blood there congested circulates slowly, till at last, becoming stagnant, it produces a violent inflammation of the meninges. If a large pulse arises from an excessive ebullition of the blood, so that in severs the veins of the temples beat, and the face is turgid, without a softness of the præcordia, there is reason to suspect that the disease will be long, and that it will not terminate without a large hæmorrhage from the nose, an hiccough, convulsions, or sciatic pains. The reason of this is, that the redundant blood seeks for an outlet either by the nose or the hæmorrhoidal veins; and, the sooner this happens, the sooner the patient is free from his disorder.

When a pulfation is observed in any part of the body, where at other times it is

not felt, we may certainly conclude; that the part is influmed and difforfed to a fuppuration, especially when it is accompanied with tumor and pain. A chard pulse is almost an infallible firm in the membraneous parts; for this hardness of the pulse, or excessive tension and vibration of the artery, indicates fomething of a foalmodic nature, ariting from the confent of the parts, and produced by the inflummation and pain. The pulle of persons labouring under disorders of the breast, or a palpitation of the heart, is frequent, unequal, and languid; but fuch a pulse, unless when wehement, is accompanied with no preternatural heat, and happens because the blood does not pass through the sinuses of the heart and the lobes of the lungs. In weakness, and a disposition to syncopes, the pulse is generally small, rare, and languid; but, if the pulse is absolutely imperceptible, the body covered with a cold fweat, and the functions of the mind are not totally destroyed, I have observed, that the patient infallibly dies infix hours; and such a fituation I have feen produced by corrofive poison. It is to be observed, that about the critical times in fevers, when nature 'endeavours to throw off the fuperfluous and peccant matter by flool or fweat, the pulse, though languid, is yet more regular and less frequent, which is a certain fign of recovery. But, if the pulse is for and undulating, it is a fign that a falutary and critical fweat is just coming on.

It is also to be observed, that the pulse is changed by medicines. Thus after draftic purgatives, which procure too many stools, the pulse is generally preternaturally quick. After venæsection, especially in plethoric habits, the pulse becomes quicker, a fign that the circulation of the blood, in confequence of its having a larger space, is happily increased, since by this means a suppression of the menses or hæmorrhoids is generally removed. It is certain, not only from the authority of Sydenham, but also from experience, that, after the use of chaly beats, the pulse is quicker, the face redder, and the heat greater. Strong fudorifics, composed of volatile oleous substances, greatly increase the pullation of the heart and arteries; on the contrary, anodynes, opiates, preparations of nitre, precipitating powders, acids, and such things as diminish the intestine motion of the blood and fix its sulphur, render the pulse calm and moderate in pains, inflammations, and febrile intemperature. Some very useful and important rules for the exhibition of medicines are drawn from the state of the pulse: thus purging and vomitting are contra-indicated by a too quick and vehement pulse; for, when the blood is in a violent motion and ebullition, the fecretions are generally very languid. If the strength is defective, which may be known by the languid state of the pulse, emetics and purgatives diminish the strength still more; so that the physician ought to consult the pulse before he exhibits them. For when the pulse is strong, and the motion of the blood regular, these artificial evacuations are most beneficial, and fucceed best. The same caution is necessary in the exhibition of sudorifics and all analeptics, which convey heat and motion to the blood; for if the pulse is strong and frequent, such spiritous substances do more injury than good; they rarefy the blood too much, and accelerate its intestine motion; by which means a delirium and other inflammations are frequently broughton. Great circumspection and attention to the pulse are also requisite in the exhibition of narcotics or opiates; for, as these are possessed of a power of stopping the motion of the blood and spirits, and consequently of impairing strength, so they ought never to be exhibited when the pulse is weak, languid, and small, but are to be avoided like poison.

OF DISEASES IN GENERAL, THEIR PREVENTION, AND CURE.

DISEASE introduced the art of Medicine, which, in a primitive fense, communicates the means of preserving health when present, and of restoring it when lost. If we look back into the origin of the medical art, we shall find its first foundation to be owing to accidental events, and natural instinct. In the early ages, the sick were placed in cross ways, and other public places, to receive the advice of such passengers as knew a remedy suitable to their complaints: and, the better to preserve the memory of every remarkable cure, both the disease and the remedy were engraved on pillars, that patients in the like cases might resort to them for instruction and relief. Hence an insight into the virtues of herbs and plants, of metals and minerals, was originally acquired.

Asto the part which reason has acted in the improvement of medicine, it feems to have confifted in observing, 1. That diseases attended with particular circumstances, called symptoms, were sometimes cured without the affistance of art, by spontaneous evacuations, as hæmorrhages, diarrhæas, vomitings, or sweats: whence bleeding, purges, and vomits, took their rife. 2. That the patients were often relieved by the breaking out of various tumours; whence arose the application of topical remedies. And, indeed it is the best method of improving physic, to observe carefully what means nature, unaffisted by art, employs to free the constitution from distempers; since many important hints may be thence taken, for the relief of other patients under the like circumstances. He who would advance the healing art, ought to collect a felect treasure of practical observations, rest satisfied with a few but well-chosen medicines, be thoroughly acquainted with their virtues and efficacy in different conflictions and difeases, despise the cumbersome load of recipes with which practical writers of an inferior rank abound, reject the fo-much extolled medicines of the chemists. and attempt the relief of patients by a proper diet and exercise, and such medicines

dicine as observation and found philosophy recommend: for to the improvement of anatomy and natural philosophy is much of the success of physic to be attributed. The knowledge of medicines, or fuitable remedies, is also highly neceffary in those, who, in order to moderate the impetus in acute disorders, make evacuations, blunt acrimony, dilute too thick fluids, condense those that are too thin, brace up too lax parts, and relax fuch as are too much constricted; they also drive the humours to parts where they will be least prejudicial, upon occasion mitigate pain, and in languors use stimulating medicines. Wine, vinegar, barley, nitre, honey, rhubarb, opium, and other fimples, are found both fafe and powerful medicines. Sydenham tells us, that all manner of diseases may be cured by bleeding, purging, with a subsequent opiate, and proper regimen. In chronical diseases, mineral waters, salts, diaphoretics, soap, mercury, steel, with a few vegetables, and proper exercise will generally effect the cure. In a word, what is there in the most elaborate preparation, that is worth half the pains taken. about it? Mercury, opium, the Peruvian bark, and other fimples, with fire and water, are acknowledged as the furest remedies by the ablest masters of the art; and these are found to be more efficacious in that crude state, in which bountiful nature has imparted them to us, than after the most operose and artificial preparations. We can despair of nothing, while we follow simplicity; but the event of intricate labour is fallacious.

Diseases, in this and other countries, often flow from local circumstances; whence they admit of great mitigation, and sometimes of being entirely prevented, particularly if proper and timely means betaken for that purpose. Diseased parents, unwholesome food, confined air, and uncommonly wet, cold, damp, or hot, seasons, are the forerunners of various disorders; and, as these are generally foreseen and known, it should be the duty of every individual to guard against them.

Men are also exposed to particular diseases from the occupations which they follow, chemists, founders, glass-makers, and several other artists, are hurt by the unwholesome air which they are obliged to breathe. This air is not only loaded with the noxious exhalations arising from metals and minerals, but is so charged with phlogiston as to be rendered unfit for expanding the lungs sufficiently, and answering the other important purposes of respiration. Hence proceed assumes, coughs, and consumptions of the lungs, so incident to persons who follow these employments. Such artists ought never to continue too long at work; and when they give over they should suffer themselves to cool gradually. They ought never to drink large quantities of cold, weak, or watery, liquors, while the body is hot, nor to include in any thing that is cold on the stomach.

Miners, and all who work under ground, are likewise hurt by unwholesomeair. The air, by its stagnation in deep mines, not only loses its proper spring and other 33. G_g

qualities necessary for respiration, but is often loaded with such noxious exhalations as to become a most deadly posson. Miners are not only hurt by unwholesome air, but likewise by the particles of metal which adhere to their skin, clothes, &c. These are absorbed, or taken up into the body, and occasion palsies, vertigoes, and other nervous affections, which often prove fatal. Fallopius obferves, that those who work in mines of mercury feldom live above three or four years. Lead and several other metals are likewise very pernicious to the health.

All who work in mines or metals ought to wash carefully, and to change their clothes as soon as they give over working. Nothing would tend more to preserve the health of such people than a strict and almost religious regard to cleanliness. Plumbers, painters, gilders, smelters, makers of white lead, and many others who work in metals, are liable to the same diseases as miners, and ought to observe the same directions for avoiding them. Tallow-chandlers, boilers of oil, and all who work in putrid animal substances, are likewise liable to suffer from the unwholesome smells or effluvia of these bodies. They ought to pay the same regard to cleanliness as miners: and when they are troubled with nausea, sickness, or indigestion, they should take a gentle purge.

Those who follow laborious employments are in general the most healthy of mankind; yet the nature of their occupations, and the places where they are carried on, expose them to some particular diseases. Husbandmen, for example, are exposed to all the vicissitudes of the weather, which, in this country, are often very great and sudden, and occasion, colds, coughs, quinsies, rheumatisms, severs, and other acute disorders. They are likewise forced to work hard, and often carry burdens above their strength, which, by overstraining the vessels, occasions assume as the carry burdens. &c.

Such as bear heavy burdens, as porters, labourers, &c. are obliged to draw the air with much greater force, and also to keep their lungs distended with more violence, than is necessary for common respiration: by this means the tender vessels of the lungs are overstretched, and often burst, insomuch that a spitting of blood or sever ensues. Hippocrates mentions an instance to this purpose, of a man, who, upon a wager, carried an ass; but was soon after seized with a sever, a vomiting of blood, and a rupture. Carrying heavy burdens is generally the effect of mere laziness, which prompts people to do at once what should be done at twice. Sometimes it proceeds from vanity or emulation. Hence it is, that the strongest men are most commonly hurt by heavy burdens, hard labour, or seats of activity. It is rare to find one who boasts of his strength without a rupture, a spitting of blood, or some disease, which he reaps as the fruit of his folly. When the muscles are violently strained, frequent rest is necessary, in order that they may recover their tone; without this, the strength and constitution will soon be worn out, and a premature old age brought on.

Labourers in the hot feason are apt to lie down and sleep in the sun. This practice is fodangerous, that they often wake in a burning fever. Those ardent fevers, which prove fo fatal about the end of fummer and beginning of autumn, are frequently occasioned by this means. Fevers of a very bad kind are often occafioned, among labourers by poor living; when the body is not sufficiently nourished, the humours become viriated, and the folids weak; from whence the most fatal consequences ensue. Poor living is likewise productive of many of those cutancous diseases fo frequent among the lower class of people. It is remarkable that cattle, when pinched in their food, are generally affected with diseases of the fkin, which feldom fail to disappear when they are put upon a good pasture. This thews how much a good state of the humours depends upon a sufficient quantity of proper nourishment. Poverty not only occasions, but aggravates, many of the diseases of the laborious, and makes them miserable indeed. Here the godlike virtue of charity ought always to exert itself. To relieve the industrious poor in distress, is furely the most exalted act of religion and humanity. They alone who are witnesses of those scenes of calamity, can form a notion of what numbers perish in diseases, for want of proper affishance, and even for want of the necessaries of life.

Soldiers fuffer many hardships from the inclemency of seasons, long marches, bad provisions, hunger, watching, unwholesome climates, bad water, &c. These occasion severs, fluxes, rheumatisms, and other fatal diseases, which generally do greater execution than the fword, especially when campaigns are continued too late in the year. A few weeks of cold rainy weather will often prove more fatal than an engagement. Sailors may also be numbered amongst the laborious. They undergo great hard hips from change of climate, the violence of the weather, hard labour, &c. One great fource of the diseases of sea faring people is excess. When they get on-shore, after having been long at sea, without regard to the climate, or their own constitutions, they plunge headlong into all manner of riot, and even perfift till a fever puts an end to their lives. Thus intemperance, and not the climate, is often the cause why so many of our brave sailors die on foreign coafts. Such people ought not to live toolow; but they would find moderation the best defence against severs, and many other maladies. We have reason to believe, if due attention were paid to the diet, air, clothing, and above all things to the cleanliness, of scafaring people, they would be the most healthy set of men in the world; but, when these are neglected, the very reverse will happen.

Nothing can be more contrary to the healthand nature of man than a fedentary life, yet this class comprehends the far greater part of the species. Almost the whole female world, and in manufacturing countries the major part of the males, may be reckoned fedentary. But, though sedentary employments are necessary,

yet there feems to be no reason why any person should be confined for life to these alone. It is constant confinement that ruins the health. A man will not be hurt by fitting five or fix hours a-day; but, if he be obliged to fit ten or twelve, in confined air, he will foon become injured in his health. Unwhole some air is the cause of many disorders. Few are aware of the danger arising from it. People generally pay fome attention to what they eat and drink, but feldom regard what goes into the lungs, though the latter often proves more fuddenly fatal than the former. A fedentary life feldom fails to occasion an universal relaxation of the folids. Hois is the great fource from whence most of the dileases of fedentary people flow. The scrophula, consumption, hysterics, and nervous diseases, now so common, were very little known in this country before fedentary artificers became fo numerous: and they are very little known still among such of our people as follow active employments without doors, though in great towns at least two-thirds of the inhabitants are afflicted with them. Inflead of multiplying rules for preferving the health of the fedentary, we shall recommend to them the following plan, viz. That every perfon who follows a fedentary employment should cultivate a piece of ground with his own hand. This he might dig, plant, fow, and weed, at leifure hours, so as to make it an exercise and amusement, while it produced many of the necessaries of life. After working an hour in a garden, a man will return with more keenness to his employment within doors, than if he had been all the while idle. Labouring the ground is every way conducive to health. It not only gives exercise to every part of the body, but the very smell of the earth and fresh herbs revives and cheers the spirits. whilft the perpetual prospect of something coming to maturity delights and entertains the mind. We are so formed as to be always pleased with somewhat in prospect, however distant or however trivial. Hence the happiness that men feel in planting, fowing, building, &c. These seem to have been the chief employments of the more early ages: and, when kings and conquerors cultivated the ground, there is reason to believe, that they knew as well wherein true happinels confifted as we do. In a word, exercise without doors, in one shape or another, is absolutely necessary to health. Those who neglect it, though they may drag out life, can hardly be faid to enjoy it. Weak and effeminate, they languish for a few years, and soon drop into an untimely grave.

Every diseasemay be considered as an affemblage of symptoms, and must be distinguished by those that are most obvious and permanent; for, by a due attention to them, the investigation of diseases in general will be sound a much less difficult matter than people are ready to imagine. A proper attention to the patient's age, sex, temper of mind, constitution, and manner of life, will likewise greatly assist, both in the investigation and treatment of diseases. In childhood the sibres are lax

and loft; the nerves extremely irritable, and the fluids thin; whereas in old age the fibres are rigid, the nerves become almost infensible, and many of the vellers imperviable. These and other peculiarities render the diseases of the young and aged very different, and of course they must require a different method of treatment. Females are liable to many difeafes which do not afflict the other fex; befides, the nervous fystem being more irritable in them than in o en, their difcases require to be treated with greater caution. They are less able to bear large evacuations; and all stimulating medicines ought to be administered to them with a sparing hand. The temper of mind ought to be carefully attended to in all difeases. Fear, anxiety, and a fretful temper, both occasion and aggravate defeafes. In vain do we apply medicines to the body to remove maladies which proceed from the mind. When that is affected, the best medicine is to soothe the passions, to divert the mind from anxious thought, and to keep the patient as easy and cheerful as possible. Few things are of greater importance, in the cure of diseases, than cleanliness. When a patient is suffered to lie in dirty clothes, whatever perspires from his body is again resorbed, or taken up into it, which ferves to nourish the disease, and increase the danger. Many diseases may be cured by cleanliness alone; most of them may be mitigated by it; and in all of them. it is highly necessary, both for the patient and those who attend him.

OF FEVERS.

FEVERS are not only the most frequent of all diseases, but they are likewise the most complex: in the most simple species of sever there is always a combination of feveral different symptoms. The distinguishing symptoms of fever are, increased heat, frequency of pulse, loss of appetite, general debility, pain in the head, and a difficulty in performing some of the vital and animal functions. The other symptoms usually attendant on fevers are, nausea, thirst, anxiety delirium, weariness, wasting of the flesh, want of sleep, or the fleep disturbed and not refreshing. As a fever is only an effort of Nature to free herself from an offending cause, it is the business of those who have the care of the fick, to observe with diligence which way Nature points, and to endeavour to affift her operations. Our bodies are so framed, as to have a constant tendency to expel or throw off whatever is injurious to health. This is generally done by urine, fweat, stool, expectoration, vomit, or fome other evacuation. There is reason to believe, if the efforts of nature, at the beginning of a fever, were duly attended to and promoted, it would feldom continue long; but, when her attempts are either neglected or counteracted, it is no wonder if the disease proves satal. There are daily inflances of persons, who, after catching cold, have all the symptoms of a beginning fever; but, by keeping warm, drinking diluting liquors, bathing Hbthe 34.

the feet in warm water, &c. the fymptoms in a few hours disappear, and the danger is prevented. When fevers of a putrid kind threaten, the best method of obviating their effects is by repeated vomits. Almost every person in a sever complains of great thirst, and calls out for drink, especially of a cooling nature. This at once points out the use of water and other cooling liquors. What is solikely to abate the hear, attenuate the humours, remove spasms and obstructions, promote: perspiration, increase the quantity of urine, and, in short, produce every falutary effect in an ardent or inflammatory fever, as drinking plentifully of water, thin gruel, or any other weak liquor of which water is the basis? The necessity of diluted liquors is pointed out by the dry tongue, the parched skin, and the burning heat, as well as by the unquenchablethirst, of the patient. Many cooling liquors which are extremely grateful to patients in a fever, may be prepared from fruits, as decoctions of tamarinds, apple-tea, orange-whey, and the like. Mucilaginous liquors might also be prepared from marshmallow-roots, linseed, lime-tree buds, and other mild vegetables particularly pointed out in the Herbal. These liquors, especially when acidulated, are highly agreeable to the patient, and flould never bedenied him. In fevers the mind as well as body should be kept easy. Company is seldom agreeable to one that is fick. Indeed every thing that disturbs the imagination increases the disease; for which reason every person in a sever ought to be kept persectly quiet, and neither allowed to fee or hear any thing that may in the least affect or discompose his mind. What food the patient takes should be in small quantity, light, and of easy digestion. It ought to be chiefly of the vegetable kind, as panada, roasted apples, gruels, and fuch like. The fresh air should likewise be taken as much as posfible; it not only removes his anxiety, but cools the blood, revives the spirits, and proves every way beneficial Among common people, the very name of a fever generally fuggests the necessity of bleeding. This notion seems to have taken its rife from most fevers in this country having been formerly of an inflammatory nature; but true inflammatory fevers are now feldom to be met with. Sedentary occupations, and a different manner of living, have fo changed the state of diseases in Britain, that there is now hardly one fever in ten where the lancet is necessary. Inmost low, nervous, and putrid, fevers which are now so common, bleeding is really hurtful, as it weakens the patient, finks his spirits, &c. We would recommend this general rule, never to bleed at the beginning of a fever, unless there be evident figns of inflammation. Bleeding is an excellent medicine when necessary, but should never be wantonly performed. It is likewife a common notion, that fweating is always necessary in the beginning of a fever. When the fever proceeds from an obftructed perspiration, this notion is not ill-founded. If the patient only lies in bed, bathes his feet and legs in warm water, and drinks freely of water-gruel, or any other weak diluting liquor, he will feldom fail to perspire freely. The warmth of the hed

bed, and the diluting drink, will relax the univerfal fpafm, which generally affects the skin at the beginning of a fever; it will open the pores, and promote the perspiration, by means of which the fever may often be carried off. But, instead of this, the common practice is to heap clothes upon the patient, and to give him things of a hot nature, as spirits, spiceries, &c. which fire his blood, increase the spasms, and render the difease more dangerous. In all fevers a proper attention should be paid to a patient's longings. These are the calls of Nature, and often point out what may be of real use. Patients are not indeed to be indulged in every thing that the fickly appetite may erave; but it is generally right to let them have a little of what they eagerly defire, though it may not feem altogether proper. What the patient longs for, his stomach will generally digest; and fuch things have fometimes a very happy effect. de la contrata de la constanta de la contrata del contrata de la contrata de la contrata del contrata de la contrata del la contrata de la contrata del la contrata de la c

OF INTERMITTENT FEVERS, OR AGUES.

THE several kinds of intermittent severs, or agues, take their names from the period in which the fit returns, as quotidian, tertian, quartan, &c. They are generally occasioned by effluvia from puttid stagnated water. This is evident from their abounding in rainy seasons, and being most frequent in countries where the foil is marshy, as in Holland, the Fensof Cambridgeshire and Huntingdonshire, the Hundreds of Effex, &c. This disease may be also occasioned by eating too much stone-fruit, by a poor watery diet, damp houses, evening dews, lying upon the damp ground, watching, fatigue, depressing passions, and the like. When the inhabitants of a high country retire to a low one, they are apt to prove fatal. In a word whatever relaxes the folids, diminishes the perspiration, or obftructs the circulation in the capillary or small vessels, disposes the body to agues.

CURE. - As the chief intentions of cure in an ague are to brace the folids, and promote perspiration, the patient ought to take as much exercise between the fits as he can bear. If he be able to go abroad, riding on horseback or in a carriage will be of great fervice. But, if he cannot bean that kind of exercise, he ought to take fuch as his strength will permit. Nothing tends more to prolong an intermitting fever, than indulging a lazy indolent disposition. In this disease the stomach is generally loaded with cold viscid phlegm, and frequently great quantities of bile are discharged by vomit; which plainly points out the necessity of such evacuations. Vomits are therefore to be administered before the patient takes any other medicine. But, if the patient be afraid to take a vomit, he ought to cleanse the bowels by a dofe or two of, Glauber's falt, jalap, or thubarb: after this, two ounces of the best Peruvian bark, finely powdered, may be divided into twentyfour doses. These may either be made into bolusses, as they are used, with a little fyrup

12/11

fyrup of lemon, or mixed in a glass of red wine, a cup of camomile-tea, watergruel, or any other drink that is more agreeable to the patient. In an ague which returns every day, one of the above doses may be taken every two hours during the interval of the fits. In a tertian, or third-day ague, it will be fufficient to take a dose every third hour during the interval; and in a quartan, every fourth. If the patient cannot take fo large a dose of the bark, he may divide each of the powders into two parts, and take one every hour, &c. For a young person, a smaller quantity of this medicine will be sufficient, and the dose must be adapted to the age, constitution, and violence of the symptoms. The above quantity of bark will frequently cure an ague the patient, however, ought not to leave off taking the medicine as foon as the paroxysms are stopped, but should continue to use it till there is reason to believe the disease is entirely overcome. Most of the failures in the cure of this disease are owing to patients not continuing to use the medicine long enough. They are generally directed to take it till the fits are stopped, then to leave it off, and begin again at some distance of time; by which means the difeafe gathers strength, and often returns with as much violence as before. A relapfe may always be prevented, and the cure greatly facilitated, by using the following infusion for some considerable time as a drink: Take anounce of gentian reor; of calamus aromaticus, and orange-peel, each half an ounce, with three or four handfuls of camomile flowers, and a handful of coriander-feed, all bruised together in a mortar; put halfa handful of these ingredients into a teapor, and pour thereon a pint of boiling water. A large tea-cup full of this infusion should be drunk three or four times aday; by which means a smaller quantity of bark than is generally used will be sufficient to cure an ague. There is no doubt but many of our plants or barks, which are very bitter and aftringent, would fucceed in the cure of intermittent fevers, especially when assisted by aromatics; and it is only by the use of fundry of those herbs recommended in the Herbal as antidotes against agues, that many old women in country places so effectually cure the ague, after it has baffled every exertion of the doctor. In obstinate agues, when the patient is old, the habit phlegmatic, the feafon rainy, the fituation damp, or the like, it will be necessary to add to the above two ounces of the bark, half an ounce of Virginian Inake-root and a quarter of an ounce of ginger, or some other warm aromatic; or, if the symptoms be of an inflammatory nature, half an ounce of falt of wormwood or falt of tartar may be added to the above quantity of bark. As autumnal and winter agues generally prove much more obstinate than those which attack the patient in spring or summer, it wil! be necessary to continue the use of the foregoing medicines longer in the former than in the latter. If agues are not properly cured, they often degenerate into obstinate chronical diseases, as the dropfy, jaundice, &c. For this reason all possible care should

should be taken to have them radically cured, before the humours be vitiated. and the constitution spoiled. To prevent agues, people should endeavour to avoid their causes. The following preventive medicine may however be of use to fuch as are obliged to live in low marshy countries, or who are liable to frequent attacks of this difease:- Take an ounce of the best Peruvian bark: Virginian fnake root, and orange-peel, of each half an ounce: bruise them all together, and infuse for five or fix days in a bottle of brandy, Holland gin, or wine; afterwards pour off the clear liquor, and take a wine-glass of it twice or thrice a-day. Those who can bring themselves to chew the bark will find that method fucceed very well. Gentian-root, or calamus-aromaticus, may alfo be chewed by turns for the same purpose. All bitter herbs are antidotes to agues, especially those that are warm and astringent.

OF AN ACUTE CONTINUAL FEVER.

THIS fever is denominated acute, ardent, or inflammatory. It most commonly attacks the young, or persons about the prime or vigour of life, especially such as live high, abound with blood, and whose fibres are strong and elastic. It feizes people at all feafons of the year; but is most frequent in the spring and beginning of fummer. It may be occasioned by any thing that overheats the body, or produces plethora; as violent exercise, sleeping in the sun, drinking strong liquors, eating spiceries, a full diet, with little exercise, &c. It may likewife be occasioned by whatever obstructs the perspiration; as lying on the damp ground, drinking cold liquor when the body is hot, night-watching, or the like.

CURE .- As this disease is always attended with danger, the best medical affisfance ought to be procured as soon as possible; and such medicines should be used as are calculated to dilute the blood, correct the acrimony of the humours, allay the excessive heat, remove the spasmodic stricture of the vessels, and promote the fecretions. For this purpose let the patient drink plentifully of diluting liquors; as water-gruel, or oatmeal-tea, clear whey, barley-water, baum-tea, or apple-tea; which may be sharpened with juice of orange, jelly of currants, raspberries, and such like. If the patient be costive, an ounce of tamarinds, with two ounces of stoned raisins of the sun, and a couple of figs, may be boiled in three English pints of water to a quart. This makes a very pleasant drink, and may be used at discretion. The patient's diet must be very spare and light; and it will afford him great relief, especially in a hot seafon, to have fresh air frequently let into his chamber. This, however, must be done in fuch a manner as not to endanger his catching cold. It is too common in fevers to load the patient with bed-clothes, under the pretence of making him fweat, or defending him from the cold. This custom has many ill effects. It increases Ii

34.

increases the heat of the body, fatigues the patient, and retards instead of promoting the perspiration. In this and all other fevers, attended with a hardfull, quick, pulse, bleeding is of the greatest importance. This operation ought always to be performed as foon as the fymptoms of an inflammatory fever appear. The quantity of blood to be taken away must be in proportion to the strength of the patient and the violonce of the disease. If after the first bleeding the fever should rife, and the pulse become more frequent and hard. there will be a necessity for repeating it a fecond, and perhaps a third, or even a fourth, time, which may be done at the distance of twelve, eighteen, or twenty-four, hours from each other, as the symptoms require. If the pulse continues foft, and the patient is tolerably eafy after the first bleeding, it ought not to be repeated. If the heat and fever be very great, forty or fifty drops of the dulcified or fweet spirit of nitre may be made into a draught, with an ounce of rose-water, two ounces of common water, and half an ounce of simple syrup, or a bit of loaf-fugar. This draught may be given to the patient every three or four hours, while the fever is violent; afterwards, once in five or fix hours will be sufficient. If about the tenth, eleventh, or twelfth, day, the pulse becomes more fost, the tongue moister, and the urine begins to let fall a reddish settlement, there is reason to expect a savourable issue to the disease. But, if, instead of these symptoms, the patient's spirits grow languid, his pulse finks, and his breathing becomes difficult, with a stupor, trembling of the nerves, starting of the tendons, &c. there is reason to fear that the consequences will be fatal. In this case blisters must be applied to the head, ancles, inside of the legs or thighs, as there may be occasion; poultices of wheat-bread, mustard, and vinegar, may likewise be applied to the soles of the feet, and the patient must be supported with cordials, as strong white-wine whey, negus, sago-gruel with wine in it, and fuch like. Should the patient recover, he ought to take some gentle laxative. An ounce of tamarinds and a drachm of fena may be boiled for a few minutes in a pint of water, and an ounce of manna diffolved in the decoction: afterwards it may be strained, and a tea-cup full drunk every hour till it operates. This dose may be repeated twice or thrice, five or fix days intervening betwixt each, and the patient should be kept easy till his strength and spirits are sufficiently recruited.

OF THE PLEURISY.

THE pleurify is an inflammation of that membrane called the *pleura*, which lines the infide of the breaft. It may be occasioned by whatever obstructs the perfpiration: as cold northerly winds; drinking cold liquors when the body is hot; sleeping without doors on the damp ground; wet clothes; plunging the body into cold water, or exposing it to the cold air, when covered with sweat, &c. It

may likewife be occasioned by drinking strong liquors; by the stoppage of useful evacuations; as old ulcers, issues, sweating of the seet or hands, &c. the sudden striking in of any eruption, as the itch, the measles, or the small-pox. A pleurify may likewise be occasioned by violent exercise, as running, wrestling, leaping, or by supporting great weights, blows on the breast, &c. The pulse in this disease is commonly quick and hard, the urine high-coloured; and if blood be let it is covered with a tough crust, or busy coat. The patient's spittle is at first thin, but afterwards it becomes grosser, and is often streaked with blood.

CURE.-Nature generally endeavours to carry off this difease by a critical discharge of blood from some part of the body, by expectoration, sweat, loose stools, thick urine, or the like. We ought therefore to second her intentions by leffening the force of the circulation, relaxing the veffels, diluting the humours, and promoting expectoration. Copious bleeding, in the beginning of a pleurify, has a much better effect than repeated small bleedings. A man may lose twelve or fourteen ounces of blood as soon as it is certainly known that he is feized with a pleurify. For a younger person, or one of a delicate constitution, the quantity must be less. If, after the first bleeding, the stitch, with the other violent symptoms, should continue, it will be necessary, at the distance of twelve or eighteen hours, to let eight or nine ounces more. If the fymptoms do not then abate, and the blood shews a strong buffy coat, a third, or even a fourth, bleeding may be requifite. But this operation is feldom necessary after the third or fourth day of the fever, and ought not then to be performed, unless in the most urgent circumstances. The blood may be attenuated without bleeding; and the pain of the fide abated by fomenting, bliftering, &c. Fomentations may be made by boiling a handful of the flowers of elder, camomile, and common mallows, or any other foft vegetables, recommended forthis complaint in the Herbal. The herbs may be either put into a flannel bag, and applied warm to the fide, or flannels may be dipped in the decoction, afterwards rung out, and applied to the part affected, with as much warmth as the patient can eafily bear. Fomentations not only ease the pain, but relax the vessels, and prevent the stagnation of the blood and other humours. Leaves of various plants might likewise be applied to the patient's fide with advantage. I have often feen great benefit from young cabbage leaves applied warm to the fide in a pleurify. These not only relax the parts, but likewise draw off a little moisture, and may prevent the neceffity of bliftering plafters; which, however, when other things fail, must be applied. What is called the crifis, or height of the fever, is fometimes attended with very alarming symptoms, as difficulty of breathing, an irregular pulse, convulfive motions, &c. These are apt to frighten the attendants, and induce them to do improper things, as bleeding the patient, giving him strong stimulating medicines.

medicines, or the like. But they are only the struggles of Nature to overcome the disease, in which she ought to be affisted by plenty of diluting drink, which is then peculiarly necessary. If the patient's strength however be much exhausted by the disease, it will be necessary at this time to support him with small draughts of white-wine whey, negus, or the like. When the pain and sever are gone, it will be proper, after the patient has recovered sufficient strength, to give him some gentle purges. He ought likewise to use a light diet of easy digestion, and his drink should be of a cleansing nature.

The paraphrenitis, or inflammation of the diaphragm, is so nearly connected with the pleurify, and resembles it so much in the manner of treatment, that it is scarcely necessary to consider it as a separate disease. It is attended with a very acute sever, and an extreme pain of the part affected, which is generally augmented by coughing, sneezing, drawing in the breath, taking food, going to stool, making water, &c. Hence the patient breathes quick, and draws in his bowels to prevent the motion of the diaphragm; is restless, anxious, has a dry cough, a hiccup, and often a delirium. Every method should be taken in prevent a suppuration, as it is impossible to save the patient's life when this happens. The regimen and medicine are in all respects the same as in the pleurify. We shall only add, that in this disease emollient clysters are peculiarly useful, as they relax the bowels, and by that means make a derivation from the part affected.

OF INFLAMMATIONS OF THE LUNGS.

THIS difease is generally fatal to those who have a flat breast, or narrow chest, and to such as are afflicted with an assume affected; in the decline of life. Sometimes the inflammation reaches to one lobe of the lungs only, at other times the whole organ is affected; in which case the disease can hardly fail to prove fatal. An inflammation of the lungs is sometimes a primary disease, and sometimes it is the consequence of other diseases, as a quinty, a pleurify, &c. Most of the symptoms of a pleurify likewise attend an inflammation of the lungs; only in the latter the pulse is more soft, and the pain less acute; but the difficulty of breathing and oppression of the breast, are generally greater.

CURE.—Bleeding and purging are generally proper at the beginning of this difease; but, if the patient's spittle is pretty thick, as well as concocted, neither of them are necessary. It will be sufficient to assist the expectoration by some of the sharp medicines recommended for that purpose in the pleurist; blisters ought to be applied pretty early. If the patient does not spit, he must be bled according as his strength will permit, and have a gentle purge administered. Afterwards his body may be kept open by clysters, and the expectoration promoted by taking every four hours two table-spoonfuls of the solution of gum ammoniac, with oxymel of

fquills,

fquills, &c. When an inflammation of the breast does not yield to bleeding, bliftering, and other evacuations, it commonly ends in a suppuration, which is more or less dangerous according to the part where it is situated. When this happens in the pleura, it sometimes breaks outwardly, and the matter is discharged from the wound. If the suppuration happens within the substance or body of the lungs, the matter may be discharged by expectoration; but, if the matter floats in the cavity of the breast, between the pleura and the lungs, it can only be discharged by an incision made betwixt the ribs. If the patient's strength does not return after the inflammation is to all appearance removed; if his pulse continues quick though soft, his breathing difficult and oppressed; if he has cold shiverings at times, his cheeks stussed, his lips dry; and if he complains of thirst, and want of appetite; there is reason to fear a suppuration, and that a consumption of the lungs will ensue; the proper treatment of which we shall next consider.

OF CONSUMPTIONS.

CONSUMPTIONS prevail more in England than in any other part of the world; owing perhaps to the great use of animal food and malt liquors, the general application to fedentary employments, and the great quantity of pit-coal which is burnt; to which we may add the perpetual changes in the atmosphere, or variableness of the weather. As this disease so frequently proves fatal, we shall point out its causes, in order that people may as much as possible endeavour to guard against it: these are confined or unwholesome air; violent passions, exertions, or affections of the mind; grief, disappointment, anxiety, or close application to study:-great evacuations; as sweating, diarrhœas, diabetes, excesfive venery, the fluor albus, an over discharge of the menstrual flux, giving fuck too long: -- alfothe fudden stoppage of customary evacuations; as the bleeding piles, sweating of the feet, bleeding at the nose, the menses, issues, ulcers or eruptions of any kind. Confumptions are likewise caught by sleeping with the diseased; for which reason this should be carefully avoided; but more consumptive patients date the beginning of their disorders from wet feet, damp beds, night air, wet clothes, or catching cold after the body has been heated, than from all other causes put together. This disease however is sometimes owing to an hereditary taint, or a scrophulous habit; in which case it is generally incurable-yet, let none despair.

CURE.—On the first appearance of a confumption, if the patient lives in any place where the air is confined, he ought immediately to quit it, and to make choice of a fituation in the country, where the air is pure and free. Here he must not remain inactive, but take every day as much exercise as he can bear. It is a pity those who attend the sick seldom recommend riding in this disease,

till the patient is either unable to bear it, or the malady has become incurable: patients are likewife apt to trifle with themselves. They cannot see how one of the common actions of life should prove a remedy in an obstinate disease, and therefore they reject it, while they greedily hunt after relief from medicine, merely because they do not understand it. Next to proper air and exercise, a due attention should be paid to diet, which ought to becalculated to lessen the acrimony of the humours, and to nourish and support the patient. For this purpose he fhould keep chiefly to the use of vegetables and milk. Milk alone is of more value in this disease than the whole materia medica. Asses milk is commonly reckoned preferable to any other; but it cannot always be obtained; befides, it is generally taken in very fmall quantity; whereas to produce any effects, it ought to make a confiderable part of the patient's food. Some extraordinary cures in confumptive cases have been performed by women's milk; and, could it be obtained in sufficient quantity, we would recommend it in preserence to any other. It is better if the patient can fuck it from the breaft, than to drink it afterwards. A man who was reduced to fuch a degree of weakness in a confumption, as not to be able to turn in bed, fucked his wife's breafts, not with a view to reap any advantage from the milk, but to make her eafy. Finding himfelf however greatly benefited by it, he continued to fuck her till he became perfectly well, and is at prefent a strong and healthy man. Some prefer buttermilk to any other, and it is indeed a very valuable medicine, if the stomach be able to bear it. It does not agree with every person at first; and is therefore often laid aside without a sufficient trial. It should at first be taken sparingly, and the quantity gradually increased, until it comes to be almost the sole food. I never knew it fucceed unless where the patient almost lived upon it, Wholefomegir, proper exercise, and a diet consistent therewith, is the only course that can be depended on in a beginning confumption. If the patient has ftrength and fufficient resolution to perfist in such a course, he will seldom be disappointed of a cure. In the first stage of a consumption, the cough may sometimes be appeafed by bleeding; and the expectoration may be promoted by the following medicines:-Take fresh squills, gum-ammoniac, and powdered cardamumfeeds, of each a quarter of an ounce; beat them together in a mortar, and, if the mass prove too hard for pills, a little of any kind of syrup may be added to it. This may be formed into pills of a moderate fize, and four or five of them taken twice or thrice a-day, according as the patient's flowach will bear them. A mixture made of equal parts of lemon-juice, fine honey, and fyrup of poppies, may likewise be used. Four ounces of each of these may be simmered together in a faucepan, over a gentle fire, and a table-spoonful of it taken at any time when the cough is troublesome. It is common in this stage of the disease to load the

127

the patient's stomach with oily and balfamic medicines. These, instead of removing the cause of the disease, tend rather to increase it, by heating the blood, while they pall the appetite, relax the folids, and prove every way hurtful to the patient. Whatever is used for removing the cough, besides riding and other proper regimen, ought to be medicines of a sharp and cleanling nature: as oxymel, fyrup of lemon, &c. For the patient's drink we should recommend infusions of the bitter plants mentioned in the Herbal, such as ground-ivy, the fmaller centaury, camomile flowers, water trefoil, &c. These infusions may be drunk at pleasure. They strengthen the stomach, promote digestion, rectify the blood, and at the fame time answer all the purposes of dilutition, and quench thirst much better than things that are luscious or sweet. But if the patient fpits blood, he ought to use, for his ordinary drink, insusions or decoctions of vulnerary roots, plants, &c. There are many other mucilaginous plants and feeds of a healing and agglutinating nature, recommended in the Herbal, from which decoctions or infusions may be prepared with the same intention; as the orches, the quince-feed, coltsfoot, linfeed, farfaparilla, &c. The conferve of roses is here peculiarly proper. It may either be put into the decoction above prescribed, or eaten by itself. No benefit is to be expected from trifling doses of this medicine. It seldom proves of any service, unless three or four ounces at least are used daily for a considerable time. In this way I have seen it produce very happy effects, and would recommend it wherever there is a difcharge of blood from the lungs. When the spitting up of gross matter, oppresfion of the breast, and the hectic symptoms, shew that an imposthume is formed in the lungs, the Peruvian bark is the only drug which has any chance to counteract the general tendency which the humours then have to putrefaction. An ounce of it in powder may be divided into eighteen or twenty doses, of which one may be taken every three hours through the day, in a little fyrup, or a cup of horehound tea. We would not recommend the bark while there are any fymptoms of an inflammation of the breaft; but, when it is certainly known that matter is collected there, it is one of the best medicines which can be used. Few patients indeed have resolution enough to give the bark a fair trial at this period of the disease, otherwise we have reason to believe that great benefit might be reaped from it.

A NERVOUS CONSUMPTION is a wafting or decay of the whole body, without any confiderable degree of fever, cough, or difficulty of breathing. It is attended with indigeftion, weakness, and want of appetite, &c. Those who are of a fretful temper, who indulge in spirituous liquors, or who breathe an unwholesome air, are most liable to this disease. We would recommend, for the cure of a nervous consumption, a light and nourishing diet, plenty of exercise in a free open air, and the use of such bitters as brace and strengthen the stomach; as the Pe-

ruvian

ruvian bark, gentian root, camomile, horehound, &c. These may be insused in water or wine, and a glass of it drunk frequently. Agreeable amusements, cheerful company, and riding about, are preferable to all medicines in this difease. For which reason, when the patient can afford it, we would recommend a long journey of pleafure, as the most likely means to restore his health. What is called symptomatic consumption cannot be cured without first removing the difease by which it is occasioned. Thus, when a consumption proceeds from the scrophula or king's-evil, from the scurvy, the asthma, the venereal disease, &c. a due attention must be paid to the malady from whence it arises, and the regimen and medicine directed accordingly. When excessive evacuations of any kind occasion a confumption, they must not only be restrained, but the patient's strength must be restored by gentle exercise, nourishing diet, and generous cordials. Young and delicate mothers often fall into confumptions by giving fuck too long. As foon as they perceive their strength and appetite begin to fail, they ought immediately to wean the child, or provide another nurse, otherwise they cannot expect a cure.

OF THE SLOW OR NERVOUS FEVER.

NERVOUS FEVERS may be occasioned by whatever depresses the spirits, or impoverishes the blood; as grief, fear, anxiety, want of sleep, intense thought, living on poor watery diet, unripe fruits, cucumbers, melons, mushrooms, &c. They may likewise be occasioned by damp, confined, or unwholesome, air. Hence they are very common in rainy seasons, and prove most stat to those who live in dirty, low, houses, crowded streets, hospitals, jails, or such-like places. Persons whose constitutions have been broken by excessive venery, frequent salivations, too free an use of purgative medicines, or any other excessive evacuations, are very liable to this disease.

CURE.—The patient must not be kept too low. His strength and spirits ought to be supported by nourishing diet and cordials. For this purpose his gruel, panada, or whatever food he takes, must be mixed with wine according as the symptoms may require. Pretty strong white-wine whey, or small negus, sharpened with the juice of orange or lemon, will be proper for his ordinary drink. Where a nausea, load, and sickness at stomach, prevail at the beginning of a sever, it will be necessary to give the patient a gentle vomit. Fifteen or twenty grains of ipecacuana in fine powder will generally answer this purpose very well. This may be repeated any time before the third or fourth day, if the above symptoms continue. Vomits not only clean the stomach, but, by the general shock which they give, promote the perspiration, and have many other excellent effects in flow severs, where there are no signs of inflammation, and nature wants rousing. Such as dare not venture upon a vomit, may clean the bowels by a small dose of Turkey rhubarb, or insusion of senna and manna. In all

fevers, the great point is to regulate the fymptoms, so as to prevent them from going to either extreme. Thus, in fevers of the inflammatory kind, where the force of the circulation is too great, or the blood denfe, and the fibres too rigid, bleeding and other evacuations are neeeffary. But, in nervous fevers, where nature flags, where the blood is vapid and poor, and the folids relaxed, the lancet must be spared, and wine, with other cordials, plentifully administered. Though bleeding is generally improper in this difease, yet bliftering is highly necessary. Blifters may be applied at all times of the fever with great advantage. If the patient is delirious, he ought to be bliftered on the neck or head; and it will be the fafeft course, while theinfenfibility continues, as foon as the discharge occasioned by one blister abates, to apply another to some other part of the body, and by that means keep up a continual succession of them till he be out of danger. A miliary cruption sometimes breaks out about the ninth or tenth day. As eruptions are often critical, great care should be taken not to retard Nature's operation in this particular. The cruption ought neither to be checked by bleeding nor other evacuations, nor pushed out by a hot regimen; but the patient should be supported by gentle cordials, as wine-whey, fmall negus, fago-gruel with a little wine in it, and fuch like. He ought not to be kept too warm; yet a kindly breathing sweat should by no means be checked. In desperate cases, where the hiccup and starting of the tendons have already come on, we have fometimes feen extraordinary effects from large doses of musk frequently repeated. Musk is doubtless an antispasmodic, and may be given to the quantity of a fcruple three or four times a-day, or oftener if necessary. Sometimes it may be proper to add to the musk a few grains of camphire, and falt of hartshorn, as these tend to promote perspiration and the discharge of urine. Thus fifteen grains of musk, with three grains of camphire, and fix grains of falt of hartshorn, may be made into a bolus with a little fyrup, and given as above. If the fever should intermit, which it frequently does towards the decline, or if the patient's strength should be wasted with colliquative fweats, &c. it will be necessary to give him the Peruvian bark. Half a drachm, or a whole drachm if the stomach will bear it, of the bark in fine powder, may be given four or five times a-day, in a glass of red port or claret. Should the bark in substance not sit easy on the stomach, an ounce of it in powder may be infused in a bottle of Lisbon or Rhenish wine fortwoorthree days: afterwards it may be strained, and a glass of it taken frequently.

OF THE MALIGNANT, PUTRID, OR SPOTTED, FEVER.

THIS fever is occasioned by foul air, from a number of people being consined in a narrow place, not properly ventilated; from putrid animal and vegetable effluvia, &c. Hence it prevails in camps, jails, hospitals, and infirmatics, and infirmatics.

especially where such places are too much crowded, and cleanlines is neglected. Putrid, malignant, or spotted, severs, are highly insectious; and are therefore often communicated by contagion. For which reason all persons ought to keep at a distance from those affected with such diseases, unless their attendance is absolutely necessary. Putrid severs may be distinguished from the inflammatory by the smallness of the pulse, the great dejection of mind, the dissolved state of the blood, the petechiæ, or purple spots, and the putrid smell of the excrements. They may likewise be distinguished from the low or nervous sever by the heat and thirst being greater, the urine of a higher colour, and the loss of strength, dejection of mind, and all the other symptoms, more violent.

CURE.—The duration of putrid fevers is extremely uncertain; fometimes they terminate betwixt the feventh and fourteenth day, and at other times they are prolonged for five or fix weeks. Their duration depends greatly upon the constitution of the patient, and the manner of treating the disease; in which we ought to endeavour, as much as possible, to counteract the putrid tendency of the humours; to support the patient's strength and spirits; and to assist nature in expelling the cause of the disease, by gently promoting perspiration and other evacuations. Besides the frequent admission of fresh air, which it extremely necesfary, we would recommend the use of vinegar, verjuice, juice of lemons, Seville orange, or any kind of vegetable acid, that can most readily be obtained. These out ht frequently to be sprinkled on the floor, the bed, and every part of the room. The fresh skins of lemons or oranges ought likewise to be laid in different pants of the room, and they should be frequently held to the patient's nose. The use of acids in this manner would not only prove very refreshing to the patient, but would likewife tend to prevent the infection from spreading among those who attend hun. Strong scented herbs, as rue, tansy, rosemary, wormwood, &c. may likewife be laid in different parts of the house, and smelled to by those who go near the patient. If a vomit be given at the beginning of this fever, it will hardly ever fail to have a good effect; but, if the fever has gone on for some days, and the symptoms are violent, vomits are not so safe. The body however is always to be kept gently open by clysters, or mild laxative medicines. Bleeding is feldom necessary in purrid fevers. If there be figns of an inflammation, it may fometimes be permitted at the first onset; but the repetition of it generally proves hurtful. Blisters are never to be used unless in the greatest extremities. If the petechiæ or spots should suddenly disappear, the patient's pulse fink remarkably, and a delirium, with other bad lymptoms, come on, bliftering may be permitted. In this case the blisters are to be applied to the head, and inside of the legs or thighs. But, as they are fometimes apt to occasion a gangrene, we would rather recommend warm cataplasms or poultices of mustard and vinegar to be applied

to the feet, having recourse to blifters only in the utmost extremities It is commonin the beginning of this fever to give the emetic tartar in small in small doses, repeated every fecond or third hour, till it shall either vomit, purge, or throw the patient into a sweat. This practice is very proper, provided it be not pushed so far as to weaken the patient. In the most dangerous species of this disease, when it is attended with purple, livid, or black, spots, the Peruvian bark scould be administered; it must not only be given in large doses, but be duly persisted in. The best method of administering it is certainly in substance; but, for those who cannot take it in substance, it may be insused in wine. For preventing purid severs we would recommend a first regard to cleanliness, a dry situation, sufficient exercise in the open air; wholefome food, and a moderate use of generous liquors. Infection ought above all things to be avoided. No conflitution is proof against it; and when a putrid fever feizes any person in a family, the greatest attention is necessary to prevent the difeafe from spreading. Any one, who is apprehensive of having caught the infection, ought immediately to take a vomit, and to work it off by drinking plentifully of camomile-tea. This may be repeated in a day or two. if the apprehensions still continue, or any unfavourable symptoms appear.

OF THE MILIARY FEVER,

So called, from the small pusules or bladders which appear on the skin, refembling, in shape and fize, the seeds of millet. The pusules are either red or white and sometimes both are mixed together. It chiefly attacks the idle or phlegmatic, or persons of a relaxed habit. The young and the aged are more liable to it than those in the vigour and prime of life. It is likewise more incident to women than men, especially the delicate and the indolent, who, neglecting exercise, keep continually within doors, and live upon weak watery diet. Such semales are extremely hable to be seized with this disease in childbed, and often lose their lives by it. When this is a primary disease, it makes its attack, like most other eruptive severs, with a slight shivering, which is succeeded by heat, loss of strength; a low quick pulse, difficulty of breathing, with great anxiety and oppression of the breast; and in child-bed women the milk generally goes away, and the other discharges stop.

CURE.—Sometimes the miliary fever approaches towards a putrid nature, in which case the patient's strength must be supported with generous cordials, joined with acids; and, if the degree of putrescence be great, the Peruvian bark must be administered. If the head be much affected, the body must be kept open by emollient clysters. If the foodand drink be properly regulated, there will be little occafion for medicine. Where nature slags, and the eruption comes and goes, it may be necessary to keep up a stimulus, by a continual succession of small blistering plasters;

plasters; but we would not recommend above one at a time. If however the pulse should fink remarkably, the pussules fall in, and the head be affected, it will be necessary to apply several blisters to the most sensible parts, as the inside of the legs and thighs, &c. Bleeding is seldom necessary in this disease, and sometimes it does much hurt, as it weakens the patient, and depresses his spirits. If the disease proves tedious, or the recovery flow, we would recommend the Peruvian bark, which may either be taken in substance, or insufed in wine or water as the patient inclines. To avoid this disease, a pure dry air, sufficient exercise, and wholesome food, are necessary. Pregnant women should guard against costiveness, and take daily as much exercise as they can bear, avoiding all green fruits, and other unwholesome things; and, when in child-bed, they ought strictly to observe a cool regimen.

OF THE REMITTING FEVER.

THIS fever takes its name from a remission of the symptoms, which happens fometimes fooner and fometimes later, but generally before the eighth day. The remission is commonly preceded by a gentle sweat, after which the patient seems greatly relieved, but in a few hours the fever returns. These remissions return at very irregular periods, and are sometimes of longer, sometimes of shorter, duration; the nearer however that the fever approaches to a regular intermittent, the danger is the less. They are most frequent in close calm weather, especially after rainy seafons, great inundations, or the like. No age, fex, or constitution is exempted from the attack of this fever: but it chiefly feizes persons of a relaxed habit, who live in low dirty habitations, breathe an impure stagnated air, take little exercise, and use unwholesome diet. The first symptoms of this severare pains and giddiness in the head, with alternate fits of heat and cold. The pulse is sometimes a little hard, but seldom full, and the blood, when let, rarely shews any figns of inflammation. In order to cure this fever, endeavours should be used to bring it to a regular intermission. This intention may be promoted by bleeding, if there be any figns of inflammation; but, when that is not the case, bleeding ought by no means to be attempted, as it will weaken the patient, and prolong the difeafe. A vomit however will feldom be improper, and is generally of great fervice. Twenty or thirty grains of ipecacuanha will answer this purpose very well; but, where it can be obtained, we would rather recommend a grain or two of emetic tartar, with five or fix grains of ipecacuanha, to be made into a draught, and given for a vomit. This may he repeated once or twice at proper intervals, if the fickness or nausea continues. The body ought to be kept open either by clysters or gentle laxatives, as weak infusions of senna and manna, small doses of the lenitive electuary, cream of tartar, tamarinds, slewed prunes, or the like; but all strong or drastic purgatives are to be avoided.

avoided. By this course the sever in a sew days may generally be brought to a pretty regular or distinct intermission, in which case, the Peruvian bark may be administered, and it will seldom fail to persect the cure.

OF THE SMALL-POX.

THE small-pox is commonly caught by infection. Since the disease was first brought from Arabia into Europe, the infection has never been wholly extinguished; nor have any proper methods been taken for that purpose; so that now it has become in a manner constitutional. Children who have over heated themselves by running, wrestling, &c. or adults after a debauch, are most apt to be feized with the small-pox. The disease is so generally known, that a minute description of it is unnecessary. Children commonly look dull, seem listless and drowly, for a few days before the more violent lymptoms of the small-pox appear. They are likewise more inclined to drink than usual, have little appetite for folid food, complain of weariness, and, upon taking exercise, are apt to fweat. These are succeeded by flight fits of cold and heat in turns, which, as the time of the eruption approaches, become more violent, and are accompanied with pains of the head and loins, vomiting, &c. The pulse is quick, with a great heat of the skin, and restlessness. When the patient drops asleep, he awakes in a kind of horror, with a fudden start, which is a very common symptom of the approaching eruption; as are also convulsion fits in very young children. The most favourable symptoms are a slow eruption and an abatement of the fever as foon as the pushules appear. In a mild distinct kind of small-pox, the pushules feldom appear before the fourth day from the time of fickening, and they generally keep coming out gradually for feveral days after. Pustules which are diftinct, with a florid red basis, and which fill with thick purulent matter, first of a whitish, and afterwards of a yellowish, colour, are the best. It is a most unfavourable fymptom when petechiæ, or purple, brown, or black, fpots, are interspersed among the pustules. These are figns of a putrid dissolution of the blood, and shew the danger to be very great. Bloody stools of urine, with a fwelled belly, are bad fymptoms; as is also a continual stranguary. Pale urine and a violent throbbing of the arteries of the neck are figns of an approaching delirium, or of convulfion-fits. When the face does not swell, or falls before the pock comes to maturity, it is very unfavourable. If the face begins to fall about the eleventh or twelfth day, and at the same time the hands and feet begin to fwell, the patient generally does well; but, when these do not succeed to each other, there is reason to apprehend danger, a state to come and west

CURE.—All that is necessary during the eruptive fever, is to keep the partient cool and easy, allowing him to drink freely of some weak diluting liquors; as balm-tea, barley-water, clear whey, gruels, &c. Much mischief used to be 35.

done at this period by confining the patient to his bed, and plying him with warm cordials or fudorific medicines. Every thing that heats and inflames the blood increases the fever, and pushes out the pustules prematurely. This has numberless ill effects. It not only increases the number of pustules, but tends likewife to make them run into another; and, when they have been pushed out with too great violence, they generally fall in before they come to maturity. The food ought to be very light, and of a cooling nature, as panada, or bread boiled with equal quantities of milk and water, good apples roafted or boiled with milk, and sweetened with a little sugar, or such like. The most dangerous period of this difease is what we call the secondary sever. This generally comes on when the pock begins to blacken or turn on the face, and most of those who die of the small-pox are carried off by this sever. Nature generally attempts, at the turn of the small pox, to relieve the patient by loose stools. Her endeayours by this way are by no means to be counteracted, but promoted; and the patient at the fame time supported by food and drink of a nourishing and cordial nature. If, at the approach of the secondary sever, the pulse be very quick. hard, and ftrong, the heat intense, and the breathing laborious, with other symptoms of an inflammation of the breaft, the patient must be immediately be bled. The quantity of blood to be let must be regulated by the patient's strength, age, and the urgency of the symptoms. But in the secondary fever, if the patient be faintish, the pultules become fuddenly pale, and if there be great coldness of the extremities, blifters must be applied, and the patient must be supported with generous cordials. Wine and even spirits have sometimes been given in such cases with amazing success. It is generally necessary, after the small-pox is gone off, to purge the patient. It however the body has been open through the whole course of the disease, or if butter-milk and other things of an opening nature have been drunk freely after the height of the small-pox, purging becomes less necesfary; but it ought never wholly to be neglected. For very young children, an infufion of fenna and prunes, with a little rhubarb, may betweetened with coarfe fugar, and given in small quantities till it operates. Those who are farther advanced must take medicines of a sharper nature. For example, a child of five or fix years of age, may take eight or ten grains of fine rhubarb in powder over night, and the fame quantity of jalap in powder next morning. This may be worked off with fresh broth or water-gruel, and may be repeated three or four times, five or six days intervening betwixt eachdofe For children farther advanced, and adults, the dose must be increased in proportion to the age and constitution. When a cough a difficulty of breathing, or other fymptoms of a confumption, fucceed to the fmall-pox, the patient must be fent to a place where the air is good, and put upon a course of affes milk, with such other treatment as hath already been disected in consumptions. OF 2

OF INOCULATION.

THIS falutary invention, which is the only effectual means of flopping the ravages of the small pox, has been known in Europe above haif a century. Like most other useful discoveries, it made at first but flow progress. No discovery can be of general utility, while the practice of it is kept in the hands of a few. The tears, the jeoloufies, the prejudices, a d the opposite interests, of the faculty, are, and ever will be, the most effectual obstacles to the progress of any falutary discovery. Hence it is that the practice of inoculation never became, in any measure, general, even in England, till taken up by men not bred to physic. These not only rendered the practice more extensive, but likewise more safe, and by acting under less restraint than the regular practitioners, taught them that the patient's greatest danger arose, not from the want of medical care, but from the excels of it. The prefent method of inoculating in Britain is to make two or three flanting incisions in the arm, so superficial as not to pierce quite through the Ikin, with a lancet wet with fresh matter taken from a ripe pustule; afterwards the wounds are closed up, and left without any dreffing. Some make use of a lancet covered with the dry matter; but this is less certain, and ought never to be uled unless where fresh matter cannot be obtained; when this is the cale, the matter ought to be monstened by holding the lancet for some time in the fleam of warm water. We do not find that inoculation is at all confidered as a medical operation in foreign countries. In Turkey, whence we learned it, it is performed by the women, and in the East Indies by the brachmins or priests. In this country it has been practifed by numbers of the common people with afton flying fuccess; and as the small-pox is now become an epidemical disease in most parts of the known world, there seems no other choice left, but to render the malady as mild as possible. It is a matter of small consequence, whether a difease be entirely extirpated, or rendered so mild as neither to destroy life nor hurt the constitution; and that this may be done by inoculation, does not now admit of a doubt. The numbers who die under inoculation hardly deserve to be named. In the natural way, one in four or five generally dies; but by inoculation not one of a thousand. Nay, some can boast of having inoculated ten thousand without the loss of a fingle patient. The most proper age for inoculating children is at two or three months old, before their teething begins. Those who have conflitutional difeases may nevertheless be inoculated; it will often mend the habit of body; but ought to be performed at a time when they are most healthy. Accidental difeases should always be removed before inoculation. It is generally thought necessary to regulate the diet for some time before the disease be communicated In children, however, great alteration in diet is feldom necessary, their food being commonly of the most simple and wholesome kind, as milk, watergruel,

gruel, weak broths, bread, light pudding, mild roots, and white meats. We would recommend no other medicinal preparation than two or three mild purges, which ought to be fuited to the age and strength of the patient. The success of inoculators does not depend on the preparation of their patients, but on their management of them while under the disease. Their constant care should be to keep them cool, and their bodies gently open, by which means the fever is keptlow, and theeruption greatly leffened. The danger is feldom great when the pultules are few; and their number is generally in proportion to the fever which precedes and attends the eruption. Hence the chief fecret of inoculation confifts in regulating the eruptive fever, which generally may be kept fufficiently low by the methods mentioned above. The regimen during the difease is in all respects the same as under the natural fmall-pox. The patient must be kept cool, his diet should be light, and his drink weak and diluting, &c. Should any bad fymptoms appear, which is feldom the case, they must be treated in the same way as directed in the natural fmall-pox. Purging is not less necessary after the small pox by inoculation than in the natural way, and ought by no means to be neglected.

VACCINE INOCULATION is the term for a practice lately introduced of inoculation persons with the matter drawn from pullules which arise upon the teats of cows: this is said (by its supporters) to prevent patients from ever taking the natural small-pox. It has so far succeeded, as to procure its inventor, Dr. Jenner, grants from the parliament of 30,500l. sterling for the communication of his discovery.

OF THE MEASLES.

THIS difease, like the small-pox, proceeds from infection, and is more or less dangerous according to the constitution of the patient, the season of the year, the climate, &c. It is usually preceded by a short cough, a heaviness of the head and eyes, drowfiness, and a running at the nose. There is an inflammation and heat in the eyes, with a defluxion of sharp tears, vomiting, and great acuteness of sensation, so that the patient cannot bear the light without pain. About the fourth day, small spots, resembling flea-bites, appear first upon the face, then upon the breast, and afterwards on the extremities; these may be diffinguished from the small-pox by their scarcely rising above the skin. The fever, cough, and difficulty of breathing, instead of being removed by the eruption, as in the small-pox, are rather increased; but the vomiting generally ceases. About the fixth or feventh day from the time of fickening, the meafles begin to turn pale on the face, and afterwards upon the body; fo that by the ninth day they entirely disappear. Such as die of the measles generally expire about the ninth day from the invasion, and are commonly carried off by inflammation of the lungs. 'The most favourable symptoms are, a moderate loofeness, a moist skin, and a plentiful discharge of urine. When the eruption suddenly falls in, and the patient is feized with a delirium, he is in the greatest danger. If If the measles turn too foon of a pale colour, it is an unfavourable symptom, as are also great weakness, vomiting, restlessness, and difficulty of swallowing. Purple or black spots appearing among the measles, are very unfavourable. When a continual cough, with hoarseness succeeds the disease, there is reason to suspect an approaching consumption of the lungs.

CURE. Our business in this disease is to assist nature by proper cordials, in throwing out the morbific matter, if her efforts be too languid; but when they are too violent they must be restrained by evacuations, and cool diluting liquors, &c. We ought likewife to endeavour to appeale the most urgent symptoms, as the cough, reftleffnels, and difficulty of breathing. A cool regimen is necessary here, as well as in the small pox. The food too must be light, and the drink diluting. The most suitable liquors are decoctions of liquorice, with marsh-mallow roots and farfaparilla, infufions of linfeed, marygolds, elder-flowers, balmtea, clarified whey, barley-water, and fuch-like. Bleeding is commonly necessary, particularly when the fever runs high, with difficulty of breathing, and great oppression of the breast; but if the disease be of a mild kind, bleeding may be omitted. If at the turn of the disease the sever assumes new vigour, and there appears great danger of suffocation, bleeding must be used according to the patient's strength, and blisters must be applied, with a view to prevent the load from being thrown on the lungs, where if an inflammation should fix itself, the patient's life will be in imminent danger. In case the measles should suddenly disappear, the patient must be supported with wine and cordials. Blisters must be applied to the legs and arms, and the body rubbed all over with warm flannels. Should a cough, with difficulty of breathing, and other fymptoms of a consumption, remain after the measles, small quantities of blood may be frequently let at proper intervals, as the patient's strength and constitution will permit. He ought likewise to drink asses milk, to remove into a free air, and to ride daily on horfeback. on the ERYSTE TAKEN

OF THE 'S CARLET FEWER. Significa HIT

THE fearlet fever is so called from the colour of the patient's skin, which appears as if it were tinged with red wine. It begins, like other severs, with coldness and shivering, without any violent sickness. Afferwards the skin is covered with red spots, which are broader, more florid, and less uniform, than the measles. They continue two or three days, and then disappear; after which the cuticle, or scarf-skin, falls off.

CURE.—There is feldom any occasion for medicine in this disease, unless it is attended with putrid or malignant symptoms, in which case it is always dangerous; the patient is then not only affected with coldness and shivering, but Nn with



with langour, fickness, and great oppression; to these succeed excessive hear, nausea, and vomiting, with a foreness of the throat; the pulse is extremely quick, but small and depressed; the breathing frequent and laborious; the skin hot, but not quite dry; the tongue moist, and covered with a whitish mucus; the tonsils inflamed and ulcerated. When the cruption appears, it brings no relief: on the contrary, the symptoms generally grow worse, and fresh ones come on, as purging, delirium, &c. Should this disease be mistaken for a simple inflammation, and treated with repeated bleedings, purgings and cooling medicines, as is sometimes the case, it generally proves satal. The only medicines that can be depended on are cordials and antiseptics, as the peruvian bark, wine, snake-root, and the like. The treatment must be in general similar to that of the putrid sever, or of the malignant ulcerous fore throat.

OF THE BILIOUS FEVER.

A CONTINUAL remitting or intermitting fever, accompanied with a copious evacuation of bile, either by vomit or stool, is denominated bilious. It generally makes its appearance about the end of summer, and ceases towards the approach of winter. It is most stall in warm countries, especially where the soil is marshy, and when great rains are succeeded by sultry heats. Those who work without doors, and are exposed to the night air, are most liable to this kind of sever.

CURE.—If there are fymptoms of inflammation, it will be necessary to bleed, and to put the patient upon cool diluting regimen, recommended in the inflammatory fever. Saline draughts may likewise be frequently administered, and the patient's body kept open by clysters or mild purgatives. But if the fever should remit or intermit, bleeding will seldom be necessary. In this case a vomit may be administered, and, if the body be bound, a gentle purge; after which the Peruvian bark will generally complete the cure.

OF THE ERYSIPELAS, OR ST. ANTHONY'S FIRE.

THE eryfipelas may be occasioned by violent passions or affections of the mind; as fear, anger, &cc. When the body has been heated to a certain degree, and is immediately exposed to the cold air, so that the perspiration is suddenly checked, an eryfipelas will often ensue. It may also be occasioned by drinking to excess, by continuing too long in a warm bath, or by any thing that overheats the blood. If any of the natural evacuations be obstructed, or in too small quantity, it may cause an eryfipelas. The same effect will sollow from the stoppage of artificial evacuations; as iffues, setons, or the like. The disorder comes on with shivering, thirst, loss of strength, pain in the head and back, heat, restelesses and a quick pulse: to which may be added vomiting, and sometimes a delurium.

delirium. On the fecond, third, or fourth day, the part swells, becomes red, and small pustules appear: at which time the fever generally abates. When the erysipelas is large, deep, and affects a very sensible part of the body, the danger is great. If the red colour changes into a livid or black, it will end in a mortification. Sometimes the inflammation cannot be discussed, but comes to a suppuration; in which case sistenance, or mortification, often ensue. Such as die of this disease are commonly carried off by the sever, which is attended with difficulty of breathing, and sometimes with a delirium and great drowsiness. They generally die about the seventh or eighth day.

CURE.—In this complaint much mischief is often done by medicines, especially by external applications: whereas the principal object should be to promote perspiration, which has a great tendency to carry off the disease. It is common to bleed in the eryfipelas; but this likewife requires caution. If however the fever be high, the pulse hard and strong, and the patient vigorous, it will be proper to bleed; but the quantity must be regulated by these circuinstances, and the operation repeated as the fymptoms may require. If the patient has been accuftomed to strong liquors, and the difease attacks his head, bleeding is absolutely necessary. Bathing the feet and legs frequently in lukewarm water, when the disease attacks the face or brain, has an excellent effect. It tends to make a derivation from the head, and feldom fails to relieve the patient. When bathing provesineffectual, poultices, or sharp finapisms, may be applied to the soles of the feet for the fame purpole. In cases where bleeding is requisite, it is I kewise necessary to keep the body open. This may be effected by emolient clyfters, or small dosesof nitre and rhubarb. Some indeed recommend very large doses of nitre in the ervsipelas: but nitre seldom sits easy on the stomach when taken in large doses. It is however one of the best medicines when the fever and inflammation run high. Half a drachm of it, with four or five grains of rhubarb, may be taken in the patient's ordinary drink, four times a-day. When the eryfipelas feizes the head, fo as to occasion a delirium or stupor, blisters must be applied to the neck, or behind the ears, and sharp cataplasms laid to the soles of the feet. In what is commonly called the fcorbutic eryfipelas, which continues for a confiderable time, it will only be necessary to give gentle laxatives, and such things as purify the blood, and promote the perspiration. And, after the inflammation has been checked by opening medicines, the decoction of woods and bitter herbs may be drunk, as recommended for this disease in the Herbal.

OF THE INFLAMMATION OF THE BRAIN.

THE symptoms which usually precede a true inflammation of the brain, are pain of the head, redness of eyes, a violent flushing of the face, disturbed sleep, or a total

a total want of it, great dryness of the skin, costiveness, a retention of urine, a small dropping of blood from the nose, singing of the ears, and extreme sensibility of the nervous system. When the brain itself is inflamed, the pulse is always soft and low; but, when the inflammation only affects the integuments of the brain, viz. the dura and pia mater, it is hard.

CURE.—As this disease often proves fatal in a few days, it requires the most speedy applications. When it is prolonged, or improperly treated, it sometimes ends in madness, or a kind of stupidity which continues for life. Two things are chiefly to be attended to, in the cure, viz. to leffen the quantity of blood in the brain, and to retard the circulation towards the head. Nothing more certainly relieves the patient than a free discharge of blood from the nose. When this comes of its own accord, it is by no means to be stopped, but rather promoted by applying cloths dipped in warm water to the part. When bleeding at the nofe does not happen fpontaneously, it may be provoked by putting a straw, or any other sharp body, up the nostril. Bleeding in the temporal arteries greatly relieves the head; but as this operation cannot always be performed, we would recommend in its flead bleeding in the jugular veins. When the patient's pulfe and spirits are so low, that he cannot bear bleeding with the lancet, leeches may be applied to the temples. These not only draw off the blood more gradually, but, by being applied nearer to the part affected, generally give more immediate relief. If the inflammation of the brain be occasioned by the stoppage of evacuations either natural or artificial, as the menses, iffnes, setons, or such-like, all means must be used to restore them as soon as possible, or to substitute others in their stead. The patient's body must be kept open by stimulating clysters or fmart purges; and small quantities of nitre ought frequently to be mixed with his drink. Two or three drachms, or more, if the case be dangerous, may be used in the space of twenty-four hours. If the disease proves obstinate, and does not yield to the medicines, it will be necessary to apply a blistering-plaster to the whole head.

OF THE INFLAMMATION OF THE EYES.

THIS diforder is attended with acute pain, heat, redness and swelling.—The patient is not able to hear the light, and sometimes he feels a pricking pain, as if his eyes were pierced with a thorn. The pulse is generally quick and hard, with some degree of fever. When the disease is violent, the neighbouring parts swell, and there is a throbbing or pulsation in the temporal arteries, &c. A slight inflammation of the eyes, especially from an external cause, is easily cured; but, when the disease is violent, and continues long, it often leaves specks upon the eyes, or dimness of sight, and sometimes total blindness.

CURE.

CURE .- The patient must abstain from every thing of a heating nature. His food should consist chiefly of mild vegetables, weak broths, and gruels. His drink may be barley-water, balm-tea, common whey, and fuch like. Bleeding, in a violent inflammation of the eyes, is always necessary. This should be performed as near the part affected as possible. An adult may lose ten or twelve ounces of blood from the jugular vein, and the operation may be repeated according to the urgency of the fymptoms. If it should not be convenient to bleed in the neck, the fame quantity may be let from the arm, or any other part of the body. Leeches are often applied to the temples, or under the eyes, with good effect. The woundsmust be suffered to bleed for some hours; and, if the bleeding stop soon, it may be promoted by the application of cloths dipped in warm water. In obstinate cases, will be necessary to repeat this operation several times. Opening and diluting medicines are by no means to be neglected; but, if the inflammation does not yield to these evacuations, blisters must be applied to the temples, behind the ears, or upon the neck, and kept open for some time. I have feldom known these, if long enough kept open, fail to remove the most obstinate inflammation of the eyes; but, for this purpose, it is often necessary to continue the discharge for several weeks. Those who are liable to frequent returns of this disease, ought constantly to have an iffue in one or both arms, or a seton cut betwixt the shoulders. Bleeding or purging in the spring and autumn will be very beneficial to fuch persons.

OF THE QUINSY, OR INFLAMMATORY SORE THROAT.

THIS disease is frequently attended with great danger. When the inflammation comes on, the parts appear red and swelled; the patient complains of pain in swallowing; his pulse is quick and hard, with other symptoms of a fever. If blood be let, it is generally covered with a tough coat of a whitish colour, and the patient spits a tough phlegm. As the swelling and inflammation increase, the breathing and swallowing become more difficult; the pain affects the ears; the eyes generally appear red; and the face swells. When the breathing is laborious, with straitness of the breast, and anxiety, the danger is great. Though the pain in swallowing be very great, yet, while the patient breathes easy, there, is not so much danger. An external swelling is no unfavourable symptom; but, if it suddenly falls, and the disease affects the breast, the danger is very great. When a quinsy is the consequence of some other disease, which has already weakened the patient, his situation is dangerous. A frothing at the mouth, and a swelled tongue, a pale ghastly countenance, and coldness of the extremities, are statal symptoms.

CURE.—It is peculiarly necessary that the neck be kept warm; for which purpose several folds of softstannel may be wrapt round it. The jelly of black curations.

O o rants

rants is a medicine very much in esteem for complaints of the throat; and indeed it is of some use. It should be almost constantly kept in the mouth, and swallowed down leifurely. It may likewife be mixed in the patient's drink, or taken any other way. When it cannot be obtained, the jelly of red currants, or of mulberries, may be used in its stead. Gargles are also very beneficial: they may be made of fage-tea, with a little vinegar and honey; and may be used three or four times a-day; and, if the patient be troubled with tough vifcid phlegm, the gargle may be rendered more sharp and cleansing by adding to it a tea-spoonful of spirit of sal ammoniac. There is no disease wherein the benefit of bathing the feet and legs in lukewarm water is more apparent: that practice ought therefore never to be neglected. If the inflammation be violent, it will be proper, as foon as the fymptoms appear, to bleed in the arm, or rather in the jugular vein, and to repeat the operation if circumstances require. The body should likewise be kept gently open. This may be done by giving the patient for his ordinary drink a decoction of figs and tamarinds, or small doses of rhubarb and nitre. Good effects are often produced from a bit of fal prunel, or purified nitre, held in the mouth, and swallowed down as it melts. This promotes the discharge of saliva. by which means it answers the end of a gargle, while at the same time it abates the fever, by promoting the discharge of urine, &c. Blustering upon the neck or behind the ears, in violent inflammations of the throat, is very beneficial; and in bad cases it will be very necessary to lay a bliftering plaster quite across the throat, so as to reach from ear to ear. After the plasters are taken off, the parts ought to be kept running by the application of iffue ointment, till the inflammation is gone; otherwife, upon their drying up, the patient will be in danger of a relapfe. When a difficulty of swallowing is not attended with an acute pain or inflammation, it only requires that the part be kept warm, and the throat frequently gargled with fomething that may gently flimulate the glands, as a decoction of figs with vinegar and honey; to which may be added a little mustard. or a small quantity of spirits. But this gargle is never to be used where there are figns of an inflammation. Those who are subject to inflammations of the throat, in order to avoid that difease, and many others, ought to live temperate. Such as do not chuse to observe this rule must have frequent recourse to purging and other evacuations, to discharge the superfluous humours. They ought likewise to beware of catching cold, and should abstain from aliment and medicines of an aftringent or flimulating nature.

OF THE MALIGNANT OR PUTRID ULCEROUS SORE THROAT.

THIS is evidently a contagious diftemper, and is generally communicated by infection. Whole families, and even entire villages, often receive the infection from one person. Whatever tends to produce putrid or malignant severs may likewise occasion the putrid ulcerous fore throat, as unwholesome air, damaged provisions,

provisions, neglect of cleanlines, &c. It begins with alternate fits of shivering and heat. The pulse is quick, but low and unequal, and generally continues so through the whole course of the disease. The tongue is white, and generally moist, which distinguishes this from an inflammatory disease. Upon looking into the throat, it appears swelled and of a florid red colour. Pale or ash-coloured spots, however, are here and there interspersed, and sometimes one broad patch or spot, of an irregular figure, and pale white colour, surrounded with florid-red, only appears. These whitish spots or sloughs cover so many utcers. The putrid ulcerous fore throat may be distinguished from the inflammatory by the vomiting and looseness with which it is generally ushered in; the soul ulcers in the throat covered with a white or livid coat; and by the excessive weakness of the patient; with other symptoms of a putrid sever.

CURE,-The treatment in this kind of fore throat is entirely different from that which is proper in the inflammatory. All evacuations, as bleeding, purging, &c, which weaken the patient, must be avoided. Cooling medicines, as nitre and cream of tartar, are likewise hurtful. Strengthening cordials alone can be used with safety; and these ought never to be neglected. If, at the beginning, there is a great nausea, or inclination to vomit, the patient must drink an infufion of green tea, camomile flowers, or vardus benedittus, in order to cleanse the stomach. If these are not sufficient, he may take a few grains of the powder of ipecacuanha, or any other gentle vomit. If the difease is mild, the throat may be gargled with an infusion of fage or rose leaves, to a gill of which may be added a foonful or two of honey, and as much vinegar as will make it agreeably acid; but when the symptoms are urgent, it will be of great benefit if the patient frequently receives into his mouth, through an inverted funnel, the steams of warm vinegar, myrrh, and honcy. But, when the putrid fymptoms run high, and the difease is attended with danger, the only medicine that can be depended upon is the Peruvian bark. It may be taken in substance, if the patient's stomach will bear it. If not, an ounce of bark grofsly powdered, with two drachms of Virginian snake-root, may be boiled in a pint and a half of water to half a pint; to which a teaspoon-full of the elixir of vitriol may be added, and an ordinary teacup-full of it taken every three or four hours. Blifters are very beneficial in this difease, especially when the patient's pulse and spirits are low: They may be applied to the throat, behind the ears, or upon the back part of the neck. If a discharge of blood from the nose happens, the steams of warm vinegar may be received up the nostrils frequently; and the drink must be sharpened with spirits of vitriol, or tincture of roses. In case of a stranguary, the belly must be fomented with warm water, and emollient clysters given three or four times aday. After the violence of the difease is over, the body should still be kept open with mild purgatives; as manna, fenna, rhubarb, or the like.

OF COLDS AND COUGHS.

COLDS are the effect of an obstructed perspiration; and almost every cold is a kind of fever, which only differs in degree from some of those that have already been treated of. No age, fex, or constitution, is exempted from this difease; neither is it in the power of any medicine or regimen to prevent it. The inhabitants of every climate are liable to catch cold, nor can even the greatest circumspection defend them at all times from its attacks. Indeed, if the human body could be kept constantly in an uniform degree of warmth, such a thing as catching cold would be impossible: but, as that cannot be effected by any means, the perspiration must be liable to many changes. When oppression of the breast, a stuffing of the nose, unusual weariness, pain of the head, &c. give ground to believe that the perspiration is obstructed, or, in other words, that the person has caught cold, he ought immediately to lessen his diet, at least the usual quantity of his folid food, and to abstain from all strong liquors. Would people sacrifice a little time to eale and warmth, and practife a moderate degree of abflinence when the first symptoms of a cold appear, we have reason to believe. that most of the bad effects which flow from an obstructed perspiration might be prevented. But, after the difease has gathered strength by delay, all attempts to remove it often prove vain. A pleurify, a peripneumony, or a fatal confumption of the lungs, are often the effects of common colds, notwithstanding people affect to treat them with fo much indifference and neglect, merely because they are only colds. Hence it is, that colds destroy such numbers of mankind. Like an enemy despised, they gather strength from delay, till, at length, they become invincible. It is certain, however, that colds may be too much indulged. When a person, for every slight cold, shuts himself up in a warm room; fwallows medicine, and drinks great quantities of warm liquor, it may occasion such a general relaxation of the solids as will not be easily removed. Bathing the feet in warm water, lying in bed, and drinking warm water-gruel, or other weak liquors, will fooner take off a spasm, and restore the perspiration. than all the hot sudorific medicines in the world. This is all that is necessary for removing a common cold; and if this course be taken at the beginning, it will feldom fail. When the fymptoins do not yield to abstinence, warmth, and diluting liquors, there is reason to fear the approach of some other disease, as an inflammation of the breaft, an ardent fever, or the like, and the patient should then be treated accordingly. The chief fecret of preventing colds lies in avoiding, as far as possible, all extremes either of heat or cold, and in taking care. when the body is heated, to let it cool gradually.

OF A COMMON COUGH.

A COUGH is generally the effect of a cold, which has either been improperly treated or entirely neglected. When it proves obstinate, there is always reafon to fear the confequences, as this shews a weak state of the lungs, and is often the fore-runner of a confumption. If the cough be violent, and the patient young and ftrong, with a hard quick pulse, bleeding will be proper; but, in weak and relaxed habits, bleeding rather prolongs the difeafe. When the patient spits freely, bleeding is unnecessary, and sometimes hurtful, as it tends to lessen that discharge. When a cough is occasioned by acrid humours tickling the throat and fauces, the patient should keep some fost pectoral lozenges almost constantly in his mouth; as the Pontefract-liquorice cakes, barley-fugar, the common balfamic lozenges, Spanish juice, &c. These blunt the acrimony of the humours, and, by taking off their stimulating quality, help to appeale the cough. In obstinate coughs, proceeding from a flux of humours upon the lungs, it will often be necessary, besides expectorating medicines, to have recourse to iffues, fetons, or fome other drain. In this case I have often observed the most happy effects from a Burgundy-pitch plaster applied between the shoulders. About the bulk of a nutmeg of Burgundy-pitch may be spread thin upon a piece of foft leather, about the fize of the hand, and laid between the shoulder-blades. It may be taken off and wiped every three or four days, and ought to be renewed once a fortnight or three weeks. This is indeed a cheap and simple medicine, and consequently apt to be despised; but we will venture to affirm, that the whole materia medica does not afford an application more efficacious in almost every kind of cough. It has not, indeed, always an immediate effect; but, if kept on for some time, it will succeed where most other medicines fail coughs proceed from many other causes besides defluxions upon the lungs. In these cases the cure is not to be attempted by pectoral medicines. Thus, in a cough proceeding from a foulness and debility of the stomach, syrups, oil, mucilages, and all kinds of balfamic medicines, do hurt. The flomach cough may be known from one that is owing to a fault in the lungs by this, that in the latter the patient coughs whenever he inspires, or draws in his breath fully; but in the former that does not happen.

CURE.—The cure of this cough depends chiefly upon cleanfing and strengthening the stomach; for which purpose gentle vomits and bitter purgatives are most proper. Thus, after a vomit or two, the facred tinesture, as it is called, may be taken for a considerable time in the dose of one or two tablespoon-fulls twice a-day, or as often as it is found necessary, to keep the body gently open. People may make this tinesture themselves, by infusing an ounce of biera piera in an Eng-

146 CULPEPER'S ENGLISH PHYSICIAN,

lish pint of white-wine, letting it stand a few days, and then straining it. Incoughs which proceed from a debility of the stomach, the Peruvian bark is likewise of considerable service. It may either be chewed, taken in powder, or made into a tincture along with other stomachic bitters. A nervous cough can only be removed by change of air and proper exercise. Immersing the feet and hands in warm water will often appease the violence of a nervous cough. When a cough is only the symptom of some other malady, it is in vain to attempt to remove it without first curing the disease from which it proceeds. Thus, when a cough is occasioned by teetbing, keeping the body open, scarifying the gums, or whatever facilitates the cutting of the teeth, likewises appeases the cough. In like manner, when worms occasion a cough, such medicines as removes these vermin will generally cure the cough; as bitter purgatives, oily clysters, and such-like. Women, during the last months of pregnancy, are often greatly afflicted with a cough, which is generally relieved by bleeding and keeping the body open. They ought to avoid all statuent food, and to wear a loose easy dress.

OF THE WHOOPING OR CHIN COUGH.

THIS cough feldom affects adults, but often proves fatal to children. Whatever hurts the digeftion, obstructs the perspiration, or relaxes the folids, disposes to this disease: consequently its cure must depend upon cleansing and strengthening the stomach, bracing the folids, and, at the same time, promoting perspectively.

spiration and the different secretions. Few children escape it.

CURE.—One of the most effectual remedies in the chin-cough is change of air. This often removes the malady, even when the change feems to be from a purer to a lefs wholesome air. This may in some measure depend on the patient's being removed from the place where the infection prevails. Most of the difeases of children are infectious; nor is it at all uncommon to find the chincough prevailing in one town or village, when another, at a very small distance, is quite free from it. But, whatever be the cause, we are sure of the fact. No time ought therefore to be loft in removing the patient to fome distance from the place where he caught the disease, and, if possible, into a more pure and warmair. When the disease proves violent, and the patient is in danger of being suffocated by the cough, he ought to be bled, especially if there be a fever with a hard full pulse. But as the chief intention of bleeding is to prevent an inflammation of the lungs, and to render it more fafe to give vomits, it will feldom be necessary to repeat the operation; yet, if there be fymptoms of an inflammation of the lungs, a fecond, or even a third, bleeding may be requisite. Vomits not only cleanse the ftomach, which, in this disease is generally loaded with viscid phlegm, but they likewife promote the perspiration and other secretions; and ought therefore to

be repeated according to the obstinacy of the disease. They should not be strong; gentle vomits frequently repeated are less dangerous, and more beneficial, than ftfong ones. Many people believe that oily, pectoral, and balfamic, medicines, possess wonderful virtues for the cure of the chin cough, and accordingly exhibit them plentifully to patients of every age and constitution, without considering that every thing of this nature must load the stomach, hurt the digestion, and of course aggravate the disorder The millepedes, or woodlice, are greatly recommended for the cure of a chin-cough. Those, who chuse to make use of these infects, may infuse two ounces of them bruifed in an English pint of small whitewine for one night. Afterwards the liquor may be strained through a cloth, and a table spoonful of it given to the patient three or four times a-day. Opiates are fometimes necessary to allay the violence of the cough. For this purpose a little of the fyrup of poppies, or five, fix, or feven, drops of laudanum, according to the age of the patient, may be taken in a cup of hysfop or penny-royal tea, and repeated occasionally. The garlic ointment is a well-known remedy in North-Britain for the chin-cough. It is made by beating in a mortar garlic with an equal quantity of hog's-lard. With this the foles of the feet may be rubbed twice or thrice a-day; but the best method is to spread it upon a rag, and apply it in the form of a plaster. It should be renewed every night and morning at least, as the garlic foon loses its virtue. This is an exceeding good medicine both in the chin-cough and in most other coughs of an obstinate nature. It ought not, however, to be used when the patient is very hot or feverish, lest it should increase these symptoms.

INFLAMMATION OF THE STOMACH.

AN inflammation of the stomach may proceed from any of the causes which produce an inflammatory sever; as cold liquor drunk while the body is warm, obstructed perspiration, or the sudden striking in of any eruption. It is attended with a fixed pain and burning heat in the stomach; great restlesses and anxiety; a small quick, and hard, pulse; vomiting, or, at least, a nausea and sickness; excessive thirst; coldness of the extremities; dissiculty of breathing; cold clammy sweats; and sometimes convulsions and fainting sits. The stomach is swelled, and often seels hard to the touch. One of the most certain signs of this disease is the sense of pain, which the patient seels upon taking any kind of food or drink, especially if it be either too hot or too cold.

CURE.—All acrimonious, heating, and irritating, food and drink are carefully to be avoided. The weakness of the patient may deceive the by-standers, and induce them to give him wines, spirits, or other cordials; but these never fail to increase the disease, and often occasion sudden death. The inclination to

vomit

vomit may likewise impose on the attendants, and make them think a vomit neceffary; but that too is almost certain death. Bleeding is absolutely necessary, and is almost the only thing that can be depended on. When the disease proves obstinate, it will often be proper to repeat this operation several times, nor must the low state of the pulse deter us from doing fo. The pulse indeed generally rifes upon bleeding, and, as long as that is the cafe, the operation is fafe. Frequent fomentations with lukewarm water, or a decoction of emollient vegetables, as recommended in the Herbal, are likewise beneficial. Flannel cloths dipped in these must be applied to the region of the stomach, and removed as they grow cool. In this, and all other inflammations of the bowels, an epifpaftic, or bliftering-plafter, applied over the part affected, is one of the best remedies known. The only internal medicines which can with fafety be recommended are mild clyfters. These may be made of warm water, or thin water-gruel; and, if the patient is costive, a little sweet oil, honey, or manna, may be added. Clysters answer the purpose of an internal fomentation, while they keep the body open, and at the same time nourish the patient, who is often in this disease unable to retain any food upon his stomach. For these reasons they must not be neglected, as the patient's life may depend on them.

INFLAMMATION OF THE INTESTINES.

THIS is one of the most painful and dangerous diseases that mankind is liable to. It generally proceeds from the fame causes as the inflammation of the stomach; to which may be added costiveness, worms, eating unripe fruits, or great quantities of nuts, drinking hard windy malt liquors, as stale bottled beer or ale, four wine, cider, &c. The inflammation of the intestines is denominated iliac possion, enteritis, &c. according to the name of the parts affected. The treatment however is nearly the same, whatever part of the intestinal canal be the feat of the difease. The symptoms are nearly the same as in the foregoing disease; only the pain, if possible, is more acute, and is situated lower. The vomiting is likewife more violent, and fometimes even the excrements, together with the clyflers and suppositories, are discharged by the mouth. While the pain shifts, and the vomiting only returns at certain intervals, and while the clysters pass downwards, there is ground to hope; but, when the clysters and faces are vomited, and the patient is exceeding weak, with a low fluttering pulse, a pale countenance, and a disagreeable or stinking breath, there is great reason to fear that the consequences will prove fatal. Clammy sweats, black fætid stools, with a finall intermitting pulse, and a total ceffation of pain, are figns of a mortification already begun, and of approaching death.

CURE.—Bleeding, in this as well as in the inflammation of the stomach, is of the greatest importance. It should be performed as soon as the symptoms appear,

and must be repeated according to the strength of the patient and the violence of the disease. A blister is likewise to be applied immediately over the part where the most violent pain is. This not only relieves the pain of the bowels, but even clysters and purgative medicines, which beforehad no effect, will operate when the blifters begin to rife. The patient's feet and legs should frequently be bathed in warm water, and cloths dipped in it applied to his belly. Bladders filled with warm water may likewise be applied to the region of the navel, and warin bricks, or bottles filled with warm water, to the foles of the feet. If the difease does not yield to clyfters and fomentations, recourse must be had to pretty strong purgatives; but, as thefe, by irritating the bowels, often increase their contraction, and by that means frustrate their own intention, it will be necessary to join them with opiates. which, by allaying the pain, and relaxing the fpafinodic contractions of the guts, greatly affift the operation of purgatives in this cafe. What answers the purpose of opening the body very well, is a folution of the bitter purging falts. Two ounces of these may be dissolved in an English pint of warm water, or thin gruel, and a teacup-full of it taken every half-hour till it operates. At the fame time fifteen, twenty, or twenty-five, drops of laudanum may be given in a glass of peppermint or fimple cinnamon-water, to appeare the irritation, and prevent the vomiting, &c. But it often happens that no liquid whatever will flay on the flomach. In this case the patient must take purging pills. I have generally found the following answer very well: Take jalap in powder, and vitriolated tartar, of each half a drachm; opium one grain; Castile soap as much as will make the mass fit for pills. These must be taken at one dose, and, if they do not operate in a few hours, the dose may be repeated. If a stool cannot be procured by any of the above means, it will be necessary to immerse the patient in warm water up to the breaft. This often fucceeds when other means have been tried in vain. The patient must continue in the water as long as he can easily bear it without fainting. and, if one immersion has not the defired effect, it may be repeated as soon as the patient's strength and spirits are recruited. It is more safe for him to go frequently into the bath than to continue too long at a time; and it is often necessary to repeat it several times before it has the defired effect. In desperate cases it is common to give quickfilver. This may be given to the quantity of feveral ounces, or even a pound, but should not exceed that. When there is reason to suspect a mortification of the guts, this medicine ought not to be tried. In that case it cannot cure the patient, and will only haften his death. But, when the obstruction is occasioned by any cause that can be removed by force, quickfilver is not only a proper medicine, but the best that can be administered, as it is the fittest body we know for making its way through the intestinal canal.

OF THE CHOLIC.

THE cholic has a great refemblance to the two preceding diseases, both in its symptoms and method of cure. It is generally attended with costiveness and acute pain of the bowels; and requires diluting diet, evacuations, somentations, &c. Cholics are variously denominated, according to their causes, as the flatulent, the bilious, the hysteric, the nervous, &c.

CURE .- When the difease proceeds from windy liquor, green fruit, sour herbs, or the like, the best medicine on the first appearance of the symptoms is a dram of brandy, gin, or any good spirits. The patient should likewise sit with his feet upon a warm hearth stone, or apply warm bricks to them; and warm cloths may be applied to his fromach and bowels. This is the only cholic wherein ardent spirits, spiceries, or any thing of a hot nature, may be ventured upon Nor indeed are they to be used here unless at the very beginning, before any symptoms of inflammation appear. The bilious cholic is attended with very acute pains about the region of the navel. The patient complains of great thirst, and is generally costive. He vomits a hot, bitter, yellow-coloured, bilc, which, being discharged, seems to afford fome relief, but is quickly followed by the same violent pain as before. As the diffemper advances, the propenfity to vomit fometimes increases fo as to become almost continual, and the proper motion of the intestines is so far perverted, that there are all the fymptoms of an impending iliac paffion. If the patient be young and ftrong, and the pulse full and frequent, it will be proper to bleed, after which clyfters may be administered. Clear whey or gruel, sharpened with the juice of lemon, or cream of tartar, must be drunk freely: it will be necessary likewife to foment the belly with cloths dipped in warm water; and, if this should not succeed, the patient must be immersed up to the breast in warm water. In the bilious cholic the vomiting is often very difficult to restrain. When this happens, the patient may drink a decoction of toafted bread, or an infufion of garden-mint in boiling water. Such as are liable to frequent returns of the bilious cholic fhould use flesh sparingly, and live chiefly upon a light vegetable diet. They should likewise take frequently a dosc of cream of tartar with tamarinds, or any other cool acid purge. The hyfteric cholic bears a great refemblance to the bilious. It is attended with acute pains about the region of the stomach, vomiting, &c. But what the patient vomits in this case is commonly of a greenish colour. There is a great finking of the spirits, with dejection of mind and difficulty of breathing, which are the characteristic symptoms of this diforder. Sometimes it is accompanied with the jaundice; but this generally goes off of its own accord in a few days. In this cholic all evacuations, as bleeding, purging, vomiting, &c.

do hurt. Every thing that weakens the patient, or finks the fpirits, is to be avoided. If however the vomiting should prove violent, lukewarm water, or finall posset, may be drunk to cleanse the stomach. Afterwards the patient may take sisteen, twenty, or twenty-five, drops of liquid laudanum in a glass of cinnamon-water. This may be repeated every ten or twelve hours till the symptoms abate. The nervous cholic prevails among miners, smelters of lead, plumbers, the manufacturers of white lead, &c. It is very common in the cider counties of England, and is supposed to be occasioned by the leaden vessels used in preparing that liquor. No disease of the bowels is attended with more excruciating pain than this. Nor is it soon at an end. I have known it to continue eight or ten days with very little intermission, the body all the while continuing bound in spite of medicine, yet at length yield, and the patient recover. It generally however leaves the patient weak, and often ends in a palsy. The general treatment of this disease is the same with that of the iliac passion, or inflammation of the bowels.

INFLAMMATION OF THE KIDNEYS.

THIS difease may proceed from any of those causes which produce an inflammatory sever. It may likewise be occasioned by wounds or bruises of the kidneys; small stones or gravel lodging within them; by hard riding or walking, especially in hot weather; or whatever drives the blood too forcibly into the kidneys, may occasion this malady.

CURE.—Every thing of a heating or stimulating nature is to be avoided. Emollient and thin liquors must be plentifully drunk; as clear whey, or balm tea fweetened with honey, decoctions of marsh-mallow roots, with barley and liquorice, &c. Bleeding is generally necessary, especially at the beginning. Ten or twelve ounces may be let from the arm or foot; and, if the pain and inflammation continue, the operation may be repeated in twenty-four hours, especially if the patient be of a full habit. Leeches may likewife be applied to the hæmorrhoidal veins, as discharge from these will greatly relieve the patient. Cloths dipped in warm water, or bladders filled with it, must be applied as near as possible to the part affected, and renewed as they grow cool. If the bladder be filled with a decoction of mallows and camomile flowers, to which a little faffron is added, and mixed with about a third part of new milk, it will be ftill more beneficial. Emollient clyfters ought frequently to be administered; and, if these do not open the body, a little falt and honey or manna may be added to them. The fame course is to be followed where gravel or a ftone is lodged in the kidney; but, when the gravel or stone is separated from the kidney, and lodges in the ureter, it will be proper, befides the fomentations, to rub the finall of the back with fweet oil, and to give gentle diuretics: as juniper-water sweetened with the syrup of marshmallows; a teaspoon-full of the sweet spirits of nitre, with a few drops of landanum, may now and then be put in a cup of the patient's drink. He ought likewise to take exercise on horseback, or in a carriage, if he be able to bear it.

INFLAMMATION OF THE BLADDER.

THE inflammation of the bladder proceeds, in a great meafure, from the fame causes as that of the kidneys. It is known by an acute pain towards the bottom of the belly, and difficulty of paffing urine, with fome degree of fever, a conftant inclination to go to flool, and a perpetual defire to make water. This difease must be treated on the fame principles as the one immediately preceding. The patient should abstain from every thing that is of a hot, acrid, and stimulating quality, and should live entirely upon small broths, gruels, or mild vegetables. But a floppage of urine may proceed from other causes besides an inflammation of the bladder; as a swelling of the hæmorrhoidal veins; hard faces lodged in the rectum; a stone in the bladder; excrescences in the urinary passages, a palfy of the bladder, hysteric affections, &c. In all which cases, mild and gentle applications are the fafeft; ftrong diuretic medicines. or things of an irritating nature, generally increase the danger. I have known some persons kill themselves by introducing probes into the urinary passages, to remove, as they thought, somewhat that obftructed the discharge of urine; and others bring on a violent inflammation of the bladder, by using strong diuretics, as oil of turpentine, &c. for that purpose.

INFLAMMATION OF THE LIVER.

THIS disease is known by a painful tension of the right fide under the false ribs, attended with some degree of sever, a sense of weight, or fulness of the part, difficulty of breathing, loathing of food, great thirst, with a pale or yellowish colour of the skin and eyes. This disease is, if properly treated, is seldom mortal. If it ends in a suppuration, and the matter cannot be discharged outwardly, the danger is then great. When the scirrbus of the liver ensues, the patient, if he observes a proper regimen, may nevertheless live a number of years; but, if he indulge in animal food and strong liquors, or take medicines of an acrid or irritating nature, the scirrbus will be converted into a cancer, which must infallibly prove fatal.

CURE.—The fame regimen is to be observed in this as in other inflammatory disorders. All hot things are to be carefully avoided; and cool diluting liquors, as whey, barley-water, &c. drunk freely. The food must be light and thin, and the body, as well as the mind, kept easy and quiet. Bleeding is proper at the beginning, and it will often be necessary, even though the pulse should not feel hard, to repeat

it. All violent purgatives are to be avoided; the body however must be kept gently open. A decoction of tamarinds, with a little honey or manna, will answer this purpose very well. The side affected must be somented in the manner directed in the foregoing diseases. Mild laxative clysters should be frequently administered; and, if the pain should notwithstanding continue violent, a blistering-plaster may be applied over the part affected. Medicines which promote the secretion of urine have a very good effect here. For this purpose, half a drachm of purissed nitre, or a tea-spoonful of the sweet spirits of nitre, may be taken in a cup of the patient's drink three or four times a-day. All instammations of the viscera must in general be treated upon the same principles as those already mentioned. The chief rule with respect to all of them, is to let blood, to avoid every thing that is strong, or of a heating nature, to apply warm somentations to the part affected, and to cause the patient to drink a sufficient quantity of warm diluting liquors.

OF THE CHOLERA MORBUS.

THE cholera morbus is a violent purging and vomiting, attended with gripes, fickness, and a constant defire to go to stool. It comes on suddenly, and is most common in autumn. There is hardly any disease that kills more quickly than this, when proper means are not used in due time for removing it. It is generally preceded by the heart-burn, four belchings, and flatulencies, with pain of the stomach and intestines. To these succeed excessive vomiting, and purging of green, yellow, or blackish, coloured bile, with a distension of the stomach, and violent griping pains. There is likewise a great thirst, with a very quick unequal pulse, and often a fixed acute pain about the region of the navel. As the disease advances, the pulse often finks so low as to become quite imperceptible, the extremities grow cold, or cramped, and are often covered with a clammy sweat, the urine is obstructed, and there is a palpitation of the heart. Violent hiccup, fainting, and convulsions, are the signs of approaching death.

CURE.—At the beginning of this difease, the efforts of nature to expel the offending cause should be affisted, by promoting the purging and vomiting. For this purpose the patient must drink freely of diluting liquors; as whey, buttermilk, warm water, thin water-gruel, small posset, or, what is perhaps preferable to any of them, very weak chicken broth. This should not only be drunk plentifully to promote the vomiting, but a clyster of it given every hour in order to promote the purging. Warm negus, or strong wine whey, will likewise be necessary to support the patient's spirits, and promote perspiration. His legs should be bathed in warm water, and afterwards rubbed with slannel cloths, or wrapped inwarm blankets, and warm bricks applied to the soles of his feet. Flannels wrung

out of warm spirituous somentations should likewise be applied to the region of the stomach. When the violence of the disease is over, to prevent a relapse, it will be necessary, for some time, to continue the use of small doses of laudanum. Ten or twelve drops may be taken in a glass of wine, at least twice a-day, for eight or ten days. The patient's food ought to be nourishing, but taken in small quantities, and he should use moderate exercise. As the stomach and intestines are generally much weakened, an infusion of the bark, or bitter herbs, in small wine, sharpened with the clixir of vitriol, may be drunk for some time.

OF A DIARRHŒA, OR LOOSENESS.

A LOOSENESS, in many cases, is not to be considered as a disease, but rather as a falutary evacuation. It ought therefore never to be stopped unless when it continues too long, or evidently weakens the patient.

CURE - A loofeness, occasioned by the obstruction of any customary evacuation, generally requires bleeding. If that does not fucceed, other evacuations may be substituted in the room of those which are obstructed. At the same time, every method is to be taken to restore the usual discharges, as not only the cure of the disease, but the patient's life, may depend on this. A diarrhœa, or looseness, which proceeds from violent passions or affections of the mind, must be treated with the greatest caution. Vomits in this case are highly improper. Nor are purges safe, unless they be very mild, and given in small quantities. Opiates and other antispasmodic medicines, are most proper. Ten or twelve drops of liquid laudanum may be taken in a cup of valerian or penny-royal tea, every eight or ten hours, till the fymptoms abate. Ease, cheerfulness, and tranquillity of mind, are here of the greatest importance. When a looseness proceeds from acrid or poisonous substances taken into the stomach, the patient must drink large quantities of diluting liquors, with oil or fat broths, to promote vomiting and purging. Afterwards, if there be reason to suspect that the bowels are inflamed, bleeding will be neceffary. Small doses of laudanum may likewise be taken to remove their irritation. From whatever cause a loofeness proceeds, when it is found necesfary to check it, the diet ought to confift of rice boiled with milk, and flavoured with cinnamon; rice-jelly; fago, with red port; and the lighter forts of fleshmeat roasted. The drink may be thin water-gruel, rice water, or weak broth made from lean veal, or with a fheep's head, as being more gelatinous than mutton, beef or chicken broth.

OF VOMITING.

VOMITING may proceed from various causes; as, excess in eating and drinking, soulness of the stomach, the acrimony of the aliments, or a translation of the morbific matter of ulcers, of the gout, the erysipelas, or other diseases, to the stomach and bowels.

CURE.

CURE.—When vomiting proceeds from a foul fromach or indigeftion, it is not to be confidered as a difease, but as the cure of a difease. It ought therefore to be promoted by drinking lukewarm water or thin gruel. If this does not put a ftop to the vomiting, a dose of ipecacuanha may be taken, and worked off with weak camomile-tea. If vomiting proceeds from weakness of the stomach, bitters will be of fervice. Peruvian bark infused in wine or brandy, with as much rhubarb as will keep the body gently open, is an excellent medicine in this case. The elixir of vitriol is also a good medicine; it may be taken in the dose of fifteen or twenty drops, twice or thrice a-day, in a glass of wine or water. Habitual vomitings are fometimes alleviated by making oyfters a principal part of the diet. A vomiting, which proceeds from acidities in the flomach, is relieved by alkaline purges. The best medicine of this kind is the magnesia alba, a tea-spoonful of which may be taken in a dish of tea or a little milk, three or four times a-day, or oftener if necessary, to keep the body open. I have always found the faline draughts, taken in the act of effervescence, of fingular use in stopping a vomiting, from whatever cause it proceeded. These may be prepared by diffolving a drachm of the falt of tartar in an ounce and half of fresh lemon juice, and adding to it an ounce of peppermint-water, the same quantity of simple cinnamon-water, and a little white fugar. This draught must be swallowed before the effervescence is quite over, and may be repeated every two hours, or oftener, if the vomiting be violent.

OF THE DIABETES.

IN a diabetes, the urine generally exceeds in quantity all the liquid food which the patient takes. It is thin and pale, of a fweetish taste, and an agreeable smell. The patient has a continual thirst, with some degree of sever; his mouth is dry, and he spits frequently a frothy spittle. The strength sails, the appetite decays, and the slesh wastes away till the patient is reduced to skin and bone. There is a heat of the bowels; and frequently the loins, testicles, and feet, are swelled.

CURE.—This disease may generally be cured at the beginning; but, after it has continued long, the cure becomes very difficult. Every thing that stimulates the urinary passages, or tends to relax the habit, must be avoided. For this reason the patient should live chiefly on solid food. His thirst may be quenched with acids; as forrel, juice of lemon, or vinegar. The mucilaginous vegetables, as rice, sago, and salop, with milk, are the most proper food. Of animal substances, shell-sish are to be preferred; as oysters, crabs, &c. The drink may be Bristol-water, (a constant course of which has done wonders in this disorder, and is reckoned a specific;) when that cannot be obtained, lime-water, in which a due proportion of oak-bark has been macerated, may be used. The patient ought

ought daily to take exercife, but it should be so gentle as not to satigue him. He should lie upon a hard bed or mattres. Nothing hurts the kidneys more than lying too soft. Gentle purges, if the patient be not too much weakened by the disease, have a good effect. They may consist of rhubarb, with cardanum seed, or any other spiceries, insufed in wine, and may be taken in such quantity as to keep the body gently open. The patient must next have recourse to assiringents and corroborants. Half a drachm of powder, made of equal parts of alum and the inspissated juice, commonly called Terra Japonica, may be taken four times a-day, or oftener, if the stomach will bear it; otherwise, Peruvian bark steeped in red wine. Opiates are of service in this disease, even though the patient rests well. They take off spasm and irritation, and at the same time lessen the force of the circulation. Ten or twelve drops of liquid laudanum may be taken in a cup of the patient's drink three or four times a-day.

OF A SUPPRESSION OF URINE.

A SUPPRESSION of urine may proceed from various causes; as an inflammation of the kidneys or bladder, small stones or gravel lodging in the urinary passages, hard seees lying in the rectum, pregnancy, a spassor or contraction of the neck of the bladder, clotted blood in the bladder itself, a swelling of the hæmorrhoidal veins, &c.

CURE.—We would chiefly recommend, in all obstructions of urine, fomentations and evacuants. Bleeding, as far as the patient's strength will permit, is necessary, especially where there are symptoms of topical inflammation. Bleeding in this case not only abates the sever, by lessening the force of the circulation, but, by relaxing the folids, it takes off the spasm or structure upon the vessels which occasioned the obstruction. After bleeding, somentations must be used. These may either confist of warm water alone, or of decoctions of mild vegetables; as mallows, camomile flowers, and such other herbs as are recommended in the Herbal. Cloths dipped in these may either be applied to the part affected, or a large bladder filled with the decoction may be kept continually upon it. Persons subject to a suppression of urine ought to live very temperate. Their diet should be light, and their liquor diluting. They should avoid all acids and austere wines; should take sufficient exercise, lie hard, and avoid study and sedentary occupations.

OF THE GRAVEL AND STONE.

THE from and gravel may be occasioned by high living; the use of strong astringent wines; a sedentary life; lying too hot, soft, or too much on the back; the constant use of water impregnated with earthy or stony particles; aliments of an astringent

aftringent or windy nature, &c. It may likewife proceed from an hereditary difposition. Perfons in the decline of life, and those who have been much afflicted with the gout or rheumatism, are most liable to it.

CURE.-Perfons afflicted with the gravel or ftone should avoid aliments of a windy or heating nature, as falt meats, four fruits, &c. Their diet ought chiefly to confift of fuch things as tend to promote the fecretion of urine, and to keep the body open. Artichokes, afparagus, fpinage, lettuce, parfley, fuccory, purflane, turnips, potatoes, carrots, and radiflies, may be fafely eaten. Onions, leeks, and celery, are, in this case, reckoned medicinal. The most proper drinks are whey, butter-milk, milk and water, barley-water; decoctions or infusions of the roots of marsh-mallows, parsley, liquorice, or of other mild mucilaginous vegetables, as linfeed, lime-tree buds or leaves, &c. If the patient has been accustomed to generous liquors, he may drink small gin-punch without acid. In what is called a fit of the gravel, which is commonly occasioned by a flone flicking in the ureter, or fome part of the urinary paffage, the patient must be bled, warm fomentations should likewise be applied to the part affected, emollient clyfters administered, and diluting mucilaginous liquors drunk, &c. The treatment in this case must be the same as pointed out for an inflammation of the kidneys and bladder, &c. Patients who are subject to frequent fits of gravel in the kidneys, but have no ftone in the bladder, are advised to drink every morning, two or three hours before breakfast, an English pint of oister or cockle fhell lime-water; for, though this quantity might be too fmall to have any fenfible effect in diffolving a ftone in the bladder, yet it may very probably prevent its growth. When a stone is formed in the bladder, Alicant foap, and oister or cockle shell lime-water, may be taken in the following manner: The patient must swallow every day, in any form that is least disagreeable, an ounce of the internal part of Alicant foap, and drink three or four English pints of oister or cockle shell lime-water. The soap is to be divided into three doses; the largest to be taken fasting in the morning early; the second at noon; and the third at feven in the evening; drinking with each dose a large draught of the lime-water; the remainder of which he may take any time betwixt dinner and supper, instead of other liquors. The cauftic alkali, or foap-lees, is the medicine chiefly in vogue at prefent for the stone. It may be prepared by mixing two parts of quick-lime with one of pot-ashes, and suffering them to stand till the lixivium be formed, which must be carefully filtrated before it be used. If the solution does not happen readily, a fmall quantity of water may be added to the mixture. The patient must begin with finall doses of the lees, as thirty or forty drops, and increase by degrees, as far as the stomach will bear it:

OF INVOLUNTARY DISCHARGES OF BLOOD.

INVOLUNTARY discharges of blood are so far from being always dangerous, that they prove often falutary. When fuch discharges are critical, which is frequently the case in severs, they ought not to be stopped. Nor indeed is it proper at any time to stop them, unless they be so great as to endanger the patient's life. Most people, afraid of the smallest discharge of blood from any part of the body, fly immediately to the use of flyptic and aftringent medicines, by which means an inflammation of the brain, or some other fatal disease, is occasioned, which, had the difcharge been allowed to go on, might have been prevented. Periodical discharges of blood, from whatever part of the body they proceed, must not be stopped. They are always the efforts of nature to relieve herself; and fatal difeases have often been the consequence of obstructing them. It may indeed fometimes be necessary to check the violence of fuch discharges; but even this requires the greatest caution. In the early period of life, bleeding at the nose is very common. Those who are farther advanced in years are more liable to hamoptie, or discharge of blood from the lungs. After the middle period of life, hæmorrhoidal fluxes are most common; and, in the decline of life, discharges of blood from the urinary passages. Bleeding at the nose, to persons who abound with blood, is very falutary. It often cures a vertigo, the head-ach, a phrenzy, and even an epilepfy. In fevers, where there is a great determination of blood towards the head, it is of the utmost service. It is likewise beneficial in inflammations of the liver and fpleen, and often in the gout and rheumatifm. In all difeases where bleeding is necessary, a spontaneous discharge of blood from the nosc is of much more service than the same quantity let with a lancet. Whenever bleeding at the nofe relieves any bad fymptom, and does not proceed fo far as to endanger the patient's life, it ought not be stopped. But, when it returns frequently, or continues till the pulse becomes low, the extremities begin to grow cold, the lips pale, or the patient complains of being fick or faint, it must immediately be stopped.

CURE.—Let the patient be fet nearly upright, with his head reclining a little, and his legs immerfed in water about the warmth of new milk. His hands ought likewife to be put in lukewarm water, and his garters may be tied a little tighter than ufual. Ligatures may be applied to the arms, about the place where they are ufually made for bleeding, and with nearly the fame degree of tightness. These must be gradually slackened as the blood begins to stop, and removed entirely as foon as it gives over. Sometimes dry lint put up the nostrils will stop the bleeding. When this does not succeed, dossils of lint dipped in strong spirits of wine may be put up the nostrils; or, if that cannot be had, they may be dipped in

brandy.

brandy. If the genitals be immerfed for fome time in cold water, it will generally flop a bleeding at the noise. I have feldom known this fail.

OF THE BLEEDING AND BLIND PILES.

A DISCHARGE of blood from the hæmorrhoidal veffels is called the bleeding piles. When the veffels only fwell, and difcharge no blood, but are exceeding painful, the difeafe is called the blind piles. This difcharge, however, is not always to be treated as a difeafe. It is even more falutary than bleeding at the nofe, and often prevents or carries off difeafes. It is peculiarly beneficial in the gout, rheumatifm, afthma, and hypochondriacal complaints, and often proves critical in cholics and inflammatory fevers.

CURE.—In the management of the patient, regard must be had to his habit of body, his age, ftrength, and manner of living. A discharge, which might be exceffive and prove hurtful to one, may be very moderate, and even falutary, to another. That only is to be efteemed dangerous which continues too long, and is in fuch quantity as to waste the patient's strength, hurt the digestion, nutrition, and other functions necessary to life. The Peruvian bark is proper in this case, both as a strengthener and an astringent. Half a drachm of it may be taken in a glass of red wine, sharpened with a few drops of the elixir of vitriol, three or four times a-day. The bleeding piles are fometimes periodical, and return regularly once a-month, or once in three weeks. In this case they are always to be confidered as a falutary difcharge, and by no means to be stopped. In the blind piles, bleeding is generally of use. The diet must be light and thin, and the drink cool and diluting. It is likewife necessary that the body be kept gently open. When the piles are exceeding painful and fwelled, but discharge nothing, the patient must fit over the steam of warm water. He may likewise apply a linen cloth dipped in warm spirits of wine to the part, or poultices made of bread and milk, or of leeks fried with butter. If these do not produce a discharge, and the piles appear large, leeches must be applied as near them as possible, or, if they will fix upon the piles themselves, so much the better. When leeches will not fix, the piles may be opened with a lancet. The operation is very easy, and is attended with no danger. When the pain is very great, a liniment made of two ounces of emollient ointment, and half an ounce of liquid laudanum, beat up with the yolk of an egg, may be applied.

SPITTING OF BLOOD.

PERSONS of a flender make and a lax fibre, who have long necks and firait breafts, are most liable to this disease. It is most common in the spring, and generally attacks people before they arrive at the prime or middle period of life. It

is a common observation, that those who have been subject to bleeding at the nose when young are afterwards most liable to this complaint. It is often occasioned by excessive drinking, running, wrestling, singing, or speaking aloud. Such as have weak lungs ought to avoid all violent exertions of that organ, as they value life. They should likewise guard against violent passions, excessive drinking, and every thing that occasions a rapid circulation of the blood. It is often the effect of a long and violent cough; in which case it is generally the forerunner of a consumption. Spitting of blood is not always to be considered as a primary disease. It is often only a symptom, and in some diseases not an unsavourable one. This is the case in pleurisies, peripneumonies, and fundry other severs. In a dropsy, scurvy, or consumption, it is a bad symptom, and shews that the lungs are ulcerated.

CURE.—This, like the other involuntary discharges of blood, ought not to be suddenly stopped by aftringent medicines. It may however proceed so far as to weaken the patient, and even endanger his life, in which case proper means must be used for restraining it. The body should be kept gently open by laxative diet, as roasted apples, stewed prunes, and such like. If these should not have the defired effect, a tea-spoonful of the lenitive electuary may be taken twice or thrice a day, as is found necessary. If the bleeding proves violent, ligatures may be applied to the extremities, as directed for a bleeding at the nose. If the patient be hot or severish, bleeding and small doses of nitre will be of use; a scruple or half a drachm of nitre may be taken in a cup of his ordinary drink twice or thrice a-day. If stronger aftringents be necessary, sisteen or twenty drops of the acid clixir of vitriol may be given in a glass of water three or four times a-day.

VOMITING OF BLOOD.

THIS difease often proceeds from an obstruction of the menses in women, and sometimes from the stopping of the hemorrhoidal flux in men. It may be occafioned by any thing that greatly stimulates or wounds the stomach, as strong vomits or purges, acrid poisons, sharp or hard substances taken into the stomach, &c.

It is often the effect of obstructions in the liver, the spleen, or some of the other
viscora. It may likewise proceed from external violence, as blows or bruises, or
from any of the causes which produce inflammation. In hysteric women, vomiting of blood is very common, but by no means a dangerous symptom.

CURE.—A great part of the danger in this disease arises from the extravasated blood lodged in the bowels, and becoming putrid, by which means a dysentery or putrid sever may be occasioned. The best way of preventing this, is to keep the body gently open, by frequently exhibiting emollient clysters. After the discharge is over, as the patient is generally troubled with gripes, occasioned by the acrimony of the blood lodged in the intestines, gentle purges will be necessary.

OF BLOODY URINE.

THIS discharge is more or less dangerous, according to the different circumfiances which attend it. When pure blood is voided suddenly, without interruption and without pain, it proceeds from the kidneys; but, if the blood be in small quantity, of a dark colour, and emitted with heat and pain about the bottom of the belly, it proceeds from the bladder. Bloody urine is always attended with some degree of danger; but it is peculiarly so when mixed with purulent matter, as this shews an ulcer somewhere in the urinary passages.

CURE.—When there is reason to suspect an ulcer in the kidneys or bladder, the patient's diet must be cool, and his drink of a soft, healing, baliamic, quality, as decoctions of marsh-mallow roots with liquorice, solutions of gum-arabic, &c. Three ounces of marsh-mallow roots, and half an ounce of liquorice, may be boiled in two English quarts of water to one; two ounces of gum-arabic, and half an ounce of purished nitre, may be dissolved in the strained liquor, and a teacupful of it taken four or five times a-day. The early use of astringents in this disease has often bad consequences. When the flux is stopped too soon, the grumous blood, by being confined in the vessels, may produce inflammations, abcess, and ulcers. If however the case be urgent, or the patient seems to suffer from the loss of blood, gentle astringents may be necessary. In this case the patient may take three or four ounces of lime-water, with half an ounce of the tincture of Peruvian bark, three times a-day.

OF THE DYSENTERY, OR BLOODY FLUX.

THIS difease is known by the flux of the belly, attended with violent pain of the bowels, a constant inclination to go to stool, and generally more or less blood in the stools. It begins, like other severs, with chillness, loss of strength, a quick pulse, great thirst, and an inclination to vomit. The stools are at first greasy or frothy, afterwards they are streaked with blood, and, at last, have frequently the appearance of pure blood, mixed with small filaments, resembling bits of skin.

CURE.—Nothing is of more importance in this difease than cleanlines. It contributes greatly to the recovery of the patient, and no less to the safety of such as attend him. Every thing about the patient should be frequently changed. The excrements should never be suffered to continue in his chamber, but removed immediately, and buried under ground. A constant stream of fresh air should be admitted into the chamber; and it ought frequently to be sprinkled with vinegar, juice of lemon, or some other strong acid. At the beginning of this disease it is always necessary to cleanse the first passages; for this purpose a vomit of ipecacuanha must be given, and worked off with weak camonile tea. Strong 36.

vomits are feldom necessary here; a scruple, or at most half a drachm, of ipecacuanha, is generally sufficient for an adult, and sometimes a very few grains wilk fuffice. The day after the vomit, half a drachm, or two feruples, of rhubarb. must be taken; or, what will answer the purpose rather better, an ounce of an ounce and a half of Epfom falts; this dose may be repeated every other day for two or three times. Afterwards fmall doses of ipecacuanha may be taken for some time; two or three grains of the powder may be mixed in a table-spoonful of the fyrup of poppies, and taken three times a-day. These evacuations will often be fufficient to effect a cure. Should it happen otherwife, the following affringent medicines may be used: A clyster of starch or fat mutton broth, with thirty or forty drops of liquid laudanum in it, may be administered twice a-day; at the fame time an ounce of guin-arabic, and half an ounce of guin-tragacanth, may be dissolved in an English pint of barley-water, over a slow fire, and a table-spoonful of it taken every hour. When dysenteries prevail, we would recommend a firiest attention to cleanlines, a spare use of animal food, and the free use of sound ripe fruits, and other vegetables. We would also advise such as are liable to them to take either a vomit or a purge every fpring or autumn, as a preventive.

OF THE JAUNDICE.

THE immediate cause of the jaundice is an obstruction of the bile. The patient at first complains of excessive weariness, and has great aversion to every kind of motion. His skin is dry, and he generally feels a kind of itching or pricking pain over the whole body. If the patient be young, and the disease complicated with no other malady, it is seldom dangerous; but in old people, where it continues long, returns frequently, or is complicated with the dropsy or hypochondriac symptoms, it generally proves satal. The black jaundice is more dangerous than the yellow.

CURE.—The patient should take as much exercise as he can bear, either on horseback, or in a carriage; walking; running, and even jumping, are likewise proper, provided he can bear them without pain, and there be no symptoms of inflammation. Patients have been often cured of this disease by a long journey, after medicines had proved ineffectual. If the patient be young, of a full sanguine habit, and complains of pain in the right side about the region of the liver, theeding will be necessary. After this a vomit must be administered, and, if the disease proves obstinate, it may be repeated once or twice. No medicines are more beneficial in the jaundice than vomits, especially where it is not attended with inflammation; half a drachm of ipecacuanha in powder will be a sufficient dose for an adult, it may be worked off with weak camomile-tea, or lukewarm waters. Fomenting the parts about the region of the stomach and liver, and rubbing

rubbing them with a warm hand or flesh-brush, are likewise beneficial; but it is still more to for the patient to fit in a bath of warm water up to the breast. He ought to do this frequently, and should continue in it as long as his strength will permit. Numberless British herbs are certain cures for this disease, as may be seen in the Herbal. I have known considerable benefit, in a very obtinate jaundice, from a decoction of hempsed: four ounces of the seed may be boiled in two English quarts of ale, and sweetened with coarse sugar; the dose is half a pint every morning, and may be continued for eight or nine days. A very obtinate jaundice has been cured by swallowing raw eggs. Persons subject to the jaundice ought to take as much exercise as possible, and to avoid all heating and afteringent aliments. If it attacks maidens after the age of puberty, marriage is a certain cure.

OF THE DROPSY.

THE dropfy is often owing to an hereditary disposition, and often to a jaundice badly cured; it may likewife proceed from drinking ardent spirits, or other firong liquors. It is true almost to a proverb, that great drinkers die of a droofy. The want of exercise is also a very common cause of the dropsy; hence it is justly reckoned among the diseases of the sedentary. It often proceeds from excessive evacuations, as frequent and copious bleedings, strong purges often repeated, frequent fallvations, &c. The fudden stoppage of customary or necessary evacuations, as the menies, the hæmorrhoids, fluxes of the belly, and, in thort, whatever obstructs the perspiration, or prevents the blood from being duly prepared, occasions a dropfy. It generally begins with a swelling of the feet and ancles towards night, which, for fome time, disappears in the morning. In the evening the parts, if preffed with the finger, will pit. The swelling gradually afcends, and occupies the trunk of the body, the arms, and the head. Afterwards the breathing becomes difficult, the urine is in final quantity, and the thirst great; the body is bound, and the perspiration is greatly obstructed. thefe fucceed torpor, heaviness, a flow wasting fever, and a troublesome cough. This last is generally a fatal symptom, as it shews that the lungs are affected. When the difease comes suddenly on, and the patient is young and strong, there is reason to hope for a cure, especially if medicine be given early. But, if the patient be old, has led an irregular or a fedentary life, or if there be reason to suspect that the liver, lungs, or any of the vicera, are unfound, there is great ground to fear that the confequences will prove fatal.

CURE.—The patient must abitain, as much as possible, from all drink, especially weak and watery liquors, and must quench his thirst with mustard whey, or acids, as juice of lemons, oranges, forrel, or such like. His aliment ought to be dry, of a stimulating and diuretic quality, as toasted bread, the flesh of birds, or

other

other wild animals, roafted : pungent and aromatic vegetables, as garlie, muftard. onions, creffes, horse-radish, rocambole, shalot, &c. He may also eat sea-bifcuit dipt in wine or a little brandy. This is not only nourishing, but tends to quench thirst. Some have been actually cured of a dropfy by a total abstinence from all liquids, and living entirely upon fuch things as are mentioned above. If the patient must have drink, the Spa-water, or Rhenish wine, with diuretic medicines infused in it, are the best. Exercise is of the greatest importance in a dropfy. If the patient be able to walk, dig, or the like, he ought to continue these exercises as long as he can. If he is not able to walk or labour, he must ride on horseback, or in a carriage, and the more violent the motion so much the better, provided he can bear it. If the difease has come on suddenly, it may generally be removed by ftrong vomits, brifk purges, and fuch medicines as promote a discharge by sweat and urine. For an adult, half a drachm of ipecacuanha in powder, and half an ounce of oxymel of fquills, will be a proper vomit. This may be repeated as often as is found necessary, three or four days intervening between the doses. The patient must not drink much after taking the vomit, otherwise he destroys its effect. A cup or two of camomile-tea will be sufficient to work it off. Betwixt each vomit, on one of the intermediate days, the patient may take the following purge: Jalap in powder half a drachm, cream of tartar two drachms, calomel fix grains. These may be made into a bolus with a little fyrup of pale rofes, and taken early in the morning. The lefs the patient drinks after it the better. If he be much griped, he may take now and then a cup of chicken broth. The patient may likewife take every night at bedtime the following bolus: To four or five grains of camphor add one grain of opium, and as much fyrup of orange-peel as is sufficient to make them into a bo-This will generally promote a gentle fweat, which should be encouraged by drinking now and then a small cup of white-wine whey, with a tea-spoonful of the spirits of hartshorn in it. A tea-cupful of the following diuretic infusion may likewife be taken every four or five hours through the day: Take juniper berries, mustard-seed, and horse-radish, of each half an ounce, ashes of broom half a pound; infuse them in a quart of Rhenish wine or strong ale for a few days, and afterwards strain off the liquor. Such as cannot take this infusion, may use the decoction of feneka-root, which is both diuretic and fudorific. I have known an obstinate anafarca cured by an infusion of the ashes of broom in wine. The above course will often cure an incidental dropfy, if the constitution be good; but, when the difease proceeds from a bad habit, or an unfound state of the viscera, strong purges and vomits are not to be ventured upon. In this case, the safer course is to palliate the fymptoms by the use of such medicines as promote the secretions, and to support the patient's strength by warm and nourishing cordials. The secretion of ·urine

urine may be greatly promoted by nitre. Brookes fays, that he knew a young woman who was cured of a dropfy by taking a drachm of nitre every morning in a draught of ale, after the had been given over as incurable; and a large fpoonful of unbruifed muftard-feed taken every night and morning, and drinking half a pint of the decoction of the tops of green broom after it, has performed cures when other powerful medicines have proved ineffectual. When the difease does not evidently and speedily give way to purgative and disretic medicines, the water ought to be let off by tapping. This is a very simple and safe operation, and would often succeed, if it were performed in due time; but, if it be delayed till the humours are vitiated, or the bowels spoiled by long soaking in water, it can hardly be expected that any permanent relief will be procured. After the evacuation of the water, the patient is to be put on a course of strengthening medicines; as the Peruvian bark, the elixir of vitriol, warm aromatics, with a due proportion of rhubarb insused in wine, and such-like.

OF THE GOUT.

THERE is no difease which shews the impersection of medicine, or sets the advantages of temperance and exercise in a stronger light, than the gout. Excess and idleness are the true sources from whence it originally sprang, and all who would avoid it must be active and temperate. As there are no medicines yet known that will cure the gout, we shall confine our observations chiefly to regimen, both in and out of the fit. In the fit, if the patient be young and ftrong, his diet ought to be thin and cooling, and his drink of a diluting nature; but, where the conflitution is weak, and the patient has been accustomed to live high. this is not a proper time to retrench. In this case he must keep nearly to his usual diet, and should take frequently a cup of strong negus, or a glass of generous wine. Wine-whey is a very proper drink in this case, as it promotes the persoiration without greatly heating the patient. It will answer this purpose better if a tea-spoonful of fal volatile oleosum, or spirits of hartshorn, be put into a cup of it twice a-day. It will likewise be proper to give at bed-time a tea-spoonful of the volatile tincture of guaiacum in a large draught of warm wine whey. This will greatly promote perspiration through the night. As the most safe and efficacious method of discharging the gouty matter is by perspiration, this ought to be kept up by all means, especially in the affected part. For this purpose the leg and foot should be wrapped in fost flannel, fur, or wool. The last is most readily obtained, and feems to answer the purpose better than any thing else. The people of Lancashire look upon wool as a kind of specific in the gout. They wrap a great quantity of it about the leg and foot affected, and cover it with a fkin of foft dreffed leather. The wool which they use is generally greafed, and II u carded 37.

carded or combed. They chuse the softest which can be had, and seldom or never remove it till the fit be entirely gone off. All external applications that repel the matter are to be avoided as death. They do not cure the difease, but remove it from a fafer to a more dangerous part of the body, where it often proves fatal. Many things will shorten a fit of the gout, and some will drive it off al_ together; but nothing has yet been found which will do this with fafety to the patient. In pain we eagerly grasp at any thing that promises immediate ease, and even hazard life itself for a temporary relief. This is the true reason why fo many infallible remedies have been proposed for the gout, and why such numbers have loft their lives by the use of them. It would be as imprudent to stop the finall-pox from rifing, and to drive it into the blood, as to attempt to repel the gouty matter after it has been thrown upon the extremities. The latter is as much an effort of nature to free herfelf from an offending cause as the former, and ought equally to be promoted. When the pain however is very great, and the patient is reftlefs, thirty or forty drops of laudanum, more or lefs, according to the violence of the symptoms, may be taken at bed-time. This will ease the pain, procure rest, promote perspiration, and forward the crifis of the disease. Though it may be dangerous to ftop a fit of the gout by medicine, yet if the constitution can be so changed by diet and exercise, as to lessen or totally to prevent its return, there certainly can be no danger in following fuch a course. It is well known that the whole habit may be fo altered by a proper regimen, as nearly to eradicate this difease; and those only who have sufficient resolution to perfift in fuch a courfe, have reason to expect a cure. The course which we would recommend for preventing the gout, is as follows: in the first place, univerfal temperance; in the next place, sufficient exercise. By this we do not mean fauntering about in an indolent manner; but labour, fweat, and toil. These can only render the humours wholesome, and keep them so. Going early to bed, and rifing betimes, are also of great importance. When the gout attacks the head or lungs, every method must be taken to fix it in the feet. They must be frequently bathed in warm water, and acrid cataplasms applied to the soles. Blifters ought likewife to be applied to the ancles or calves of the legs. Bleeding in the feet or ancles is also necessary, and warm stomachic purges. The patient ought to keep in bed for the most part, if there be any figns of inflammation, and should be very careful not to catch cold. If it attacks the stomach with a fense of cold, the most warm cordials are necessary; as strong wine boiled up with cinnamon or other fpices, cinnamon-water, peppermint-water, and even brandy or rum. The patient should keep his bed, and endeavour to promote a fweat by drinking warm liquors; and, if he should be troubled with nausea, or inclination to vomit, he may drink camomile tea, or any thing that will make him him vomit freely. Those who never had the gout, but who, from their constitution or manner of living, have reason to expect it, ought likewise to be very circumspect with regard to its first approach. If the disease, by wrong conduct or improper medicines, be diverted from its proper course, the miserable patient has a chance to be ever after tormented with head-achs, coughs, pains of the stomach and intestines; and to fall, at last, a victim to its attack upon some of the more noble parts.

OF THE RHEUMATISM.

THE causes of a rheumatism are frequently the same as those of an inflammatory fever; viz. an obstructed perspiration, the immoderate use of strong liquors, and the like. Sudden changes of the weather, and all quick transitions from heat to cold, are very apt to occasion the rheumatism. The acute rheumatism commonly begins with wearinefs, fhivering, a quick pulse, restlessness, thirst, and other fymptoms of fever. Afterwards the patient complains of flying pains, which are increased by the least motion. These at length fix in the joints, which are often affected with fwelling and inflammation. If blood be let in this difease, it has generally the same appearance as in the pleurify. In this kind of rheumatism the treatment of the patient is nearly the same as in an acute or inflammatory fever. If he be young and ftrong, bleeding is necessary, which may be repeated according to the exigencies of the cafe. The body ought likewife to be kept open by emollient clyfters, or cool opening liquors; as decoctions of tamarinds, cream of tartar, whey, fenna-tea, and the like. Warm bathing, after proper evacuations, has often an exceeding good effect. The patient may be either put into a bath of warm water, or have cloths wrung out of it applied to the parts affected. Great care must be taken that he do not catch cold after bathing. The chronic rheumatism is seldom attended with any considerable degree of fever, and is generally confined to some particular part of the body, as the shoulders, the back, or the loins. There is feldom any inflammation or fwelling in this cafe. Persons in the decline of life are most subject to the chronic rheumatism. In such patients it often proves extremely obstinate, and sometimes incurable. Though this disease may not seem to yield to medicines for some time, vet they ought to be perfifted in. Persons who are subject to frequent returns of the rheumatism, will often find their account in using medicines, whether they be immediately affected with the difease or not. The chronic rheumatism is fimilar to the gout in this respect, that the most proper time for using medicines to extirpate it, is when the patient is most free from the disorder. There are several of our plants pointed out in the Herbal which may be used with great advantage in the rheumatism. One of the best is the white mustard; a table-spoonful of the feed of this plant may be taken twice or thrice a-day, in a glass of water or finall wine. The water-trefoil is likewise of great use in this complaint; it may be infused in wine or ale, or drunk in form of tea. The ground-ivy, camomile, and several other bitters, are also beneficial, and may be used in the same manner. No benefit however is to be expected from these, unless they be taken for a considerable time. Excellent medicines are often despised in this disease, because they do not perform an immediate cure; whereas nothing would be more certain than their effect, were they duly persisted in. Want of perseverance in the use of medicines is one reason why chronic diseases are so foldom cured. Cold bathing, especially in falt-water, often cures the rheumatism. We would also recommend riding on horseback, and wearing stannel next the skin. Issues are likewise very proper, especially in chronic cases. If the pain affects the shoulders, an issue may be made in the arm; but, if it affects the loins, it should be put in the leg or thigh.

OF THE SCURVY.

THE fourvy is occasioned by cold moift air; by the long use of salted or smokedried provisions, or any kind of food that is hard of digestion, and affords little nourishment. It may also proceed from the suppression of customary evacuations; as the menses, the homorrhoidal flux, &c. It is sometimes owing to an hereditary taint, in which case a very small cause will excite the latent disorder. Grief, fear, and other depressing passions, have a great tendency both to excite and aggravate this disease. The same observation holds with regard to neglect of cleanliness, bad clothing, the want of proper exercise, confined air, unwholesome food, or any disease which greatly weakens the body or vitiates the humours.

CURE. - There is no way of curing this difease so effectually, as by pursuing a plan directly opposite to that which brings it on. It proceeds from a vitiated state of the humours, occasioned by errors in diet, air, or exercise; and this cannot be removed but by a proper attention to these important articles. When the fcurvy has been brought on by a long use of salted provisions, the proper medicine is a diet confifting chiefly of fresh vegetables; as oranges, apples, lemons, limes, tamarinds, water-creffes, feurvy-grafs, brook-lime, &c. The use of these, with milk, pot-herbs, new bread, and fresh beer or cider. will feldom fail to remove a feurvy of this kind, if taken before it be too far advanced; but to have this effect, they must be persisted in for a considerable time. I have often feen very extraordinary effects in the land-feurvy from a milk diet. This preparation of nature is a mixture of animal and vegetable properties, which of all others is the most fit for restoring a decayed constitution, and removing that particular acrimony of the humours, which feems to conftitute the very effence of the fcurvy, and many other difeases. But people despise this wholesome and nourishing food, because it is cheap, and devour

with

with greediness flesh and fermented liquors, while milk is only deemed fit for their hogs. The most proper drink in the scurvy is whey or butter-milk. When these cannot be had, sound eider, perry, or spruce-beer, may be used. Wort has likewise been found to be a proper drink in the scurvy, and may be used at sea, as malt will keep during the longest voyage. A decoction of the tops of the spruce fir is likewise proper; it may be drunk in the quantity of an English pine twice a day. Tar-water may be used for the same purpose, or decoctions of any of the mild mucilaginous vegetables; farsaparilla, marsh-mallow roots, &c. Insusions of the bitter plants, as ground-ivy, the smaller centaury, marsh-trefoil, &c. are likewise beneficial. The peasants, in some parts of Britain, express the juice of the last mentioned plant, and drink it with good effect in those soul scorbutic eruptions with which they are often troubled in the spring season.

OF THE SCROPHULA, OR KING'S EVIL.

THIS difease proceeds often from an hereditary taint, from a scrophulous nurse, &c. Children who have the misfortune to be born of fickly parents, whose constitutions have been greatly injured by chronic diseases, are apt to be affected with the scrophula. It may likewise proceed from such diseases as weaken the habit or vitiate the humours, as the small-pox, measles, &c. At first small knots appear under the chin or behind the ears, which gradually increase in number and fize, till they form one large hard tumour. This often continues for a long time without breaking, and, when it does break, it only discharges a thin watery humour. Other parts of the body are likewise liable to its attack, as the armpits, groins, feet, hands, eyes, breast, &c. The white swellings of the joints seem likewise to be of this kind. They are with difficulty brought to a suppuration, and, when opened, they only discharge a thin ichor. There is not a more general symptom of the scrophula than a swelling of the upper lip and nose.

CURE.—In this complaint medicine is but of little use. It has been found, that keeping the body gently open, for some time, with sea-water, has a good effect. Bathing in salt water, and drinking it in such quantities as to keep the body gently open, will cure a scrophula, when medicines have been tried in vain. When salt water cannot be obtained, the patient may be bathed in fresh water, and his body kept open by small quantities of salt and water, or some other mild purgative. Next to cold bathing, and drinking the salt water, we would recommend the Peruvian bark. The cold bath may be used in summer, and the bark in winter. To an adult half a drachm of the bark in powder may be given, in a glass of red-wine, four or five times a-day. Hemlock may sometimes be used with advantage in the fcrophula. Some lay it down as a general rule, that the sea-water is most proper before there are any suppuration or symptoms of tabes; the Peruvian bark,

when there are running fores, and a degree of hectic fever; and the hemlock in old inveterate cases, approaching to the schirrhous or cancerous state. Either the extract or the fresh juice of this plant may be used. The dose must be small at first, and increased gradually as far as the stomach is able to bear it.

OF THE ITCH.

THE itch is feldom a dangerous difease, unless when it is rendered so by neglect, or improper treatment. If it be suffered to continue too long, it may vitiate the whole mass of humours; and, if it be suddenly thrown in, without proper evacuations, it may occasion severs, inflammations of the viscera, or other internal diforders.

CURE.-The best medicine yet known for the itch is sulphur, which ought to be used both externally and internally. The parts most affected may be rubbed with an ointment made of the flour of fulphur, two ounces; crude fal ammoniac, finely powdered, two drachms; hog's-lard, or butter, four ounces. If a scruple or half a drachm of the essence of lemon be added, it will entirely take away the ditagreeable smell. About the bulk of a nutmeg of this may be rubbed upon the extremities, at bed-time, twice or thrice a-week. It is feldom necessary to rub the whole body; but, when it is, it ought not to be done all at once, but by turns, as it is dangerous to stop too many pores at the same time. Before the patient begins to use the ointment, he ought, if he be of a full habit, to bleed or take a purge or two. It will likewife be proper, during the ufe of it, to take every night and morning as much of the flour of brimstone and cream of tartar, in a little treacle or new milk, as will keep the body gently open. I never knew brimftone, when used as directed above, fail to cure the itch; and I have reason to believe, that, if duly perfifted in, it never will fail; but, if it be only used once or twice, and cleanliness is neglected, it is no wonder if the diforder returns The quantity of ointment mentioned above will generally be fufficient for the cure. of one person; but, if any symptoms of the disease should appear again, the medicine may be repeated. It is both more fafe and efficacious when perfifted in for a confiderable time, than when a large quantity is applied at once. As most people diflike the smell of sulphur, they may use in its place, the powder of white hellebore-root made up into an ointment, in the same manner, which will seldom fail to cure the itch. People ought to be extremely cautious left they take other eruptions for the iteh; as the stoppage of these may be attended with fatal consequences. Many of the eruptive diforders to which children are liable have a near resemblance to this disease; and I have often known infants killed by being rubbed with greafy ointments, that made thefe eruptions strike suddenly in, which nature had thrown out to preferve the patient's life, or prevent some other malady.

OF THE ASTHMA.

THE afthma is a difease of the lungs, which seldom admits of a cure. Persons in the decline of life are most liable to it. It is distinguished into the moist and dry, or humoral and nervous. The former is attended with expectoration or spitting; but in the latter the patient feldom spits, unless sometimes a little tought phlegm by the mere force of coughing. An afthma is known by a quick laborious breathing, which is generally performed with a kind of wheezing noife. Sometimes the difficulty of breathing is fo great, that the patient is obliged to keep in an erect posture, otherwise he is in danger of being suffocated. A fit or paroxylm of the afthma generally happens after a person has been exposed to cold eafterly winds, or has been abroad in thick foggy weather, or has got wet,

or continued long in a damp place under ground, &c.

CURE.—All windy food, and whatever is apt to fweil in the stomach, is to be avoided. Strong liquors of all kinds, especially malt liquor, are hurtful. The patient should eat a very light supper, or rather none at all, and should never fuffer himself to be long costive. His clothing should be warm, especially in the winter-feafon. As all diforders of the breast are much relieved by keeping the feet warm, and promoting the perspiration, a flannel shirt or waistcoat. and thick shoes, will be of singular service. But nothing is of so great importance in the afthma as pure and moderately warm air. Many afthmatic perfons, who cannot live in Britain, enjoy very good health in the fouth of France, Portugal, Spain, or Italy. Exercise is likewise of very great importance in the afthma, as it promotes the digeftion, preparation of the blood, &c. The blood of afthmatic perfons is feldom duly prepared, owing to the proper action of the lungs being impeded. For this reason such people ought daily to take as much exercise, either on foot, on horfeback, or in a carriage, as they can bear. Almost all that can be done by medicine in this difeafe, is to relieve the patient when feized with a violent fit. Bleeding, unless extreme weakness or old age should forbid it, is highly proper. If there be a violent spasm about the breast or stomach, warm fomentations, or bladders filled with warm milk and water, may be applied to the part affected, and warm cataplasms to the soles of the feet. The patient must drink freely of diluting liquors, and may take a tea-spoonful of the tincture of caftor and of faffron mixed together, in a cup of valerian tea, twice or thrice a-day. Sometimes a vomit has a very good effect, and fnatches the patient, as it were, from the jaws of death. This however will be more fafe after other evacuations have been premifed. A very ftrong infusion of roafted coffee is faid to give eafe in an afthmatic paroxyfm. In the moift afthma, fuch things aspromote expectoration or spitting ought to be used; as the syrup of squills, gumammoniac.

ammoniac, and fuch-like. A common spoonful of the syrup of oxymel of squills. mixed with an equal quantity of cinnamon-water, may be taken three or four times through the day; and four or five pills, made of equal parts of affafætida and gum-ammoniac, at bed-time. Large doses of æther have been found very efficacious in removing a fit of the afthma. For the convultive or nervous afthma, antifpafinodics and bracers are the most proper medicines.* The patient may take a tea spoonful of the paregoric clixir twice a-day. The Peruvian bark is fometimes found to be of use in this case. It may be taken in substance, or infused in wine. In short, every thing that braces the nerves, or takes off spasin, may be of use in a nervous asthma. It is often relieved by the use of asses' milk; I have likewife known cows' milk drunk warm in the morning have a good effect in this case. In every species of asthma, setons and issues are of great service; they may either be put in the back or fide, and should never be allowed to dry up. We shall here, once for all, observe, that not only in the asthma, but in most chronic diseases, iffues are extremely proper. They are both a safe and efficacious remedy; and, though they do not always cure the difeafe, yet they will often prolong the patient's life.

OF THE APOPLEXY.

THE immediate cause of an apoplexy is a compression of the brain, occafioned by an excess of blood, or a collection of watery humours. The former is called a sanguine, and the latter a serous, apoplexy. It may be occasioned by any thing that increases the circulation towards the brain, or prevents the return of the blood from the head; intense study, violent passions, suppression of urine, excess of venery, the sudden striking in of any eruption, wounds or bruises on the head, long exposure to excessive cold, possionous exhalations, &c.

CURE.—The usual forerunners of an apoplexy are giddiness, pain and swimming of the head, loss of memory, drowsiness, noise in the ears, the night-mare, a spontaneous flux of tears, and laborious respiration. When persons have reason to fear the approach of a fit, they should endeavour to prevent it by bleeding, a slender diet, and opening medicines. In the apoplexy, if the patient does not die suddenly, the countenance appears florid, the face is swelled or puffed up, and the blood-vessels, especially about the neck and temples, are turgid; the pulse beats strong, the eyes are prominent and fixed, and the breathing is dissicult, and performed with a snorting noise. The excrements and urine are often voided spontaneously, and the patient is sometimes seized with vomiting. In this stage, every method must be taken to lessen the force of the circulation towards the head. The garters should be tied pretty tight, by which means the motion of the blood from the lower extremities will be retarded. The patient should be bled freely in the neck or arm, and,

if there be occasion, the operation may be repeated in two or three hours. A laxative clyster, with plenty of sweet oil, or fresh butter, and a spoonful or two of common salt in it, may be administered every two hours; and blistering-plasters applied betwixt the shoulders and to the calves of the legs. As soon as the symptoms are a little abated, and the patient is able to swallow, he ought to drink freely of some diluting opening liquors, as a decoction of tamarinds and liquorice, cream-tartar-whey, or common whey with cream of tartar diffolved in it. Or he may take any cooling purge, as Glauber's salts, manna diffolved in an insusion of senna, or the like. All spirits and other strong liquors are to be avoided. Even volatile salts held to the nose do mischies. Vomits, for the same reason, ought not to be given, nor any thing that may increase the motion of the blood toward the head. When apoplectic symptoms proceed from opium, or other narcotic substances taken into the stomach, vomits are necessary. The patient is generally relieved as soon as he has discharged the possion in this way.

OF THE HEART-BURN.

WHAT is commonly called the heart-burn is not a disease of that organ, but an uneasy sensation of heat or acrimony about the pit of the stomach, which is fometimes attended with anxiety, nausea, and vomiting. When the heart-burn proceeds from debility of the stomach or indigestion, the patient ought to take a dose or two of rhubarb; afterwards he may use infusions of the Peruvian bark, or any other of the stomachic bitters, in wine or brandy. Exercise in the open air will likewise be of use, and every thing that promotes digestion. When bilious humours occasion the heart-burn, a tea spoonful of the sweet spirit of nitre in a glass of water, or a cup of tea, will generally give ease. If it proceeds from the use of greafy aliments, a dram of brandy or rum may be taken. If acidity or fourness of the stomach occasions the heart-burn, absorbents are the proper medicines. In this case an ounce of powdered chalk, half an ounce of fine sugar. and a quarter of an ounce of gum-arabic, may be mixed in an English quart of water, and a tea-cupful of it taken as often as is necessary. But the safest and best abforbent is magnefia alba. This not only acts as an abforbent, but likewife as a purgative; whereas chalk, and other abforbents of that kind, are apt to lie in the intestines, and occasion obstructions. If wind be the cause of this complaint, the most proper medicines are those called carminatives; as annifeeds, juniperberries, ginger, canella alba, cardamom-feeds, &c. Thefe may either be chewed, or infused in wine, brandy, or other spirits. I have frequently known the heartburn cured, particularly in pregnant women, by chewing green tea.

OF NERVOUS DISEASES.

NERVOUS diseases not only affect the body, but the mind likewise suffers, and is often thereby rendered extremely weak and peevish. The low spirits, timorousness, melancholy, and sickleness of temper, which generally attend nervous disorders, induce many to believe, that they are entirely diseases of the mind; but this change of temper is rather a consequence, than the cause, of the disease. Every thing that tends to relax or weaken the body disposes it to nervous diseases, as indolence, excessive venery, drinking too much tea, or rather weak

watery liquors, frequent bleeding, purging, vomiting, &c.

CURE. Perfons afflicted with nervous difeases ought never to fast long. Their food should be folid and nourishing, but of easy digestion. Fat meats, and high fauces, are hurtful. All excess should be carefully avoided. They ought never to eat more at a time than they can eafily digeft; but, if they feel themselves weak and faint between meals, they ought to eat a bit of bread and drink a glass of wine Heavy suppers are to be avoided. Though wine in excess enseebles the body, and impairs the faculties of the mind, yet, taken in moderation, it ftrengthens the ftomach, and promotes digeftion. Exercise in nervous disorders is superior to all medicines. Even change of place, and the fight of new objects, by diverting the mind, have a great tendency to remove these complaints. For this reason a long journey, or a voyage, is of much more advantage than riding fhort journeys near home. Though nervous difeases are feldom radically cured, yet their symptoms may fometimes be alleviated, and the patient's life rendered at least more comfortable, by proper medicines. When digeftion is bad, or the stomach relaxed and weak, the following infusion of Peruvian bark and other bitters may be used with advantage. Take of Peruvian bark an ounce, gentian-root, orange-peel, and coriander-feed, of each half an ounce; let these ingredients be all bruised in a mortar, and infused in a bottle of brandy or whiskey for the space of five or fix days. A table spoonful of the strained liquor may be taken in half a glass of water, an hour before breakfast, dinner, and supper. Few things tend more to firengthen the nervous fystem than cold bathing. This practice, if duly perfisted in, will produce very extraordinary effects; but, when the liver or other vifcera are obstructed, or otherwise unfound, the cold bath is improper. It is therefore to be used with very great caution. The most proper seasons for it are summer and autumn. It will be fufficient, especially for persons of a spare habit, to go into the cold bath three or four times a-week. If the patient be weakened by it, or feels chilly for a long time after coming out, it is improper. Opiates are generally extolled in these maladies; but, as they only palliate the symptoms, and generally afterwards increase the disease, we would advise people to be extremely sparing in the

the use of them, lest habit render them at last absolutely necessary. Whoever wishes for a thorough cure of this disease, should pay the strictest attention to diet, air, exercise, and amusement.

OF THE PALSY.

THE palfy is a loss or diminution of sense or motion, or of both, in one or more parts of the body. Of all the affections called nervous, this is the most studenly stal. The immediate cause of the palfy is any thing that prevents the regular exertion of the nervous power upon any particular muscle or part of the body. The occasional and predisposing causes are various, as drunkenness, wounds of the brain or spinal marrow, pressure upon the brain or nerves, very cold or damp air, the suppression of customary evacuations, sudden fear, want of exercise, or whatever greatly relaxes the system.

CURE. - In young persons of a full habit, the palfy must be treated in the same manner as the apoplexy. The patient must be bled, blistered, and have his body opened by fharp clyfters or purgative medicines. But, in old age, or when the difease proceeds from relaxation or debility, which is generally the case, as quite contrary course must be pursued. The diet must be warm and invigorating. feafoned with spicy and aromatic vegetables, as mustard, horse-raddish, &c. The drink may be generous wine, mustard, whey, or brandy and water. Friction with the flesh-brush, or warm hand, is extremely proper, especially on the parts affected. Bliffers may likewife be applied to the affected parts with advantage. One of the best external applications is electricity. The shocks should be received on the part affected; and they ought daily to be repeated for feveral weeks. Vomits are very beneficial in this kind of palfy, and ought frequently to be administered: The wild valerian-root is a very proper medicine in this case. It may either be taken in an infusion with fage-leaves, or half a drachm of it in powder may be given in a glass of wine three times a-day. If the patient cannot use the valerian, he may take of fal volatile oleofum, compound spirit of lavender, and tineture of castor, each half an ounce; mix these together, and take forty or fifty drops in a glass of wine, three or four times a-day. A table-spoonful of mustard-seed taken frequently, is a very good medicine. The patient ought likewife to chew cinnamon-bark, ginger, or other warm spiceries. Exercise is of the utmost importance in the palsy; but the patient must beware of cold, damp, and moist, air. He ought to wear flannel next his fkin; and, if possible, should remove into a warmer climate.

OF THE EPILEPSY, OR FALLING SICKNESS.

THE epilepfy is a fudden deprivation of all the fenses, wherein the patient falls suddenly down, and is affected with violent convulsive motions. It is sometimes hereditary.

176

hereditary. It may likewise proceed from frights of the mother when with child; from blows, bruises, or wounds, on the head; a collection of water, blood, or serous humours, in the brain; a polypus, tumours or concretions within the skull; excessive drinking, intense study, excess of venery, worms, teething, suppression of customary evacuations, too great emptiness or repletion; violent passions or affections of the mind, as fear, joy, &c. hysteric affections, contagion received into the body, as the insection of the small-pox, measles, &c. In an epileptic sit, the patient generally makes an unusual noise; his thumbs are drawn in towards the palms of his hands, his eyes are distorted, he starts and soams at the mouth, his extremities are bent or twisted various ways, he often discharges his feed, urine, and sæces, involuntarily, and is quite destitute of all sense and reason. After the sit is over, his senses gradually return, and he complains of a kind of stupor, weariness and pain of his head; but has no remembrance of what happened to him during the fit.

CURE.—If the patient be of a fanguine temperament, and there be reason to fear an obstruction of the brain, bleeding and other evacuations will be necessary. When the disease is occasioned by the stoppage of customary evacuations, these, if possible, must be restored; if this eannot be done, others may be substituted in their place. Iffues or fetons, in this case, have often a very good effect. When there is reason to believe that the disease proceeds from worms, proper medicines must be used to kill, or carry off, these vermin. When the disease proceeds from teething, the body should be kept open by emollient clysters, the feet frequently bathed in warm water, and, if the fits prove obstinate, a blifter may be put betwixt the fhoulders. The same method is to be followed, when epileptic fits precede the eruption of the fmall-pox, or measles, &c. The flowers of zinc have of late been highly extolled for the cure of the epilepfy. Though this medieine will not be found to answer the expectations which have been raised concerning it, yet in obstinate epileptic cases it deserves a trial. The dose is from one to three or four grains, which may be taken either in pills or a bolus, as the patient inclines. The best method is to begin with a fingle grain four or five times a-day, and gradually to increase the dose as far as the patient can bear it. Musk has sometimes been found to succeed in the cpilety. Ten or twelve grains of it, with the same quantity of factitious einnabar, may be made up into a bolus, and taken every night and morning. Sometimes the epilepfy has been cured by electricity. Convulfion-fits proceed from the fame causes, and must be treated in the same manner, as the epilepsy.

OF THE HICCUP.

THE hiccup is a spassnodic or convulsive affection of the stomach and midrisf, arising from any cause that irritates their nervous fibres. CURE.—When the hiccup proves very obflinate, recourse must be had to the most powerful aromatic and antispassodic medicines. The principal of these is musk; fifteen or twenty grains of which may be made into a bolus, and repeated occasionally. Opiates are likewise of service; but they must be used with caution. A bit of sugar dipped in compound spirits of lavender, or the volatile aromatic tinesture, may be taken frequently. External applications are sometimes also beneficial; as the stomach-plaster, or a cataplasm of the Venice treacle, applied to the region of the stomach.

CRAMP OF THE STOMACH.

THIS difease often seizes people suddenly, is very dangerous, and requires immediate affishance. It is most incident to persons in the decline of life, especially the nervous, gouty, hysteric, and hypochondriac.

CURE.—Let the stomach be fomented with cloths dipped in warm water; or bladders filled with warm milk and water constantly applied to it. These often produce the most happy effects. In very violent and lasting pains of the stomach, some blood ought to be let, unless the weakness of the patient forbids it. When the pain or cramp proceeds from a suppression of the menses, bleeding is of use. If they be owing to the gout, recourse must be had to spirits, or some of the warm cordial waters. Blisters ought likewise, in this case, to be applied to the ancles. Violent cramps and pains of the stomach are often removed by covering it with a large plaster of Venice treacle.

OF THE NIGHT-MARE.

IN this disease, the patient, in time of sleep, imagines he seels an uncommon oppression or weight about his breast or stomach, which he can by no means shake off. He groans, and sometimes cries out, though oftener he attempts to speak, but in vain. Sometimes he imagines himself engaged with an enemy, and in danger of being killed, attempts to run away, but finds he cannot. Sometimes he fancies himself in a house that is on fire, or that he is in danger of being drowned in a river. He often thinks he is falling over a precipice, and the dread of being dashed to pieces suddenly awakes him. This disorder has been supposed to proceed from too much blood; from a stagnation of blood in the brain, lungs, &c. But it is rather a nervous affection, and arises chiefly from indigestion. Hence we find that persons of weak nerves, who lead a sedentary life, and live full, are most commonly afflicted with the night-mare. Nothing tends more to produce it than heavy suppers, especially when eaten late, or the patient goes to bed soon after.

CURE. - As perfons afflicted with the night-mare generally moan or make fome noise in the fit, they should be waked or spoken to by such as hear them, as the uneafiness generally goes off as soon as the patient is awake, or any one limb is moved; but there is oftentimes an universal lassitude of the whole body lest behind, which remains for some space of time. Some say a dram of brandy taken at bed-time will prevent this difease. That, however, is a bad custom, and, in time, loses its effect. We would rather have the patient depend upon the use of food of easy digestion, cheerfulness, exercise through the day, and a light supper taken early, than to accustom himself to drams. A glass of peppermint-water will often promote digeftion as much as a glass of brandy, and is much safer. After a person of weak digestion, however, has eaten flatulent food, a dram may be neceffary; in this case we would recommend it as the most proper medicine. Perfons who are young, and full of blood, if troubled with the nightmare, ought to take a purge frequently, and use a spare diet.

The night-mare was supposed by the ancients not to be any real disorder of the body, but to be an effect, or fensation, derived from carnal contact in the night with fome evil spirit or dæmon during the hours of sleep. They contended, that perfons of a luftful inclination, who, during the day, indulged in ftrong defires of copulation, and had dreams answerable thereto in the night, were frequently visited by these evil spirits, whose business it was to watch for favourable opportunities of feducing the mind, already half alienated from virtue and chaftity, to the most lascivious imaginations, the better to complete their purpose of carnal indulgence and delight. When the weight and oppression on the breast and stomach produced by this disorder happened to females, it was called incubus, or a male monster; and, when to males, it was called fuccubus, or a female dæmon, which had contact with the man, fimilar to the male monfter with the woman; and the laffitude and fatigue left on the body by the difease were supposed to be the natural effect of this abominable copulation. Absurd as was the doctrine, whole volumes have been written upon it; and in former days it opened a large field for priestcraft, and the seduction of ignorant unsufpecting girls. How many reasons have we to be thankful for the lights of the gospel dispensed in our own tongue, and for the illuminations of the present æra!

OF FLATULENCIES, OR WIND.

ALL nervous patients, without exception, are afflicted with wind or flatulencies in the ftomach and bowels, which arise chiefly from the want of tone or vigour in these organs. Crude flatulent aliment, as green pease, beans, coleworts, cabbages, and fuch like, may increase this complaint; but ftrong and healthy people are feldom troubled with wind, unless they either overload their ftomachs, ftomachs, or drink liquors that are in a fermenting ftate, and consequently full of classic air. While therefore the matter of flatulence proceeds from our aliment, the cause which makes air separate from them in such quantity as to occasion complaints, is almost always a fault of the bowels themselves, which are too weak either to prevent the production of elastic air, or to expel it after it is produced.

CURE.—To relieve this complaint, such medicines ought to be used as have a tendency to expel wind, and, by strengthening the alimentary canal, to prevent its being produced there. The list of medicines for expelling wind is very numerous; they often however disappoint the expectations of both the physician and his patient. The most celebrated among the class of carminatives are juniperberries; the roots of ginger and zedoary; the seeds of anise, carraway, and coriander; gum-affasætida and opium; the warm waters, tinctures, and spirits, aromatic water, tincture of woodfoot, volatile aromatic spirit, æther, &c. For strengthening the stomach and bowels, and consequently for lessening the production of statulence, the Peruvian bark, bitters, chalybeates, and exercise, are the best remedies.

OF HYSTERIC COMPLAINTS.

THESE belong to the numerous tribe of nervous diseases, which may be justly reckoned the reproach of medicine. Women of a delicate habit, whose stomach and intestines are relaxed, and whose nervous system is extremely sensible, are most subject to hysteric complaints. In such persons an hysteric sit, as it is called, may be brought on by an irritation of the nerves of the stomach or intestines, by wind, acrid humours, or the like. A sudden suppression of the menses often gives rise to hysteric sits. They may likewise be excited by violent passions or affections of the mind, as fear, grief, anger, or great disappointments.

CURE —The radical cure of this diforder will be beft attempted at a time when the patient is most free from the fits. It will be greatly promoted by a proper attention to regimen. A milk and vegetable diet, duly persisted in, will often perform a cure. If, however, the patient has been accustomed to a more generous diet, it will not be safe to leave it off all at once, but by degrees. The most proper drink is water with a small quantity of spirits. A cool dry air is the best. Cold bathing, and every thing that braces the nerves, and invigorates the system, is beneficial: but lying too long in bed, or whatever relaxes the body, is hurtful. It is of the greatest importance to have the mind kept constantly easy and cheerful, and, if possible, to have it always engaged in some agreeable and interesting pursuit. The proper medicines are those which strengthen the alimentary canal and the whole nervous system, as the prepara-

tions of iron, the Peruvian bark, and other bitters. Twenty drops of the elixir of vitriol, in a cup of the infusion of the bark, may be taken twice or thrice a-day. The chalybeate waters generally prove beneficial in this diforder. Hyfteric women are often afflicted with cramps in various parts of the body, which are most apt to seize them in bed, or when asleep. The most efficacious medicines in this case are opium, blistering-plasters, and warm bathing or fomentations. When the cramp or fpasm is very violent, opium is the remedy most to be depended on. Cramps are often prevented or cured by compression. Thus cramps in the legs are prevented, and fometimes removed, by tight bandages; and, when convultions arise from a flatulent distension of the intestines, or from spasms beginning in them, they may be often leffened or cured by making a pretty ftrong compression upon the abdomen by means of a broad belt. A roll of brimstone held in the hand is frequently used as a remedy for cramps: though this feems to owe its effects chiefly to imagination, yet, as it fometimes fucceeds, it merits a trial. When fpaims or convultive motions arife from tharp humours in the ftomach and intestines, no lasting relief can be procured till these are either corrected or expelled. The Peruvian bark has fometimes cured periodic convulfions after other medicines have failed.

OF HYPOCHONDRIAC COMPLAINTS.

THESE generally attack the indolent, the luxurious, the unfortunate, and the fludious; and are daily increased by luxury and sedentary employments. Men of a melancholy temperament, whose minds are capable of great attention, and whose passions are not casily moved, are, in the advanced periods of life, most liable to this disease. It is usually brought on by long and serious attention to abstruce subjects, grief, the suppression of customary evacuations, excess of venery, the repulsion of cutaneous cruptions, long-continued evacuations, obstructions in some of the viscera, as the liver, spleen, &c.

CURE.—Cheerfulness and serenity of mind are by all means to be cultivated. Exercise of every kind is useful. The cold bath is likewise beneficial; and, where it does not agree with the patient, friction with the slessh-brush or a coarse cloth may be tried. If the patient has it in his power, he ought to travel either by sea or land. A voyage, or a long journey, especially towards a warmer climate, will be of more service than any medicine. The general intentions of cure, in this disease, are to strengthen the alimentary canal, and to promote the secretions. These intentions will be best answered by the different preparations of iron and the Peruvian bark, which, after proper evacuations, may be taken in the same manner as directed in the preceding disease.

OF

OF A SCIRRHUS AND CANCER.

A SCIRRHUS is a hard indolent tumour feated in some of the glands, as the breaft, the arm-pits, &c. If the tumour become large, unequal, of a livid, blackish, or leaden, colour, and is attended with violent pain, it gets the name of an occult cancer. When the skin is broken, and a fanies or ichorous matter of an abominably fætid finell is discharged from the fore, it is called an open or ulcerated cancer. Perfons after the age of forty-five, particularly women, and those who lead an indolent fedentary life, are most subject to this difease. A cancer is often owing to suppressed evacuations; hence it proves so frequently fatal to women of a gross habit, particularly old maids and widows, about the time when the menstrual flux ceases. It may also be occasioned by the long-continued use of food that is too hard of digeftion, or of an acrid nature; by barrennefs, celibacy, indolence, cold, blows, friction, preffure, or the like. Women often fuffer from the last of these by means of their stays, which squeeze and compress their breasts so as to occasion great mischief. This disorder seems often very trifling at the beginning. A hard tumour about the fize of a hazle-nut, or perhaps finaller, is generally the first symptom. This will often continue for a long time without seeming to increase, or giving the patient great uneafiness: but, if the constitution be hurt, or the tumour irritated by pressure, or improper treatment of any kind, it begins to extend itself towards the neighbouring parts, by pushing out a kind of roots or limbs. It then gets the name of cancer, from a fancied refemblance between these limbs and the claws of a crab. The colour of the skin begins to change, which is first red, afterwards purple, then bluish, livid, and at last black. The patient complains of heat, with a burning, gnawing, shooting, pain. The tumour is very hard, rough, and unequal, with a protuberance, or rifing, in the middle; its fize increases daily, and the neighbouring veins become thick. knotty, and of a blackish colour. The skin at length gives way, and a thin sharp ichor begins to flow, which corrodes the neighbouring parts till it forms a large unfightly ulcer. More occult cancers arife, and communicate with the neighbouring glands. The pain and stench become intolerable; the appetite fails; the strength is exhausted by a continual hectic fever; at last, a violent hæmorrhage, or discharge of blood, from some part of the body, with faintings, or convulfion-fits, generally put at end to the miferable patient's life.

CURE. This is one of those diseases for which no certain remedy is yet known. Its progress however may sometimes be retarded, and some of its most disagreeable fymptoms mitigated, by proper applications. One misfortune attending the disease is, that the unhappy patient often conceals it too long. Were proper means used in due time, a cancer might often be cured; but, after the dif-

38. 3 A order

order has arrived at a certain height, it generally fets all medicine at defiance. When a feirrhous tumour is first discovered, the patient ought to observe a proper re gimen, and to take twice or thrice a-week a dose of the common purging mercurial pill. Some blood may also be let, and the part affected may be gently rubbed twice a-day with a little of the mercurial ointment, and kept warm with fur or flannel. The food must be light, and an English pint of the decoction of farfaparilla may be drunk daily. Should the tumour not yield to this treatment, but, on the contrary, become larger and harder, it will be proper to extirpate it, either by the knife or cauftic. Indeed, whenever this can be done with fafety, the fooner it is done the better. It can answer no purpose to extirpate a cancer after the conflitution is ruined, or the whole mass of humours corrupted, by it. This however is the common way, which makes the operation fo feldom fucceed. Few people will submit to the extirpation till death stares them in the face; whereas, if it were done early, the patient's life would not be endangered by the operation, and it would generally prove a radical cure. The medicine most in repute for this difeafe is hemlock. Dr. Stork, physician at Vienna, has of late recommended the extract of this plant as very efficacious in cancers of every kind. The doctor fays, he has given fome hundred-weights of it without ever hurting any body, and often with manifest advantage. He advises the patient however to begin with very finall doses, as two or three grains, and to increase the dose gradually till some good effect be perceived, and there to rest without further increase. From two or three grains at first, the doctor says he has increafed the dofe to two, three, or four, drachms a-day, and finds that fuch dofes may be continued for feveral weeks without any bad confequences. tor does not pretend to fix the time in which a cancer may be refolved by the use of hemlock, but says he has given it for above two years in large doses without any apparent benefit; nevertheless the patient has been cured by persisting in the use of it for half a year longer. This is at least encouragement to give it a fair trial. The powder of hemlock is by some preferred to the extract. They are both made of the fresh leaves, and may be used nearly in the same manner. Dr. Nicholfon, of Berwick, fays, he gradually increased the dosc of the powder from a few grains to half a drachm, and gave near four drachms of it in the day with remarkably good effects. The hemlock may also be used externally either as a poultice or fomentation. The fore may likewife be kept clean by injecting daily a ftrong decoction of the tops and leaves into it. Few things contribute more to the healing of foul fordid ulcers of any kind than keeping them thoroughly clean. This ought never to be neglected. The best application for this purpose seems to be the carrot poultice. The root of the common carrot may be grated, and moistened with as much water as will bring it to the confiftence

confiftence of a poultice or cataplasm. This must be applied to the fore, and renewed twice a-day. It generally cleans the fore, eafes the pain, and takes away the difagreeable finell, which are objects of no small importance in such a dreadful diforder. Wort, or an infusion of malt, has been recommended not only as a proper drink, but as a powerful medicine, in this difease. It must be frequently made fresh, and the patient may take it at pleasure. Two, three, or even four. English pints of it may be drunk every day for a considerable time. No benefit can be expected from any medicine, in this difease, unless it be persisted in for a long time. It is of too obstinate a nature to be soon removed; and, when it admits of a cure at all, it must be brought about by inducing an almost total change of the habit, which must always be a work of time. Setons or iffues in the neighbourhood of the cancer have fometimes good effects. When all other medicines fail, recourse must be had to opium, as a kind of solace. This will not indeed cure the disease, but it will ease the patient's agony, and render life more tolerable while it continues. To avoid this dreadful diforder, people ought to use wholesome food, to take sufficient exercise in the open air, and carefully to guard against all blows, bruises, and every kind of pressure upon the breafts or other glandular parts.

OF POISONS.

EVERY person ought, in some measure, to be acquainted with the nature and cure of poisons. They are generally taken unawares, and their effects are often for fudden and violent, as not to admit of delay, or allow time to procure the affiftance of phyficians. Happily indeed no great degree of medical knowledge is here neceffary; the remedies for most poisons being generally at hand, or easily obtained. and nothing but common prudence needful in the application of them. The cure of all poisons taken into the stomach, without exception, depends chiefly on difcharging them as foon as possible. For this purpose the patient should drink large quantities of new milk and fallad-oil till he vomits; or he may drink warm water mixed with oil. Fat broths are likewise proper, provided they can be gotready in time. Where no oil is to be had, fresh butter may be melted and mixed with the milk or water. These things are to be drunk as long as the inclination to vomit continues. Some have drunk eight or ten quarts before the vomiting ceafed; and it is never fafe to leave off drinking while one particle of the poifon remains in the flomach. These oily or fat substances not only provoke vomiting, but likewife blunt the acrimony of mineral poifon, and prevent its wounding the bowels: but, if they should not make the person vomit, half a drachm or two scruples of the powder of ipecacuanha must be given, or a few spoonfuls of the oxymel or vinegar of squills may be mixed with the water which he drinks. Vomiting may likewife

likewife be excited by tickling the infide of the throat with a feather. Should these methods however fail, half a drachm of white vitriol, or five or fix grains of emetic tartar, must be administered. If tormenting pains are felt in the lower belly, and there is reason to fear that the poison has got down to the intestines, clysters of milk and oil must be very frequently thrown up; and the patient must drink emollient decoctions of barley, oatmeal, marsh-mallows, and such like. He must likewise take an insusion of senna and manna, a solution of Glauber's falts, or fome other purgative. After the poifon has been evacuated, the patient ought, for fome time, to live upon fuch things as are of a healing and cooling quality; to abstain from slesh and all strong liquors, and to live upon milk, broth, gruel, light puddings, and other spoon-meats, of easy digestion. His drink should be barley-water, linseed-tea, or insusions of any of the mild mucilaginous vegetables. Though vegetable poifons, when allowed to remain in the stomach, often prove fatal; yet the danger is generally over as foon as they are discharged. Not being of such a caustic or corrosive nature, they are less apt to wound or inflame the bowels than mineral substances; no time, however, ought to be loft in having them difcharged. For the bites of poisonous animals, a great variety of certain and immediate cures are pointed out in the Herbal. For the bite of a viper, however, the wound should be well fucked, and afterwards rubbed with warm fallad-oil. A poultice of bread and milk, foftened with fallad-oil, should likewise be applied to the wound; and the patient ought to drink freely of vinegar-whey, or water-gruel with vinegar in it, to make him fweat. Vinegar is one of the best drinks which can be used in any kind of poison, and ought to be taken very liberally. If the patient be fick, he may take a vomit. This course will be sufficient to cure the bite of any of the poisonous animals of this country. It is the happiness of this ifland to have very few poisonous animals, and those which we have are by no means of the most virulent kind. We cannot however make the fame observation with regard to poisonous vegetables: these abound every where, and prove often fatal to the ignorant and unwary. This indeed is chiefly owing to careleffness. Children ought early to be cautioned against eating any kind of fruit, roots, or berries, which they do not know; and all poisonous plants to which they can have access, ought, as far as possible, to be destroyed. This would not be so difficult a task as some people imagine, were this Herbal kept in all families, and their children made to read leffons from it, as an easy occasional task. This, I think, will appear an indispensible duty in parents, when we reflect, that feldom a year paffes but we have accounts of feveral perfons poisoned by eating hemlock-roots inflead of parfnips, or fome kinds of fungus which they had gathered for mushrooms. These examples ought to put people upon their guard with respect to the former, and put the latter entirely out of use. We might here mention

mention many other plants and animals of a poisonous nature which are found in foreign countries; but, as our observations are chiefly intended for this island, we shall pass these over. It may not, however, be amis to observe, for the behoof of such of our countrymen as go to America, that an effectual remedy is now said to be found for the bite of the rattle snake.—The prescription is as sollows: Take of the roots of plantain and hoarhound, in summer, roots and branches together, a sufficient quantity; bruise them in a mortar, and squeeze out the juice; of which give, as soon as possible, one large spoonful; if the patient be swelled, you must force it down his throat. This generally will cure; but, if he finds no relief in an hour after, you may give another spoonful, which seldom fails.—If the roots are dried, they must be moistened with a little water. To the wound may be applied a leaf of good tobacco moistened with rum. We give this upon the faith of Dr. Brookes, who says it was the invention of a negro; for the discovery of which he had his freedom purchased, and a hundred pounds per annum settled upon him during life, by the General Assembly of Carolina.

OF INFLAMMATIONS AND ABSCESSES.

FROM whatever cause an inflammation proceeds, it must terminate either by dispersion, suppuration, or gangrene. Though it is impossible to foretel with certainty in which of these ways any particular inflammation will terminate, yet a probable conjecture may be formed with regard to the event, from a knowledge of the patient's age and constitution. Inflammations happening in a slight degree upon colds, and without any previous indisposition, will most probably be dispersed; those which follow close upon a sever, or happen to persons of a gross habit of body, will generally suppurate; and those which attack very old people, or persons of a dropsical habit, will have a strong tendency to gangrene.

CURE.—If the inflammation be flight, and the conflitution found, the dispersion ought always to be attempted. This will be best promoted by a slender diluting diet, plentiful bleeding, and repeated purges. The part itself must be fomented, and, if the skin be very tense, it may be embrocated with a mixture of three-fourths of sweet oil, and one-fourth of vinegar, and afterwards covered with a piece of wax plaster. If, notwithstanding these applications, the symptomatic sever increases, and the tumour becomes larger, with violent pain and pullation, it will be proper to promote the suppuration. The best application for this purpose is a soft poultice, which may be renewed twice a-day. If the suppuration proceeds but slowly, a raw onion cut small or bruised may be spread upon the poultice. When the abscess is ripe or fit for opening, which may easily be known from the thinness of the skin in the most prominent part of it, as.

a fluctuation of matter which may be felt under the finger, and, generally speaking, an abatement of the pain, it may be opened either with a lancet or by means of a caustic. The last way in which an inflammation terminates is in a gangrene or mortification, the approach of which may be known by the following fymptoms: The inflammation loses its redness, and becomes duskish or livid; the tension of the skin goes off, and it feels flabby; little bladders filled with ichor of different colours spread all over it; the tumour subsides, and from a duskish complexion becomes black; a quick low pulse, with cold clammy sweats, are the immediate forerunners of death. When these symptoms first appear, the part ought to be dreffed with London treacle, or a cataplasm made of lixivium and bran; should the symptoms become worse, that part must be scarified, and afterwards dreffed with bafilicon foftened with oil of turpentine. All the dreffings must be applied warm. With regard to internal medicines, the patient must be supported with generous cordials, and the Peruvian bark exhibited in as large doses as the stomach will bear it. If the mortified parts should separate, the wound will become a common ulcer, and must be treated accordingly. This article includes the treatment of all those diseases, which, in different parts of the country, go by the name of biles, imposthumes, whitloes, &c. They are all abfceffes in confequence of a previous inflammation, which, if poffible, ought to be discussed, but, when this cannot be done, the suppuration should be promoted, and the matter discharged by an incision, if necessary; afterwards the fore may be dreffed with yellow bafilicon, or fome other digeftive ointment.

OF WOUNDS.

NO part of medicine has been more mistaken than the treatment or cure of wounds. It is however a sact, that no external application whatever contributes towards the cure of a wound, any other way than by keeping the parts soft, clean, and defending them from the external air, which may be as effectually done by dry lint as by the most pompous applications, while it is exempt from many of the bad consequences attending them. The same observation holds with respect to internal applications. These only promote the cure of wounds as far as they tend to prevent a fever, or to remove any cause that might obstruct or impede the operations of nature. It is nature alone that cures wounds; all that art can do is to remove obstacles, and to put the parts in such a condition as is the most favourable to nature's efforts.

CURE.—The first thing to be done, when a person has received a wound, is to examine whether any foreign body be lodged in it, as wood, stone, iron, lead-glass, dirt, bits of cloth, or the like. These, if possible, ought to be extracted.

and the wound cleaned, before any dreffings be applied. When that cannot be effected with fafety, on account of the patient's weakness, or loss of blood, they must be suffered to remain in the wound, and afterwards extracted when he is more able to bear it. When a wound penetrates into any of the cavities of the body, as the breaft, the bowels, &c. or where any confiderable blood-veffel is cut, a skilful furgeon ought immediately to be called, otherwise the patient may lose his life. But sometimes the discharge of blood is so great, that, if it be not stopped, the patient may die, even before a surgeon, though at no great distance, can arrive. In this case, something must be done by those who are present. If the wound be in any of the limbs, the bleeding may generally be stopped, by applying a tight ligature or bandage round the member a little above the wound. In parts where this bandage cannot be applied, various other methods may be tried to ftop the bleeding, as the application of ftyptics, aftringents, &c. Cloths dipped in a folution of blue vitriol in water, or the ftyptic water of the difpenfatories, may be applied to the wound. When these cannot be obtained, strong fpirits of wine may be used. Some recommend the agaric of the oak as preferable to any of the other flyptics; and indeed it deserves considerable encomiums. It is eafily obtained, and ought to be kept in every family, in case of accidents. A piece of it must be laid upon the wound, and covered with a good deal of lint, above which a bandage may be applied fo tight as to keep it firmly on. Though spirits, tinctures, and hot balfams, may be used, in order to stop the bleeding when it is exceffive, they are improper at other times. They do not promote but retard the cure, and often change a fimple wound into an ulcer. People imagine, because hot balsams congeal the blood, and seem, as it were, to solder up the wound, that they therefore heal it; but this is only a deception. They may indeed frop the flowing blood, by fearing the mouths of the vessels; but, by rendering the parts callous, they obstruct the cure. When a wound is greatly inflamed, the most proper application is a poultice of bread and milk, sostened with a little fweet oil or fresh butter. This must be applied instead of a plaster, and should be changed twice a-day. If the wound be large, and there is reason to fear an inflammation, the patient should be kept on a very low diet. He must abstain from flesh, strong liquors, and every thing that is of a heating nature. If he be of a full habit, and has loft but little blood from the wound, he must be bled; and, if the fymptoms be urgent, the operation may be repeated. But, when the patient has been greatly weakened by loss of blood from the wound, it will be dangerous to bleed him, even though a fever should ensue. Nature fhould never be too far exhausted: it is always more fafe to allow her to struggle with the difease in her own way, than to fink the patient's strength by excessive evacuations.

OF BURNS.

IN flight burns which do not break the fkin, it is customary to hold the part near the fire for a competent time, to rub it with falt, or to lay a compress upon it dipped in spirits of wine or brandy. But, when the burn has penetrated so deep as to blifter or break the fkin, it must be dreffed with some of the liniments for burns, or with the emollient and gently-drying ointment, commonly called Turner's cerate. This may be mixed with an equal quantity of fresh olive oil, and foread upon a foft rag, and applied to the part affected. When this ointment cannot be had, an egg may be beat up with about an equal quantity of the fweetest fallad-oil. This will serve very well till a proper ointment can be prepared. When the burning is very deep, after the first two or three days, it should be dreffed with equal parts of yellow basilicon and Turner's cerate mixed together. When the burn is violent, or has occasioned a high degree of inflammation, and there is reason to fear a gangrene or mortification, the same means must be used to prevent it as are recommended in other violent inflammations. The patient in this case must live low, and drink freely of weak diluting liquors. He must likewise be bled, and have his body kept open. But, if the burnt parts should become livid or black, with other symptoms of mortification, it will be necessary to bathe them frequently with warm camphorated spirits of wine, tincture of myrrh, or other antifeptics, mixed with a decoction of the bark. In this case the bark must likewise be taken internally, and the patient's diet must be more generous.

OF BRUISES.

IN flight bruifes it will be fufficient to bathe the part with warm vinegar, to which a little brandy or rum may occasionally be added, and to keep cloths wet with this mixture constantly applied to it. This is more proper than rubbing it with brandy, spirits of wine, or other ardent spirits, which are commonly used in such cases. In some parts of the country the peasants apply to a recent bruise a cataplasm of fresh cow-dung. I have often seen this cataplasm applied to violent contusions occasioned by blows, falls, bruises, and such-like, and never knew it fail to have a good effect. When a bruise is very violent, the patient ought immediately to be bled, and put upon a proper regimen. His food should be light and cool, and his drink weak, and of an opening nature; as whey sweetened with honey, decoctions of tamarinds, barley, cream-tartar whey, and such-like. The bruised part must be bashed with vinegar and water, as directed above; and a poultice, made by boiling of crumb of bread, elder-slowers, and camomile-slowers, in equal quantities of vinegar and water, applied to it. This poultice is peculiarly proper when

when a wound is joined to the bruise. It may be renewed two or three times aday. As the structure of the vessels is totally destroyed by a violent bruise, there often enfues a great loss of substance, which produces an ulcerous fore, very difficult to cure. If the bone be affected, the fore will not heal before an exfoliation takes place; that is, before the diseased part of the bone separates, and comes out through the wound. This is often a very flow operation, and may even require several years to be completed. Hence it happens, that these fores are frequently mistaken for the king's evil, and treated as such, though, in fact, they proceed folely from the injury which the folid parts received from the blow. Patients in this fituation are peffered with different advice. Every one who fees them proposes a new remedy, till the fore is so much irritated with various and opposite applications, that it is often at length rendered absolutely incurable. The best method of managing such fores is, to take care that the patient's conflitution does not fuffer by confinement or improper medicine, and to apply nothing to them but some simple ointment spread upon soft lint, over which a poultice of bread and milk, with boiled camomile-flowers, or the like, may be put. to nourish the part, and keep it soft and warm. Nature, thus affisted, will generally in time operate a cure, by throwing off the diseased parts of the bone. after which the fore foon heals.

OF ULCERS.

ULCERS may be the consequence of wounds, bruises, or imposthumes, improperly treated; they may likewife proceed from an ill flate of the humours. or what may be called a bad habit of body. In the latter case, they ought not to be haftily dried up, otherwife it may prove fatal to the patient. Ulcers happen most commonly in the decline of life; and persons who neglect exercise, and live grossly, are most liable to them. They might often be prevented by retrenching fome part of the folid food, or by opening artificial drains, as iffues, fetons, or the like. It requires confiderable skill to be able to judge whether or not an ulcer ought to be dried up. In general, all ulcers which proceed from a bad habit of body should be suffered to continue open, at least till the constitution has been fo far changed by proper regimen, or the use of medicine, that they feem disposed to heal of their own accord. Ulcers which are the effect of malignant fevers, or other acute diseases, may generally be healed with safety after the health has been restored for some time. The cure ought not, however, to be attempted too foon, nor at any time without the use of purging medicines and a proper regimen. When wounds or bruifes have, by wrong treatment, degenerated into ulcers, if the constitution be good, they may generally be healed with fafety. When ulcers either accompany chronical difeases, or come in their stead,

3 C

38.

they must be cautiously healed. If an ulcer conduces to the patient's health, from whatever cause it proceeds, it ought not to be healed; but if, on the contrary, it wastes the strength, and consumes the patient by a flow fever, it should be healed as foon as possible. We would earnestly recommend a strict attention to these particulars, to all who have the misfortune to labour under this diforder, particularly perfons in the decline of life; as we have frequently known people throw away their lives by the want of it, while they were extolling and generously rewarding those whom they ought to have looked upon as their executioners. The most proper regimen for promoting the cure of ulcers is to avoid all spices, salted and high-feafoned food, all ftrong liquors, and to leffen the ufual quantity of flesh meat. The body ought to be kept gently open by a diet confifting chiefly of cooling laxative vegetables, and by drinking butter-milk, whey fweetened with honey, or the like. A fiftulous ulcer can feldom be cured without an operation. It must either be laid open so as to have its callous parts destroyed by some corrofive application, or they must be entirely cut away by the knife; but, as this operation requires the hand of an expert furgeon, there is no occasion to describe it. Ulcers about the anus are most apt to become fistulous, and are very difficult to cure. Some, indeed, pretend to have found Ward's fiftula-pafte very fuccessful in this complaint. It is not a dangerous medicine, and, being easily procured, it may deferve a trial; but, as these ulcers generally proceed from an ill habit of body, they will feldom yield to any thing except a long course of regimen, affifted by medicines, which are calculated to correct that particular habit, and to induce an almost total change in the constitution.

OF DISLOCATIONS.

WHEN a bone is moved out of its place or articulation, fo as to impede its proper functions, it is faid to be luxated or diflocated. As this often happens to perfons in fituations where no medical affiftance can be obtained, by which means limbs, and even lives, are frequently loft, we shall endeavour to point out the method of reducing the most common luxations, and those which require immediate affiftance. Any person of common sense and resolution, who is present when a dislocation happens, may often be of more service to the patient than the most expert surgeon can after the swelling and inflammation have come on. When these are present, it is difficult to know the state of the joint, and dangerous to attempt a reduction; and, by waiting till they are gone off, the muscles become so relaxed, and the cavity filled up, that the bone can never afterwards be retained in its place. A recent dislocation may generally be reduced by extension alone, which must always be greater or less according to the strength of the muscles which move the joint, the age, robustness, and other circumstances, of the patient. When the bone has been out of its place for any considerable time,

and a fwelling or inflammation has come on, it will be necessary to bleed the patient, and, after fomenting the part, to apply fost poultices with vinegar to it for some time before the reduction is attempted. All that is necessary after the reduction, is to apply cloths dipped in vinegar or camphorated spirits of wine to the part, and to keep it perfectly easy. Many bad consequences proceed from the neglect of this rule. A diflocation seldom happens without the tendons and ligaments of the joint being stretched, and sometimes torn. When these are kept easy till they recover their strength and tone, all goes on very well; but, if the injury be increased by too frequent an exertion of the parts, no wonder if they be found weak and diseased ever after.

DISLOCATION OF THE JAW.—The usual method of reducing a diflocated jaw, is to set the patient upon a low stool, so as an affistant may hold the head firm by pressing it against his breast. The operator is then to thrust his two thumbs, being first wrapped up with linen cloths that they may not slip, as far back into the patient's mouth as he can, while his singers are applied to the jaw externally. After he has got firm hold of the jaw, he is to press it strongly downwards and backwards, by which means the elapsed heads of the jaw may be easily pushed into their former cavities. The peasants, in some parts of the country, have a peculiar way of performing this operation. One of them puts a handkerchief under the patient's chin, then, turning his back to that of the patient, pulls him up by the chin so as to suspend him from the ground. This method often succeeds, but we think it a dangerous one, and therefore recommend the former.

DISLOCATION OF THE NECK .- The neck may be diflocated by falls, violent blows, or the like. In this case, if the patient receives no affishance, he soon dies. which makes people imagine the neck was broken; it is, however, for the most part, only partially diflocated, and may be reduced by almost any person who has refolution enough to attempt it. A complete diflocation of the neck is instantaneous death. When the neck is dislocated, the patient is immediately deprived of all fense and motion; his neck swells, his countenance appears bloated. his chin lies upon his breaft, and his face is generally turned towards one fide. To reduce this diflocation, the unhappy person should immediately be laid upon his back on the ground, and the operator must place himself behind him so as to be able to lay hold of his head with both hands, while he makes a refiftance by placing his knees against the patient's shoulders. In this posture he must pull the head with confiderable force, gently twifting it at the same time, if the face be turned to one fide, till he perceives that the joint is replaced, which may be known from the noise which the bones generally make when going in, the patient's beginning to breathe, and the head continuing in its natural posture. After the neck is reduced, the patient ought to be bled, and should be suffered to rest for some days, till the parts recover their proper tone.

DISLOCATION

DISLOCATION OF THE SHOULDER .- The humerus or upper bone of the arm may be diflocated in various directions: it happens however most frequently downwards, but very feldom directly upwards. From the nature of its articulation, as well as from its exposure to external injuries, this bone is the most fubject to diflocation of any in the body. A diflocation of the humerus may be known by a depression or cavity on the top of the shoulder, and an inability to move the arm. When the diflocation is downward or forward, the arm is elongated, and a ball or lump is perceived under the armpit; but, when it is backward, there appears a protuberance behind the shoulder, and the arm is thrown forwards toward the breaft. The usual method of reducing diflocations of the shoulder is to feat the patient upon a low stool, and to cause an affishant to hold his body fo that it may not give way to the extension, while another lays hold of the arm a little above the elbow, and gradually extends it. The operator then puts a napkin under the patient's arm, and causes it to be tied behind his own neck; by this, while a fufficient extension is made, he lifts up the head of the bone, and with his hands directs it into its proper place. There are various machines invented for facilitating this operation, but the hand of an expert furgeon is always more fafe. In young and delicate patients, it is a very eafy matter to reduce the shoulder by extending the arm with one hand. thrusting in the head of the bone with the other. In making the extension, the arm ought always to be a little bent.

DISLOCATION OF THE ELBOW.—The bones of the fore-arm may be dislocated in any direction. When this is the case, a protuberance may be observed on that side of the arm towards which the bone is pushed, from which, and the patient's inability to bend his arm, a dislocation of this joint may easily be known. Two assistants are generally necessary for reducing a dislocation of the elbow; one of them must lay hold of the arm above, and the other below, the joint, and make a pretty strong extension, while the operator returns the bones into their proper place. Afterwards the arm must be bent and suspended for some time with a sling about the neck. Luxations of the wrist and singers are to be reduced in the same manner as those of the elbow, viz. by making an extension in different directions, and thrusting the head of the bone into its place.

DISLOCATION OF THE THIGH.—When the thigh-bone is diflocated forward and downward, the knee and foot are turned out, and the leg is longer than the other; but, when it is difplaced backward, it is usually pushed upward at the same time, by which means the limb is shortened, and the foot is turned inwards. When the thigh-bone is displaced forward and downward, the patient, in order to have it reduced,

reduced, must be laid upon his back, and made fast by bandages, or held by assistants, while by others an extension is made by means of slings sixed about the bottom of the thigh a little above the knee. While the extension is made, the operator must path the head of the bone outward, till it gets into the socket. If the dislocation be outward, the patient must be laid upon his face, and, during the extension, the head of the bone must be pushed inward. Dislocations of the knees, ancles, and toes, are reduced much in the same manner as those of the upper extremities, viz. by making an extension in opposite directions, while the operator replaces the bones. In many cases, however, the extension alone is sufficient, and the bone will slip into its place merely by pulling the limb with sufficient force. It is not hereby meant, that force alone is sufficient for the reduction of dislocations.

OF BROKEN BONES, &c.

THERE is, in most country villages, some person who pretends to the art of reducing fractures. Though, in general, fuch perfons are very ignorant, yet fome of them are very fuccefsful; which evidently proves, that a fmall degree of learning, with a fufficient share of common sense and a mechanical head, will enable a man to be useful in this way. We would, however, advise people never to employ fuch operators, when an expert and skilful surgeon can be had; but, when that is impracticable, they must be employed: we shall therefore recommend the following hints to their confideration: When a large bone is broken, the patient's diet ought, in all respects, to be the same as in an inflammatory fever. He should likewise be kept quiet and cool, and his body open by emollient clyfters, or, if these cannot be conveniently administered, by food that is of an opening quality; as flewed prunes, apples boiled in milk, boiled spinage, and the like. It ought however to be here remarked, that persons who have been accustomed to live high are not all of a sudden to be reduced to a very low diet. This might have fatal effects. There is often a necessity for indulging even bad habits, in some measure, where the nature of the disease might require a different treatment. It will generally be necessary to bleed the patient immediately after a fracture, especially if he be young, of a full habit, or has, at the fame time, received any bruife or contufion. This operation should not only be performed foon after the accident happens, but, if the patient be very feverish, it may be repeated next day. When feveral of the ribs are broken, bleeding is peculiarly necessary. If any of the large bones which support the body are broken, the patient must keep his bed for several weeks. It is by no means neceffary, however, that he should lie all that time, as is customary, upon his back. This fituation finks the spirits, galls and frets the patient's skin, and renders him

very uneafy. After the fecond week he may be gently raifed up, and may fit feveral hours, supported by a bed-chair, or the like, which will greatly relieve him. Great care, however, must be taken in raising him up, and laying him down, that he make no exertions himfelf, otherwife the action of the mufcles may pull the bone out of its place. It has been customary, when a bone was broken, to keep the limb for five or fix weeks continually upon the firetch. But this is a bad posture. It is both uneasy to the patient and unsavourable to the cure. The best fituation is to keep the limb a little bent. This is the posture into which every animal puts its limbs when it goes to reft, and in which fewest muscles are upon the ftretch. It is eafily effected, by either laying the patient upon his fide, or making the bed fo as to favour this position of the limb. All that art can do towards the eure of a broken bone, is to lay it perfectly firaight, and to keep it quite easy. All tight bandages do hurt. They had much better be wanting altogether. A great many of the bad eonsequences which succeed to fractured bones are owing to tight bandages. The best method of retention is by two or more splints made of leather or pasteboard. These, if moistened before they be applied, foon affume the shape of the included member, and are sufficient. by the affiftance of a very flight bandage, for all the purpofes of retention. The fplints should always be as long as the limb, with holes cut for the ancles when the fracture is in the leg. In fractures of the ribs, where a bandage cannot be properly used, an adhesive plaster may be applied over the part. The patient, in this ease, ought to keep himself quite easy, avoiding every thing that may oceasion fneezing, laughing, eoughing, or the like. He ought to keep his body in a ftraight posture, and should take care that his stomach be constantly distended, by taking frequently fome light food, and drinking freely of weak watery liquors. The most proper external application for a fracture is oxycrate, or a mixture of vinegar and water. The bandages should be wet with this at every dressing.

OF STRAINS.

STRAINS are often attended with worse consequences than broken bones. The reason is obvious, they are generally neglected. When a bone is broken, the patient is obliged to keep the member easy, because he cannot make use of it; but, when a joint is only strained, the person, finding he can still make a shift to move it, is forry to lose his time for so trifling an ailment. In this way he deceives himself, and converts into an incurable malady what might have been removed by only keeping the part easy for a sew days. Country people generally immerse a strained limb in cold water. This is very proper, provided it be done immediately, and not kept in too long. But the custom of keeping the part immersed in cold water for a long time, is certainly dangerous. It relaxes in-

flead of bracing the part, and is more likely to produce a difeafe than remove one. Wrapping a garter, or some other bandage, pretty tight about the strained part, is likewise of use. It helps to restore the proper tone of the vessels, and prevents the action of the parts from increasing the disease. It should not however be applied too tight. Bleeding near the affected part will frequently have a very good effect: but what we would recommend above all is ease. It is more to be depended on than any medicine, and feldom fails to memove the complaint.

OF RUPTURES.

CHILDREN and very old people are most liable to this disease. In the former it is generally occasioned by excessive crying, coughing, vomiting, or the like. In the latter, it is commonly the effect of blows or violent exertions of the firength, as leaping, carrying great weights, &c. In both, a relaxed habit, indolence, and an oily or very moist diet, dispose the body to this disease: A rupture fometimes proves fatal before it is discovered. Whenever fickness, vomiting, and obstinate costiveness, give reason to suspect an obstruction of the bowels, all those places where ruptures usually happen ought carefully to be examined. The protrusion of a very small part of the gut will occasion all these fymptoms; and, if not returned in due time, will prove mortal. On the first appearance of a rupture in an infant, it ought to be laid upon its back, with its head very low. While in this posture, if the gut does not return of itself, it may cafily be put up by gentle preffure. After it is returned, a piece of sticking-plafter may be applied over the part, and a proper trufs or bandage must be constantly worn for a considerable time. The method of making and applying these rupture-bandages for children is pretty well known. The child must, as far as possible, be kept from crying, and from all violent motion, till the rupture is quite healed. In adults, when the gut has been forced down with great violence, or happens, from any cause, to be inflamed, there is often great difficulty in returning it. The patient should be bled; after which, he must be laid upon his back, with his head very low, and his breech raifed high with pillows. In this fituation flannel cloths wrung out of a decoction of mallows and camomileflowers, or, if these are not at hand, of warm water, must be applied for a confiderable time. A clyster made of this decoction, with a large spoonful of butter and a little falt, may be afterwards thrown up. If these should not prove fuccessful, recourse must be had to pressure. If the tumour be very hard, confiderable force will be necessary; but it is not force alone which succeeds here. The operator, at the same time that he makes a pressure with the palms of his hands, must with his fingers artfully conduct the gut in by the same aperture through which it came out. The manner of doing this can be much easier

conceived.

conceived than deferibed. Should these endeavours prove ineffectual, clysters of the sinoke of tobacco may be tried. These have been often known to succeed where every other method failed. An adult, after the gut has been returned, must wear a steel bandage. It is needless to describe this, as it may always be had ready-made from the artists. Such bandages are generally inksome to the wearer for some time, but by custom they become quite easy. No person who has had a rupture after he arrived at man's estate, should ever be without one of these bandages. Persons who have a rupture ought carefully to avoid all violent exercise, carrying great weights, leaping, running, and the like. They should likewise avoid windy aliment and strong squors; and should carefully guard against catching cold.

OF RECOVERING DROWNED PERSONS.

WHEN a person has remained above a quarter of an hour under water, there can be no confiderable hopes of his recovery. But, as feveral circumflances may happen to have continued life, in fuch an unfortunate fituation, beyond the ordinary term, we should never too soon resign the unhappy object to his fate, but try every method for his relief, as there are many well-attested proofs of the recovery of persons to life and health who had been taken out of the water apparently dead, and who remained a confiderable time without exhibiting any figr's of life. The first thing to be done after the body is taken out of the water, is to convey it, as foon as possible, to some convenient place where the necessary operations for its recovery may be performed. In attempting to recover persons apparently drowned, the principal intention to be purfued is, to restore the natural warmth, upon which all the vital functions depend; and to excite these functions by the application of stimulants, not only to the skin, but likewise to the lungs, intestines, &c. Though cold was by no means the cause of the person's death, yet it will prove an effectual obstacle to his recovery. For this reason, after stripping him of his wet clothes, his body must be strongly rubbed for a considerable time with coarfe linen cloths, as warm as they can be made; and, as foon as a well-heated bed can be got ready, he may be laid in it, and the rubbing should be continued. Warm cloths ought likewife to be frequently applied to the ftomach and bowels, and hot bricks, or bottles of warm water, to the foles of his feet, and to the palms of his hands. Strong volatile spirits should be frequently applied to the nose; and the spine of the back and pit of the stomach may be rubbed with warm brandy or spirit of wine. The temples ought always to be chased with volatile fpirits; and fiimulating powders, as that of tobacco or marjoram, may be blown up the nostrils. To renew the breathing, a strong person may blow his own breath into the patient's mouth with all the force he can, holding his nottrils at the same time. When it can be perceived, by the rising of the chest or belly,

belly, that the lungs are filled with air, the person ought to defist from blowing. and should press the breast and belly so as to expel the air again; and this operation may be repeated for some time, alternately inflating and depressing the lungs fo as to imitate natural respiration. If the lungs cannot be inflated in this manner, it may be attempted by blowing through one of the nostrils, and at the fame time keeping the other close. When air cannot be forced into the chest by the mouth or nofe, it may be necessary to make an opening into the windpipe for this purpofe. It is needless, however, to spend time in describing this operation, as it should not be attempted unless by persons skilled in surgery. To stimulate the intestines, the fume of tobacco may be thrown up in form of a clyster. There are various pieces of apparatus contrived for this purpose, which may be used when at hand; but where these cannot be obtained, the business may be done by a common tobacco pipe. The bowl of the pipe must be filled with tobacco well kindled, and, after the small tube has been introduced into the fundament, the fmoke may be forced up by blowing through a piece of paper full of holes wrapped round the mouth of the pipe, or by blowing through an empty pipe, the mouth of which is applied close to that of the other. While these things are doing, some of the attendants ought to be preparing a warm bath, into which the person should be put, if the above endeavours prove ineffectual. Where there are no conveniences for using the warm bath, the body may be covered with warm falt, fand, ashes, grains, or fuch-like. Tissot mentions an instance of a girl who was restored to life, after she had been taken out of the water, swelled, bloated, and to all appearance dead, by laying her naked body upon hot ashes, covering her with others equally hot, putting a bonnet round her head, and a stocking round her neck stuffed, with the same; and heaping coverings over all. After the had remained half an hour in this fituation, her pulse returned, the recovered speech, and cried out, " I freeze, I freeze!" A little cherry-brandy was given her, and the remained buried as it were under ashes for eight hours; afterwards she was taken out, without any other complaint except that of lassitude or weariness, which went off in a few days. The doctor mentions likewise an instance of a man who was restored to life after he had remained fix hours under water, by the heat of a dunghill. Till the patient shews some signs of life, and is able to swallow, it would be useless and even dangerous to pour liquors into his mouth. His lips, however, and tongue, may be frequently wet with a feather dipped in warm brandy, or other strong spirits; and, as foon as he has recovered the power of swallowing, a little warm wine, or fome other cordial, ought every now and then to be administered. We are by no means to discontinue our affishance, as soon as the patients discover some tokens of life, since they sometimes expire after these first appearances of recovering. The warm and stimulating applications are ftill 3 E 39.

198 CULPEPER'S ENGLISH PHYSICIAN,

ftill to be continued, and small quantities of some cordial ought frequently to be administered. Lastly, though the person should be manifestly re-animated, there sometimes remain an oppression, a cough, and severishness, which effectually constitute a disease. In this case, it will be necessary to bleed the patient in the arm, and to cause him to drink plentifully of barley-water, elderslower tea, or any other soft pectoral insusions. Such persons as have the missortune to be deprived of the appearance of life by a fall, a blow, suffocation, or the like, must be treated nearly in the same manner as those who have been for some time under water.

OF CONVULSION FITS.

CONVULSION fits often conflitute the last scene of acute or chronic diforders. When this is the case, there can remain but small hopes of the patient's recovery after expiring in a fit. But when a person, who appears to be in perfeet health, is fuddenly feized with a convulsion fit, and feems to expire, some attempts ought always to be made to restore him to life. Infants are most liable to convulfions, and are often carried off very fuddenly by one or more fits about the time of teething. There are many well-authenticated accounts of infants having been restored to life, after they had to all appearance expired in convulfions; but we shall only relate the following instance mentioned by Dr. Johnson in his pamphlet on the practicability of recovering persons visibly dead: In the parish of St. Clement's, at Colchester, a child of fix months old, lying upon its mother's lap, having had the breaft, was feized with a strong convulfion fit, which lasted so long, and ended with so total a privation of motion of the body, lungs, and pulse, that it was deemed absolutely dead. It was accordingly ftripped, laid out, the paffing-bell ordered to be tolled, and a coffin to be made; but a neighbouring gentlewoman who used to admire the child, hearing of its fudden death, hastened to the house, and upon examining the child found it not cold, its joints limber, and fancied that a glass she held to its mouth and nose was a little damped with the breath; upon which she took the child in her lap, fat down before the fire, rubbed it, and kept it in gentle agitation. In a quarter of an hour she felt the heart begin to beat faintly; she then put a little of the mother's milk into its mouth, continued to rub its palms and foles, found the child begin to move, and the milk was fwallowed; and in another quarter of an hour she had the satisfaction of restoring to its disconsolate mother the babe quite recovered, eager to lay hold of the breaft, and able to fuck again. The child throve, had no more fits, is growing up, and at prefent alive. There are many other things which might be done, in case the above should not succeed; as rubbing the body with strong spirits, covering it with warm ashes or falt, blowing air into the lungs, throwing up warm stimulating

mulating clyfters, or the smoke of tobacco, into the intestines, and such-like. When children are dead-born, or expire foon after the birth, the fame means ought to be used for their recovery as if they had expired in circumstances similar to those just mentioned. These directions may likewise be extended to adults, attention being always paid to the age and other circumstances of the pation. The means used with so much efficacy in recovering drowned persons are, with equal success, applicable to a number of cases where the powers of life feem in reality to be only suspended, and to remain capable of renewing all their functions, on being put into motion again. It is shocking to reflect, that for want of this confideration many persons have been committed to the grave, in whom the principles of life might have been revived. The cases wherein such endeavours are most likely to be attended with success. are all those called sudden deaths from an invisible cause, as apoplexies, hysterics, faintings, and many other diforders wherein persons in a moment fink down and expire. The various casualties in which they may be tried are, suffocations, from the fulphureous damps of mines, coal-pits, &c. the unwholesome air of long-unopened wells or caverns; the noxious vapours arising from fermenting liquors; the steams of burning charcoal; sulphureous mineral acids; arfenical effluvia, &c. The various accidents of drowning, ftrangling, and apparent deaths, by blows, falls, hunger, cold, &c. likewise furnish opportunities of trying fuch endeavours. Those perhaps who to appearance are killed by lightning, or by any violent agitation of the passions, as fear, joy, surprise, and fuch-like, might also be frequently recovered by the use of proper means, as blowing strongly into their lungs, &c.

OF COLD BATHING.

IMMERSION in cold water is a custom which lays claims to the most remote antiquity: indeed it must have been coeval with man himself. The necessity of water for the purpose of cleanlines, and the pleasure arising from its application to the body in hot countries, must very early have recommended it to the human species. Even the example of other animals was sufficient to give the hint to man. By instinct many of them are led to apply cold water in this manner; and some, when deprived of its use, have been known to languish, and even to die. But whether the practice of cold bathing arose from necessity, reasoning, or imitation, is an inquiry of no importance; our business is to point out the advantages which may be derived from it, and to guard people against an improper use of it. The cold bath recommends itself in a variety of case; and is peculiarly beneficial to the inhabitants of populous cities, who indulge in idleness, and lead sedentary lives. In persons of this description the action of the solids is always too weak, which induces a languid circulation, a crude indigested mass of humours, and obstructions in the capillary vestiges.

fels and glandular fystem. Cold water, from its gravity, as well as its tonic power, is well calculated either to obviate or remove thefe fymptoms. It accelerates the motion of the blood, promotes the different fecretions, and gives permanent vigour to the folids. But all these important purposes will be more effentially answered by the application of salt water. This ought not only to be preferred on account of its superior gravity, but likewise for its greater power of stimulating the skin, which promotes the perspiration, and prevents the patient from catching cold. It is necessary, however, to observe, that cold bathing is more likely to prevent, than to remove, obstructions of the glandular or lymphatic fystem. Indeed, when these have arrived at a certain pitch, they are not to be removed by any means. In this case the cold bath will only aggravate the fymptoms, and hurry the unhappy patient into an untimely grave. It is therefore of the utmost importance, previous to the patient's entering upon the use of the cold bath, to determine whether or not he labours under any obstinate obstructions of the lungs or other viscera; and, where this is the case, cold bathing ought strictly to be prohibited. In what is called a plethoric state, or too great a fullness of the body, it is likewise dangerous to use the cold bath, without due preparation. In this case there is great danger of bursting a blood-veffel, or occasioning an inflammation of the brain, or some of the vifcera. This precaution is the more necessary to citizens, as most of them live full, and are of a gross habit. Yet what is very remarkable these people resort in crowds every feafon to the fea fide, and plunge into the water without the least consideration. No doubt they often escape with impunity; but does this give a fanction to the practice? Perfons of this description ought by no means to bathe, unless the body has been previously prepared by suitable evacuations. Another class of patients, who stand peculiarly in need of the bracing qualities of cold water, is the nervous. This includes a great number of the male, and almost all the female, inhabitants of great cities. Yet even those persons ought to be cautious in using the cold bath. Nervous people have often weak bowels, and may, as well as others, be subject to congestions and obstructions of the viscera; and in this case they will not be able to bear the effects of the cold water. For them, therefore, and indeed for all delicate people, the best plan would be to accustom themselves to it by the most pleasing and gentle degrees. They ought to begin with the temperate bath, and gradually use it cooler, till at length the coldest proves quite agreeable. Nature revolts against all great transitions; and those who do violence to her dictates have often cause to repent of their temerity. To young people, and particularly to children, cold bathing is of the last importance. Their lax fibres render its tonic powers peculiarly proper. It promo es their growth, increases their strength, and prevents a variety of diseases incident to childhood. The most proper time of the day for using the cold bath is no doubt the morning, or at least before dinner; and the best mode, that of quick immersion. As cold bathing has a constant tendency to propel the blood and other humours towards the head, it ought to be a rule always to wet that part as soon as possible. By due attention to this circumstance, there is reason to believe, that violent head-achs, and other complaints, which frequently proceed from cold bathing, might be often prevented. The cold bath, when too long continued in, not only occasions an excessive slux of humours towards the head, but chills the blood, cramps the muscles, relaxes the nerves, and wholly defeats the intention of bathing. Hence, by not adverting to this circumstance, expert swimmers are often injured, and sometimes even lose their lives. All the beneficial purposes of cold bathing are answered by one single immersion; and the patient ought to be rubbed dry the moment he comes out of the water, and should continue to take exercise for some time after. When cold bathing occasions chilness, loss of appetite, listlessness, pain of the breast or bowels, a prostration of strength, or violent head-achs, it ought to be discontinued.

OF DRINKING THE MINERAL WATERS.

THE watersmost in use for medical purposes in Britain, are those impregnated with falts, fulphur, iron, and mephitic air, either separately, or variously combined. The errors which fo often defeat the intention of drinking the purgative mineral waters, and which so frequently prove injurious to the patient, proceed from the manner of using them, the quantity taken, the regimen pursued, or using them in cases where they are not proper. Drinking the water in too great quantity, not only injures the bowels and occasions indigestion, but generally defeats the intention for which it is taken. The diseases for the cure of which mineral waters are chiefly celebrated, are mostly of the chronic kind; and it is well known that such diseases can only be cured by the flow operation of alteratives, or fuch medicines as alt by inducing a gradual change in the habit. This requires length of time, and never can be effected by medicines which run off by stool, and operate chiefly on the first passages. Those who wish for the cure of any obstinate malady from the mineral waters, ought to take them in fuch a manner as hardly to produce any effect whatever on the bowels. With this view a half-pint glass may be drunk at bed-time, and the same quantity an hour before breakfast, dinner, and supper. The dose, however, must vary according to circumstances. Even the quantity mentioned above will purge some persons, while others will drink twice as much without being in the least moved by it. Its operation on the bowels is the only standard for using the water as an alterative. No more ought to be taken than barely to move the body; nor is it always necessary to carry it this length, provided the water goes off by the other emunctories, and does not occasion a chilness, or flatulency in the sto-

mach or bowels. When the water is intended to purge, the quantity mentioned above may be all taken before breakfast. To promote the operation of mineral waters, and to carry them through the system, exercise is indispensably necessary. This may be taken in any manner that is most agreeable to the patient, but he ought never to carry it to excess. As a purgative, these waters are chiefly recommended in difeases of the first passages, accompanied with, or proceeding from, inactivity of the stomach and bowels, acidity, indigestion, vitiated bile, worms, putrid fores, the piles, and jaundice. In most cases of this kind, they are the best medicines that can be administered. But, when used with this view, it is sufficient to take them twice, or at most three times, a-week, so as to move the body three or four times; and it will be proper to continue this course for some weeks. But the operation of the more active mineral waters is not confined to the bowels. They often promote the discharge of urine, and not unfrequently increase the perfpiration. This shews that they are capable of penetrating into every part of the body, and of stimulating the whole fystem. Hence arises their efficacy in removing the most obstinate of all disorders, obstructions of the glandular and lymphatic fystem. Under this class is comprehended the scrophula or king's evil, indolent tumours, obstructions of the liver, spleen, kidneys, and mesenteric glands. When these great purposes are to be effected, the waters must be used in the gradual manner mentioned above, and perfifted in for a length of time. It will be proper, however, now and then to discontinue their use for a few days. The next great class of diseases, where mineral waters are found to be beneficial, are those of the skin, as the itch, scab, tetters, ring-worms, scaly eruptions, leprosies, blotches, foul ulcers, &c. Though these may seem superficial, yet they are often the most obstinate which the physician has to encounter, and not unfrequently fet his skill at defiance: but they will fometimes yield to the application of mineral waters for a fufficient length of time, and in most cases of this kind these waters deserve a trial.

OF THE VENEREAL DISEASE.

IT is peculiarly unfortunate for the unhappy persons who contract this disease, that it lies under a fort of disgrace. This renders disguise necessary, and makes the patient either conceal his disorder altogether, or apply to those who promise a sudden and secret cure; but who in fact only remove the symptoms for a time, while they fix the disease deeper in the habit. By this means a slight insection, which might have been easily removed, is often converted into an obstinate, and sometimes incurable, malady. Another unfavourable circumstance attending this disease is, that it assumes a variety of different shapes, and may with more propriety be called an assemblage of diseases, than a single one. No two diseases

eales can require a more different method of treatment than this does in its different flages. Hence the folly and danger of trusting to any particular nostrum for the cure of it. Such nostrums are however generally administered in the same manner to all who apply for them, without the least regard to the state of the disease, the constitution of the patient, the degree of insection, and a thousand other circumstances of the utmost importance. Though the venereal disease is generally the fruit of unlawful embraces, yet it may be communicated to the innocent as well as the guilty. Infants, nurses, midwives, and married women whose husbands lead dissolute lives, are often affected with it, and frequently lose their lives by not being aware of their danger in due time. The unhappy condition of such persons certainly requires that we should endeavour to point out the symptoms and cure of this too-common disease.

OF THE VIRULENT GONORRHEA.

THE virulent gonorrhœa is an involuntary discharge of infectious matter from the parts of generation in either fex. It generally makes its appearance within eight or ten days after the infection has been received; fometimes indeed it appears in two or three days, and at other times not before the end of four or five weeks. Previous to the discharge, the patient feels an itching with a fmall degree of pain in the genitals. Afterwards a thin glary matter begins to diffil from the urinary passage, which stains the linen, and occasions a small degree of titillation, particularly in the time of making water; this, gradually increafing, arises at length to a degree of heat and pain, which are chiefly perceived about the extremity of the urinary passage, where a slight degree of redness and inflammation begin to appear. As the disorder advances, the pain, heat of urine, and running, increase, while fresh symptoms daily ensue. In men the erections become painful and involuntary, and are more frequent and lasting than when natural. This fymptom is most troublesome when the patient is warm in bed. The pain, which was at first perceived towards the extremity, now begins to reach the urinary passage, and is most intense just after the patient has done making water. The running gradually recedes from the colour of feed, grows yellow, and at length puts on the appearance of matter. the disorder has arrived at its height, all the symptoms are more intense; the heat of urine is fo great that the patient dreads the making water, and, though he feels a conftant inclination this way, yet it is rendered with the greatest difficulty, and often only by drops: the involuntary erections now become extremely painful and frequent; there is also a pain, heat, and sense of fulness, about the feat; and the running is plentiful and sharp, of a brown greenish, and fometimes of a bloody, colour.

CURE.

CURE .-- When a person has reason to suspect that he has caught the venereal infection, he ought most strictly to observe a cooling regimen, to avoid every thing of a heating nature, as wines, spirituous liquors, rich sauces, spiced, salted, high-feafoned, and smoke-dried, provisions, &c. as also all aromatic and stimulating vegetables, as onions, garlic, shallot, nutmeg, mustard, cinnamon, mace, ginger, and fuch-like. His food ought chiefly to confift of mild vegetables, milk, broths, light puddings, panada, gruels &c. His drink may be barley-water, milk and water, decoctions of marth-mallows and liquorice, linfeed-tea, or clear whey. Of these he ought to drink plentifully. Violent exercise of all kinds, especially riding on horseback, and venereal pleasures, are to be avoided. The patient must beware of cold, and, when the inflammation is violent, he ought to keep his bed. A virulent gonorrhæa cannot always be cured speedily and effectually at the same time. The patient ought therefore not to expect, nor the physician to promise, it. It will often continue for two or three weeks, and sometimes for five or fix, even where the treatment has been very proper. Sometimes indeed a flight infection may be carried off in a few days, by bathing the parts in warm milk and water, and injecting frequently up the urethra a little fweet oil or linfeed tea about the warmth of new milk. Should these not succeed in carrying off the infection, they will at least have a tendency to lessen its virulence. To effect a cure, however, aftringent injections will generally be found necessarv. These may be various ways prepared, but those made with the white vitriol are both most safe and efficacious. They can be made stronger or weaker as circumstances may require, but it is best to begin with the more gentle, and increase their power if necessary. A drachm of white vitriol may be dissolved in eight or nine ounces of common or rose water, and an ordinary syringe full of it thrown up three or four times a-day. If this quantity does not perform a cure, it may be repeated, and the dose increased. Whether injections be used or not, cooling purges are always proper in the gonorrhea. They ought not however to be of the strong or drastic kind. Whatever raises a violent commotion in the body increases the danger, and tends to drive the disease deeper into the habit. Procuring two or three stools every second or third day for the first fortnight, and the same number every fourth or fifth day for the second, will generally be sufficient to remove the inflammatory fymptoms, to diminish the running, and to change the colour and confiftence of the matter, which gradually becomes more clear and ropy as the virulence abates. When the inflammatory symptoms run high, bleeding is always necessary at the beginning. This operation, as in other topical inflammations, must be repeated according to the strength and constitution of the patient, and the vehemence and urgency of the symptoms. Medicines which promote the fecretion of urine are likewise proper in this stage of the disorder. For this

this purpose an ounce of nitre and two ounces of gum-arabic, pounded together, may be divided into twenty-four doses, one of which may be taken frequently, in a cup of the patient's drink. If these should make him pass his urine so often as to become troublesome to him, he may either take them less frequently, or leave out the nitre altogether, and take equal parts of gum-arabic and cream of tartar. These may be pounded together, and a tea-spoonful taken in a cup of the patient's drink four or five times a-day. I have generally found this answer extremely well, both as a diurctic, and for keeping the body gently open. When the pain and inflammation are feated high, towards the neck of the bladder, it will be proper frequently to throw up an emollient clyster, which, besides the benefit of procuring stools, will serve as fomentations to the inflamed parts. Soft poultices, when they can be conveniently applied to the parts, are of great fervice. They may be made of the flour of linfeed, or of wheat-bread and milk, foftened with fresh butter or sweet oil. When poultices cannot be conveniently used, cloths wrung out of warm water, or bladders filled with warm milk and water, may be applied. Few things tend more to keep off inflammation in the spermatic vessels than a proper truss for the scrotum. It ought to be so contrived as to support the testicles, and should be worn from the first appearance of the disease till it has ceased some weeks. Many people, on the first appearance of a gonorrhea, fly to the use of mercury. This is a bad plan. Mercury is often not at all necessary in a gonorrhoea, and, when taken too early, it does mischief. It may be necessary to complete the cure, but it never can be proper at the commencement of it. When bleeding, purging, fomentations, and the other things recommended above, have eased the pain, softened the pulse, relieved the heat of urine, and rendered the involuntary erections less frequent, the patient may begin to use mercury in any form that is least disagreeable to him. If he takes the common mercurial pill, two at night and one in the morning will be a fufficient dose at first. Should they affect the mouth too much, the dose must be lessened; if not at all, it may be gradually increased to five or fix pills in the day. If calomel be thought preferable, two or three grains of it, formed into a bolus with a little of the conferve of hips, may be taken at bed-time, and the dofe gradually increased to eight or ten grains. One of the most common preparations of mercury now in use is the corrolive sublimate. This may be taken in the manner hereafter recommended under the confirmed lues or pox: it is one of the most safe and efficacious medicines when properly used. The above medicines may either be taken every day or every other day, as the patient is able to bear them. They ought never to be taken in such quantity to raise a falivation, unless in a very slight degree. The difeafe may be more fafely, and as certainly, cured without a falivation as with it. When the mercury runs off by the mouth, it is not fo fuccessful

39.

in earrying off the difeafe, as when it continues longer in the body, and is difcharged gradually. Should the patient be purged or griped in the night by the mercury, he must take an infusion of senna, or some other purgative, and drink freely of water-gruel to prevent bloody stools, which are very apt to happen should the patient catch cold, or if the mercury has not been duly prepared. When the bowels are weak, and the mercury is apt to gripe or purge, these disagreeable confequences may be prevented by taking, with the above pills or bolus, half a drachm or two scruples of diascordium, or of the Japonic confection To prevent the difagreeable circumstances of the mercury's affecting the mouth too much, or bringing on a falivation, it may be combined with purgatives. With this view the laxative mercurial pill has been contrived, the usual dose of which is half a drachm, or three pills, night and morning, to be repeated every other day; but the fafer way is for the patient to begin with two, or even with one, pill, gradually increasing the dose. To such persons as can neither swallow a bolus nor a pill, mercury may be given in a liquid form, as it can be suspended even in a watery vehicle, by means of gum arabic; which not only ferves this purpose, but likewise prevents the mercury from affecting the mouth, and renders it in many respects a better medicine: Take quickfilver one drachm: gum arabic reduced to a mucilage in a marble mortar, until the globules of mercury entirely difappear: afterwards add gradually, still continuing the trituration, half an ounce of balfamic fyrup, and eight ounces of fimple cinnamon-water; two table-spoonfuls of this folution may be taken night and morning. It happens very fortunately for those who cannot be brought to take mercury inwardly, and likewise for persons whose bowels are too tender to bear it, that an external application of it answers equally well, and, in some respects, better. It must be acknowledged. that mercury, taken inwardly for any length of time, greatly weakens and diforders the bowels; for which reason, when a plentiful use of it becomes necessary, we would prefer rubbing to the mercurial pills. The common mercurial or blue ointment will answer very well. Of that which is made by rubbing together equal quantities of hog's-lard and quickfilver, about a drachm may be used at a time. The best time for rubbing it on is at night, and the most proper place is the inner fide of the thighs. The patient should stand before the fire when he rubs, and should wear flannel drawers next his skin at the time he is using the ointment. If ointment of a weaker or stronger kind be used, the quantity must be increased or diminished in proportion. If, during the use of the ointment, the inflammation of the genital parts, together with the heat and feverifiness, should return, or if the mouth should grow fore, the gums tender, and the breath become offensive, a dose or two of Glauber's falts, or some other cooling purge, may be taken, and the rubbing intermitted for a few days. As foon, however, as the figns of spitting

every

ting are gone off, if the virulency be not quite corrected, the ointment must be repeated, but in smaller quantities, and at longer intervals, than before. Whatever way mercury is administered, its use must be persisted in as long as any virulency is suspected to remain. When the above treatment has removed the heat of urine, and foreness of the genital parts; when the quantity of running is considerably lessened, without any pain or swelling in the groin or testicle supervening; when the patient is free from involuntary erections; and lastly, when the running becomes pale, whitish, thick, void of ill smell, and tenacious or ropy; when all or most of these symptoms appear, the gonorrhoea is arrived at its last stage, and we may gradually proceed to treat it as a gleet with astringent and agglutinating medicines.

OF GLEETS.

A GONORRHŒA frequently repeated, or improperly treated, often ends in a gleet, which may either proceed from relaxation, or from fome remains of the difease. It is, however, of the greatest importance, in the cure of the gleet, to know from which of these causes it proceeds. When the discharge proves very obstinate, and receives little or no check from aftringent remedies, there is ground to fuspect that it is owing to the latter; but if the drain is inconstant, and is chiefly observable when the patient is stimulated by lascivious ideas, or upon straining to go to stool, we may reasonably conclude that it is chiefly owing to the former In the cure of a gleet proceeding from relaxation, the principal design is to brace, and reflore a proper degree of tension to, the debilitated and relaxed vessels. For this purpose, besides the medicines recommended in the gonorrhoea, the patient may have recourse to stronger and more powerful astringents, as the Peruvian bark, alum, vitriol, galls, tormentil, bistort, balaustines, tincture of gum-kino, &c. The injections may be rendered more aftringent by the addition of a few grains of alum, or increasing the quantity of vitriol as far as the parts are able to bear it. The last remedy which we shall mention in this case is the cold bath, than which there is not perhaps a more powerful bracer in the whole compals of medicine. It ought never to be omitted in this species of gleet, unless there be something in the constitution of the patient which renders the use of it unsafe. The chief objections to the use of the cold bath are, a full habit, and an unfound state of the viscera. The danger from the former may always be lessened, if not removed, by purging and bleeding; but the latter is an infurmountable obstacle, as the preffure of the water, and the fudden contraction of the external veffels, by throwing the blood with too much force upon the internal parts, are apt to occasion ruptures of the veffels, or a flux of humours upon the difeafed organs. But, where no objection of this kind prevails, the patient ought to plunge over head in water

every morning fasting, for three or four weeks together. He should not, however, stay long in the water, and should take care to have his skin dried as soon as he comes out. The regimen proper in this case is the same as was mentioned in the last stage of the gonorrhoa: the diet must be drying and astringent, and the drink, Spa, Pyrmont, or Briftol, waters, with which a little claret or red wine may fometime be mixed. Any person may now afford to drink these waters, as they can every where be prepared at almost no expence, by a mixture of common chalk and oil of vitriol. When the gleet does not yield to these medicines; there is reafon to suspect that it proceeds from ulcers. In this case, recourse must be had to mercury, and fuch medicines as tend to correct any predominant acrimony with which the juices may be affected, as the decoction of china, farfaparilla, faffafras, or the like. The best remedy for the cure of ulcers in the urinary passage, are the fuppurating candles or bougies; as these are prepared various ways, and are generally to be bought ready-made, it is needless to spend time in enumerating the different ingredients of which they are composed, or teaching the manner of preparing them: before a bougie be introduced into the urethra, however, it should be fmeared all over with fweet oil, to prevent it from flimulating too fuddenly; it may be suffered to continue in from one to seven or eight hours, according as the patient can bear it. Obstinate ulcers are not only often healed, but tumours and excrescences in the urinary passages taken away, and an obstruction of urine removed, by means of bougies.

OF THE SWELLED TESTICLE.

THE swelled testicle may either proceed from infection lately contracted, or from the venereal poison lurking in the blood: the latter indeed is not very common, but the former frequently happens both in the first and second stages of a gonorrhœa; particularly when the running is unseasonably checked, by cold, hard drinking, strong drastic purges, violent exercise, the too early use of astringent medicines, or the like. In the inflammatory flage bleeding is necessary, which must be repeated according to the urgency of the symptoms. The food must be light. and the drink diluting. High-scasoned food, flesh, wines, and every thing of a heating nature, are to be avoided. Fomentations are of fingular fervice. Poultices of bread and milk, fostened with fresh butter or oil, are likewise very proper, and ought constantly to be applied when the patient is in bed: when he is up, the tefticle should be kept warm, and supported by a bag or truss, which may easily be contrived in such a manner as to prevent the weight of the testicle from having any effect. If it should be found impracticable to clear the testicle by the cooling regimen now pointed out, and extended according to circumstances, it will be necessary to lead the patient through fuch a complete anti-venereal course as shall ensure him against

against any suture uneasiness. For this purpose, besides rubbing the mercurial ointment on the part, if free from pain, or on the thighs, as directed in the gonorrhea, the patient must be confined to bed, if necessary, for five or six weeks, suspending the testicle all the while with a bag or truss, and plying him inwardly with strong decoctions of sarsaparilla. When these means do not succeed, and there is reason to suspect a scrophulous or cancerous habit, either of which may support a scirrhous induration, after the venereal poison is corrected, the parts should be someted daily with a decoction of hemlock, the bruised leaves of which may likewise be added to the poultice, and the extract at the same timetaken inwardly. By this method diseased testicles of two or three years standing, even when ulcerated, and affected with pricking and lancing pains, have been completely cured.

OF BUBOES.

VENEREAL buboes are hard tumours feated in the groin, occasioned by the venereal poison lodged in this part. They are of two kinds; viz. such as proceed from a recent infection, and fuch as accompany a confirmed lues. The cure of recent buboes, that is, fuch as appear foon after impure coition, may be first attempted by dispersion, and, if that should not succeed, by suppuration. To promote the dispersion of a bubo, the same regimen must be observed as was directed in the first stage of a gonorrhea. The patient must likewise be bled, and take some cooling purges, as the decoction of tamarinds and senna, Glauber's falts, and the like, If, by this course, the swelling and other inflammatory symtoms abate, we may fafely proceed to the use of mercury, which must be continued till the venereal virus is quite subdued. But, if the bubo should, from the beginning, be attended with great heat, pain, and pulfation, it will be proper to promote its suppuration. For this purpose the patient may be allowed to use his ordinary diet, and to take now and then a glass of wine. Emollient cataplasms, confifting of bread and milk foftened with oil or fresh butter, may be applied to the part; and, in cold conftitutions, where the tumour advances flowly, whitelily roots boiled, or fliced onions raw, and a fufficient quantity of yellow bafilicon, may be added to the poultice. When the tumour is ripe, which may be known by its conical figure, the foftness of the skin, and a fluctuation of matter plainly to be felt under the finger, it may be opened either by caustic or a lancet, and afterwards dreffed with digestive ointment. It sometimes, however, happens that buboes can neither be dispersed nor brought to a suppuration, but remain hard indolent tumours. In this case the indurated glands must be consumed by caustic; if they should becomme scirrhous, they must be dissolved by the application of hemlock, both externally and internally, as directed in the fcirrhous tefficle.

OF CHANCRES.

CHANCRES are fuperficial, callous, eating, ulcers; which may happen etther with or without a gonorrhea. They are commonly feated about the glans, and make their appearance in the following manner: First a little red pimple arifes, which foon becomes pointed at top, and is filled with a whitish matter inclining to yellow. This pimple is hot, and itches generally before it breaks: afterwards it degenerates into an obstinate ulcer, the bottom of which is usually covered with a vifcid mucus, and whose edges gradually become hard and callous. Sometimes the first appearance resembles a simple exceptation of the cuticle; which, however, if the case be venereal, soon becomes a true chancre. A chancre is sometimes a primary affection, but it is much oftener symptomatic. and is the mark of a confirmed lues. Primary chancres discover themselves soon after impure coition, and are generally feated in parts covered with a thin cuticle, as the lips, the nipples of women, the glans penis of men, &c. When venereal ulcers are feated in the lips, the infection may be communicated by kiffing. When a chancre appears foon after impure coition, its treatment is nearly fimilar to that of the virulent gonorrhoea. The patient must observe the cooling regimen, lose a little blood, and take some gentle doses of salts and manna. The parts affected ought frequently to be bathed, or rather foaked, in warm milk and water, and, if the inflammation be great, an emollient poultice or cataplasm may be applied to them. This course will, in most cases, be sufficient to abate the inflammation, and prepare the patient for the use of mercury. Symptomatic chancres are commonly accompanied with ulcers in the throat, nocturnal pains, fcurfy eruptions about the roots of the hair, and other symptoms of a confirmed lues. Though they may be feated in any of the parts mentioned above, they commonly appear upon the private parts, or the infide of the thigh. They are also less painful, but frequently much larger and harder, than primary chancies. This diforder is usually attended with a stranguary or obstruction of urine, a phymofis, &c. A stranguary may be occasioned either by a spasmodic constriction, or an inflammation of the urethra and parts about the neck of the bladder. In the former case, the patient begins to void his urine with tolerable ease; but, as soon as it touches the galled or inflamed urethra, a fudden constriction take place, and the urine is voided by spirts, and sometimes by drops only. When the stranguary is owing to an inflammation about the neck of the bladder, there is a conflant heat and uneafiness of the part, a perpetual defire to make water, while the patient can only render a few drops, and a troublesome tenesmus, or constant inclination to go to stool. When the stranguary is owing to spasm, such medicines as tend to dilute and blunt the falts of the urine will be proper. For this purpofe, befides

befides the common diluting liquors, foft and cooling emulfions, fweetened with the fyrup of poppies, may be used. Should these not have the desired effect, bleeding, and emollient fomentations, will be necessary. When the complaint is evidently owing to an inflammation about the neck of the bladder, bleeding must be more liberally performed, and repeated according to the urgency of the fymptoms. After bleeding, if the stranguary still continues, fost clysters, with a proper quantity of laudanum in them, may be administered, and emollient fomentations applied to the region of the bladder. At the same time, the patient may take every four hours a teacup-full of barley-water, to an English pint of which fix ounces of the fyrup of marsh-mallows, four ounces of the oil of sweet almonds, and half an ounce of nitre, may be added. If these remedies should not relieve the complaint, and a total suppression of urine should come on, bleeding must be repeated, and the patient fet in a warm bath up to the middle. It will be proper, in this case, to discontinue the diuretics, and to draw off the water with a catheter; but, as the patient is feldom able to bear its being introduced, we would rather recommend the use of mild bougies. These often lubricate the passage, and greatly facilitate the discharge of urine. Whenever they begin to stimulate or give any uneafiness, they may be withdrawn. The phymosis is such a constriction of the prepuce over the glands as hinders it from being drawn backwards; the paraphymofis, on the contrary, is such a constriction of the prepuce behind the glans as hinders it from being brought forwards. The treatment of these fymptoms is so nearly the same with that of the virulent gonorrhoea, that we have no occasion to enlarge upon it. In general, bleeding, purging, poultices, and emollient fomentations, are fufficient. Should these, however, fail of removing the stricture, and the parts be threatened with a mortification, twenty or thirty grains of ipecacuanha, and one grain of emetic tartar, may be given for a vomit, and may be worked off with warm water and thin gruel. It fometimes happens, that, in spite of all endeavours to the contrary, the inflammation goes on, and fymptoms of a beginning mortification appear. When this is the case, the prepuce must be scarified with a lancet, and, if necessary, divided, in order to prevent a strangulation, and fet the imprisoned glands at liberty. We shall not defcribe the manner of performing this operation, as it ought always to be done by a furgeon. When a mortification has actually taken place, it will be necessary, besides performing the above operations, to foment the parts frequently with cloths wrung out of a firong decoction of camomile flowers and bark, and to give the patient a drachm of the bark in powder every two or three hours. With regard to the priapifm, chordee, and other diffortions of the penis, their treatment is no way different from that of the gonorrhea. When they prove very troublesome, the patient may take a few drops of laudanum at night, especially. after the operation of a purgative though the day.

OF A CONFIRMED LUES.

THE symptoms of a confirmed lues are, buboes in the groin, pains of the head and joints, which are peculiarly troublesome in the night, or when the patient is warm in bed; fcabs and fcurs in various parts of the body, especially on the head, of a yellowish colour, resembling a honey-comb; corroding ulcers in various parts of the body, which generally begin about the throat, from whence they creep gradually, by the palate, towards the cartilage of the nofe, which they destroy; excrescences or exostoses arise in the middle of the bones, and their fpongy ends becomes brittle, and break upon the least accident; at other times, they are fost, and bend like wax; the conglobate glands become hard and callous, and form, in the neck, armpits, groin, and mesentery, hard moveable tumours, like the king's evil; tumours of different kinds are likewise formed in the lymphatic veffels, tendons, ligaments, and nerves, as the gummata, ganglia, nodes, tophs, &c. the eyes are affected with itching, pain, rednefs, and fometimes with total blindness, and the ears with a finging noise, pain, and deafness, whilst their internal substance is exulcerated and rendered carious; at length all the animal, vital, and natural, functions, are depraved; the face becomes pale and livid; the body emaciated and unfit for motion, and the miferable patient falls into an atrophy or wasting confumption. Women have symptoms peculiar to the fex; as cancers of the breast, a suppression or overflowing of the menses, the whites, hysteric affections, an inflammation, abscefs, scirrhus, gangrene, cancer, or ulcer, of the womb; they are generally either barren or subject to abortion; or, if they bring children into the world, they have an univerfal eryfipelas, are half rotten, and covered with ulcers. Such is the catalogue of fyinptoms attending this dreadful disease in its confirmed state. Indeed they are seldom to be met with in the same person, or at the same time; so many of them, however, are generally present as are fufficient to alarm the patient; and, if he has reason to fuspest the infestion is lurking in his body, he ought immediately to set about the expulsion of it, otherwise the most tragical consequences will ensue. The only certain remedy hitherto known in Europe for the cure of this disease is mercury, which may be used in a great variety of forms, with nearly the same success. Some time ago it was reckoned impossible to cure a confirmed lues without falivation; this method is now, however, pretty generally laid afide, and mercury is found to be as efficacious, or rather more so, in expelling the venereal poison, when administered in such a manner as not to run off by the salivary glands. The only chemical preparation of mercury which we shall take notice of is the corrofive fublimate. This was some time ago brought into use for the venereal disease in Germany, by the illustrious Baron Van Swieten; and was soon after introduced

introduced into Britain by the learned Sir John Pringle, at that time physician to the army. The method of giving it is as follows: One grain of corrofive fublimate is diffolved in two ounces of French brandy or malt spirits; and of this solution, an ordinary tablespoon-full, or the quantity of half an ounce, is to be taken twice aday, and to be continued as long as any fymptoms of the diforder remain. To those whose stomach cannot bear the solution, the sublimate may be given in form of pills. Several roots, woods, and barks, have been recommended for curing the venereal difease: but, though none of them, when administered alone, have been found, upon experience, to answer the high encomiums which have been bestowed upon them, yet, when joined with mercury, many of them are found to be very beneficial in promoting a cure. The best we know yet are farsaparilla and the mezereon root, which are powerful affiftants to the fublimate or to any other mercurial. Those who chuse to use the mezereon by itself, may boil an ounce of the fresh bark taken from the root, in twelve English pints of water to eight, adding towards the end an ounce of liquorice. The dose of this is the same as of the decoction of farfaparilla. We have been told that the natives of America cure the venereal difease, in every stage, by a decoction of the root of a plant called the lobelia. It is used either fresh or dried: but we have no certain accounts with regard to the proportion. Sometimes they mix other roots with it, as those of the ranunculus, the ceanothus, &c. but whether these are designed to disguise or affist it, is doubtful. The patient takes a large draught of the decoction early in the morning, and continues to use it for his ordinary drink through the day. Many other roots and woods are highly extolled for curing the venereal difease, as the roots of foap-wort, burdock, &c. as also the wood of guaiacum and faffafras; but, being particularly pointed out in the Herbal, we shall, for the fake of brevity. pass them over in this place, with only remarking, that, though we are still very much in the dark with regard to the method of curing this difease among the natives of America, yet it is well known, that they do cure it with speed, safety, and fuccefs, by the use of vegetables only, and that without the least knowledge of mercury. Hence it becomes an object of confiderable importance to discover a method of cure in this island, by the use of vegetables only, by making trial of all the various plants which are found in it, and particularly fuch as Culpeper was known to make use of with fingular success, and which he has distinguished in the Herbal. Indeed there can be no doubt, but plants of our own growth, were proper pains taken to discover them, would be found as efficacious in curing the venereal disease here, as those of America there; for it must be remembered that what will cure a patient of the venereal disease in one country will not have equal fuccess if carried into another; a plain demonstration that every country produces that which is most congenial to the health of its own native inhabitants.

214 CULPEPER'S ENGLISH PHYSICIAN,

Mercury ought not to be administered to women in the menstrual flux, or when the period is near at hand. Neither should it be given in the last stage of pregnancy. If, however, the woman be not near the time of her delivery, and circumftances render it necessary, mercury may be given, but in finaller doses, and at greater intervals than ufual: with these precautions, both the mother and child may be cured at the same time; if not, the disorder will at least be kept from growing worse, till the woman be brought to bed, and fufficiently recovered, when a more effectual method may be purfued, which, if the fuckles her child, will in all probability be fufficient for the cure of both. Mercury ought always to be administered to infants with the greatest caution. Their tender condition unfits them for supporting a falivation, and makes it necessary to administer even the mildest preparations of mercury to them with a sparing hand. A similar conduct is recommended in the treatment of old perfons, who have the misfortune to labour under a confirmed lues. No doubt the infirmities of age must render people less able to undergo the fatigues of a falivation; but this, as was formerly observed, is never necessary; befides, we have generally found, that mercury had much lefs effect upon very old perfons than on those who were younger. The most proper seasons for entering upon a course of mercury, are the spring and autumn, when the air is of a moderate warmth; if the circumftances of the cate, however, will not admit of delay, we must not defer the cure on account of the feafon, but must administer the mercury; taking care, at the fame time, to keep the patient's chamber warmer or cooler, according as the feafon of the year requires. A proper regimen must be observed by fuch as are under a course of mercury. Inattention to this not only endangers the patient's life, but often also disappoints him of a cure. A much smaller quantity of mercury will be fufficient for the cure of a person who lives low, keeps warm, and avoids all manner of excefs, than of one who cannot endure to put the smallest restraint upon his appetites: indeed it but rarely happens that fuch are thoroughly cured. There is hardly any thing of more importance, either for preventing or removing the venereal infection, than cleanlinefs. By an early attention to this, the infection might often be prevented from entering the body; and, where it has already taken place, its effects may be greatly mitigated. The moment any person has reason to suspect that he has received the insection, he ought to wash the parts with water and spirits, sweet oil, or milk and water; a small quantity of the last may likewise be injected up the urethra, if it can be conveniently done. Whether this disease at first took its rife from dirtiness is hard to say; but wherever that prevails, the infection is found in its greatest degree of virulence, which gives ground to believe that a ftrict attention to cleanliness would go far towards extirpating it altogether.

DISEASES OF WOMEN.

IN all civilized nations women have the management of domestic affairs; and it is very proper they should, as nature has made them lefs fit for the more active and laborious employments. This indulgence, however, is often carried too far; and females, inftead of being benefited by it, are greatly injured, from the want of exercise and free air. To be fatisfied of this, one need only compare the fresh and ruddy looks of a milk-maid with the pale complexion of those females whose whole time is fpent within doors. Though nature has made an evident diftinction between the male and female with regard to bodily frength and vigour, yet she certainly never meant, either that the one fhould be always without, or the other always within, doors. The confinement of females, befides hurting their figure and complexion, relaxes their folids, weakens their minds, and diforders all the functions of the body. Hence proceed obstructions, indigestion, slatulence, abortions, and the whole train of nervous diforders. These not only unfit women for being mothers and nurses, but often render them whimfical and ridiculous. A found mind depends fo much upon a healthy body, that, where the latter is wanting, the former is rarely to be found. Women who are chiefly employed without doors, in the different branches of hufbandry, gardening, and the like, are almost as hardy as their husbands; and their children are likewise strong and healthy. But, as the bad effects of confinement and inactivity upon both fexes have been already shown, we shall proceed to point out those circumstances in the structure and defign of females, which fubject them to peculiar difeases; the chief of which are, their monthly evacuations, pregnancy, child-bearing, &c. Thefe indeed cannot properly be called difeases; but, from the delicacy of the sex, and their being often improperly managed in fuch fituations, they become the fource of numerous calamities.

OF THE MENSTRUAL DISCHARGE.

FEMALES generally begin to mentiruate about the age of fifteen, and leave it off about fifty, which renders these two periods the most critical of their lives. About the first appearance of this discharge, the constitution undergoes a very considerable change, generally indeed for the better, though sometimes for the worse. The greatest care is therefore necessary, as the future health and happiness of the semale depends, in a great measure, upon her conduct at this period. It is the duty of mothers, and those who are intrusted with the education of girls, to instruct themearly in the conduct and management of themselves at this critical period of their lives. False modesty, inattention, and ignorance of what is beneficial or hurtful at this time, are the sources of many diseases and missortunes in life, which a few sen-

fible lesions from an experienced matron might have prevented. Nor is care less necessary in the subsequent returns of this discharge. Taking improper food, violent affections of the mind, or catching cold at this period, is often fufficient to ruin the health, or to render the female ever after incapable of procreation. If a girl about this time of life be confined to the house, kept constantly sitting, and neither allowed to romp about, nor employed in any active business, which gives exercife to the whole body, fhe becomes weak, relaxed, and puny; her blood not being duly prepared, the looks pale and wan; her health, fpirits, and vigour, decline, and the finks into a valetudinary for life. Such is the fate of numbers of those unhappy females, who, either from too much indulgence, or their own narrow circumftances, are, at this critical period, denied the benefit of exercise and free air. A lazy indolent disposition proves likewise very hurtful to girls at this period. One feldom meets with complaints from obstructions amongst the more active and industrious part of the sex: whereas the indolent and lazy are feldom free from them. These are, in a manner, eaten up by the chlorofis, or green fickness, and other diseases of this nature. We would therefore recommend it to all who wish to escape these calamities, to avoid indolence and inactivity as their greatest enemies, and to be as much abroad in the open air as possible. After the menses have once begun to flow, the greatest care should be taken to avoid every thing that may tend to obstruct them. Cold is extremely hurtful at this particular period. More of the fex date their diforders from cold caught while they are out of order, than from all other caufes. This ought furely to put them upon their guard, and to make them very circumfpect in their conduct at fuch times. A degree of cold that will not in the leaft hurt them at another time, will, at this period, be fufficient to ruin their health and conflitution; therefore, from whatever cause this flux is obstructed, except in a state of pregnancy, proper means should be immediately used to restore it. But the menstrual flux may be too great as well as too fmall. When this happens, the patient becomes weak, the colour pale, the appetite and digeftion are bad, and cedematous fwellings of the feet, dropfies, and confumptions, often enfue. To reftrain the flux, the patient should be kept quiet and easy both in body and mind. If it be very violent, fhe ought to lie in bed with her head low; to live upon a cool and flender diet, as veal or chicken broths with bread; and to drink decoctions of nettle-roots, or the greater comfrey. If these be not sufficient to stop the flux, stronger astringents may be used, as Japan earth, alum, elixir of vitriol, the Peruvian bark, &c. Two drams of alum and one of Japan earth may be pounded together, and divided into eight or nine doses, one of which may be taken three times a-day. Persons whose stomachs cannot bear the alum, may take two tablespoon-fulls of the tincture of roles three or four times a-day, to each dofe of which ten drops of laudanum may be added. If these should fail, half a dram of the Peruvian bark in powder, with ten drops of the elixir of vitriol, may be taken in a glass of red wine four times a-day. That period of life at which the menses cease to flow is likewise very critical to the sex. The stoppage of any customary evacuation, however small, is sufficient to disorder the whole frame, and often to destroy life itself. Hence it comes to pass, that so many women either fall into chronic disorders, or die, about this time. Such of them, however, as will persevere in taking the Lunar Tincture previous to the time their menses leave them, will become more healthy and hardy than they were before, and enjoy strength and vigour to a very great age.

OF THE GREEN SICKNESS.

THE green fickness is an obstruction in the womb-vessels of young females, at or about the time of their courfes beginning to flow. It is attended with a viscidity of all the juices, a fallow, pale, or greenish, colour of the face, a difficulty of breathing, a fickness in the ftomach at the fight of proper food, and an unnatural defire of feeding on fuch things as are accounted hurtful, and unfit for nourifliment. It is also called by physicians the white fever, the love fever, the virgin's difeafe, and the white jaundice. It fometimes feems to proceed from an alteration of the fluids about the time that the menses first begin to flow, or from the inaptitude of the veffels to perform those discharges which nature then calls for. It may also proceed from an obstruction in the bowels, or a sluggish languid motion of the blood, whether natural, or acquired by eafe, indulgence, or want of exercife: and this latter, no doubt, is the cafe, when the diftemper happens to very young girls, who are not capable of fuffering any hyfteric diforder. Finally, it may proceed from a longing defire after the enjoyment of fome person; or, in general, from a violent inclination to exchange a fingle life for the ftate of matrimony; and, when this is the case, there is an universal dulues and difinclination to exercise, and the patient complains of a pressure or weight, chiefly about the reins and loins. Upon any brifk motion come on a difficulty of breathing, and a tenfion and quick pulfation of the arteries in the temples, which feem to beat with great violence; also a heavy and frequently a lasting pain of the head, and palpitation of the heart. The pulse is quick and low, attended with a small feverishnefs, and a lofs of the natural appetite; but chalk, coals, ftones, clay, tobacco-pipes, and other things of like unwholesome nature, ought to be kept as much as possible out of the patient's way; for fhe generally has more inclination to these than to a proper diet. The green fickness is seldom dangerous, though it often proves of long continuance; but, when very violent, and too much neglected, proceeding from a suppression of the monthly courses, and attended with the whites, it may 40. 3 K 133

218 CULPEPER'S ENGLISH PHYSICIAN,

in time bring on weaknesses, hard swellings, and barrenness. When it happens fome time before the menses ought to appear, and they break forth without obftruction, it is usually cured upon this eruption, without farther means. If the whites come after the green fickness has been long fixed, it is held to be a bad fign; if before, and it happens upon the ftoppage of the menferual flux, it often proves critical: if the courses flow regularly during the diftemper, it is accounted a good fymptom, and there is no danger. To forward a cure, the patient ought to be placed in a thin and clear air, to drink tea, barley-water, and other attenuating liquors, warm, and made agreeable to the palate. Her food should be nourishing, but eafy of digeftion, and not fuch as may inflame. Moderate exercife every day, fuch as walking, riding, ftirring about the house, is very serviceable, notwithftanding the difficulty and uneafiness that attend it, and the great antipathy of the patient to any fort of motion. Sleep ought to be moderate, and taken at a due distance from meals, not till an hour or two, at least, after supper. All pasfions of the mind, especially those of melancholy and despair, are highly prejudicial; if the difease, therefore, be found to proceed from a settled inclination after marriage, the parents of the patient should endeavour to provide her a suitable match, as the most effectual cure; or, if the defire be after a particular person, to let her have him at all events, if they approve her choice. But, if matrimony be not judged convenient for her, either on account of youth or for any other reason, they must then have recourse to medical remedies, according to the following directions. If the patient be at all plethoric, that is, if her veins be well ftored with blood, bleeding will be highly proper to begin the cure; and this is to be fucceeded by proper purgatives. In some cases, especially when the patient is very young, a vomit is often fuccefsful, being exhibited before purgation. Those catharties, that are either mixed along with alterative medicines, or given in fuch quantities as to make them act as alterants, or lie a confiderable time in the body before they operate, are usually very efficacious, and, in weakly conftitutions, preferable to other purgatives. The following will, in general, be found to perform a cure: Take caftor, faffron, myrrh, black hellebore root, all in powder, each one dram; gum ammoniac, one dram and a half; falt of fteel, four fcruples; best aloes powdered, two drams; oil of cinnamon, fifteen drops; fyrup of the five roots, a fufficient quantity. Make ten pills out of every dram, of which let five be taken every night, drinking after them briony-water and penny-royal water, of each two ounces. These are excellent to warm and comfort the nerves, thin the blood and juices, and cause them to circulate freely. They must be continued regularly for ten or twelve days. And indeed all cathartics of this nature, that are intended to make an alteration in the whole animal fystem, which is often necessary in these cases, must have much more time to operate than those which are intended

ed only to purge the intestines. When the green sickness proves obtainate, it is proper to have recourse to the cold bath, and to the use of mineral waters: or an infusion may be made in lime-water, with chips of guaiacum, sassaffas, saunders, a little gentian, angelica-root, winter-bark, and Roman wormwood; to which add tincture of steel a sufficient quantity in proportion to the other ingredients; or infuse filings of steel with the woods and roots. This may be drank instead of the chalybeate waters; and will frequently answer the same purpose. Decoctions or other preparations of the Jesuit's bark, with steel, wine, and tinctures of black hellebore and cinnamon, being continued a considerable time, are also very effectual in lax constitutions, and where the juices are viscid; but, when the green sickness is attended with the whites, nothing is so certain a cure as the Lunar Tincture.

OF THE FLUOR ALBUS, OR WHITES.

THIS difease may be caused by falls, sprains in the back, purging to excess, especially with mercurials, and when the body is weak and lax; or it may be the effects of a venereal infection, which, though cured, leaves the glands and other veffels in a relaxed ftate, which is very difficult to repair. The whites come away fometimes in a large and fometimes in a finall quantity; and it is observable, that the running generally increases after violent exercise, and that it is in greatest plenty at about the middle of the time between the monthly periods: the matter often proves variable, being fometimes white mixed with yellow, and at others of a thin waterish confiftence, greenish, and inclining to black; sharp, corrofive, of an ill fmell, occasioning heat of urine, and now and then ulcers. It then causes great weakness, especially in the small of the back and the loins; a pale colour in the face, faintness, loathing of food, indigestion, swelling of the legs, irregularity in the courses. Sometimes it degenerates into a confumption or dropfy, and proves mortal: at others, it causes incurable barrenness. urine, under this diforder, is generally vifeid, thick, and flimy, and fometimes appears as if fmall threads were mixed in it: nor does it fettle fo freely as in other cases. It has usually been thought difficult to distinguish the whites from the venereal difease; and some women, who have had bad husbands, have laboured under the latter for a long time together, imagining it all the while to be only the former: others have miftaken a running, occasioned by an ulcer in the womb, for that difease. Now, as it is highly necessary every woman should learn the symptoms by which these are known afunder, let it be observed, that, whenever the courfes come down, the whites always cease, and do not trouble the patient again till the courses are over; whereas a venereal running remains constantly upon the patient, appears and does not cease during the monthly discharges;

it is also much less in quantity than the whites. As to an ulcer in the womb, it is best known by the sharp and growing pains that it occasions in the womb from the very beginning of the difeafe; whereas in the whites, though fometimes the humour be so tharp as to cause great pain, and even an ulcer, yet this is not till after they have continued long enough on the patient to be diftinguished by their other fymptoms. The matter that flows from an ulcer is also frequently bloody, which the whites never are. Maids of a weakly conftitution are often afflicted with this diftemper, as well as married women and widows; and indeed there are few of the fair fex, especially such as are any-way fickly, but who have known it more or lefs, it being often occasioned by other diseases. For whatever difease renders the blood poor, foul, or viscous, and reduces a woman to a languid condition, is commonly fucceeded by the whites, which, when they come in this manner, continue to weaken the body more and more, and are in great danger, without fpeedy remedy, of wearing away the patient and making her a miserable victim to death. Let no woman, therefore, neglect this distemper, when she finds it on her, but endeavour to prevent its getting too much a-head. The diet, in the cure of this diftemper, ought to be nourifhing, and much the fame with that prefcribed in confumptions, confifting of broths, boiled with fhavings of hartfhorn, tormentil-root, biftort, comfrey, conferve of red rofes, ifinglafs, red-rofe flowers, gum-arabic, nutneg, mace, cinnamon, and other ftrengthening and agglutinating ingredients. Sago and jellies are also ferviceable in this cafe, particularly that of hartshorn. Some drink every morning, with very good fuccess, a quarter of an ounce of isinglass, dissolved into a pint of milk, and fweetened with fugar. Exercise should be moderate, and taken, as much as can be, in a warm and dry air; and the continuance of this for some time, with a milk-diet, have been found prevalent, when other means, though the best that could be made use of, have failed. Bleeding ought here to be omitted, unless the person be plethoric, or her monthly courses are obstructed: for it is not proper to weaken her who is already too weak. Purgatives, however, are held to be proper, but without calomel, especially when the disease is in its infancy, and appears but in fmall quantity. But when it is of long ftanding, and the matter which flows is thin, discoloured, and of an ill fmell; if ulcers are apprehended in the uterus; if any venereal infection has preceded, and part of the virulence is still supposed to remain; mercurials and other medicines suited to virulent cases are undeniably proper: and the cure here differs little from the cure of the venereal difeafe itself, only the purges should not be too violent, nor the calomel given in too large doses. In such cases, however, a perseverance in the Solar and Lunar Tinctures alternately, as prescribed in the Treatises round

each bottle, may be depended on as the most easy, safe, speedy, and elegant, cure.

OF WEAKNESS CONTRACTED BEFORE MARRIAGE.

THERE are some disorders contracted by the fair fex, the cause and cure of which are of fuch a nature, that for feveral reasons, chiefly through shame, they are likely to conceal them, and therefore may fuffer worse consequences than can here be described. To tell, in few words, what I mean by such diseases as are contracted, they are all fuch as the patient, by a criminal indulgence of her passions, has herself been instrumental in causing. For that many of the fair, especially in their younger years, have suffered much from a secret vice, by which they have endeavoured to procure themselves those pleasurable fensations which God has ordered to be the effects of a mutual commerce between the fexes, is a matter of late become too notorious to be doubted, and too dreadful in its confequences to be indulged in; I mean that abominable vice onanifm, or fecret vevery. And certainly none of them can take it amis if, for their advantage, I venture fo far to expose this practice, as to remove the evil consequences of it; and to prevent, as much as possible, its continuance. The secret vice before-mentioned is chiefly a fault of the youth of both fexes; and nothing is of more importance to the preservation of human-kind in general, than the endeavouring to prevent a practice that strikes at the very root of fecundity. Among the motives to this crime of felf-abuse, the three following have, I think, with a great deal of justice, been assigned as the principal. First, ignorance of its nature and conse-As to its nature, there is no express prohibition of it; and therefore fome may unhappily be induced to imagine, when either by ill example, their own lascivious inclinations, or any accidental cause, they have been betrayed into an acquaintance with the practice of it, that there can be no harm in procuring to themselves that fensation, which, in their present circumstances, they cannot otherwise acquire, without a manifest violation of the national laws, and the hazard of exposing themselves to shame and infamy. If it were not for this unfortunate mistake, we have little reason to imagine, that persons otherwise pious, and the most observant of what is seemly in other particulars, would be guilty of such an offence, both against religion and decency. The case of Onan, however, whom God flew (fee Genefis, chap. xxxviii. ver. 9.) for thus wickedly defeating the purposes of generation, may answer the end of a precept, and witness the divine detestation of this kind of uncleanness. Nor is this example less applicable to women than it is to men, fince we shall show in the following instances, that they are as capable to render themselves unapt, by similar practices, for the business of procreation. And, as to its confequences, they are no lefs fatal to this fex than to the other, as will be abundantly shown in the same instances. The secrecy with which this erime may be committed, is a fecond inducement to it. There must be another

party in all other acts of uncleanness; but, in this, there is neither partaker nor witness. And this, above all other motives, feems to have been the most dangerous. to women in particular, who are naturally more bashful than men, and whom cuftom alone has precluded from making any advances towards a mutual commerce with the other fex. Thirdly, there is no specific punishment to deter from this practice; but every one, who will, commits it with impunity. many countries, is punished with death; and, with us, it subjects a man to pecuniary fines, and inflicts eternal infamy on the woman who is known to be guilty of it. Even fornication, though regarded with less feverity, is yet most scandalous to the fair fex in particular; especially when they bring into the world, as the fruit of it, a living witness of their crime. But for felf-abuse, there is no infliction, no other punishment, but felf-confciousness. And, indeed, how can there be any other? The very nature of it, which renders it fecure against detection, would frustrate any provision that could be made in this case by the legislature. befides this fecurity from legal animadversion, it is safe from the consequence which fingle women must fear in their commerce with men, that of becoming pregnant. I might add, that fome give into this way out of caution. They are loth to trust their fortunes and prerogatives in the hands of a man, and therefore will not marry; and, as to unlawful embraces, they dare not venture on them for many reasons. But I proceed to show, that there can be no excuse for a practice, which, befides its wickednefs, is the most prejudicial that can be to the human conftitution. Its bad effects on the body are many and great. If practifed often, it relaxes and fpoils the retentive faculty. It occasions the whites in women, and gleets in men. It ruins the complexion, and makes them pale, fwarthy, and hagged. It produces a long train of hyfteric diforders; and fometimes, by draining away the radical moisture, induces confumptions. It brings on heats in the privities, belly, and thighs, with flooting pains in the head, and all over the body. It fometimes brings on that fatal malady, a furor uterinus, or unfatiable appetite to venery. But what it is most liable to produce is barrenness, by causing an indifference to the pleafures of Venus, and, in time, a total inability or inaptitude to the act of generation itself. Virgins, who indulge themselves over eagerly in this abuse of their bodies, deflower themselves, and destroy the valuable badge of their chastity, which it is expected they should not part with before marriage; but which, when lost, can never be retrieved. With regard to maids, who have hereby deprived themselves of that facred badge, the loss of which, before marriage, was fo feverely punished among the Jews; under what apprehensions must they continually lie!—with what terrors must they approach the marriage-bed, which heaven has defigned for the feat of the highest sensible enjoyment !--when they reflect that their virtue, on the first amorous encounter, is liable to such suspicions as may never be worn off, but which may render uncomfortable the whole life, both of her and her otherwife affectionate

affectionate husband! But, befides this difgrace, suppose women have actually entered with reputation in all other respects on the conjugal state, how must it grieve them, when they find the ends of it unanswered, and have room to charge their inaptitude to procreation on their own fault! Both husband and wife, perhaps, may be passionately desirous of issue; and the good man may think it a defect in himself, that their nuptial embraces are perpetually fruitless. But where a woman can charge herfelf with fuch a courfe of felf-abuse, as hath fensibly weakened and debilitated her organs of generation, hath she not all the room in the world to be for ever unhappy, in the remembrance of her folly and wickedness; and to believe, with juftice, that another woman in her case would not be insertile? How much more tormenting must it be, if, besides her having rendered inessectual the use of the marriage-bed, she feels in herself no inclination to the enjoyment of it, and is thereby not only infenfible as to her own particular, but makes imperfect to her husband that exquisite pleasure, which ought to result from their mutual embraces! Supposing neither of the aforesaid calamities to befal her, but that the is capable of bringing forth heirs to her hufband; yet, if the is confcious of having weakened her body, and brought on herfelf a miferable train of pains and infirmities, what anxiety, what remorfe, must not a woman endure on that account! Every guilty female, who finds in herself any of the dismal symptoms here enumerated, will not readily forget what fenfibly affects her, nor will she eafily forgive herfelf those unnatural fallies, whose fatal consequences rest heavily upon her, and abridge her of half those enjoyments, which her sex, her constitution, and the various benefits of nature, had made her capable of partaking. What I have already faid, if duly attended to, will be fufficient to render this practice deteftable; to deter the young, and hitherto innocent, from making themselves miferable, and to ftop the course of those who have already advanced far in the road to deftruction. A fudden and resolute stand, to all old offenders, is what I would in the first place seriously advise, as the most essential step towards restoring to themselves a found constitution, and that peace of mind which they cannot otherwise enjoy. There are few cases so bad, but what, if taken in any reasonable time, a due regimen and the proper use of medicines may be effectual in the relief of. Let the guilty refolve then, that they will do fo no more. Let them, as much as possible, abstain from every thought, but especially from every action, that may raise irregular defires. Let them, when any way tempted, reflect on the miferable condition of many, who, in galloping confumptions, have died terrible examples to all those who persist in this vice. As the most usual complaints of those who have been guilty of this practice, regard the weakness and infertility of the parts, they must have recourse to the medicines hereafter prescribed for barrenness; but, if a confumptive habit be induced, then must the patient be treated as directed under that head.

OF THE FUROR UTERINUS.

The furor uterinus is such a particular complication of hysterical symptoms, from an extraordinary fulness or inflammation of the vessels of the womb, as forms a fort of madness, wherein the patient is preternaturally disposed, or involuntarily excited, as it were, to venereal embraces. It is a diftemper not very frequent, but which fometimes happens. The figns of it are very manifest, both by the gestures of the body and the tendency of the patient's discourse; which, how great soever her natural modefiv may be, will be extravagantly lewd. The causes of this disease are usually the same with those of other hysterical disorders; but, by falling on the organs of generation, are more violent in their effects. A vigorous, healthy, and fanguine, conftitution, high feeding, want of exercise, or loose conversation, may dispose to it: as may also too large a dose of cantharides, and other provocative medicines; or indulging vehement defires, and too great familiarity, but fhort of enjoyment, with the other fex. Some time before the fit, the patient often appears filent and forrowful, with a bashful down-cast look, and an unusual flushing all over the face. Her pulse is irregular, varying from high and strong to low and weak, and then growing ftrong again of a fudden: fhe breathes also now thick and fhort, and then with long intervals, heaving it out as it were with a figh. These fymptoms increase gradually, till the fit actually comes on; then the patient bursts out into a fit of crying, and the tears are plentifully flied; if a man comes in her way, the is apt to lay hold of him, and treat him with indecent fondness. In fine, those who labour under this disorder appear to be mad by intervals, and say and do a thousand things which they are unconscious of when the fit is over. If the symptoms are violent, the fit is frequent and of long continuance, and especially if the patient be of a fanguine conftitution, unmarried, and the cafe originally proceeds from a fixed amour, it is difficult of cure, and fometimes degenerates into a continued madness. But if the diftemper proceed from an obstruction or suppression of the monthly courses, from too great a quantity of blood, or from a too indulgent life, it is more eafily remedied. The perfon thus afflicted should be removed into a clear and open air, if the be not in fuch already; and, if the be, a change perhaps may be of fervice. Her diet fhould be thin and cooling, and not taken in large quantities: her exercife, between the fits, moderate. Let her be kept, as much as possible, from the company of men; and especially, if love be the suspected cause, from that man whom fhe is known to regard, unless it be to bring them entirely together, and cure the difease by removing its origin. During the fit, bleed directly, and that in a confiderable quantity, especially if any evacuations have been supprefied; afterwards exhibit the following opiate: Take black-cherry water and white

3

white-wine vinegar, of each an ounce; camphor half a feruple; white fugar, two ounces: liquid laudanum, forty drops; mix them well, for a fingle draught. Alfo take fpring-water, twelve ounces; lemon-juice and white-wine vinegar, of each one ounce and a half; white fugar, a fufficient quantity to make it palatable: mix them well, and let her use it for common drink. Take milk, half a pint; tincture of affascetida, two ounces; camphor, sugar of lead, and troches of myrrh, of each two drams: mix them, and inject cold into the privities with a proper instrument. If these fail of success, repeat the opiate; and, if the fit still increase, let the patient be had to the cold bath. Blistering also has been sound serviceable to some women. A whey-diet, together with the use of the cold bath continued for a month or two, are excellent; and, during all this time, clysters and injections may be used between whiles, made according to the form above, without any mixture of more stimulating ingredients. When this disease degenerates into a madness, it must be treated accordingly, and the best advice should immediately be had; for, if it remains long in a confirmed state, it will seldom admit of a cure.

OF CONCEPTION, OR PREGNANCY.

WHEN Almighty God created the world, he fo ordered and disposed of the materies mundi, that every thing produced from it should continue so long as the world should stand. Not that the same individual species should always remain; for they were in process of time to perish, decay, and return to the earth from whence they came; but that every like should produce its like, every species produce its own kind, to prevent a final destruction of the species, or the necessity of a new creation. For which end he laid down certain regulations, by which each species was to be propagated, preserved, and supported, till, in order and course of time, they were to be removed hence; for, without that, those very beings, which were created at first, must have continued till a final dissolution of all things; which Almighty God, of his infinite wifdom, did not think fit. But, that he might ftill the more manifest his omnipotence, he set all the engines of his providence to work, by which one effect was to produce another by means of certain laws or rules, laid down for the propagation, maintenance, and support, of all created beings. This his divine providence is called Nature, and these regulations are called the laws of nature, by which it ever operates in its ordinary course, producing conception and generation of all things, as it were, from the beginning.

The process of generation of the human species, so far as the male contributes to it, is as follows: The penis being erected by an affusion of blood; the glands at the same time tumefied, and the nervous papillæ in the glands much rubbed, and highly excited, in contion; an ejaculatory contraction follows, by which the feed is pressed out of the seminal vessels, and expelled with some considerable

226

force. The process of generation on the part of the female is thus: The clitoris being erected, after the like manner as the penis in the man; and the neighbouring parts all distended with blood; they more adequately embrace the penis in coition; and, by the intumescence, press out a liquor from the glands about the neck of the womb, to facilitate the passage of the penis. At the same time, the sibres of the womb, contracting, open its mouth (which at other times is extremely close) for the reception of the siner part of the seed.

From this contact of the fexes, follows conception, or the production of an embryo, which is effected in the following manner: In the fuperfices of the tefticles or ovaries of women there are found little pellucid spherules, confisting of two concentric membranes, filled with a lymphatic humour, and connected to the furface of the ovaria, underneath the tegument, by a thick calyx, contiguous to the extremities of the minute ramifications of the Fallopian tubes. These spherules, by the use of venery, grow, swell, raise, and dilate, the membranes of the ovary into the form of papillæ; till the head, propending from the stalk, is at length separated from it; leaving it a hollow cicatrix, in the broken membrane of the ovary; which, however, foon grows up again. Now, in these spherules, while still adhering to the ovary, fœtufes have been frequently found, whence it appears, that these are a kind of ova, or eggs, deriving their structure from the veffels of the ovary, and their liquor from the humours prepared therein. alfo it appears, that the Fallopian tubes, being swelled and stiffened by the act of venery, with their muscular fimbriæ, like fingers, may embrace the ovaries, compress them, and by that compression expand their own mouths: and thus the eggs, now mature, and detached as before, may be forced into their cavities; and thence conveyed into the cavity of the uterus; where they may be either cherished and retained, as when they meet with the male feed; or, if they want that, again expelled. Hence the phenomena of false conceptions, abortions, fœtuses found in the cavity of the abdomen, the Fallopian tubes, &c. For, in coition, the male feed, abounding with living animalcules, agitated with a great force, a brilk heat, and probably with a great quantity of animal spirits, is violently impelled through the mouth of the uterus, which on this occasion is opener, and through the valves of the neck of the uterus, which on this occasion are laxer, than ordinary, into the uterus itself; which now, in like manner, becomes more active, turgid, hot, inflamed, and moistened with the flux of its lymph, and fpirits, by means of the titillation excited in the nervous papillæ by the attrition against the rugæ of the vagina. The semen thus disposed in the uterus is retained, heated, and agitated, by the convulive conftriction of the uterus itself; till, meeting with the ova, the finest and most animated part enters through the dilated pores of the membranula of the oyum, now become glandulous, is there retained, tained, nourifhed, dilated, grows to its umbilicus, or navel; ftifles the other less lively animalcules; and thus is conception effected.

The egg in the ovarium of a woman, when impregnated with the male feed, may be compared to the round white spot, of the size of a small pea, on the yolk of a hen's egg; in which fmall part, if it is impregnated, the chicken begins to form, and which is commonly called the tread; though this part is always to be found in the eggs of those hens that have not cohabited with the cock, but fmaller; and thefe, not having received the male feed, produce no chickens. Therefore, fince an egg is fo nearly completed in a hen without communication with a cock, and fince there are parts in a woman equally adapted for this purpofe: it may be prefumed, that the unimpregnated egg of a woman, when it proceeds from the ovarium, confifts of those parts which are the rudiments of the fœtal part of the placenta and membranes; and, most likely, a part, at least, of the rudiments of the child itself; and may be called the ovarial portion, which, when impregnated by the addition of the male feed, and afterwards conveyed into the womb, acquires a further addition from the womb itself; which may be called the uteral portion; but, if not impregnated, it is discharged from the womb without any further growth. For a complete analysis of other systems on the subject of conception, fee my Key to Physic and Occult Sciences, p. 285 & feq.

The first thing that appears of a fœtus, is the placenta, like a thick cloud, on one fide of the external coat of the egg; about the fame time the spine is grown big enough to be visible; and a little after the cerebrum and cerebellum appear like two fmall bladders: next, the eyes ftand prominent in the head: then the punctum faliens, or pulfation of the heart, is plainly feen. The extremities difcover themselves last of all. The formation of the bones in a fœtus is very gradual, and regularly performed. In the first two months there is nothing of a bony nature in the whole; after this, the hardness of the parts where the principal bones are to be fituated becomes by degrees perceptible. Dr. Kerkring describes the progress of the offisication from skeletons which he had prepared from fœtuses of two months, and thence up to nine. In the first two months, or till the end of that time, there appears not any thing bony; after this, in the third and fourth months, and fo on, the feveral parts, one after another, acquire their bony nature. In the first stages every thing is membranous, where the bones are to be; these by degrees transmigrate into cartilages; and from these, by the fame fort of change continued, the bones themselves are by degrees formed. All this is done by nature, by fuch flow though fuch certain progreffions, that the niceft eye can never fee it doing, though it eafily fees it when done.

Though the ftate of pregnancy is not a difease, yet it is attended with a variety of complaints which merit great attention, and often require the affishance of medicine.


Some

Some women indeed are more healthy during their pregnancy than at any other time; but this is by no means the general cafe: most of them breed in forrow, and are frequently indisposed during the whole time of pregnancy. Few fatal difeases, however, happen during that period; and hardly any, except abortion, that can be called dangerous. Every pregnant woman is more or lefs in danger of abortion. This should be guarded against with the greatest care, as it not only weakens the conftitution, but renders the woman liable to the fame misfortune afterwards. Abortion may happen in any period of pregnancy, but it is most common in the second or third month; sometimes however it happens in the fourth or fifth. If it happens in the first month, it is usually called a falle conception; if after the feventh month, the child may be often kept alive by proper care. The common causes of abortion are the death of the child, weakness or relaxation of the mother, great evacuations, violent exercise, jumping or stepping from an eminence, vomiting, coughing, convultion-fits, ftrokes on the belly, falls, fevers, difagreeable fmells, excefs of blood, indolence, high living or the contrary, violent passions or affections of the mind, as fear, grief, &c. When any figns of abortion appear, the woman ought to be laid in bed on a mattrefs, with her head low. She should be kept quiet, and her mind soothed and comforted. She ought not to be kept too hot, nor to take any thing of a heating nature. Her food should consist of broths, rice and milk, jellies, gruels made of oatmeal, and the like, all of which ought to be taken cold. If fhe be able to bear it, fhe should lofe, at leaft, half a pound of blood from the arm. Her drink ought to be barley-water, sharpened with juice of lemon; or she may take half a dram of powdered nitre, in a cup of water-gruel, every five or fix hours. If the woman be feized with a violent loofeness, she ought to drink the decoction of calcined hartshorn prepared. If the be affected with vomiting, let her take frequently two table-spoonfuls of the saline mixture. In general, opiates are of service, but they should always be given with caution. Sanguine robust women, who are liable to mifcarry at a certain time of pregnancy, ought always to be bled a few days before that period arrives. By this means, and observing the regimen above prescribed, they might often escape that misfortune.

OF CHILD-BIRTH.

THOUGH the management of women in child-bed has been practifed as an employment fince the earliest accounts of time, yet it is still, in most countries, on a very bad footing. Few women think of following this employment till they are reduced to the necessity of doing it for bread. Hence not one in a hundred of them have any education, or proper knowledge of their business. It is true that nature, if left to herself, will generally expel the setus; but it is equally true, that most women





Position of a Child in the Womb just before Delivery.

women in child-bed require to be managed with skill and attention, and that they are often hurt by the superstitious prejudices of ignorant and officious mid wives. The mischief done in this way is much greater than is generally imagined; most of which might be prevented by allowing nowomen to practife midwifery but such as are properly qualified. Were due attention paid to this, it would not only be the means of faving many lives, but would prevent the necessity of employing men in this indelicate and difagreeable branch of medicine, which, is on many accounts, more proper for the other fex. In order to obtain a perfect idea of the process of delivery, and to form a competent knowledge of difficult child-births, it is necessary we should first understand those that are natural. The time of the natural birth is from the 15th day of the ninth month to the end of the 30th of the same: yet some women affirm it may be sooner or later. Hoffman says, the usual time is nine solar months; and Junker, that, excretions from the uterus being by women referred to certain lunar phases, they reckon their going with child by the weeks, and that they usually exclude the foctus forty weeks from the time of their being with child, commonly on that very day they were used to have their menses. When this time is arrived, which may be known by a remarkable descent of the womb, and a subsidence of the belly, the fœtus is mature for delivery; it then turns round, and its head falls towards the orifice of the womb, as in the annexed Plate, where AA denotes the portion of the chorion diffected and removed from its proper place; B a portion of the amnios: CC the membrane of the womb diffected; DD the placenta endued with many fmall veffels by which the infant receives its nourishment; EE the varication of the veffels which makes up the navel-string; FF the navel-string, by which the umbilical vessels are carried from the placenta into the navel; G G the infant as it lieth perfect in the womb ready for delivery; H the infertion of the umbilic veffels into the navel of the infant. The orifice of the womb dilates by the weight and preffure of the child; and the chorion and amnios, being driven forward with the waters they contain, form a kind of pouch or bladder, at the faid orifice; which should be suffered to break of itself, or at least it should not be burst till the woman is in labour. There is a flux of whitish matter from the faid orifice; pains which extends from the loins and groin towards the genital parts; there is a frequent defire to make water, or a continual inclination to go to stool; a flux of the waters from the membranes which contain the child immediately before the birth, or more early: atrembling of the lower joints; fometimes the head achs, and the face looks intenfely red. In this state of things, the midwife ought to examine the state of the uterus, and relax the vagina by some oily and mollifying remedy, which ought to be kept in readiness; she should likewise examine by the touch, with the fore and middle fingers, introducing them from

time to time into the orifice of the womb, to difcern whether it be dilated, contracted, or in an oblique or ftraight direction; from whence a judgment may be formed whether it will come easily, or difficult, &c. as represented in fig. 1. of the annexed Plate, where A denotes the uterus; BB the vagina laid open; CC the os uteri internum, as yet contracted, but in its right fituation; D reprefents the manner of examining the os uteri with one or more of the fingers, which if obliquely fituated either forwards towards the os pubis, backwards on the os facrum, or towards either fide, denotes a difficult delivery. As the infant gradually advances, the above-mentioned protuberance continually enlarges the paffage, till the crown of the head may be felt; the birth is then faid to be advanced one third, and the midwife may now affift the exclusion. When the infant is advanced forward as far as the ears, it is faid to be in the paffage, as shewn in fig. 2 of the annexed Plate, which reprefents the natural posture of the infant in the birth with its head protruding into the os uteri, under the arch of the os pubis; A the infant, BB the womb laid open, CC the offa pubis, DD the offa ifchii, EE the offa ilei, F the navel-string, G the secundines adhering to the womb, If the membranes are not already burst, they may now be opened, and the waters, by their effusion, will render the vagina slippery, and promote the expulsion of the infant. When the child is born, the midwife should lay it on her knees so as to give iffue to the waters from the mouth, if any have been imbibed: foon after, the placenta appears of itself, if not attached to the uterus: if otherwise, the midwife must separate it gently, by introducing her hand. The navel-string must now be cut, having first made a ligature as well on the child's side as on the mother's to prevent an hæmorrhage. After the child is born, and the afterbirth brought away, let a warm linen cloth be applied to the parts, but not fo as to hinder the flowing of the lochia. An hour after, let the mother take a little oil of fweet almonds, to eafe the after-pains, and let a cataplasm of the oil of sweet almonds two ounces and two or three new-laid eggs be boiled together, and laid to the parts, renewing it every fix hours, for two days: fifteen days after the birth, the parts may be bathed with an aftringent decoction of red roles, balauftines, or nutgalls, in red wine, in order to brace them. If the labour is long and difficult, it will be proper to bleed, to prevent inflammations, and to give a little Alicant wine, with addition of cinnamon, or confectio alkermes.


A difficult delivery is fometimes brought on by the mother, the midwife, or the fœtus. The fault is in the mother, if, when the orifice of the womb is open, and the child rightly placed, the has not strength to expel the fœtus, especially if the waters are come away, and the pains cease; or when the mother will not exert herself; or there is a natural fault in the genital parts. In a defect of strength or pains, all else being right, a draught of generous wine should be given, with

cinnamon and mace, again and again, if the work does not go forward. If there wants a greater stimulus, borax, cinnamon, or myrrh, may be given, with a proper drink, which must be repeated in an hour or two, if occasion requires. But the abuse of forcing medicines is dangerous: stimulating clysters may be injected now and then, especially if the woman is costive. The midwife should also press back the os coccygis, which tends to excite the pains, and to ease the labour. If the parts are over strait, as in the first birth, especially if the woman is not young, emollient liniments are to be used, and the parts must be anointed with fresh butter, or oil, and be dilated gently with the fingers. If there is a tumour, caruncle, or membrane, opposing the birth, a surgeon's assistance is required. The midwife is in fault, when the haftens the labour before the time. when there are no true pains, when the orifice of the uterus is not open, which alone distinguishes the true pains from false. The true time of birth must be waited for: the woman must be composed, and her spirits kept up with comfortable liquors. If the fault is with the fœtus, and the head is too large, or the shape monstrous, or the situation preternatural, then forcing medicines are fruitless and noxious; and the fœtus must be brought forth by the feet, by a skilful hand, or the instrument called embryulcus, as in fig. 9. of the annexed Plate, whether alive or dead. If the feet present first, as in fig. 3, the midwife must be wary, lest there be twins, and lest she should take a foot of each: the feet must be wrapped in a dry napkin, and the child must be drawn gently, till the waste is in the orifice of the uterus: then the infant's hands should be drawn close by the fides; and, if the nofe be towards the os pubis, it should be turned towards the coccyx, to prevent an obstacle. Then, the orifice must be dilated with the fingers, and the woman's throws should assist the midwife's efforts to educe the child. If the chin is embarraffed, the midwife must disengage it, by putting her finger into the mouth, in order to turn it to advantage. If the infant's head prefents across, as in fig. 4. it must be put back, and gently turned to its natural fituation; and if the shoulder or back presents, as in fig. 5, and 6, the same art must be used. If the belly, hip, or thigh, appears first, as in fig. 7. and 8. the child must be extracted by the feet, and the mother must lie horizontally on her back. If one or both hands are directed upwards, and lie close to the head, the case is not so bad as some apprehend, for they will keep the orifice dilated, till the head paffes, and prevent strangling. If one leg, or the feet and hands, appear, they must be returned, and the infant brought forth by the feet, as in fig. 10. and 11. If the infant is dead, there is generally a collapsion of the abdomen; the breafts are flaccid; the infant bears on the lower part of the pelvis; and the child, upon motion, rolls like a lump of lead. The bones of the skull are wrapped over one another; an ichorous fymphatic fanies flows from the uterus; the mother is subject to fainting. There is no pulsation in the navel-string, which is foft

232

foft and indolent to the touch, and absolutely deprived of motion. If the placenta comes first, and is hot, the child is alive. Above all, if any part of the infant's body appears, and is full of small vesicles, livid, soft, and brittle, it is not only dead, but beginning to putrefy. In these cases it must be extracted by the feet. and if it cannot be done otherwife, with an instrument; but a man-midwife's affistance must not be neglected. When the fœtus dies before the time of birth. and the membranes continue whole, it will not putrefy; therefore the work must be left to nature, for birth-pains will at length come on spontaneously. If the navel-string appears first, and is compressed soon after by the head of the infant, its life is in danger, and the remedy is to return the infant, and reduce the cord, till the head fills the orifice; but, if this cannot be done, the woman must be put in a suitable posture, and the child must be extracted by the feet. When the placenta prefents itself, which is known by its fpongy fost texture, and the great quantity of blood flowing at the same time, it requires speedy assistance. If the membranes are entire, they should be broken; the placenta and membranes should be reduced into the uterus, and the child be extracted by the feet; which is more eafily performed in the membranes than in the uterus, and put into a proper fituation: but, if the placenta is difengaged from its membranes, and these are broke, and the placenta, or both, appear before the infant, they may be brought away first, and the infant immediately afterwards. When there is a great flux of blood from outward accidents, the infant should be immediately delivered by art, though the mother is not in true labour. If the uterus is opened, and the vagina relaxed, as in the case they commonly are, the child must be extracted by the feet; if not, they must be mollified with fresh oil, and the infant delivered as before. After all laborious births, the woman is generally weak, and apt to faint: therefore, her spirits should be kept up by a glass of hot wine, or analeptic water, which must be repeated as oft as there is occasion. If, after the child is born, the placenta does not foon follow, and it adheres to the womb, the woman is not to change her posture immediately, but the midwife's hand is to be introduced into the womb, as far as the placenta, taking the navel-firing for a guide; and, taking hold of it, she is to move it gently to and fro, in order to loofen and extract it. If it adheres too closely, it is not to be pulled forcibly, or broken: it will be best to wait half an hour, keeping the hand in the uterus, for fear of its clofing, till it comes away of itself, o may be separated without force, as in fig. 12. which exhibits the method of separating and extracting the placenta from the womb, when it does not eafily follow the infant. There the navel-string AA is held by the left hand B, while the right hand D is thereby guided in the collapsed uterus CC to the placenta E, which is hereby separated from the uterus. If, through the unskilfulness of the midwife, the orifice of the womb closes before it is come





Position of the Embryos in a plural Conception.

away, aloetic pills must be taken every evening. If it putrefies, the patient dies, or falls into dangerous fevers.

After delivery, the woman should be put into bed, and a folded sheet put under her hips, in order to receive the lochia. Warm linen should be applied to genital parts, to keep out the air, and a compress, dipped in warm wine, should be applied to the belly, but not too tight. If there are violent pains after delivery, they generally proceed from the after-birth's being retained, or part of it; from blood clotted, or concreted, in the uterus; from hard labour; from a defect in the flux of the lochia; or from wind, especially if the woman has not been swathed in a proper way. In this case, hot diluents are proper, or an insusion of camomile-flowers, drunk as tea, or broths with carraway-seeds; or wormwood, or thin orange-peel one ounce, or a bitter tincture in a proper insusion, taken hot. An ounce or two of oil of sweet almonds, taken in a hot vehicle, is also excellent.

If violent pains continue after delivery of the child, so as to give suspicion of more being left behind, the greatest care and circumspection should be used in examining the state of the uterus, and watching an opportunity to extract them in those favourable moments when the efforts of nature and the mother's throws mutually conspire to promote the birth; and in which the utmost skill and caution are requisite, or both mother and offspring are liable to perish. These cases, when they happen, are generally attended with the more difficulty from the midwise not knowing the usual position of a plural conception. I have therefore given the annexed plate of a recent case, where three children were safely delivered, who, with the mother, are all in a fair way of doing well.

The most fatal disorder consequent upon delivery is the puerperal or childbed fever; and there is not any difease that requires to be treated with more skill and attention than this; confequently the best assistance ought always to be obtained as foon as possible. In women of plethoric constitutions, bleeding will generally be proper at the beginning; it ought, however, to be used with caution, and not to be repeated unless where the figns of inflammation rise high; in which case it will also be necessary to apply a blister to the region of the womb. During the rigour, or cold fit, proper means should be used to abate its violence, and shorten its duration. For this purpose the patient may drink freely of warm diluting liquours, and, if low, may take now and then a cup of white wine whey; warm applications to the extremities, as heated bricks, bottles or bladders filled with warm water, and fuch-like, may also be used with advantage. Emollient clysters of milk and water, or of chicken broth, ougth to be frequently administered through the course of the disease. These prove beneficial by promoting a discharge from the intestines, and also by acting as a kindly somentation to the womb and parts adjacent. Great care, however, is requifite in giving them, on account of the tenderness of the parts in the pelvis at this time. The -medicine always found to succeed best in this disease is the Lunar Tincture. This, if frequently repeated, will often put a stop to the vomiting, and at the fame time lessen the violence of the fever. If it runs off by stool, or if the patient be reftless, a few drops of laudanum, or some syrup of poppies, may occasionally be added. To avoid this fever, every woman in child-bed ought to be kept perfeetly easy; her food should be light and simple; and her bed-chamber cool, and properly ventilated. There is not any thing more hurtful to a woman in this fituation than being kept too warm. She ought not to have her body bound too tight, nor to rife too foon from bed, after delivery; catching cold is also to be avoided; and a proper attention should be paid to cleanliness. To prevent the milk-fever, the breasts ought to be frequently drawn; and, if they are filled previous to the onset of a fever, they should upon its first appearance, be drawn, to prevent the milk from becoming acrid, and being absorbed in this state.

DISEASES OF INFANTS.

IT is proper, immediately after children are born, to fearch narrowly whether they have received any injury, either in the womb, or in the delivery itself. Bruifes in the head, or elsewhere, occasioned by the rough treatment of the midwife, and swellings, occasioned by a pressure against the internal orifice, may be cured or discussed by the following mixture: Take camphorated spirit of wine and oil of fweet almonds, of each two drachms; compound spirit of lavender, half a drachm: mix. Let the injured part be frequently anointed therewith. It may also be now and then fomented with warm milk. But, if the swelling tends to suppuration, it ought to be immediately forwarded with mucilage plafter, diachylon with gum, or a poultice of bread and milk. And, after the difcharge of matter, use Arcæus's liniment, warm, and mixed with a little Peruvian balfam, for the dreffings, covering them with a fimple diachylon plafter:

The gripes in children fometimes prove fo violent, as to throw them into univerfal convultions, or to cause what is called a convultion of the bowels. When the diet is suspected to cause this disorder, it is usual to boil carraway-seeds and laurel-leaves along with the panada, or to mix with it a little wine or brandy. If the meconium has not been duly purged away, five grains of rhubarb should be given twice a-week, till the bowels are evacuated; or a little oil of fweet almonds, and fyrup of violets, where the infant is weak. When the taking in too much milk is suspected to be the cause, let it be debarred the breast a short time, and in the mean while exhibiting the following mixture: Take fyrup of peach bloffoms and rhubarb, of each half an ounce; of anifefeed, two drops: mix. Let a smal spoonful of this be given occasionally, while the symptoms last. When the curdling of the milk caufes the gripes, proceed as follows: Take rhubarb powdered fine, and magnefia alba, of each ten grains; oil of anifefeed, one drop:

drop: mix. Give half this for a purge, in a fpoonful of the mother's milk, and repeat the dofe two or three times if there be occasion. When worms are the cause of the gripes, the readiest way to remove them is by giving Ethiop's mineral and rhubarb mixed in equal quantities, about five grains at a time, twice a day. If wind be the cause, the belly of the child may be anointed with a mixture of two parts of oil of sweet almonds, and one part French brandy; wrapping the part up warm afterwards, with a flannel.

The fymptoms of cutting teeth generally begin about the fifth or fixth month, at which time some of the fore-teeth rise, and occasion great pain, or even convulsions. Children have then commonly an itching, heat, pain, and swelling, in the gums; their spittle rises much; they are restless and severish, sometimes loose and sometimes costive. A few days before any tooth is cut, the gum immediately above it appears thin and whitish, its sides being swelled and inflamed. Children of gross habit, and who breed their teeth with costiveness, are generally in most danger. The following mixture, given occasionally, will mitigate the pain, during the cutting of teeth: Take black cherry-water, two ounces; compound piony-water, two drachms; confection of kermes, two scruples; Sydenham's liquid laudanum, sisteen drops: mix. Let one spoonful be given at a time, when the child is very restless.

Those little ulcerous eruptions in the month called the thrush which sometimes appear early, and sometimes not till the third or sourth year, are accounted dangerous when joined with a sever, and are always troublesome. The child here should be kept moderately cool, as in a common sever, and a small blister may be applied to the neck, if the disorder be great. In the mean time use the following julep: Take black cherry-water, sour ounces; treacle water, one ounce; lemon-juice, six drachms; spirit of sweet nitre and spiritus volatile oleosum, of each sistend drops: mix them together, and give a spoonful or two-every third or sourch hour; and let the ulcers in the mouth be cleansed with the following gargle: Take barley decoction, three ounces; best vinegar, one ounce; syrup of mulberries, six drachms: mix. This should be used twice or thrice aday, with a soft linen rag, or the nurse's singer.

Coughing, crying, violent motion, and tight fwathing, are apt to cause ruptures in the tender bodies of infants. While the rupture is fresh, it may be remedied by the constant wearing of a trus, made for that purpose. Astringent fomentations, made of pomegranate-peels, balaustine, and red-rose flowers, boiled in lime-water, and mixed with red wine, may be used after the intestines are replaced, which should be immediately done. Small ruptures in the groin and privities, happening frequently in children, are usually cured with small difficulty, by only plasters and bandages; but when they continue obstinate the child should be kept in the cradle as quiet as possible. See p. 195.

When

When the futures or joining feams of the bead continue too long open, it is thought a bad fign. In this case it is usual to rub the head often with a little warm rum or brandy, mixed with the white of an egg and palm-oil, a red cloth being constantly worn over the part. But, when this disorder proceeds from a collection of water in the head, it must be cured by iffues in the neck, perpetual blifters, and purgatives. A purgative diet-drink may be made of rhubarb and sweet-fennel seeds, to be drunk daily. When there is a disorder directly opposite to this, called bead-mould shot, which signifies a too close locking of the sutures, it is usually left to nature, as admitting of no help from medicine.

Breakings-out in children, when they are superficial, contain a thin yellow matter, and leave the skin beneath red when the scabs fall off, are rather salutary than hurtful. It is customary, however, to purge with a few grains of rhubarb, and anoint the pussules with cream, or oil of almonds, or extract of Saturn, commonly called goulard. A little basilicon, likewise, spread thin upon lint, has been found useful; and the body should be kept open. But, when these eases grow inveterate and slubborn, there can be no safer method than a course of Ethiop's mineral and rhubarb.

The rickets is a disorder of the bones in children, causing a bunching out or crookedness thereof. It may be occasioned by swathing a child too tight in some places, and too loofe in others; by placing it in an inconvenient, or too often in the fame, posture; suffering it to be long wet, not giving it proper motion, or using it to one arm only. It may also be owing to the parents, or some defect in the digestive faculty, or a viscidity of the blood. But the most evident cause of the rickets, is the violence done to the body by pressure of swathing, while the bones are but in a cartilaginous state. Add to this, external injury by falls, blows, diflocations, or fractures, which fometimes bring on an afthma, confumption, or crookedness of the back. Upon the first appearance of this disease, which usually happens between the eighth month and the fifth year, the part it affects grow flaccid and weak; the child becomes pale, fickly, flothful, and lofes the use of its feet, though it had it before; the head grows too large for the trunk, and cannot be managed by the muscles of the neck; knotty excrescences appear in the wrifts, ancles, and tops of the ribs; the bones of the legs and thighs become crooked, which makes the motion disagreeable; and fometimes the arms also are distorted, and appear knotty. fymptoms continue long, a difficulty of breathing, cough, and hysteric fever, come on; the belly fwells, the pulse grows weak, and the child's life is in danger. The rickets is most commonly cured, when taken in time and while the child is very young. But, if it continues long, the patient gene-

rally becomes a dwarf, and is fickly or phthifical during life, especially if the back be any way affected. A rickety child should be used to motion, and kept as much as possible in a posture opposite to that which his bones are inclined to. It is also serviceable; before the distemper is confirmed, to plunge the child two or three times every morning in a tub of cold water, during the months of May and June especially. After being taken out the last time, it is to be well dried, and put immediately into a bed or cradle, there to sweat freely for an hour or more, as the strength will bear; and, when it grows cool again, it may be taken up and shifted. The back-bone also, and joints, may every night be anointed before the fire, with the white of an egg beat into a water with a whisk or spoon; or with a liniment of rum and palm-oil. It is usual likewise to apply a plaster of minium and oxycroceum along his back, and to rub him all over before the fire, but mostly the parts affected, with a dry linen cloth. But perhaps nothing can exceed the following liniment and plaster; the former for anointing the joints, and principal parts affected, with a warm hand, once or twice a-day; and the latter for applying to the back, or any particular part, being spread upon leather. Takenerve-ointment, with oils of palm and bays, of each one ounce; balfam of peru, and oil of nutineg by expression, of each two drachms; oil of cloves and chemical oil of amber, of each ten drops; compound spirits of lavender, one ounce; spirit of fal ammoniac, two diachms: mix for a liniment. Take plaster of cummin, brown minium, and herniam and oxycroceum, of each half an ounce; balfam of peru, one drachm; powder of red-role flowers, and armenian bole, of each half an ounce; oils of amber and camphor, of each one drachm; oil of parfley, enough to make a confiftence for a plaster. When the distemper seems fixed and obstinate, iffues may be cut in the arms and neck, especially if the head be large, and the child of a grofs habit.

OF BARRENNESS IN WOMEN, AND INSUFFICIENCY IN MEN.

BARRENNESS is such a state of a woman's body as indisposes it, upon the use of the natural means, to conceive and propogate her species. This distemper proceeds from many sources, which may be reduced to these two general heads: First, An indisposition of the parts to receive the male semen in the act of copulation, or that vital effluvium streaming from it which alone can impregnate the ovaria. Secondly, An inapplitude to retain and nourish the vital particle after it is injected, so as to make it grow and expand its parts, till it becomes a proper sectus. The reception of the seed is hindered by many causes; as, immature age, when by reason of the narrowness of the genital passages the woman cannot admit the virile member, or at least not without great pain; which makes her dislike copulation; and old age hath sometimes the same effect; for includerly virgins, the parts are so straitened for want of use, that they cannot.

without difficulty contribute to the means of generation. Women who are lame alfo, or have their limbs difforted, or their hips depressed, cannot always lie in fuch a posture as is necessary for a fit reception of the semen. Too much fat likewife flops the paffage, particularly when the omentum preffes upon the orifice of the womb, and renders the copulation incommodious. And, when a woman is troubled with a cold intemperament of the womb, the becomes dull and indifferent as to conjugal embraces, in which the hardly enjoys any pleafure. or is fo flowly moved, that the inner orifice of the womb does not open feafonably to receive the man's feed. The passions of the mind are also a great hindrance to fertility, especially hatred between man and wife, whereby the woman, having an aversion to enjoyment, does not supply spirits sufficient to make the genital parts turgid at the time of coition; nor can the womb then kindly meet the effluvium, and draw it into its cavity in a due manner. Swellings, ulcers, callofities, obstructions, distortions of the genital or neighbouring parts, may be fo many impediments to the proper reception of the male femen, or its retention and nutriment after reception. A stone in the bladder may have the fame effect, as may a too great moistness and slipperiness of the womb or vagina. when they are filled with excrementitious humours, and rendered too lax. Conception is also hindered by a hectic, hydropic, or feverish, sickly, habit; by a deficiency or obstruction of the monthly courses, when the natural briskness of the blood is wanting; by an immoderate flux of the courses, which impoverishes the fluids; by the whites, which, continuing too long, relax the glands of the womb, and drown, as it were, the prolific particles; and too often by feiret venery, which utterly destroys the tone and vigour of the parts. This may particularly happen on the fide of the man, fince it induces a feminal weakness, and a want of a proper erection. A virulent gonorrhea or ill-cured venereal cafe, fast living, a worn out constitution, and want of animal spirits, or sufficient feed, are fo many obstacles to procreation. Sometimes indeed, there may be no defect discoverable on either fide, and yet the parties remain without iffue, notwithflanding their most earnest endeavours to the contrary. When a swelling actually appears in the uterine veffels, when the menfes are irregular, or the whites have continued long, if by the use of proper means, the woman does not conceive under these circumstances, her own reason will dictate to her, that she must have immediate recourse to the remedies prescribed for those particular complaints. When the is very fat and bulky, and has room to think her conception is thereby hindered therofily way isto correct that vicious habit by a thin spare diet, and proper evacuations. If the lips of the privities, or the entrance of the vagina, are closed, it is manifest to the fight; but when the orifice of the womb is shut up, it is difficult to be known, while the patient is very young, and till her courses come down: but, when the patient is once certain that it happens by any of · thefe

these causes, it may not be rash to say, that conception is impracticable till they are removed.

When there is a total want of erection, or of feminal matter, on the fide of the male, generation is not only impossible, but the cure very precarious and difficult. Preparatory to the cure of infertility in either fex, it is proper to use evacuations, unless any particular symptom thew them to be dangerous. Bleeding, Jenient purgatives, fuch as the folytive electuary, and a gentle vomit of inecacuanha, especially if the person be pletboric or cacochymic, cannot but be of great fervice; because most of the medicines to be prescribed, in this case, being aromatic, or highly nourifhing, may otherwise bring on inflammatory diforders, as the pleurify, inflammation of the lungs, and the like. Due cvacuations having been complied with, proceed with the following frengthening electuary: Take roots of fatyrion and eringo candied, of each one ounce; powders of cinnamon, fweet fennel feeds, and preferved ginger, of each half an ounce; mace, roots of contrayerva and Spanish angelica, of each one drachm; troches of vipers, one ounce; juice of kermes, fix drachms; tincture of cantharides, half a drachm; fyrup of cloves, a fufficient quantity to make an electuary. Let the quantity of a large nutmeg be taken every morning early, at about five o'clock every afternoon, and at night going to bed; and let this course be continued as long as the case requires. Three spoonfuls of the following wine should be drunk after each dose, to the efficacy of which it will make a confiderable addition: Canary wine, two quarts; cloves, nutmegs, long pepper, fmaller cardamum feeds, Virginia fnake-root, and cochineal, of each one drachm and a half; syrup of citorn peels, four ounces: infuse the aromatics, and mix in the fyrup. If these upon trial, should not be found effectual, the following, which is more stimulating and powerful, should be taken, viz. Conserve of orange-peels, one ounce; Venice treacle, and confection of kermes, of each half an ounce; species of diambræ, winter's bark, powder of saffron, smaller cardamum feeds, carraways, powdered nutmegs, Virginian fnake-root, and cloves, of each one drachm; viper's flesh, an ounce; balfamic syrup, enough to make an electuary. Let this be taken in the same quantities, and at the same intervals, as the other, drinking after it four spoonfuls of the following infusion: Cinnamon powdered, one ounce; sweet fennel seeds bruised, and lavender flowers, of each half an ounce: Spanish angelica-root, ginger, contraverva, mace, and cochineal, of each one drachm and a half; canary wine, two quarts: infuse according to art for two or three days, and to the strained infusion add syrups of fasfron and cloves, of each two ounces. At twelve o'clock each day, take a table spoon-full of the Solar Tincture in a wine-glass of cold spring water; this Tincture is most excellent discovery for the purpose of curing sterility. It rectifies and warms the blood and juices, increases the spirits, invigorates and revives the w hole

whole human machine, and not only raises the appetite to venereal embraces, but removes the usual obstructions of fertility; prepares the semen for performing its office, and the ova for impregnation. In old age it warms, comforts, and excites the generative parts to admiration, and feldom fails of performing a cure in forty or fifty days, if duly followed, and the barrenness or imbecility be not absolutely incurable by medicine; particularly if affifted with a nourishing diet, of which plenty of good potatoes and rich milk ought to make a confiderable part. When there is a fufficient erection, and only the feed is wanting, all stimulating and aromatic medicines must be entirely omitted, and the cure attempted with the Tincture only, affifted with a nourishing diet; to which the use of external liniments must be added. Take nerve ointment, two ounces; oil of mace by expression, one drachm and a half; balfam of Peru, two drachms; chemical oils of lavender, cloves, and rhodium, of each four drops: mix. Anoint the parts between-whiles with this liniment; that is to fay, the penis and fcrotum if it be for a man, and the pudendum if for a woman; and it will not fail of administering comfort and flrength. If any thing yet more stimulating be defired, a drachm and a half, or two drachms, of tincture of cantharides, may be added to either preparation. But I would not advise any debilitated person to be too bufy with high provocatives, because they may incite to the use of venery before nature is prepared for it, and fo exhauft the animal spirits more by one fingle act of coition than it would be by twenty in the common way. It is better, therefore, for most persons, to keep to the liniments and Tincture only, that their strength and ability may be always equal to their inclination. To recover the tone and vigour of the internal parts in women, use the following: Take cloves, nutmegs, ginger, Spanish angelica, of each one drachm; aloes wood, mace, cardamum sceds, of each one scruple; mint leaves, one handful; cantharides, two drachms; infuse them in a pint of white wine, and boil over a gentle fire till it is reduced to twelve ounces; then strain it, and inject two ounces warm into the uterus every night going to bed, taking at the same time forty drops of the Lunar Tincture in a wine-glass of cold water. When the parts abound with moisture, restringent or aromatic sumigations may be used to advantage, as in the case of the whites, and of the falling down of the womb and fundament. The ingredients proper in the present case, are storax, cloves, nutmegs, castor, ginger, Spanish angelica root, and galingals; equal quantities of these may be taken powdered, and mixed together, and about an ounce of the mixture is sufficient to burn at a time, according to the directions in the place above referred to. Where other things have failed, the cold bath hath been of service to both sexes, especially in fon e phlegmatic constitutions; a journey to Bath also, or Tunbridge, and drinking the waters for some time, has been attended with good fuccess. See farther upon this subject in my Key to Physic, p. 189-194; and for some curious and interesting cases, see p. 330 of the same work.

Having before cautioned against the too frequent use of venery, especially for those who seem to be infertile through weakness, it will be proper just to hint the most auspicious seasons for performing the conjugat act to good purpose. It has been found, that, though a woman may conceive at any time during the three weeks that her courfes are entirely off, yet the is more apt to do fo immediately after their ceasing, than at any other time between the periods of their return. This hint may be made use of by weakly people; where the man and the woman are both equally prudent and temperate. When the lips of the privities grow together, they are cautiously to be separated by incision, and the sides kept asunder for some time, by rags dipped in a proper ointment. And, if the mouth of the womb should happen to be closed, a proper peffary of cork, cased over with wax? may be introduced to keep it open. But, the affiftance of a skilful furgeon being always necessary in these extraordinary cases, I choose not to insist on them any longer. I shall add only a few words, directed peculiarly to the men, who find themselves incapable to propagate their species, though they have notany natural defect in the inftruments of generation: for as to absolute impotency and incapacity of copulation, as it must be manifest to the sight, either from the want of erection, or due proportion of the penis, or a deficiency of the testicles, so it is what no man will pretend to cure; on which account our laws have given the wife a remedy, where there can be none for the husband, by allowing her to fue out a divorce, and marry another man. A fimple gleet, brought on by felfpollution, is one of the greatest causes of infusficiency. It greatly debilitates the whole man, is attended with weakness, and oftentimes pain in the back, heaviness and pain in the testicles, and without help usually rerminates in that kind of confumption which is called a tabes dorfalis, or confumption of the back. It is a constant oozing of a clear feminal matter, which distinguishes it from an impure venereal running. A man that is troubled with this shocking complaint, either from natural infirmity or habitual vice, should never attempt to propagate his species, till such time as he is perfectly cured; for, besides that his endeavours would be ineffectual, they would infallibly heighten his infirmity. The best medicines in the whole body of physic for this dangerous distemper, are those just before mentioned; and the same directions should be exactly followed by those men whose feed is rendered too thin and watery, though without any fuch relaxation of the feminal veffels as occasions a simple gleer; and also by those men, who through weakness of the parts; are apt to emit their feed as foon as they entertain any amorous thoughts, by which means they are not only hindered from copulation, but even from fruition itself. In both these cases, as well as in a simple gleet, abstinence from conjugal embraces, and the use of the forementioned balfamic medicines, with invigorating food, fuch as jellies, broths, oyl-41. If I's and the feet of the 312 to here in a me were the ters. 242

ters, and all agglutinating meats, are the most effectual means of obtaining cure.

There is a certain occult and fecret species of barrenness, that cannot be attributed to any of the causes before assigned, or indeed to any visible cause at all. This happens when no manner of defect is discoverable, on the side either of the male or female, and yet they shall, against their inclinations, remain without iffue. Many odd conjectures have been flarted on this account, concerning the possible causes of sterility, when neither person appears to be in sault. Some fuperstitious people have imputed it to forcery, and recourse has been had to incantations, amulets, charms, and magic rites, in order to the cure. But people of understanding give no heed to such fables, being satisfied, that when both parties are of fuitable years, brifk, and not labouring under any apparent weakness or indisposition, if fertility do not follow their nuptial intercourse, there must be some real and mechanical reason for it, though not apparent to the senfes. When there appears no deficiency or defect in either the man or woman. and none of the before-mentioned causes of barrenness exist, we must then recur to the real physical cause, which is considered and understood by very few. It is what is called the temperament, conflitation, or complexion; if the man be of a hot temperament, the woman should be of a cold one; if he be of the dry temperament, the should be of the moist: but, if both be of a dry or both of a moist conflitution, they cannot propagate, though neither may be barren, fingly confidered, and, if joined with an apt constitution, might both become fruitful. It must fall under every one's observation, that both women and men, who marry more than once, will have children by one marriage, and not by another; which will certainly confirm what is above afferted. And again, there are other causes in nature, much more abstrufe and occult than the foregoing, whereby men and women prove barren, though to all external appearances, their conformation is every way congenial to procreation. This cause fostered in the mother's womb, and having its root in the construction of the zodiacal figns and planetary influence under which the embryo is conceived and nourished, is totally incurable. So likewise the variety of parts, both male and female, have their cause in the construction of the heavenly bodies, which predominate and govern their conception and birth; for it is certainly found, that if the Sun be configurated with the Moon, in the degrees of Mercury, and Mars and Venus irradiate the same, in masculine signs, that the man born under fuch an influence will exceed in that which is natural, having those parts in excess which are proper to men; but the women so born will have a conformation of parts preternatural and mixed; but if Mars and Venus be conflituted after a masculine manner in feminine signs, the men will be subject to a mixture of fex, and the women to excess of parts, and violent luft. All these speculations. tions, wonderful as they are, and a thousand others, whose effects, though unseen, are most sensibly felt, are fully explained in my Illustration and Display of the Occult Sciences; where it is plainly shewn, that the more we enquire into the pathless ways of nature, the more readily we deduce a radical cause for all her operations.

. SYMPATHY AND ANTIPATHY.

TO understand the properties of sympathy and antipathy, is, in fact, to take into our comprehension the univerfal system of nature, with her obvious and occult properties, and the gradations and consent of parts of all its atoms. This study becomes all men; but more especially those who practise physic, since their effects not unfrequently preferve life, or destroy it; and, in the beginning, middle, and end, of difeates, the refult may be always known. Sympathy and antipathy are found in all things; and, if traced, account for those wonderful occurrences in nature, which otherwife appear altogether inexplicable. All vegetable and mineral? productions have not only a wonderful sympathetic power with their own species, but so likewise has all animated nature; and more particularly man. It is certainly true that this celestial invisible principle is born with us, and emanates from the centre of the intellectual foul, combined with the terrestrial body; and, passing through its nerves, forms an atmosphere around us, whereby the sensations of sympathy and antipathy, of love and hatred, of joy and grief, and all the propensities of human nature, are by a collision of rays, which reciprocally cohere or repel whatever comes in contact with them, that the effect is made manifest to our senses. Hence it is, that favoury high-feafoned meats feen or fmelt, excite the appetite and affect the glands and parts of the mouth; that an impudent or shameful thing feen or heard, affects the cheeks with blushes; and so, on the contrary, if a thing please, it affects the præcordia, and excites the muscles of the face and mouth to laughter; if it grieve, it affects the glands of the eyes, so as to occasion tears, and irritates the muscles of the face into an aspect of crying; so kissing, though the delirium or pleasure is excited by the lips, yet the most sensible irritation falls upon the genital? parts, which are rendered turgid, stiff, and apt for procreation, as the fum and centre, or full end and completion, of all fublunary enjoyments. And hence the cause of those indescribable passions, love, lust, inclination, sympathetic affection, &c. for if we fee a limb amputated, or a violent blow struck, we cannot help feeling a fympathetic pain in the felf-same member of our own bodies: which is the reason. why those persons can never make good surgeons, whose conception and birth were irradiated by the strong sympathetic rays of benefic stars; or, as it is commonly termed, inherit strong sympathising passions. So again, if either man or a woman look upon brutes in the act of copulation, it sympathetically affects the fame organs in themselves, and excites to lasciviousness and lust.

Some persons, we find, are so delicately organized, as to become violently enamoured with an object at first sight, without ever having exchanged a single word; and it often happens that there is no alternative but death, or the immediate enjoyment of the beloved person! This is produced by a sympathy of souls, united by a combination of self-reflected rays, which reciprocally cohere from the male to the semale, and from the semale to the male, by the action of the intellectual soul on the solids and fluids of the body; and as this combination or collision of rays is formed according to the different principles from whence it acts, and the organs of sense on which it strikes, so it excites a sweet vibratory delirium in the brain, which constitutes that ardent affection and longing desire for the person, whose genial efflusium had thus drawn forth or excited the passion of love. And it is by this alone we can account for those persections of beauty and merit discoverable by one man's senses, to which another will continue for ever insensible and blind.

It is from a fimilar cause that we define the longing of a pregnant woman, and its effects upon the setus; for, as like produces its like, and the child takes its frame from the external members of its parents in the act of coition, so there is a sympathy and concordancy betwixt the child's members and those of its mother; therefore, whatever member the mother touches at the time her soul is drawn forth in longing after some elementary substance, the same member of the child receives the impression, and an external mark is produced, according to the nature and quality of the thing longed for. But this impression can only take place before the embryo has quickened; for till then, the child is passive, and the generative effence of the mother active, whence follows a consent of parts; but, when the light of life is kindled in the sætus, it lives in its own spirit, and is no longer subject to this affection, nor so liable to abortion.

We might here adduce ten thousand curious instances of the effects of fympathy and antipathy, as well from natural history, as from the Occult Sciences; but, as this would be foreign to my purpose, and too much enlarge the present publication, I shall reserve a very full discussion of this subject for a work I shortly intend to publish, *initialled, "A Key to Physic, and the Occult Sciences;" in which I shall lay down such rules as to prevent a possibility of mistaking the patient's case, or of failing of a cure, if the lamp of life be not too far exhausted; and shall also more particularly elucidate the astrologic science, in order to throw new lights on some interesting parts of my former publications; and also to illustrate the science of Animal Magnetism, which is wholly sounded on the principles of sympathy and antipathy.

^{*} This work is now published, in thirty Numbers, printed uniformly with the prefent, and intended to bind with it. See p. 276 & feq.

CULPEPER's DISPENSATORY, FOR FAMILY USE;

CONTAINING

A choice SELECTION of invaluable PRESCRIPTIONS for almost all DISEASES incident to the HUMAN BODY.

AROMATIC OR SPICE WATER.

MKE of white canella, half a pound; fresh outward peel of lemons, sour ounces; lesser cardamum seeds, two ounces; French brandy, two gallons. Let them steep together for sour days; and then distil off two gallons.

This is a warm ferviceable cordial; for, it gratefully invigorates the animal fpirits, finulates the nerves, and thus diffolves cold vifcid humours, and expels flatulencies. It is an excellent flomachic, helps digeflion, and flops vomiting; and as a carminative is ufed in the rougher catharties. Half a wine-glafs of it is a dofe in windy and painful complaints of the flomach and bowels, and to be repeated occasionally.

PLAGUE AND FEVER WATER.

Take roots of master-wort, a pound and a half; angelica feeds, half a pound; elder-slowers, leaves of feordium, of each four ounces; French brandy, three gallons. Steep them together for the space of four days; and then draw off, by distillation, two gallons and a half.

The ingredients are well chosen for the purposes intended; it being designed as a high cordial in very low and languid cases, and to raise the spirits in the plague and malignant severs with depressions. If a fifth part of distilled vinegar be added, it is then termed aqua epidewinia acada, which is a very powerful sudorific, and resister of putrefaction in all pessions and other putrid severs.

EYE-WATER.

Take white vitriol, half a pound; water, four pints. Boil them until the vitriol is diffolved, and then filter the liquor for wfe.

This is calculated to cool and repel those sharp rheums and inflammations which sometimes fall upon the eyes, where the vessels, being weak and thin, are often unable to resist duly the impulse of the blood, unless they are constringed and strengthened by some such collyrium. It is likewise good to clear them of beginning films and specks. If it should prove too sharp for tender eyes, it may be distuted with a little spring or rose water.

ANODYNE BALSAM.

Take of faponaceous balfam, or opodeldoc, a pound and a half; of liquid laudanum, half a pound. Mix them for use.

This is certainly an extremely penetrating and refolvent anodyne, both for internal and external use; being a most excellent medicine for procuring ease in the extremities of pain, and in nervous and nephritic cholics. It cleanses all the viscera and glandular parts; therefore good in the jaundice and such distempers of the urinary passages as proceed from the obstruction of gravel or slimy humours. Inwardly it may be given from 20 to 40 drops. And outwardly, applied to the pained part, does mighty fervice, a rag being dipped in it, and retained thereon.

ALEXETERIAL BOLUS.

Take of Virginian fnake-root, fifteen grains.; of castor, ten grains; of camphor, three grains; syrup of sugar, enough to mix and make them into a bolus.

This is a powerful alexipharmic, and is given in most kinds of severs, especially the worst and more mailgnant fort, attended with convulsions and deliria. It is hardly ever omitted, when the pulse and spirits begin to stage in the progress of a putrid sever, small-pox, measles, miliary sever, &c. It is good in nervous and paralytic cases, which proceed from too much humidity; as also in the sebricula, whether hysterical or hypochondriacal. If plentifully prescribed, it requires to be well diluted with small liquors; and, thus managed, it seldom fails of raising a diaphoræsis, and bringing the distemper to a criss.

DIAPHORETIC BOLUS.

Take of compound powder of contraverva, and of crude falt of ammoniac, each one scruple; syrup of sugar as much as is sufficient to make a bolus.

This penetrates into the most intimate parts, and is a noble aperient, sudorific, antifeptic, and diuretic. Hence it becomes proper, in cases where perspiration is to be augmented; and in severs, in which the diforder is to be eliminated by the cuticular discharges. It is prescribed, with a draught of the plague-water, to remove cachestic and anasarcous swellings.

BOLUS OF JALAP WITH MERCURY.

Take of choice jalap, one feruple; calonel, from five to ten grains; fyrup of fugar, a sufficient quantity. Min them together into a bolus.

This is a proper bolus in most cases where a brisk purgative, preceded by a clyster, is necessary, either to make a revulfion after bleeding in inflammatory fwellings and obstructions of the parts contained in the head, neck, or thorax; or to make an evacuation of the intestines and adjacent viscera of the abdomen. Thus may a bilious fever be carried off, when it has lingered, and there is little probability of its ending critically by any other way: as a diaphoretic and hydrogogue, it is of use in dropsies, defluxions of the head, eyes, and ears; as also in humoral coughs, and many obstinate chronical distempers. It destroys worms, cures a violent gonorrhæa and fluor albus. It is also good to cleanse the bowels from their redundant viscid mucus. that often clogs or fluts up the chylopoietic fystem, fo as to hinder the entrance and proper effects of other medicines. In intermitting fevers it is a specific.

A PECTORAL BOLUS.

Take of spermaceti, sisteen grains; of gum ammoniacum, ten grains; of the volatile salt of hartshorn, seven grains. Mix, and make them into a bolus.

This is an excellent balfamic in many diftempers of the breaft; and gently deterges and heals. In coughs, pleurifies, and inward impossible that the nucus of the bowels has been abraded by acrimony, and choler; as also in diarrheas and dysenteries; this is a very good healer. In ulcerations of the kidneys and bloody urine, it is likewise a very suitable medicine; and, by softening and relaxing the fibres, it contributes frequently to the expulsion of gravel. It may be take once or twice a-day, with some proper emulsion, draught, or julep, according to the indications.

THE RHUBARB BOLUS WITH CALOMEL.

Take of the best purgative rhubarb, twenty-five grains; of calonel, five grains. Mix, and make them into a bolus, with as much syrup of sugar as will suffice.

This is an admirable medicine in most cases where purging is necessary, to cleanse the first passages of any thing that hinders the successful operation of other alterative medicines. See the virtues of the Jalap Bolus, which this nearly answers, but is more astringent, hepatic, stomachic, and a purger of the urine and fabulous concretions.

EMOLLIENT CATAPLASM.

Take of the crumb of bread, eight ounces; white foap, one ounce; fresh cow's-milk, a sufficient quantity. Boil them a little, and spread for use.

This is anodyne, penetrating, and refolvent; therefore applied to the foles of the feet in fevers, to the joints when afflicted with the gout, and causes sometimes the exudation of a great quantity of serous matter; and to white swellings.

SUPPURATING CATAPLASM.

This is made by adding to the foregoing cataptasm of raw onions bruised, one ounce and a half; basilicon ointment, one ounce.

This is good to draw and suppurate all kinds of tumours; and to ripen, break, and cleanse, imposshumations.

APERIENT ALE.

Take of old mustard-feed, ten ounces; long birthwort-root, fix ounces; tops of leffer centaury, two ounces; favin, one ounce; new small ale, ten gallons.

This cleanfes the womb, excites the menfrual difcharges, and forwards delivery. It is ferviceable in hyflerical diforders, and good to loofen and difcufs vifcidities; and, therefore, excellent in all paralytic cafes, and the decays and defluxions attending old age.

CEPHALIC ALE.

Take of wild valerian-root, two ounces; whole muflardfeed, fix ounces; Virginian finahe-root, two ounces; rofemary, or fage, three ounces; new finall ale, ten gallons.

This is good against epilepsies, apoplexies, palsies, and all diseases of that kind, and vertigoes from uterface obstructions; it is also of use in almost all nervous complaints; especially such as arise from too great mosture and cold.

STRENGTHENING CONFECTION.

Take of bole-ammoniac prepared, three ounces; tormentil roots, nutmegs, olibanum, of each two ounces; opium, one drachm and a half; fyrup of dry rofes, thrice the weight of the powders. Mix them according to art.

This alexipharmic, anodyne, and aftringent, vulnerary, is recommended in immoderate evacuations of the abdomen. A drachm or two of it, at a dofe, along with the chalk julep, will give an effectual check to the diforder. It is fuccefsfully preferibed for diarrheas in the measles, small-pox, or fevers; as also for relaxations, hæmorrhages, and hurts in the time of pregnancy; and likewise for the fluor alous, and seminal weaknets.

ANTIHECTIC DECOCTION.

Take of the roots of comfrey, eringo, each half an ounce; conferve of rofes, two ounces; water, three pints. Bott these ingredients together, till there remains a quart of liquor after fraining; to which add of fweet spirit of uitriol, forty drops.

This is grateful and strengthening; it restrains the saline particles of the blood, and hinders it from rushing too impetuously through the lungs; therefore it takes place in newly-begun consumptions, heetic fevers, night sweats, &c. where the colliquation of the humours causes a wasting of the muscular parts.

COM-

COMMON DECOCTION.

Take of mallow leaves, camomile flowers, each one ounce; water, two quarts. Boil till one quart of the liquor is wasted: then strain out the remaining decoction for use.

This is emollient and carminative, therefore accounted a good anodyne, and excellent against gripes, nephritic pains, stranguaries, and heat of urine; as also for cramps, and such-like spasms. It is likewise used for lotions and clysters.

THE DIURETIC DECOCTION.

Take of the roots of parfley, or those of fennel, one ounce; feeds of wild carrot, three drachms; pellitory of the wall, half an ounce; raisins of the sun, two ounces; water, three pints. Bail them together, till there remains a quart of liquor after straining; to which add of nitre, one drachm.

This absterges much slime and viscid adhesions from the stomach and bowels; cleanses the viscera, particularly the kidneys; keeps the juices cool and fluid; and greatly assists their discharge by urine, especially in merine and hyseric cases.

VULNERARY DECOCTION.

Take of the herb ground-try, leaves of plantain, each half an annee; water, three pints. Boil them till there remains a quart of liquor after firaining; to which add, of white fugar, half an ounce.

This is cooling, absterave, and vulnerary; and preferibed as an aftringent in distempers of the lungs, chiefly for such consumptions as proceed from sharp thin humours, weaksesses, and spitting of blood.

ANTIDYSENTERIC ELECTUARY.

Take of the Brengthening confection, one ounce; balfam of Lucatelius, (diffoloed in the yolh of an egg.) half an ounce. Mix them together.

This is an excellent internal vulnerary in an obstinate bloody flux, to prevent abortion, &c. and very aptly formed for corresponding with such purposes. The confection has its share in accomplishing a cure, partly from its astringency, partly from its opiate quality; by rendering the vessels insensible of the pungency of the morbisic particles; while the virtues of the ballam agglutinate, heal, and stop up, the mouths of the vessels, and sheath the acrimonious humours which abrade the parts.

BALSAMIC ELECTUARY.

Take of conferve of rofes, two owners; balfam of Lucatellus, (diffolved in the yolk of an egg.,) one ounce. Mix, and make them into an electuary.

This is a noble medicine, eafy to take, and ought to be repeated on the urgency of fuch coughs as give fufpicion of tubercles, ulcerations, and decays of the lungs It diffolves tough phlegm in the bronchia, cures catarrhs and coughs from tickling defluxions, it repairs and heals inward exulcerations and bloody difcharges, efpecially of the kidneys, bladder, and uterus. In feminal weakneffes, old gleets in both fexes, there can be nothing better contrived. The quantity of a nutmeg may be taken two or three times in a day, with a draught of the antihectic decoction.

CEPHALIC ELECTUARY.

Take of wild valerian-root, misletoe of the oak, each one ounce; syrup of sugar, a sufficient quantity. Mix them into an electuary.

This is calculated for diforders of the head, and is in great effect for epilepfies and inveterate head-achs. It is frequently preferibed in apoplexies, vertigoes, and convultions, from uterine obfructions.

ELECTUARY AGAINST THE PILES.

Take of lenitive electuary, two ounces; fulphur vivum, half an ounce. Make thereof an electuary.

The quantity of a nutmeg is to be taken of this every morning and night; it will keep the belly moderately lax, and greatly ease the piles.

LENITIVE ELECTUARY.

Take three ounces of polypody-roots, and three quarts of water. Boil till two quarts are wossed; adding, towards the end of the collion, two ounces of fena, and half an ounce of coriander feeds. Strain out the liquor, add to it four pounds of white fugar, and boil to the confishence of a thick fyrup; with which mix a pound of the pulp of French pranes; half a pound of the pulp of casse, and the same quantity of tamarinds. Make the whole into an electuary.

This cools and purges very gently, and is convenient enough to add in clyflers. Internally it is more proper to prevent coffiveness than to be exhibited as a regular cathartic. It is also intended to cleanse the liver and other viscera.

STRENGTHENING ELECTUARY OF BARK.

Take of Peruvian bark, one ounce and a half; colcothar of vitriol, three drachms; fyrup of fugar, a fufficient quantity. Make them into an cleduary.

In robust constitutions this is preseribed for stubborn agues; and also for sluxes and hemorrhages. It promotes discharges by urine, destroys worms, brings them away, and strengthens the fibres; but in thin hectical habits it is not so proper. The colcothar here prevents the bark from going off by stool, which it is sometimes apt to do; and opium likewise will have the same effect.

ELECTUARY AGAINST FLUXES.

Take of the strengthening confection, two ounces; extract of logwood, one ownce; syrup of dry roses, a sufficient quantity. Make them into an electuary;

This is an aftringent, and good to fortify the stomach and bowels when weakened by a diarrhæa; and is much esteemed of late for its virtues in curing a dysentery

WARM PLASTER.

Take of gum-plaster, one ounce; blistering-plaster, two drachms. Melt them together over a gentle sire.

The chief intention of this is to raife blifters, and to create a stimulus in a languor or stupor of the nervous fystem; to dissolve a viscosity or siziness of the juices, and hinder their tendency to a coagulation; or to caufe a derivation and discharge of some morbific humour, and prevent its returning into the blood; therefore it is efteemed useful in some inflammatory fevers, dropsies, and certain stages of the crystalline or watery smallpox; especially if the pustules subside, and the extremely viscid matter of the disease can neither be brought to suppurate, nor be carried off by diuretics. It remarkably affects the kidneys and bladder, and provokes urine, not by an eafy natural ejectment, but rather by an erytismus from its acrid falts that cause a stranguary, which should be guarded against by broths and emulsions. It is good against a mortification, and reckoned an efficacious cleanfer and scourer of the urinary passages and uterus, when obstructed with flough and viscidities. But its use requires the highest caution and prudence; hence it is not every one who must think himself qualified to meddle, without diffinction, with remedies, which are fure to do good or hurt, according as they are administered.

COMMON PLASTER.

Take of litharge prepared, three pounds; oil of olives, fix prounds. Boil them up to a due confifence.

This is to supply the place of the diachylon plasser of former dispensatories; and is esteemed more emollient, muturant, and resolvent. It will also incarnate and cicatrize.

DEFENSIVE PLASTER.

Take of litharge prepared, two pounds; oil of olives, four pounds. Boil them almost to the confishence of a plaster, in which qualify six owness of yellow wax, and four owness of cithanum. Then add six owners of bole ammoniac prepared, two owners of dragon's blood in powder, and four owners of Venice turpentine.

This is employed to confolidate fractures, to strengthen luxations and weaknesses of the loins and joints; and is also serviceable for ruptures and chilblains.

BLISTERING PLASTER.

Take of Burgundy pitch, twenty ounces; Venice turpentine, cantharides in powder, each fix ounces.

This is a powerful epispastic, and is applied either to the head, between the shoulders, or to the soles of the feet. See its use in the Warm Plaster. But when applications are made to the feet, with an intent to flimulate firongly, excite pain therein, and relieve the head, cataplatins composed of equal parts of scraped horseradish and powdered mustard-seed, moistened with old yeas, will answer the design expeditiously, strongly, and effectually.

MERCURIAL PLASTER,

Gum plaster is substituted here for diachylon.

This admirably warms, foftens, and discusses, all indurations and hardened tumours, be they chalky, scrophulous, or venereal.

STOMACH PLASTER.

Take of yellow wax, eight ounces; tacamahaca in powder, palm oil, each four ounces. Melt them together, and add of cloves in powder, two ounces; expressed oil of mace, one ounce and a half. Mix, and make them into a plosser, which is to be moissened, when fresh spread, with some drops of distilled oil of mint.

This is intended as a warm, carminative, and cordial, application to the stomach, and exerts very considerable effects when such things are wanted; therefore it useful in statulencies, gripes, and all complaints arising from indigestions; and a cold weak stomach cannot well fail finding relief from its use.

COMMON EMULSION.

Take of fineet almonds, one ounce; water, one quart. Make then tinto an emulfion; to which add of white fugar, two drachms. If three drachms of gum arabic be previously boiled in the water, the preparation is called

ARABIC EMULSION.

Either of these is singularly useful in many emergencies, particularly in acute distensers, and the gravel. In heat of urine and stranguaries, either from acrimonious humours or the salts of epispastics, they give immediate ease; and ought to be drunk while fresh, halfa pint at a time, and pretty often. There are other forts of emulsions, which are calculated for diuretics, coolers, and pectorals.

ANODYNE CLYSTER.

Take of the infusion of linsecd, fix ounces; liquid laudanum, forty drops. Mix them together.

This is excellent to affuage pains in lyenteries, and inflammations of the uterus and bladder, by reason of a proximity and consent of parts.

ANTICHOLIC CLYSTER.

Take of the common decoction, half a pint; tintura facra, one ounce; common falt, one drachm; linfeed oil, two ounces. Mix them together.

This falls in with the view of unloading the bowels of their costive contents, and consequently procures an immediate relief on many occasions, chiesly in statulencies, gripes, and bilious cholics. The addition of the falt, by a mild gentle finulus, infures its effects. It likewife defroys worms, particularly the afcarides, if affifted with a few grains of calonel by the mouth.

THE PURGING CLYSTER.

Take of the common decoclion, half a pint; white foop, one ounce; fyrup of blackthorn, an ounce and a half. Mix them according to art.

This is penetrating, deterfive, and capable of diffolving indurations and grumous viscidities of the intestinal tube, especially in the jaundice, and by ridding the bowels of their concreted contents may prevent an inflammation. It is useful in disorders of the head, and may cause a revulsion in the seculent vomitings.

EXPRESSON OF MILLEPEDES.

Take of live millepedes, (commonly called wood-lice,) three ounces; fimple fennel-water, one pint; compound horse-radish water, half a pint. Bruise the millepedes, gradually adding to them the distilled waters; and afterwards press out the liquor.

This is an excellent diurctic, sweetener and cleanser of the blood, and a most efficacious medicine in all chronic cases, that are to be relieved by promoting the urinary discharges, as are many inveterate ulcers, strumas, and serophulous disorders, and such as frequently are the fore-runners of scorbutic dropsies, from a retention of such humours as obstruct the viscera, and fill the whole habit with water and viscidities. Hence it is of singular efficacy in the stone, jaundice, nephritic pains, dysury, cholic, and asthma.

AROMATIC FOMENTATION.

Take of cloves, mace, each one drachm; red wine, one pint. Boil them a little, and then firain out the liquor.

This, applied warm to the abdomen, will be found of admirable fervice in cholics, and for relaxed weak formachs that are subject to distention from flatulency. It may be used to the head with success in any diforders from too much moisture and pituitious defluxions.

STRENGTHENING FOMENTATION.

Take of oak-bark, one ounce; pomegranate peel, half an ounce; forge water, three pints. Boil them till there remains a quart of the firained liquor; to which add of roch alum, two drachms.

This is proper for hæmorrhages, whether uterine, hæmorrhoidal, or from any other part. It is alfo good to foment fprains, fractures, or paralytic limbs; and will help to check immoderate vomitings.

THE COMMON GARGLE.

Take of water, fix ounces; nitre, one drachm; honey of rofes, one ownce. Mix them together. To this gargarifm are fometimes added, of fweet spirit of vitriol, fiften drops. This is proper to cleanfe and fcour the mouth and throat from flough, and the phlegmatic matter which fluffs and tumifies the glands. It is also good to cool and deterge the mouth when fore, parched, and dry with a fever.

EMOLLIENT GARGLE.

Take of marsh-mallow roots, two ounces; figs, in number four; water, three pints. Boil till there remains one quart of liquor, which strain out for we.

This is excellent to affuage pain and inflammation in the throat or mouth, to maturate any ulcer therein, and to mollify the bliffered tongue and fauces in a falivation. The learned and accurate Sir John Pringle obferves, that in the inflammatory quinfey, or ftrangulation of the fauces, little benefit arifes from the common gargles; that fuch as are of an acid nature do more hand man good, by contracting the emunctories of the faliva and mucus, and thickening those humours; that a decoction of figs in milk and water has a contrary effect, especially if some fal-ammoniac be added; by which the faliva is made thinner, and the glands brought to secret more freely; a circumflance always conducive to the cure.

- SALINE DRAUGHT.

Take falt of wormwood, one feruple; lemon juice half are ounce; white fugar, one drachm. Mix them together.

This is an effectual remedy to ftop vomitings, and is of fingular use in fevers, especially those of the intermittent kind, when the bark often fails. It causes gentle breathing sweats, and may be repeated every five or fix hours occasionally

ANTISCORBUTIC INFUSION.

Take of water-trefoil, two ounces; oranges, half an ounce; boiling-water, two quarts. Let them fland in in-fusion for a night in a close vessel; afterwards strain the liquor, and then add to it of compound horse-radish water, half a pint.

This is effectual against scrophulas, the king's-evil, and all obstinate scorbutic diseases. In the rheumatic, dropsical, and cachectic, habits, it will be of good fervice. It likewise gives due warmth to the nerves, which in paralytic cases they are destitute of. It may be drunk at discretion, and the use of it continued according to the exigency of the disorder.

INFUSION OF LINSEED.

Take of linfeed, two spoomfuls; liquorice root, sliced, half an ownce; boiling water, three pints. Let them fland to infuse by the fire for some hours, and then strain off the liquor.

If an ounce of the leaves of colt's-foot be added to these ingredients, it will then be the pestoral infinion. Both these are emollient mucilaginous liquors, and may be taken with advantage as ordinary drink in difficulty of making water; and in coughs and other complaints of the breaft.

BALSAMIC INJECTION.

Take of balfam copaiba; half an ounce, the yolk of one egg. Work them well together, and gradually add of limewater, fix ounces; honey of rofes, two ounces. Mix the whole well together.

This is excellent for the confolidation of wounds, and to cleanfe and heal ulcerations, gleets, and feminal weakneffes, if ufed two or three times a-day; and for corroborating the nervous parts, which have been relaxed by the difeafe.

THE MERCURIAL INJECTION.

Take of quickfilver, balfam copaiba, each half an owner. East and work them together, till the quickfilver is extinguifted; then put to the mass the yalk of an egg. Mix the whole very well together, gradually adding of rose-water, half a pint.

This is calculated for gonorrhoas, and venereal ulcers in the urethra, vagina, and uterus; the quickfilver deflroys the virulency, while the balfam heals and fheather the excentated parts from the acrimony of the urine.

THE CORDIAL JULEP.

Take of alexeterial water, four ounces; aromatic water, two ownces; faline aromatic spirit, tindiwe of softron, each two drachms; white sugar, half an ounce. Mix, and make them into a jule.

This is a high cordial, and will bring on an effectual moisture; consequently remove all wearines, heat, and tension of the parts; therefore it is of great service in the depressed fatte of severs, fatigue from excesses, and lowness of spirits. A few speonfuls, drunk every three or four hours, will by its enlivening quality, communicate an agreeable sensation. It is likewise very aptly prescribed with powders and boluses.

DIAPHORETIC JULEP.

Take of alexeterial water, four ounces; spirit of mindereus, two ounces; volatile salt of harishorn, ten grains; syrup of meconium, one ounce. Mix them together.

In flow malignant fevers, with cold clammy fweats, pale vifage, a low intermitting pulfe, and where great reftleffnefs prevails, this julep will be fingularly beficial. A tea-cupful may be given and repeated every four or five hours, till fome crifis appears, and the diftemper abates.

DIURETIC JULEP.

Take of spirit of mindereus, four ounces; compound horseradish water, two ounces; syrup of marsh-mallows, three

ounces. Mix, and make a julep; to which may be added occasionally, of spirit of amber, one drachm.

This is firongly diuretic; hence a good remedy againft a fuppreffion of urine from any caufe, the gravel, and nephritic pains. It will also promote and affift an urinary crifis; and may be repeated as the urgency of the fymptoms indicates.

THE FETID JULEP.

Take of rue water, fix ounces; affa-fatida, one drachn and a half. Dissour the affa-fatida in the water, and add to the solution, of antihysfier water, two ownces; distilled oil of haryshorn, twenty drops, received upon ten drackns of white sugar. Mix the whole well together.

This is ordered in hyfteric affections, and a defective flate of the menfes, and fometimes in hypocliondriacal cafes. A teacup-full may be taken three or four times a-day.

THE SALINE JULEP.

Take of mint-water, Syrup of lemons, each two ounces; falt of wormwood, one drachm. Make them into a julep.

This is an admirable remedy in vomitings and hiccups. It has a mild and innocent virtue, though powerfully attenuating and refolving, diuretic and fudorific: hence it is excellent in rheumatifms, fevers, and all diforders from a fiziness of the blood. Two or three spoonfuls are given every five or fix hours.

THE ANODYNE LINIMENT.

Take of nerve ointment, three ounces; balfam of turpentine, one ounce. Mix them together.

This is a warm invigorating topic, and may be used with good effect, to excite the nerves to action when too languid. It is applied to paralytic and numbed limbs, to restore a due sense and seeling; and, by its penetrating quality it is of good use in a sciatica and the gout.

PECTORAL LOHOCH.

Take of spermaccti, white soop, each two drachms; whites of eggs, a sufficient quantity. Mix them thoroughly together, and then add, of fiesh-drawn linsed-oil, one ounce and a half; Syrup of marsh mallows, three cunces. Mix the whole well together.

This contains very great emollient and balfamic virtues; and by the inciting and detergent property of the foap, becomes a powerful deobstruent in infarctions of the breast; hence it is recommended in a difficulty of respiration, either from a dry husky cough, or a tough thick phlegm; and likewise in imposthumations and tubercless of the lungs.

ALOETIC PILLS.

Take the fuccotrine aloes, white foap, of each equal parts; thin honey, as much as is sufficient. Make them into a mass.

The foap here is added purely to promote the dissolution of the aloes in the stomach; for, pills made up of raisins, and subslances not easily dissoluble, frequently passthrough the body entire; hence by the purgative quality of the aloes, and detergent property of the soap, the glaires and viscidities of the intestines are dissolved and carried off; therefore the pills are stomachie, antifebrile, and excellent in nephritic and cholic pains.—Moreover, the aloes, being hepatic, forward the discharge of the bile, whilst, by the concomitancy of the soap, it breaks the obstructions of the liver, blends and affimilates the humours. Hence it appears how advantageous and effential it is to adapt and combine medicines judiciously.

PURGING ECPHRATIC PILLS.

Take fuccetrine aloss, extract of black hellebore, scammony, of each two ounces; vitriolated tartar, three drachms; distilled oil of juniper, a drachm and an half; syrup of buckthorn, as much as is sufficient to make the whole into a mass.

Thefe are an excellent hydragogue, particularly in cachectic and fcorbutic habits abounding with dropfical humours. Three or four of thefe may be taken once a-day, or every other day, and continued according to the exigency of the complaint.

MERCURIAL PILL.

Take of purified quekfilver and honey, each half an ounce.
Rub them together in a mortar, till the globules of mercury
are perfelly extinguished; then add, of Cashile soap, two
drachms, powdered liquorice, or crumb of bread, a sufficient
anantity to give the mass a proper consistence for pills.

When stronger mercurial pills are wanted, the quantity of quicksliver may be doubled. The dose of these pills is different, according to the intention with which they are given. As an alterant, two or three may be taken daily. To raise a falivation, four or sive will be necessary. Equal parts of the above pill and powdered rhubarb made into a mass, with a sufficient quantity of simple syrup, will make a mercurial purging pill;

MERCURIAL SUBLIMATE PILL.

Diffolve fifteen grains of the corrofive fublimate of mercury in two drachms of the faturated folution of crude fal ammoniac, and make it into a paffe, in a glass mortar, with a fufficient quantity of the crumb of bread. This mass must be formed into one hundred and twenty pills.

This pill, which is the most agreeable form of exhibiting the sublimate, has been sound efficacious, not only in curing the venereal disease, but also in killing and expelling worms, after other powerful medicines had failed.

For the venereal disease, four of these pills may be taken wice a-day, as an alterant three, and for worms two.

Arain out the spirit for use.

PACIFIC PILLS.

Take of galbanum, myrrh, white foap, of each two ounces; opium, one ounce; fyrup of fugar, as much as is fufficient to make the whole into a mass sit for pills.

Thefe are admirable in affuaging hypochondriacal and hyfleric complaints, nephritic and uterine pains, caufed either from obfluctions, or ulcers in the kidneys or uterus.

THE PECTORAL PILLS.

Take of gum ammoniacum, an ounce and an half; myrrh, one ounce; balfam of fulphur terebinthinated, one drachm; fyrup of marsh.mallows, as much as will make the whole into a mass.

These are healing and balsamic in a hamopthiss, infarctions, and ulcers of the lungs.

STOMACHIC PILLS.

Take of fuccotrine aloes, an ounce and a half; gum ammoniac, myrrh, each half an ounce; vitriolated tartar, two drachms; diffilled oil of mint, half a drachm; fyrup of fugar, a fufficient quantity. Mix according to art.

Thefe, by their cathartic, bitter, attenuating, and aromatic, qualities, incide and purge away floughy humours, which foul the coats of the stomach; also warm and fortify the fibres, whereby the gastric juice and digestion are promoted. They are most convenient in an advanced age, and full cacheclic habits, which abound with cold vifeid humours. They may be taken five or fix at a dose.

THE BALSAMIC POTION.

Take of balfam copaiba, three drachms; diffilled oil of juniper, thirty drops; the white of an egg. Work them well together, and mix in, of fenuel water, compound horferadifh water, each three ounces; fyrup of marsh-mallows, two owners.

This is vulnerary and diuretic; hence chiefly of use in wounds, ulcers, and weaknesses, of the kidneysand uteres.

LITHONTRIPTIC POTION.

Take of white soap (the outward part being pared off), one ownce; warm lime-water, one quart. Stir them together till the soap is perfectly disjound.

This, by its penetrating and alkaline virtues, is intended for the gravel and flone, which it diffolves and prevents by affimilating the humours, and by abforbing those acidities which form calculous concretions:

COMPOUND SPIRIT OF LAVENDER.

Take flowers of lavender, fresh gathered, a pound and a half; fresh shewers of rosemary, half a pound; fresh outward part of lemon-peel, three ounces; reclissed spirit of wint, a gatton and a half. Distil in balneo marke to dryness. In the district spirit sper for two days, of cloves, cubebs, and shavings of red saunders, each two ounces; then strain out the spirit for use.

POWDER

POWDER FOR EPILEPTIC AND CONVULSION FITS.

Take flowers of zinc, musk, and saltitious cinnabar, of each equal parts; mix them together in a glass or marble mortar. The dose is from three grains to ten and upwards, mixed in a little treacle or honey, every night and morning.

The use of this powder, with dipping children in a sub of spring water every morning, has very often relieved them, when every other remedy has proved abortive.

PURGING POWDERS FOR WORMS.

Take of feammony, calomel, and the best Turkey rhubarb, a powder, of each equal parts; double-refined sugar, the weight of the whole; rub it all very well together in a marble motur, and keep for use.

The dose for children is from ten grains to twentyfive, once or twice every week. This is preserable to any guack medicine whatever.

A UNIVERSAL POWDER FOR CHILDREN'S DISORDERS.

Take of white magnefia, fix drachms; cinnabar of antienony, two scruples; mix them into a fine powder for use.

This powder will not only prevent the numerous disorders children are liable to, but will also remove many, and all that arise from acidities in the stomach.

—This is preferable to all other remedies yet known, for children in cutting their teeth, sickness at their stomachs, &c. &c. The dose is from ten grains to half a drachm more or less twice a-day.

POWDER TO PROMOTE DELIVERY.

Take borax in fine powder, castor, cinnamon, and myrrh, of each three drachms; saffron and savin, of each one drachm and a half; mix them and make a powder for use.

A drachm of this powder facilitates the birth, and promotes the lochia and menses.

THE FAMOUS SYMPATHETIC POWDER.

Take of green vitriol eight ounces; of gum tragacanth, reduced to an impalpable powder, one ounce: mix these together, and let a small quantity of the powder be sprinkled on the wound, and it immediately slops the bleeding. The vitriol must be calcined to whiteness in the sun, before it be mixed with the gum.

The above powder, is used by the miners at Gosselaer in Germany, in all their wounds; and, I believe, was never known to fail. This powder, Monf. Lemery and Sir Kenelm Digby tell us, has also the following wonderful property, that, if it be spread on a cloth dipped in the blood of a wound so as to incorporate with the blood, the wound would be cured, though the patient were miles off, and never saw the medicine. From this remarkable sympathetic property it derived its name.

POWDER FOR A SORE THROAT.

Take one ounce and a half of purified fal ammoniac, and half an ounce of purified nitre, mix them very well together in a mortar for use.

About fix or eight grains of this powder is to be frequently held in the mouth, and to be gently swallowed down the throat. This very often answers better than gargies. If necessary, lose a little blood and take a brisk purge before you use the powder.

FOR VOMITINGS, BILIOUS DISORDERS, &c.

Take mint water, fyrup of lemons, of each four ounces; falt of wormwood, two drachms. Mix them well together for use.

In vomitings, hiccups, rheumatifms, fevers, and all diforders from a fizincs in the blood, no preparation can be more innocent nor more efficacious. Two or three table spoonfuls are to be taken every four or five hours.

DECOCTION FOR CATARRHS, COLDS, &c.

Take of compound teflaceous powder, one ownee; gum arabic in powder, half an cunce; water, two quarts, boil it till one pint of the water is wasfed: then add to the turbid decoction, of aromatic water, one ownee and a half; white sugar, half an ownee, and mix the whole well together for use.

This composition will be found immediately useful in destroying sharp corrosive matter in the stomach, and absorbing all acidities in the sirst passages. Half a pint of it in severs, colds, or the like disorders, may be taken three or four times every day, blood-warm.

SWEATING DRAUGHT, FOR RECENT COLDS.

Take of the spirit mindercus, four ounces; syrup of poppies, and simple cinnamon water, of each one ounce; volatile salt of hartshorn, half a scruple. Mix them together for two draughts, and take one of them when going into bed, and the remainder the second evening after.

In rheumatifms, pains in the head, and other parts, the above fweating draught will be found to answer every intent.

FOR AN INVETERATE COLD OR COUGH.

Take a large tea-cup full of linfeed, two-penny-worth of flick diquorice, and a quarter of a pound of fun raifins.—
Put thefe into two quarts of fost water, and let it simmer over a flow fire till it is reduced to one; then add to it a quarter of a pound of brown fugar-candy pounded, a table spoonful of old rum, and a table-spoonful of the best white-wine vinegar or lemon-juice. The rum and vinegar are best to be added only to that quantity you are gaing immediately to take; for, if it is put into the whole, it is apt, in a little time, to grow state. Drink half a pint at going to bed, and take a little when the cough is troublesome.

This

This receipt generally cures the worst of colds in two or three days, and if taken in time may be said to be almost an infallible remedy. It is a most sovereign and balfamic cordial for the lungs, without the opening qualities which endanger fresh colds by going out. It has been known to cure colds that have been almost settled in confumptions, in less than three weeks.

FOR A PUTRID SORE THROAT.

Take of the best Perwian bark, in groß powder, one ounce end a half; Virginian sinde-root, three drackins: boil them together in three quarts of water to one quart; then strain the liquor, and add two drackins of elixir of vitriel; take a large tea-up full of it every third hour. To every dose you may add a small quantity of brandy-if you chuse it.

The steam of the following ingredients received into the throat through a funnel every hour will do a deal of service.

Take viviegar, one pint; honey, half a pound; myrrh, in powder, half an ounce; boil them well together, and it is fit for use.

Blifters applied to the throat, and behind the ears, are equally as beneficial in this difeafe, in case the pulse and spirits are very low. If a vomiting continues, Take four table-spoonfuls of lemon-juice, and put to it one drachm of fait of tartar; white sugar, half an ounce; mint-water, three ounces: mix them very well together. The dose is a table-spoonful every hour.—This is the samous saline julep so much approved of by the saculty, as an antidote against vomiting and sickness of the stomach. After the disorder is subdued, the patient should take a sew purges of rhubarb, sena, or the like. But, on the contrary, whilst the putrid ulcers remain in the throat, and a violent looseness should come on, it must be checked, by taking two tea-spoonfuls of diascordium two or three times a-day.

ALE FOR THE INWARD PILES.

Take half an ounce of black pitch, and boil it in a pint of good ale, till it comes to half a pint, then drink it off blood-warm.

This, though a fimple remedy, has proved very effectual in many stubborn cases, where other things of much greater expense have proved abortive.

ALE FOR THE JAUNDICE.

Take one quart of alt, and add to it two ounces of hempfeed, and half an ounce of turmeric, in powder: boil them over the fire about a quarter of an hour, then strain it for use. This may be sweetened with coarse sings. Half a

This may be invested with coarse sigar. Half; pint of it at a dose; to be taken every morning.

VOMITING DRAUGHT.

Take of ipecacuanua, in fine powder, twenty-five grains; alexeterial water, half an ounce; compound spirit of laven-

der, half a drachm; fyrup of orange-peel, one drachm: min them for use.

DRAUGHT FOR THE DROPSY.

Take of peppermint-water, one ounce; fimple cinnamonwater, half an ounce; fpirituous cinnamon-water, two drachms; thebaic tincture, forty drops; lye of tartar, half a drachm; fyrup of marfh-mallows, one drachm: mix them together for a draught.

This is the medicine which cured a person labouring under an ascites and tympany at the same time, where the pain was very severe, attended with great thirst, and thick high-coloured urine rendered in small quantities. The strong purges increased the distemper. Soap, lixivial salts, balsam of gilead, nitre, and the like, all proved abortiv. This draught brought unexpected relies, by procuring resignant causing a copious discharge of water. By repeating the medicine for some time, every eight hours, and then only twice a day, and afterwards using corroborants, or medicines that produce strength of body, &c. the cure was perfectly completed.

FOR CONSUMPTIONS.

Take leaves of comfrey the greater, Solomon's feal, and pimpernel, each four handfuls; liquorice-root, two ounces: infufe them cold for twelve days in two gallons of lime-water, and take off the clear liquor for ufe.

This is very eafily made, and is much better than if it were to be diffilled. It is of excellent use in such contumptions as proceed from a sharp thin blood; especially in those who have been injured by a certain bad discasse, or have any hereditary remains of scrophulous or leprous humours. It must be drunk for about forty days together, to the quantity of a quart or two every day, if the shomach can bear so much. It will also be of the utmost service to wash soul ulcers with.

DECOCTION FOR INWARD DECAY.

Take ground-ivy, feabious, and colt's foot, each two landfuls; hyffop, one handful; elecampane-root, one ounce; liquorice, four ounces; agrimony, four handfuls: boil them together in nine quarts of barley-water till they come to about a gallon, then strain it for use.

This pectoral can be depended on in coughs and confumptions of the lungs.

FOR THE ASTHMA, AND SHORTNESS OF BREATH.

Take of the milk of gum ammoniac, fix ounces; fyrup of fquills, four ounces and a half: mix them together.

This promotes expectoration in a very great degrees, and relieves those who are short-breathed; it is also justly esteemed for its serviceable properties in assuming tic cases, by rarefying and thinning viscid cohesions in the pulmonary vessels. A spoonful is to be taken source sive times every day, and in particular every morning.

INJECTIONS FOR ULCERS IN THE VAGINA AND WOMB.

Take quickfilver, baifam capiva, of each half an ounce: beat and work them together, till the quickfilver is extinguifted; then put to the mass, the yolk of an egg: mix them v ry well together, gradually adding half a pint of rosemeter.

As well as for injections in ulcers in the vagina occafioned from the corrofiveness of a long continuance of the whites, it is equally as efficacious for a gonorrhea, particularly if any ulcers be in the urethra. This simple preparation sheathes the excoriated parts from the acrinony of the urine.

ESSENCE FOR THE HEAD-ACH.

Take of French brandy, or rectified spirit of wine, one quart, put it into a strong bottle; and add one owner of campher cut small; a quarter of an owner of effence of lemon; and two owners of the strongest volatile spirit of sal ammoniac. Stop the bottle quite close, and shake it three or four times a day for a week.

The method of using it is to rub the hand with a little of it, and hold it hard upon the part affected until it is dry; if the pain is not quite relieved, repeat it till it.is.

COMPOUND TINCTURE OF SENA, COMMONEY CALLED DAFFY'S ELIXIR.

Take of the best sena, two ounces; jalin, coriander seeds, and cream of tartar, of each one ounce; coarse sugar, three quarters of a pound; brandy, three pints: let them stand for in or twelve days; then strain off what is sine for use.

This is an agreeable purge, and nothing can be more useful than to keep it ready-made for family use.

GODFREY'S CORDIAL.

Take feven gallons of water, raspings of sassofteds, of each four pounds; powder of carraway-seeds, eight owners; coarse sugar, lifteen pounds: beit them altogether, till one half of the liquor be evaporated, then strain it through a coarse bag or cloth, and add three gallons of spirit of wine restified.

STOUGHTON'S BITTERS.

Take gentian-rect, two ownces; dried orange peel, two ownces and an half; cochineal, in powder, half a drachm; proof spirit, or brandy, two pounds; let them sland ten or twelve days, and decant off what is clear for use.

FRIAR'S BALSAM, COMMONLY CALLED TUR-LINGTON'S BALSAM, OF LIFE.

The true and best method of making it: Take gum benjamin, twelve ounces; gum storax, eight ounces; balfam of Tolu

(or Peru), four ounces; fuccotrine aloes, two ounces; redified spirit of wine, five quarts and a pint: let them stand to digest twelve or fourteen days, then decant for use.

PILLS FOR GIDDINESS, PALSY, HEAD-ACH, &c.

Take native cinnabar, levigated; two drachms; cafter, and falt of amber, of each one drachm; oit of marjorum, fifteen drops; balfam of Peru, one drachm; firth of piony, a sufficient quantity to make the mass; and form nine pills out of every drachm of it. The dose is three of them to betaken three times a-day.

PASTE FOR THE FISTULA, PILES, &c.

Take a pound of elecampane-root, three pounds of fennelfeeds, and one pound of black pepper; let thefe be made into a very fine pounder, feparately; take two pounds of honey, and the fame quantity of fugar, in powder; melt the honey and fugar together over a gentle fire, feunming them coutinually, till they become as bright as amher: when they are cool, mix and knead them into your powders in the form of a pafie.

The dose is the fize of a nutmeg, morning, noon, and night. This has been found a specific for the fiftula, piles, &c.

FOR THE WHOOPING COUGH, BY THE ROYAL COLLEGE OF PHYSICIANS.

Take flower of benjamin, and strained opium, of each two drackms; comphire, two struples; essential oil of anise-feed, half a drackm; reslished spirit of wine, one quart: digel, and strain off the clivir.

This is originally from Le Mort, and was published by Quincy, with four ounces of liquorice, and four of honey, which the college have omitted. It is anodyne and diaphoretic, and greatly contributes to allay tick-ling coughs, to open the breaft, to give freedom of breathing, to cure an afthma, but particularly the WHOOPING-COUGH IN CHILDREN. The dofe for children is from five drops to twenty; and, togrown persons, from twenty to an hundred, at night and morning, in Malaga wine.

Dr. SMITH'S PRESCRIPTION FOR THE WHOOP:

Take of the mush julep, fix ounces; paregoric elixir, half an ounce; volatile tincliure of valerian, one drachm: mix them, and take two spoonfuls three or four times every day.

Take milk of gum ammoniae, and of small einnamon water, of each two owners; inclure of easlor, two drackms; sprug ef balfam, half a drachm: mix them, and administer one spoonful presently after.

Towards the decline of the difease, a decoction of the bark, in full doses, may be prescribed to advantage.

INDEX TO THE MEDICAL PART.

ABDOMEN, or belly, the structure of, with an exsues, or intermittent Fevers, the caufes, fymptoms, regimen, and medical treatment, of, 119. Ale for the inward piles, 253. Ale for the jaundice, 253. Alexeterial Bolus, 245. Anatomical Analysis of the human Frame, both male and female, 191, &c. Animal Magnetism, on what founded, 244. Anodyne Balfam, 245. Anodyne Clyster, 248. Anodyne Liniment, 250. Anthony's Fire, St. See Eryfipelas. Anticholic Clyster, 248. Antidysenteric Electuary, 247. Antihectic Decoction, 247. Antipathy, wonderful properties of, 243. Aperient Ale, 246.
Apoplexy, its cause and cure, 172. Aromatic or Spice Water, 245. Arteries, their structure and office, with their names and description, 33, &c. Afthma, its different kinds, causes, symptoms, and cure, 171, &c.
Balfamic Electuary, 247. Bladder, inflammation of the, 152. Blistering Plaster, 248. Blood, generation and circulation of, 103.
Blood, involuntary discharges of, to cure, 158. Blood, spitting of, 159.
Blood, vomiting of, 160.
Bolus of Jalap with mercury, 245. Bones, or ftructure of the human fkeleton, 61. Bones, broken, how to treat, 93.
Brain, inflammation of, its fymptoms and cure, 139. Bruifes, how to treat, 188. Burns, to heal and cure, 188. Cartilages. See Griftles. Cancer, its extreme danger, and best method to cure, 181. Child-birth, or the process of midwisery, 228.

Cholera Morbus, its danger, and best mode of cure, 153.

Cholic, the different kinds, and modes of cure, 150. Cold Bathing, cautions previous to, 199. Colds and Coughs, how to cure, 144, 145. Conception, or Pregnancy, manner of, with the indispofitions common thereto, 225. Confumptions, the different kinds, and methods of cure, 125. Convulfion Fits, 198. Coughg Whapping, 146. Child in the Womb, the progressive formation of its parts. Cramp of the Stomach, 177. Cephalic Electuary, 247. Cephalic Ale, 246. Daffy's Elixir, 254. Decoction for catarrahs, colds, &c. 252: Decoction, common 247.

Decoction for a purid fore throat, 253. Decoction for inward decays, 253. Defensive Plaster, 248. Di betes, description of, and sure, 155.

Diaphoretic Bolus, 245. Diarrhaa, or Loofeness, 154.

Diflocations, 1900.

Difeafes in general, their prevention and cure, 112.

Draught, faline, 249. Draught for the dropfy, 253. Drink for confumptions, 253. Drinking the Mineral Waters, cautions previous thereta, Dropfy, how to cure, 163. Drowned Persons, recovering of, 196. Diuretic Decoction, 24. Dyfentery, or bloody Flux, 161. Eggs, in the ovaries of a woman, contain the rudiments of the embryo, 227.

Electuary against the piles, 247. Electuary against fluxes, 247 Elixir for the whooping-cough, 254. Emetic, or vomiting draught, 253. Emollient Cataplasm, 146. Emulfion, common and Arabic, 248. Epilepfy, or Falling Sickness, 175. Eryfipelas, or St. Anthony's Fire, 138. Effence for the head-ach, 254. Eye-Water, 245. Eyes, inflammation of, and cure, 140, &c. Fat, its origin, quality, and office, 23. Fevers, their nature, general tendency, and cure, 117. Fevers, intermittent, 119. Fever, acute or continual, 121.
Fever, flow or nervous, 128.
Fever, malignant, putrid, or spotted, 129. Fever, the miliary, 131. Fever, the remitting, 132. Fever, fearlet, 137. Fever, bilious, 138. Fibres, their construction and office, 21. Flatulencies, or Wind, 178. Fiesh of the Human Body, its diversity, substance, &c. 20. Fluor Albus, or Whites, 219. Fomentation, aromatic, 249. Fomentation, strengthening, 249. Friar's Balfam, 254. Furor Uterinus, cautions how to prevent, and cure of, 224. Gargle, common, 249. Gargle, emollient, 249. Generative Parts in men and women, a minute description of, 15, 84—97.
Generation, how performed, 227
Godfrey's Cordial, 254. Gout, how to alleviate, 165. Gravel and Stone, 156. Green Sickness, how to treat, 217.
Griftles, or Cartilages, their nature and office, 22. Head, description of, 3.
Heart, its wonderful construction, sensation, and office, A particular description thereof, 100-102. Heart burn, to cure, 17.3. Hiccup, how to prevent, 176. Hymen, its fituation and office, 192. Hypochondriac Complaints, 180. Hyfterit Complaints, 179 Jaundice, fymptoms and cure, 162. Infants, difeases of, 234.
Inflammations and Abscesses, 185. Infusion, antiscorbutic, 249. Infusion of linfeed, 249. Injections, balfamic, mercurial, 250.
Injections for ulcers in the vagina and womb, 254. Intestines, described, 75.

Intestines.

Intestines, inflammation of the, 148. Itch, how to prevent, or cure, 170. Juleps, cordial, diaphoretic, diuretic, fætid, faline, 250. Kidneys, their fituation, structure, and office, 80. Kidneys, inflammation of the, 151. King's Evil, 169. Lavender, compound spirit of, 251. Lenitive Electuary, 247. Ligaments, their construction and use, 12. Liver, its substance and office, 78. Liver, inflammation of the, 152. Loofenefs. See Diarrhaa. Lobelia, an American plant, used by the natives to cure the venereal difeafe, 213. Lungs, their construction and office, 102. Lungs, inflammation of, 124. Man, physical and astronomical description of, 1. Membranes, their construction and office, 20. Meafles, symptoms of, and cure, 136. Menstrual Dicharge, cautions concerning, 215. . Mercurial Plaster, 248. Mezereon Root, a powerful affiftant in venereal cases, 213. Midwifery, process of, in natural and difficult labours, 228. Miners, exposed to injuries from unwholesome air, and mineral evaporations, 114. Millepides, expressions of, 249. Muscles, their aftonishing properties and curious confiruction. A minute investigation and description of them, 40.
Nerves, a description of them, with their properties, fituation, and ufe, 37. Nervous Difeafes, their caufe, and cure, 174. Night-mare, its cause and cure. Absurd notion of this diforder among the ancients, 177. Palfy, 175 Pectoral Bolus, 246. Penis. See Generative Parts. Files, bleeding and blind, 159. Plague and Fever Water, 245. Plasters, various kinds, 248. Pleurify, its causes and cure, 122.

Poisons, how to repel, 183.

Purging. S e Cholera Morbus.

Pulfes, the explanation and doctrine of, 106.

Quinfey, or Inflammatory Sore Throat, 141.

Reins and Kidneys, description of, 14. Reins, their fituation and office, 80.

Rheumatifm, how to cure, 167. Rhubarb Bolus, with Calomel, 246. Ruptures, in adults, 195. Ruptures, in children, 235. Sarfaparilla, a powerful ingredient in venereal cafes. Scurvy, causes of, symptoms and cure, 163. Stomach, its parts described, 10. Stomach, inflammation of the, 147. Strains, how to cure, 194. Stone and Gravel, 156. Shin, or Cuticle, its texture, substance, &c. 19. Sheleton, or bones proper to the human body, their construction, names, property, and office, 61. Sedentary Life, the ill confequences of it, 116. Small-pox, its nature, fymptoms, and mode of treatment, 133, &c. Small-pox, inoculation of, by the most approved modern method, 135. Sore Threat, inflammatory, fymptoms of, danger, and necessary treatment, 141 Sore Throat, putrid, malignant, or ulcerous, its conta-gious quality, fymptoms, and best mode of cure, 142. Self pollution, its dreadful effects on either fex, 222. Scrophula, how to cure, 169. Sympathy, particular description of its effects, 213. Stomach Ploster, 248. Strengthening Confection, 246. Strengthening Electuary of the Bark, 147. Suppurating Cataplasm, 246. Tendons, their conftruction, substance, and office, 23. Thorax, or middle Ventricle, its parts described, 98. Venereal Difease, bad consequences of being neglected. nereal Disease, bad connegations, 203. Gleets, 207.
202. The virulent gonorrhæa, 203. Chancres, 210. Stranguary and Phymofis, 211. Confirmed lues, 212. Veins, particular description of, with their names, order, office, and curious construction, 24. Ulcers, how to treat, and cure, 189. Vomiting, how to cure, or prevent, 154-Urine, Suppression of, 156. Urine, bloody, 161. Vulnerary Decoction, 247 Weakneffes, contracted before marriage, 221. Whooping or Chin Cough, how to cure, 140. Women, difenies of, 215. Worm Plaster, 248. Wounds, how to heal, 186.

59 whole will make Two elegant Volumes, entirely complete.

DIRECTIONS TO THE BINDER.

In the HERBAL.	Page:
Place the Head of Culpeper opposite to the Title, and	Muscles, Plate II 60
Cuts of the Plants in alphabetical order, as near to	The Human Skeleton 72
the Description of each Plant as possible; and let	The Organs of Generation, Male and Female,?
the Index to the Plants and Harby banks and let	
the Index to the Plants and Herbs be placed at the End of the Herbal.	Plate of the Human Heart - 102
74	Child in the Womb, just before Delivery - 229
In the MEDICAL PART.	Process of Delivery 230
Place the Celeftial Influx on Man, opposite the Title-	
page.	In the WONDERS OF NATURE REVEALED.
Celeftial Influx on Woman, to face - Page 19	or, KEY TO PHYSIC AND OCCULT SCIENCE,
Veins of the Human Body, opposite 22	the Binder is to place that Continuation of the Work at the
Arteries of ditto 26	End of this Medical Part, as far as the Appendix, which is
Nerves of diffo 40	to be placed at the End of the Herbal, by which means the
	zuhole zuill make Trop ele aant Volumes, entirely comblete.







